

## فهرست منابع

1. اسد بختی، عباس، چوبینه، سیروس، کردی، محمدرضا "تاثیر یک جلسه تمرین شبیه سازی فوتبال بر غلظت IgM, IgG, IgA و کورتیزول بزاقی در بازیکنان فوتبال مرد" مجله فیزیولوژی تمرینی شماره ۱۵- پاییز ۱۳۹۱.
2. براری، علی رضا، نیکبخت، حجت اله (۱۳۸۷) "بررسی شاخص های عملکردی قلب (نسبت اوج سرعت جریان اولیه میترال به اوج سرعت جریان تاخیری میترال، حجم ضربه ای و کسر تخلیه) تحت تاثیر یک دوره برنامه تمرینی ۸ هفته ای استقامتی" نشریه: علوم حرکت انسان « بهار ۱۳۸۷ - شماره ۱ صفحه - از ۲۳ تا ۳۲.
3. ترتیبیان، بختیار، آزادپور، نوشین، "تاثیر شدت تمرین بر شاخص های التهابی و آسیب عضلانی مردان جوان غیر ورزشکار " مجله علوم حرکت انسان، ۱۳۴-۱۳۸۷، ۳۲.
4. حامدی نیا، محمد رضا، حقیقی، امیرحسین، رواسی، علی اصغر " تاثیر تمرینات هوازی بر شاخص های التهابی خطر بیماری های قلبی عروقی را در مردان چاق " مجله حرکت شماره ۳۴، زمستان ۱۳۸۶
5. حمید تهرانی، جهانگیر (۱۳۷۹) " بررسی اثر تمرینات ورزشی هوازی بر روی بیماران سکتة قلبی " نشریه المپیک - سال هشتم - ضمیمه شماره ۱۵-پیاپی ۱۶
6. دبیدی روشن، ولی اله، محمودی، علی اکبر، جولازاده، طلا" مقایسه تاثیر ۳ و ۵ جلسه تمرین تناوبی هوازی بر HS-CRP موش های صحرایی نژاد ویستار" فصلنامه المپیک، سال هفدهم شماره ۱، پیاپی ۴۵، بهار ۱۳۸۸.
7. زیلایی پور، شیرین و همکاران (۱۳۸۹) " تاثیر تمرین هوازی تداومی و تناوبی براوج اکسیژن مصرفی و کسر تخلیه بیماران، پس از جراحی بای پس عروق کرونر" پژوهش در علوم تمرینی، شماره ۲۸ ص ۱۲۸-۱۱۵،
8. شب خیز، فاطمه، تقی خانی، محمد، رواسی، علی اصغر، امینیان رضوی، توراندخت " تاثیر شش هفته تمرین مداوم و متناوب هوازی بر سیستم ایمنی همورال موش های صحرایی ماده مسن " نشریه حرکت، شماره ۲۶، زمستان ۱۳۸۴
9. شعبانی، رامین و همکاران (۱۳۹۱) "تاثیر برنامه نوتوانی قلب بر عملکرد جسمانی و کیفیت



- زندگی بیماران مبتلا به سکتة قلبی» مجله پژوهش در پزشکی دانشگاه شهید بهشتی تهران، دوره ۳۶، ویژه نامه ۱، ص ۱۲۲-۱۱۷ از مستان ۱۳۹۱
۱۰. فتحی، محمد و همکاران (۱۳۹۲) "ارزیابی تغییرات قلب موش‌های نر نژاد ویستار در پی تمرینات استقامتی" فصل نامه‌های علمی پژوهشی دانشگاه علوم پزشکی لرستان. یافته دوره پانزدهم شماره ۵ مسلسل ۵۸.
۱۱. گائینی، عباسعلی، دریانوش فرهاد (۱۳۹۲) " فیزیولوژی تمرینی تلفیق نظر و عمل " انتشارات سمت.
۱۲. مهدی‌وند، ایوب و همکاران (۱۳۸۹) «تأثیر یک مسابقه فوتبال بر پاسخ‌های ایمنوگلوبولین A، مقدار جریان خون بزاق، پروتئین تام بزاقی و نسبت ایمنوگلوبولین به پروتئین تام مردان فوتبالیست» پژوهش نامه فیزیولوژی تمرینی کاربرد ی-سال هشتم/شماره پانزدهم/بهار تابستان ۱۳۹۱.
۱۳. نورشاهی و همکاران (۱۳۹۰) "مقایسه تاثیر هشت هفته تمرین زیر بیشینه در شرایط هایپوکسی نورموباریک و شرایط طبیعی بر آنژیوژنز" پژوهش در علوم تمرینی، شماره ۹، بهار ۱۳۹۰. ص ۱۷۲-۱۵۹.
- ۱۴- حقیقی، امیرحسین و همکاران (۱۳۸۵) " تاثیر تمرین‌های مقاومتی بر سایتوکاین‌های همراه با التهاب و مقاومت به انسولین در مردان چاق" فصلنامه المپیک، سال چهاردهم- شماره ۲ (پیاپی ۳۴) تابستان ۱۳۸۵.

- 14- Aaron L. et al (2009) "Differences in Cardiac Parameters among Elite Rowers and Sub-elite Rowers» Journal of the American College of Sports Medicine.
- 15- Diffie GM, Chung E. Altered single cell force-velocity and power properties in exercise-trained rat myocardium. J. Appl. Physiol. 2003; 94:1941—8.
- 16- Fluck M. Functional, structural and molecular plasticity of mammalian skeletal muscle in response to exercise stimuli. J Exp Biol. 2006;209(Pt 12):2239-2248.g
- 17- George KP, Gates PE, Birch KM, Campbell IG. Left ventricular morphology and function in endurance-trained female athletes. J Sports Sci. 1999;17(8):633-42.
- 18- Henriksen E, Landelius J, Kangro T, et al. An echocardiographic study of right and left ventricular adaptation to physical exercise in elite female orienteers. Eur Heart J. 1999;20(4):309-16.
- 19- Hernandez D, de la Rosa A, Barragan A, et al. The ACE/DD genotype is associated with the extent of exercise-induced left ventricular growth in endurance athletes. J Am Coll Cardiol. 2003;42(3):527-32.

- 20- Hoogsteen J, Hoogeveen A, Schaffers H, Wijn PF, van der Wall EE. Left atrial and ventricular dimensions in highly trained cyclists. *Int J Cardiovasc Imaging*. 2003;19(3):211-7.
- 21- Kemi OJ, Haram PM, Loennechen JP, et al. Moderate vs. high exercise intensity: differential effects on aerobic fitness, cardiomyocyte contractility, and endothelial function. *Cardiovasc. Res*. 2005; 67:161—72.
- 22- Kemi OJ, Haram PM, Wisloff U, Ellingsen O. Aerobic fitness is associated with cardiomyocyte contractile capacity and endothelial function in exercise training and detraining. *Circulation*. 2004; 109:2897—904.
- 23- Kemi OJ, Ellingsen O, Ceci M, et al. Aerobic interval training enhances cardiomyocyte contractility and Ca<sup>2+</sup> cycling by phosphorylation of CaMKII and Thr-17 of phospholamban. *J. Mol. Cell. Cardiol*. 2007; 43: 354—61.
- 24- Konopka AR, Trappe TA, Jemiolo B, Trappe SW, Harber MP. Myosin heavy chain plasticity in aging skeletal muscle with aerobic exercise training. *The journals of gerontology Series A, Biological sciences and medical sciences*. 2011;66(8):835-841.
- 25- Hill JA, Olson EN. Cardiac plasticity. *N Engl J Med*. 2008;358(13):1370-80.
- 26- Holzer N, Ziltener JL, Menetrey J. Plasticity of striated skeletal muscle: training effect and perspectives. *Revue medicale suisse*. 2006;2(74):1798-1804.
- 27- Kong SW, Bodyak N, Yue P, Liu Z, Brown J, Izumo S, et al. Genetic expression profiles during physiological and pathological cardiac hypertrophy and heart failure in rats. *Physiol Genomics*. 2005;21(1):34-42.
- 28- Muhl C, Dassen WR, Kuipers H. Cardiac remodelling: concentric versus eccentric hypertrophy in strength and endurance athletes. *Neth Heart J*. 2008;16(4): 129-133.
- 29- Montgomery HE, Clarkson P, Dollery CM, et al. Association of angiotensin-converting enzyme gene I/D polymorphism with change in left ventricular mass in response to physical training. *Circulation*. 1997;96(3):741-7.
- 30- Morganroth J, Maron BJ, Henry WL, Epstein SE. Comparative left ventricular dimensions in trained athletes. *Ann Intern Med*. 1975;82(4):521-4.
- 31- Pelliccia A, Avelar E, De Castro S, Pandian N. Global left ventricular shape is not altered as a consequence of physiologic remodeling in highly trained athletes. *Am J Cardiol*. 2000;86(6): 700-2, A9.
- 32- Pelliccia A, Maron BJ, Di Paolo FM, et al. Prevalence and clinical significance of left atrial remodeling in competitive athletes. *J Am Coll Cardiol*. 2005;46(4):690-6.
- 33- Pluim BM, Zwinderman AH, van der Laarse van der Wall EE. The athlete's heart: a meta-analysis of cardiac structure and function. *Circulation*. 2000;101(3):336-344.
- 34- Prasad A, Popovic ZB, Arbab-Zadeh A, et al. The effects of aging and physical activity on Doppler measures of diastolic function. *Am J Cardiol*. 2007;99(12):1629-36
- 35- Ramkumar N R et al " )2012 (Analysis of Differences in Cardiovascular Endurance and Resting Pulse Rate Among Swimmers and Rowers "International Journal of Multidisciplinary Research Vol.2 Issue 11, November, ISSN 2231 5780.
- 36- Scharhag J, Schneider G, Urhausen A, Rochette V, Kramann B, Kindermann W. Athlete's heart: right and left ventricular mass and function in male endurance athletes and



- untrained individuals determined by magnetic resonance imaging. *J Am Coll Cardiol.* 2002;40(10):1856-63.
- 37- Ulrik Wisløff, Kyvind Ellingsen and Ole J.(2009)» Kemi3High-Intensity Interval Training to Maximize Cardiac Benefits of Exercise Training?« **Exercise and Sport Sciences Reviews** Interval Training and Cardiac Adaptation, July Volume 37 , Number 3.
- 38- Whyte G, Sharma S, George K, McKenna WJ. Alterations in cardiac morphology and function in elite multi-disciplinary athletes. *Int J Sports Med.* 1999;20(4):222-6.
- 39- Wisloff U, Loennechen JP, Currie S, Smith GL, Ellingsen O. Aerobic exercise reduces cardiomyocyte hypertrophy and increases contractility, Ca<sup>2+</sup> sensitivity and SERCA-2 in rat after myocardial infarction. *Cardiovasc. Res.* 2002; 54:162—74.
- 40- Wisloff U, Stoylen A, Loennechen JP, *et al.* Superior cardiovascular effect of aerobic interval training versus moderate continuous training in heart failure patients: a randomized study. *Circulation.* 2007; 115: 3086—94.
- 41- Zhua SS, Mab JZ, Yong YH, Niu J, Zhang JN. Left ventricular function in physiologic and pathologic hypertrophy in Sprague- Dawley rats. *Science & Sports.* 2008;23: 299305.
- 42- Ankur Rohilla, Praveen Kumar, Seema Rohilla, Ashok Kushnoor(2012) » Cardiac Hypertrophy: A Review on Pathogenesis and Treatment «International Journal of Pharmaceutical Sciences and Drug Research 2012; 4(3): 164-167.
- 43- Aoyagi T, Matsui T. Phosphoinositide-3 kinase signaling in cardiac hypertrophy and heart failure. *Curr Pharm Des.* 2011; 17: 18181824.
- 44- Balakumar P, Jagadeesh G. Multifarious molecular signaling cascades of cardiac hypertrophy: can the muddy waters be cleared. *Pharmacol Res.* 2010; 62: 365-383.
- 45- Barry SP, Davidson SM, Townsend PA. Molecular regulation of cardiac hypertrophy. *Int J Biochem. Cell Biol.* 2008; 40: 20232039.
- 46- Buss SJ, Riffel JH, Malekar P, Hagenmueller M, Asel C, Zhang M, *et al.* Chronic Akt blockade aggravates pathological hypertrophy and inhibits physiological hypertrophy. *Am J Physiol Heart Circ Physiol.* 2012; 302: H420-H430.
- 47- Carreno JE, Apablaza F, Ocaranza MP, Jalil JE. Cardiac hypertrophy: molecular and cellular events. *Rev Esp Cardiol.* 2006; 59: 473-486.
- 48- DeBosch B, Treskov I, Lupu TS, Weinheimer C, Kovacs A, Courtois M, *et al.* Akt1 is required for physiological cardiac growth. *Circulation.* 2006; 113: 2097-2104.
- 49- Dorn GW, Brown JH. Gq signaling in cardiac adaptation and maladaptation. *Trends Cardiovasc Med.* 1999; 9: 26-34.
- 50- Fagard RH. Impact of different sports and training on cardiac structure and function. *Cardiol Clin.* 1997; 15: 397-412.
- 51- Fu Y, Xiao H, Zhang Y. Beta-adrenoceptor signaling pathways mediate cardiac pathological remodeling. *Front Biosci.* 2012; 4: 1625-1637.
- 52- Force T, Pombo CM, Avruch JA, Bonventre JV, Kyriakis JM. Stress-activated protein kinases in cardiovascular disease. *Circ Res.* 1996; 78: 947-953.
- 53- Grossman W, Jones D, McLaurin LP. Wall stress and patterns of hypertrophy in the human left ventricle. *J Clin Invest.* 1975; 56: 5664.



- 54- Kee HJ, Kook H. Roles and Targets of Class I and IIa Histone Deacetylases in Cardiac Hypertrophy. *J Biomed Biotech.* 2011; 2011: 928326.
- 55- Kim J, Wende AR, Sena S, Theobald HA, Soto J, Sloan C, et al. Insulin-like growth factor I receptor signaling is required for exercise-induced cardiac hypertrophy. *Mol Endocrinol.* 2008; 22: 2531-2543.
- 56- Kurdi M, Booz GW. Three 4-letter words of hypertension-related cardiac hypertrophy: TRPC, mTOR, and HDAC. *J Mol Cell Cardiol.* 2011; 50: 964-971.
- 57- Iemitsu M, Miyauchi T, Maeda S, Sakai S, Kobayashi T, Fujii N, et al. Physiological and pathological cardiac hypertrophy induce different molecular phenotypes in the rat. *AJP - Regu Physiol.* 2001; 281: R2029-R2036.
- 58- Mariappan N, Soorappan RN, Haque M, Sriramula S, Francis J. TNF-alpha-induced mitochondrial oxidative stress and cardiac dysfunction: restoration by superoxide dismutase mimetic Tempol. *Am J Physiol Heart Circ Physiol.* 2007; 293: H2726-H2737.
- 59- McMullen JR, Jennings GL. Differences between pathological and physiological cardiac hypertrophy: novel therapeutic strategies to treat heart failure. *Clin Exp Pharmacol Physiol.* 2009; 34: 255-262.
- 60- McMullen JR, Izumo S. Role of the insulin-like growth factor 1(IGF1)/phosphoinositide-3-kinase(PI3K) pathway mediating physiological cardiac hypertrophy. *Novartis Found Symp.* 2006; 274: 9
- 61- Molkentin JD, Dorn GW 2nd. Cytoplasmic signaling pathways that regulate cardiac hypertrophy. *Annu Rev Physiol.* 2001; 63: 391-426.
- 62- Mone SM, Sanders SP, Colan SD. Control mechanisms for physiological hypertrophy of pregnancy. *Circulation* 1996; 94: 667-672.
- 63- Oudit GY, Sun H, Kerfant BG, Crackower MA, Penninger JM, Backx PH. The role of phosphoinositide-3 kinase and PTEN in cardiovascular physiology and disease. *J Mol Cell Cardiol.* 2004; 37: 449-471.
- 64- Ramirez MT, Sah VP, Zhao XL, Hunter JJ, Chien KR, Brown JH. The MEKK-JNK pathway is stimulated by alpha 1-adrenergic receptor and ras activation and is associated with in vitro and in vivo cardiac hypertrophy. *J Biol Chem.* 1997; 272: 14057-14061.
- 65- Rohini A, Agrawal N, Koyani CN, Singh R. Molecular targets and regulators of cardiac hypertrophy. *Pharmacol Res.* 2010; 61: 269-280.
- 66- Sagara S, Osanai T, Itoh T, Izumiyama K, Shibutani S, Hanada K, et al. Over expression of coupling factor 6 attenuates exercise-induced physiological cardiac hypertrophy by inhibiting PI3K/Akt signaling in mice. *J Hypertension.* 2012; 30: 778-786.
- 67- Shioi T, McMullen JR, Kang PM, Douglas PS, Obata T, Franke TF, et al. Akt/protein kinase B promotes organ growth in transgenic mice. *Mol Cell Biol.* 2002; 22: 2799-2809.
- 68- Soesanto W, Lin HY, Hu E, Lefler S, Litwin SE, Sena S, et al. Mammalian target of rapamycin is a critical regulator of cardiac hypertrophy in spontaneously hypertensive rats. *Hypertension.* 2009; 54: 1321-1327.
- 69- Teos LY, Zhao A, Alvin Z, Laurence GG, Li C, Haddad GE. Basal and IGF-I-dependent regulation of potassium channels by MAP kinases and PI3-kinase during eccentric cardiac



- hypertrophy. *Am J Physiol Heart Circ Physiol*. 2008; 295: H1834-H1845.
- 70- Wang Y, Huang S, Sah VP, Ross J Jr, Brown JH, Han J, Chien KR. Cardiac muscle cell hypertrophy and apoptosis induced by distinct members of the p38 mitogen-activated protein kinase family. *J Biol Chem*. 1998; 273: 2161-2168.
- 71- Zak R. *Growth of the Heart in Health and Disease*. Raven Press, New York. 1984.
- 72- Janson R B. Dyck and Peter E(2006) “Metabolic signals of Arrhythmia” *Heart Metabol*,33,5-8
- 73- Hulin. F. Simko et al(2013) “Pathophysiology of the Cardiovascular System.
- 74- Amr Moussaa, JiLi(2012)” AMPK in myocardial infarction and diabetes: the yin/yang effect” *Acta Pharmaceutica Sinica B* 2012;2(4):368–378
- 75- Polekhina, Gupta et al. 2003; Russell, Li et al. 2004
- 76- Lopaschuk G D et al.(2007) *Circulation Research*.;101:335-347
- 77- M. Faadiel Essop(2007)” Cardiac metabolic adaptations in response to chronic hypoxia” *J Physiol* 584.3 pp 715–726.
- 78- Lufang Zhou, Jennifer E. et al(2005) »Mechanistic model of cardiac energy metabolism predicts localization of glycolysis to cytosolic subdomain during ischemia«*Am J Physiol Heart Circ Physiol* 288: H2400–H2411.
- 79- Asuka Hatano, Jun-ichi Okada,et al(2013) Mitochondrial Colocalization with Ca<sup>2+</sup> Release Sites is Crucial to Cardiac Metabolism” *Biophysical Journal* Volume 104 January 496–504.
- 80- Renée Ventura-Clapier et al “Beneficial effects of endurance training on cardiac and skeletal muscle energy metabolism in heart failure” *Cardiovascular Research* 73(2007) 10–18
- 81- Moore RL. Cellular adaptations of the heart muscle to exercise training. *Ann Med* 1998;30:46-53.
- 82- Stuewe SR, Gwartz PA, Agarwal N, Mallet RT.(2000) Exercise training enhances glycolytic and oxidative enzymes in canine ventricular myocardium. *J Mol Cell Cardiol*;32:903-13.
- 83- Coleman R, Weiss A, Finkelbrand S, Silbermann M.(1998) Age and exercise-related changes in myocardial mitochondria in mice. *Acta Histochem*;83:81-90.
- 84- Murakami T, Shimomura Y, Fujitsuka N, Sugiyama S.(1995) Differential adaptation to endurance training between heart and gastrocnemius muscle mitochondria in rats. *Biochem Mol Biol Int*;36: 285-90.
- 85- Kayar SR, Conley KE, Claassen H, Hoppeler H.(1996) Capillarity and mitochondrial distribution in rat myocardium following exercise training. *J Exp Biol*;120:189-99.
- 86- Rosa EF, Silva AC, Ihara SS, Mora OA, Aboulafia J, Nouailhetas VL.(2005) Habitual exercise program protects murine intestinal, skeletal, and cardiac muscles against aging. *J Appl Physiol* ;99:1569-75.
- 87- Terblanche SE, Gohil K, Packer L, Henderson S, Brooks GA.(2001) The effects of endurance training and exhaustive exercise on mitochondrial enzymes in tissues of the rat(*Rattus norvegicus*). *Comp Biochem Physiol A Mol Integr Physiol*;128:889-96.
- 88- Iemitsu M, Miyauchi T, Maeda S, Sakai S, Fujii N, Miyazaki H, et al.(2003) Cardiac hypertrophy by hypertension and exercise training exhibits different gene expression of

- enzymes in energy metabolism. *Hypertens Res*;26:829-37.
- 89- Stuewe SR, Gwirtz PA, Mallet RT.(2001) Exercise training increases creatine kinase capacity in canine myocardium. *Med Sci Sports Exerc*;33:92-8.
  - 90- Bloor CM. Angiogenesis during exercise and training. *Angiogenesis* 2005; 8: 263-271.
  - 91- Richardson RS, Wagner H, Mudaliar SR, Saucedo E, Henry R, Wagner PD. Exercise adaptation attenuates VEGF gene expression in human skeletal muscle. *Am J Physiol Heart Circ Physiol* 2000; 279: 772-778.
  - 92- Wood RE, Sanderson BE, Askew CD, Walker PJ, Green S, Stewart IB. Effect of training on the response of plasma vascular endothelial growth factor to exercise in patients with peripheral arterial disease. *Clin Sci(Lond)* 2006; 111: 401-409.
  - 93- Huber-Abel FA, Gerber M, Hoppeler H, Baum O. Exercise-induced angiogenesis correlates with the up-regulated expression of neuronal nitric oxide synthase(nNOS) in human skeletal muscle. *Eur J Appl Physiol* 2012; 112: 155-162.
  - 94- McCarty MF, Block KI. Multifocal angiostatic therapy: an update. *Integr Cancer Ther* 2005; 4: 301-314.
  - 95- Iversen N, Krstrup P, Rasmussen HN, Rasmussen UF, Saltin B, Pilegaard H. Mitochondrial biogenesis and angiogenesis in skeletal muscle of the elderly. *Exp Gerontol* 2011; 46: 670-678.
  - 96- Schlager O, Giurgea A, Schuhfried O, Seidinger D, Hammer A, Groger M, et al. Exercise training increases endothelial progenitor cells and decreases asymmetric dimethylarginine in peripheral arterial disease: A randomized controlled trial. *Atherosclerosis* 2011; 217: 240-248.
  - 97- Wahl P, Zinner C, Achtzehn S, Behringer M, Bloch W, Mester J. Effects of acid-base balance and high or low intensity exercise on VEGF and bFGF. *Eur J Appl Physiol* 2010; 111: 1405-1413.
  - 98- Olfert IM, Howlett RA, Wagner PD, Breen EC. Myocyte vascular endothelial growth factor is required for exercise-induced skeletal muscle angiogenesis. *Am J Physiol Regul Integr Comp Physiol* 2010; 299: 1059-1067.
  - 99- Egginton S. Invited review: activity-induced angiogenesis. *Pflugers Arch* 2009; 457: 963-977.
  - 100- Kraus RM, Stallings HW, Yeager RC, Gavin TP. Circulating plasma VEGF response to exercise in sedentary and endurance-trained men. *J Appl Physiol* 2004; 96: 1445-1450.
  - 101- Rey S, Semenza GL. Hypoxia-inducible factor-1-dependent mechanisms of vascularization and vascular remodelling. *Cardiovascular Res* 2010; 86: 236-242.
  - 102- Ziello JE, Jovin IS, Huang Y. Hypoxia-Inducible Factor(HIF)-1 regulatory pathway and its potential for therapeutic intervention in malignancy and ischemia. *Yale J Bio Med* 2007; 80: 51-60.
  - 103- Bellou S, Karali E, Bagli E, et al. The isoflavone metabolite 6-methoxyequol inhibits angiogenesis and suppresses tumor growth. *Mol Cancer* 2012; 11: 35
  - 104- Higuchi S, Ohtsu H, Suzuki H, et al. Angiotensin II signal transduction through the AT1 receptor: novel insights into mechanisms and pathophysiology. *Clin Sci(Lond)* 2007; 112:

- 417-428.
- 105- Maryam Nourshahi et al (2012) "Effect of 8 weeks endurance training on serum vascular endothelial growth factor and endostatin in Wistar rats" *Koomesh*, Summer 2012, 13(4): 474-479.
- 106- Ranjbar K et al (2011) "Effect of Gender and Physical Activity on Serum Vascular Endothelial Growth Factor at Rest And Response to Submaximal Exercise" *Iranian Journal of Endocrinology and Metabolism*, Vol 13 No.3 September 2011
- 107- **Samaneh Farahati**, **Seyed Reza Atarzadeh Hosseini**, **Nahid Bijeh**, **Omid Mahjoob** (2013) "The effect of aerobic exercising on plasma nitric oxide level and vessel endothelium function in postmenopausal women" *Razi Journal of Medical Sciences* Vol. 20, No. 115, Dec-Jan 2013.
- 108- Folkman J. *Angiogenesis Annu Rev Med*, 57:1-18. 2006.
- 109- Yukihiro Higashi, Masao Yoshizumi" Exercise and endothelial function: Role of endothelium-derived nitric oxide and oxidative stress in healthy subjects and hypertensive patients" *Pharmacology & Therapeutics* 102(2004) 87- 96
- 110- Sharon. A. Plowman. Denise L. Smith (2014) "Exercise Physiology For Health, Fitness and Performance.
- 111- Ahmed-Jerome Romain et al (2011) "Effects of exercise training on blood rheology: A meta-analysis" *Clinical Hemorheology and Microcirculation* 49(2011) 199-205 DOI 10.3233/CH-2011-1469 IOS Press.
- 112- E E Ernst and A Matrai. Intermittent claudication, exercise, and blood rheology. *Circulation*. 1987;76:1110-1114
- 113- Heshmatolla Parsian and Ardeshir Zafari 2013 "The effect of different types of exercise on plasma fibrinogen levels in non-athlete males" *European Journal of Experimental Biology*, 2013, 3(3):426-43
- 114- Brun, J.F., Connesb, P., Varlet-Marie, E. (2007). "Alterations of blood rheology during and after exercise are both consequences and modifiers of body's adaptation to muscular activity". *Hemorheologie et exercice physique Science & sports*, 22(6): PP:251- 266.
- 115- Brun, J.F., Varlet-Marie., Cassan, D., Jacques, M. (2004). "Blood fluidity is related to the ability to oxidize lipids at exercise". *Clin Hemorheol Microcirc*, 30: PP:339-343.
- 116- IS. Tripette, J., Hardy-Dessources, AID. (2006). "Does prolonged and heavy exercise impair blood rheology in sickle cell trait carriers? ". In proceeding of the 2<sup>nd</sup> Eurosummer School on Biorheology & Symposium on Microtechnobiology of cells, Tissues and Systems, September 17-20, Varna, Bulgaria.
- 117- EL-Saved, M.S., Nagia, A., EL-Saved, Z. (2005). "Hemorheology in exercise and training". *Spots Medicine*, 35: PP: 144-145.
- 118- Hitosugi, M., Kawato, H., Nagai, T., Ogawa, Y., Niwa, M., Iida, N., Yufu, T., Tokudome, S. (2004). "Changes in blood viscosity with heavy and light exercise". *Journal of Medicine science and law*, 44(3): PP:197-200.
- 119- Mogharnasi M; Gaeini AA; Sheikholeslami Vatani "Changes in Pre-Inflammatory Cytokines and Markers of Vascular Inflammation after Regular Endurance Training. Medical University of Sistan and Baluchestan, 2010





- 120- Nourshahi M, Hovanloo F, Arbabi A “Effect of Exercise with Moderate Intensity in the Morning on Some Factors of Immune Systems in Adults” Shahid Beheshti University(MC) & Health Services Endocrine & Metabolism Research Center 2009.
- 121- Soori R, Khosravi N, Rezaeian N, Montazeri H “ Effects of Resistance and Endurance Training on Coronary Heart Disease Biomarker in Sedentary Obese Women” Iranian Journal of Endocrinology and Metabolism Vol 13 No.2 July 2011.
- 122- Khajeie Rambod et al” Description of the changes of some humoral immune variables immediately and 24 hours after exercise during the preparation exercises for rock climbing” Quarterly Journal of Sabzevar University of Medical Sciences, Volume 19, Number 2, Summer 2012.
- 123- Hossain Shirvani, Kourosh Ghahreman Tabrizi, Vahid Sobhani”Effects of high intensity intermittent exercise on serum response in Immunoglobulin’s and Complement system youth soccer players” Journal of Birjand University of Medical Sciences. 2013; 20(3): 233-243
- 125- Soori R, Khosravi N, Rezaeian N, Montazeri H “ Effects of Resistance and Endurance Training on Coronary Heart Disease Biomarker in Sedentary Obese Women” Iranian Journal of Endocrinology and Metabolism Vol 13 No.2 July 2011
- 126- Jamali B, Ameghani A, Tofighi A, Jamali A, Shiri MR “The effect of single stage caffeine supplementati on serum cortisol and HSP72 concentrations and leukocyte count of male athletes” Iranian Journal of Nutrition Sciences & Food Technology.Vol. 7, No. 3, Autumn 2012.
- 127- Azarbayjani MA, Nikbakht H, Rasaee MJ” The effect of continuous and intermittent training on resting level and acute response of salivary IgA and total protein in male basketball players. Journal of Shahrekord University Of Medical Sciences. Vol.12, No.1, Spring(- March, Apr, May) 2010.
- 128- Rashidlamir A, Saadatnia A. Effects of 2 months aerobic training on glucose homeostasis index and cardiovascular risk factors. J Shahid Sadoughi Univ Med Sci; 19(2): 219-29.
- 129- Olivetti G, Giordano G, Corradi D, Melissari M, Lagrasta C, Gambert SR, et al. Gender differences and aging: effects on the human heart. J Am Coll Cardiol. 2009.Oct;26(4):1068-79.
- 130- Lakatta EG, Levy D. Arterial and cardiac aging: major shareholders in cardiovascular disease enterprises: Part II: the aging heart in health: links to heart disease. Circulation. 2003 Jan;107(2):346-54.
- 131- Haider AW, Larson MG, Benjamin EJ, Levy D. Increased left ventricular mass and hypertrophy are associated with increasedrisk for sudden death. J Am Coll Cardiol. 1998 Nov;32(5):1454-9.
- 132- K aravidas A et al 2010“ Aging and the Cardiovascular System”Hellenic J Cardiol; 51:421-427
- 133- Fleg JL, O’Connor F, Gerstenblith G, Becker LC, Clulow J, Schulman SP, et al. Impact of age on the cardiovascular response to dynamic upright exercise inhealthy men and women. J Appl Physiol. 1995 Mar;78(3):890-900.
- 134- Vasan RS, Larson MG, Benjamin EJ, Evans JC, Reiss CK, Levy D. Congestive heart



- failure in subjects with normal versus reduced left ventricular ejection fraction: prevalence and mortality in a population-based cohort. *J Am Coll Cardiol.* 1999 Jun;33(7):1948-55.
- 135- Kitzman DW, Gardin JM, Gottdiener JS, Arnold A, Boineau R, Aurigemma G, et al. Importance of heart failure with preserved systolic function in patients  $\geq$  65 years of age. CHS Research Group. *Cardiovascular Health Study. Am J Cardiol.* 2011 Feb;87(4):413-9.
- 136- Schulman SP, Lakatta EG, Fleg JL, Lakatta L, Becker LC, Gerstenblith G. Age-related decline in left ventricular filling at rest and exercise. *Am J Physiol.* 1992 Dec;263(6 Pt 2):H1932-8
- 137- Swinnee CJ, Shapiro EP, Lima SD, Fleg JL. Age-associated changes in left ventricular diastolic performance during isometric exercise in normal subjects. *Am J Cardiol.* 1992 Mar;69(8):823-6.
- 138- Benjamin EJ, Levy D, Anderson KM, Wolf PA, Plehn JF, Evans JC, et al. Determinants of Doppler indexes of left ventricular diastolic function in normal subjects (the Framingham Heart Study). *Am J Cardiol.* 1992 Aug;70(4):508-15.
- 139- Manolio TA, Furberg CD, Rautaharju PM, Siscovick D, Newman AB, Borhani NO, et al. Cardiac arrhythmias on 24-h ambulatory electrocardiography in older women and men: the Cardiovascular Health Study. *J Am Coll Cardiol.* 1994 Mar; 23(4):916-25.
- 140- Brand FN, Abbott RD, Kannel WB, Wolf PA. Characteristics and prognosis of lone atrial fibrillation. 30-year follow-up in the Framingham Study. *JAMA.* 1985 Dec;254(24):3449-53.
- 141- Beaglehole R. Coronary heart disease and elderly people. *BMJ.* 2009 Jul; 303(6794):69-70.
- 142- Sharifi F, Mirarefin M, Fakhrzadeh H, Saadat S, Ghaderpanahi M, Badamchizade Z. Prevalence of hypertension and diabetes in elderly: elderly kahrizak study. *Iran J Diabetes Lipid Disord.* 2010; 9:5.
- 143- [No authors listed]. Implications of the systolic hypertension in the elderly program. The Systolic Hypertension in the Elderly Program Cooperative Research Group. *Hypertension.* 1993 Mar; 21(3):335-43.
- 144- Aronow WS, Fleg JL. Diagnosis of coronary heart disease in the elderly. In: Aronow WS, Fleg JL. *Cardiovascular Disease in the Elderly.* 4th. New York: Informa Healthcare. 2008; pp:243-68
- 145- Aronow WS, Weiss MB. Aortic valve disease in the elderly. In: Aronow WS, Fleg JL. *Cardiovascular Disease in the Elderly.*
- 146- Kristina L. Kendall, Ciaran M. Fairman »Women and exercise in aging «*Journal of Sport and Health Science* xx ,2014.
- 147- Pimentel AE, Gentile CL, Tanaka H, Seals DR, Gates PE. Greater rate of decline in maximal aerobic capacity with age in endurance-trained than in sedentary men. *J Appl Physiol.* 2003; 94: 2406-2413.
- 148- Nussbacher A, Gerstenblith G, O'Connor FC, et al. Hemodynamic effects of unloading the old heart. *Am J Physiol.* 1999; 277: H1863-1871.
- 149- Lakatta EG. Age-related alterations in the cardiovascular response to adrenergic mediated stress. *Fed Proc.* 1980; 39: 3173-3177.
- 150- Juan M. Murias, et al "Time course and mechanisms of adaptations in cardiorespiratory



- fitness with endurance training in older and young men” *J Appl Physiol* 108: 621–627, 2010.
- 151- Fleg JL, Morrell CH, Bos AG, Brant LJ, Talbot LA, Wright JG, Lakatta EG. Accelerated longitudinal decline of aerobic capacity in healthy older adults. *Circulation* 112:674–682, 2005.
- 152- Hollenberg M, Yang J, Haight TJ, Tager IB. Longitudinal changes in aerobic capacity: implications for concepts of aging. *J Gerontol A Biol Sci Med Sci* 61: 851–858, 2006.
- 153- Paterson DH, Jones GR, Rice CL. Ageing and physical activity: evidence to develop exercise recommendations for older adults. *Can J Public Health* 98, Suppl 2: S69–S108, 2007.
- 154- Pimentel AE, Gentile CL, Tanaka H, Seals DR, Gates PE. Greater rate of decline in maximal aerobic capacity with age in endurance-trained than in sedentary men. *J Appl Physiol* 94: 2406–2413, 2013.
- 155- Stathokostas L, Jacob-Johnson S, Petrella RJ, Paterson DH. Longitudinal changes in aerobic power in older men and women. *J Appl Physiol* 97: 781–789, 2004.
- 156- Gass G, Gass E, Wicks J, Browning J, Bennett G, Morris N. Rate and amplitude of adaptation to two intensities of exercise in men aged 65–75 yr. *Med Sci Sports Exerc* 36: 1811–1818, 2014.
- 157- Marchionni N, Fattirolli F, Fumagalli S, Oldridge N, Del Lungo F, Morosi L, et al. Improved exercise tolerance and quality of life with cardiac rehabilitation of older patients after myocardial infarction. results of a randomized controlled trial. *Circulation* 2013; 107:2201-206.
- 158- Astin F, Atkin K, Darr A. Family support and cardiac rehabilitation: A comparative study of the experiences of South Asian and White-European patients and their carer’s living in the United Kingdom. *Eur J Cardiovasc Nurs* 2008; 7: 43-51.
- 159- Karner A, Goransson A, Bergdahl B. Conceptions on treatment and lifestyle in patients with coronary heart disease— a phenomenographic analysis. *Patient Educ Couns* 2002; 83: 137-143.
- 160- Dusseldorp E, van Elderen T, Maes S, Meulman J, Kraaij V. A meta-analysis of psycho-educational programs for coronary heart disease patients. *Health Psychol* 2010; 18 :506-19.
- 161- Franklin BA, editor. *ACSM’s guidelines for exercise testing and prescription*. 7th ed. Philadelphia: Lippincott Williams and Wilkins, American College of Sports Medicine; 2006.
- 162- Bonow RO, Smaha LA, Smith SC Jr, Mensah GA, Lenfant C. The international burden of cardiovascular disease: responding to the emerging global epidemic. *Circulation* 2002; 106: 1602-605.
- 163- Ades PA, Coello CE. Effects of exercise and cardiac rehabilitation on cardiovascular outcomes. *Med Clin North Am* 2010; 84 :251-52xi.
- 164- Adams BJ, Carr JG, Ozonoff AL, Lauer MS, Balady GJ. Effect of exercise training in supervised cardiac rehabilitation programs on prognostic variables from the exercise tolerance test. *Am J Cardiol* 2008; 101: 1403-407.
- 165- Choo J, Burke LE, Hong KP. Quality of life with cardiac rehabilitation Improved for post-myocardial infarction patients in Korea. *Eur J Cardiovasc Nurs* 2007; 6: 166-71.
- 166- Adams J, Cline MJ, Hubbard M, McCullough T, Hartman J. A new paradigm for



- post-cardiac event resistance exercise guidelines. *Am J Cardiol* 2006;15: 281-286.
- 167- Kargarfard M, Basati F, Sadeghi M " Effects of a Cardiac Rehabilitation Program on Diastolic Filling Properties and Functional Capacity in Patients with Myocardial Infarction *Journal of Isfahan Medical School* Vol 29, No 131, 3rd week, May 2011
- 168- Ghasemi M, Jariani M, Sobhani V, Najafipur F, «Role of a 15- week Aerobic Exercises in Promotion of Cardiopulmonary Fitness among Flight Personnel" *Iranian Journal of Military Medicine*, Volume 14, Issue 4 Pages: 282-288, Winter 2013.
- 169- The Effects Of Cardiac Rehabilitation On Changes In The Lipid [14] ] Afzalaghaiee E et al , Profile Of Iranian male and female With Coronary Artery Disease Referred To Emam Khomeini Hospital Complex. *Modern Rehabilitation/Vol.4 No.1,2/2010*
- 170- Rashidi M, Salehian O, Vaezi GH "The effects of 12 weeks aerobic continue exercise on cardio -vascular function in patients after angioplasty«*European Journal of Experimental Biology*, 2013, 3(6):203-206.
- 171- Siavoshi S, Roshandel M, Zareiyan A, Etefagh L " The effect of cardiac rehabilitation on hemodynamic parameters in patients undergoing coronary artery bypass surgery" *Cardiovascular Nursing Journal* 1(3), Autumn 2012.
- 172- Haykowsky M, Riess K, Figgures L, Kim D, Warburton D, Jones L, Tymchak W "Exercise training improves aerobic endurance and musculoskeletal fitness in female cardiac transplant recipients«*Current Controlled Trials in Cardiovascular Medicine* 6:10 doi:10.1186/1468-6708-6-10,2005.
- 173- Koohestani HR, Baghcheghi N, Zand S "Impact of teaching cardiac rehabilitation programs on electrocardiogram changes among patients with myocardial infraction" *Nursing Research* Volume 5, Issue 16, Spring 2010.
- 174- Shafipour V, Shafipour L, Jafari H, The effect of the Cardiac Rehabilitation Program on the quality of life in patients with myocardial infarction *Arak Medical University Journal (AMUJ)* 2011; 14(58): 34-42
- 175- Moafi S, Zolaktaf V, Rabiei K, Hashemi M, Tarmah H. Effects of home-based exercise rehabilitation on quality of life after coronary artery bypass graft and PCI early postdischarge.
- 176- Zahedan *J Res Med Sci (ZJRMS)* 2011; 13(6): 25-30.
- 177- Najafian G, Rabii K "Effect of Cardiac Rehabilitation Fraction and Functional Capacity of patient with Heart Failure after myocardial infraction" *The Journal of Uromia University of Medical Sciences*, 12(3) Autumn 2001.
- 178- Pourghane P, Hosseini MA, Mohammadi F, Ahmadi F, Tabari F " *Patient's Perception of Cardiac Rehabilitation after Coronary Artery Bypass Graft (CABG): A Qualitative Study* " *J Mazand Univ Med Sci* 23(106): 61-76, 2013; (Persian).
- 179- Gaeini AA, Sattarifard S, CafiZadeh S, Nejatian S "The comparison of eight weeks of combined and aerobic training on functional capacity, body composition and strength in post-coronary artery bypass graft cardiac patients«*Cardiovascular Nursing Journal* 2(1), Spring 2013.