

## References

- Askling C, Karlsson J, Thorstensson A. Hamstring injury occurrence in elite soccer players after preseason strength training with eccentric overload. *Scand J Med Sci Sports*. 2003 Aug;13(4):244–50.
- Bangsbo J, Mohr M, Krstrup P. Physical and metabolic demands of training and match-play in the elite football player. *J Sports Sci*. 2006 Jul;24(7):665–74.
- Barnes C, Archer DT, Hogg B, Bush M, Bradley PS. The evolution of physical and technical performance parameters in the English premier league. *Int J Sports Med*. 2014 Dec;35(13):1095–100.
- Cometti G, Maffiuletti NA, Pousson M, Chatard JC, Maffulli N. Isokinetic strength and anaerobic power of elite, subelite and amateur French soccer players. *Int J Sports Med*. 2001 Jan;22(1):45–51.
- Faude O, Koch T, Meyer T. Straight sprinting is the most frequent action in goal situations in professional football. *J Sports Sci*. 2012;30(7):625–31.
- Haff GG. Current research: training for strength, power, and speed. *Strength Cond J*. 2012 Apr;34(2):76–8.
- Hägglund M, Waldén M, Atroshi I. Preventing knee injuries in adolescent female football players – design of a cluster randomized controlled trial. *BMC Musculoskelet Disord*. 2009 Jun;10:75.
- Hägglund M, Atroshi I, Wagner P, Waldén M. Superior compliance with a neuromuscular training programme is associated with fewer ACL injuries and fewer acute knee injuries in female adolescent football players: secondary analysis of an RCT. *Br J Sports Med*. 2013 Oct;47(15):974–9.
- Haugen TA, Tonnessen E, Seiler S. Speed and countermovement-jump characteristics of elite female soccer players, 1995–2010. *Int J Sports Physiol Perform*. 2012 Dec;7(4):340–9.
- Haugen T, Tonnessen E, Hisdal J, Seiler S. The role and development of sprinting speed in soccer. *Int J Sports Physiol Perform*. 2014 May;9(3):432–41.
- Hewett TE, Myer GD. The mechanistic connection between the trunk, hip, knee, and anterior cruciate ligament injury. *Exerc Sport Sci Rev*. 2011 Oct;39(4):161–6.
- Ingebrigtsen J, Jeffreys I. The relationship between speed, strength and jumping abilities in elite junior handball players. *Serbian J of Sports Sci*. 2012;6(3):83–8.
- Johnston RD, Gabbett TJ, Jenkins DG, Hulin BT. Influence of physical qualities on post-match fatigue in rugby league players. *J Sci Med Sport*. 2014 Feb 6. [Epub ahead of print]
- Kaplan T, Erkmen N, Taskin H. The evaluation of the running speed and agility performance in professional and amateur soccer players. *J Strength Cond Res*. 2009 May;23(3):774–8.
- Lauersen JB, Bertelsen DM, Andersen LB. The effectiveness of exercise interventions to prevent sports injuries: a systematic review and meta-analysis of randomised controlled trials. *Br J Sports Med*. 2014 Jun;48(11):871–7.
- López-Segovia M, Marques MC, van den Tillaar R, González-Badillo JJ. Relationships between vertical jump and full squat power outputs with sprint times in u21 soccer players. *J Hum Kinet*. 2011 Dec;30:135–44.
- López-Segovia M, Dellal A, Chamari K, González-Badillo JJ. Importance of muscle power variables in repeated and single sprint performance in soccer players. *J Hum Kinet*. 2014;40:201–11.
- Mendiguchia J, Ford KR, Quatman CE, Alentorn-Geli E, Hewett TE. Sex differences in proximal control of the knee joint. *Sports Med*. 2011 Jul;41(7):541–57.
- Mohr M, Krstrup P, Bangsbo J. Match performance of high-standard soccer players with special reference to development of fatigue. *J Sports Sci*. 2003 Jul;21(7):519–28.
- Petersen J, Thorborg K, Nielsen MB, Budtz-Jørgensen E, Hölmich P. Preventive effect of eccentric training on acute hamstring injuries in men's soccer: a cluster-randomized controlled trial. *Am J Sports Med*. 2011 Nov;39(11):2296–303.
- Rampinini E, Sassi A, Morelli A, Mazzoni S, Fanchini M, Coutts AJ. Repeated-sprint ability in professional and amateur soccer players. *Appl Physiol Nutr Metab*. 2009 Dec;34(6):1048–54.
- Rebelo A, Brito J, Maia J, Coelho-e-Silva MJ, Figueiredo AJ, Bangsbo J, Malina RM, Seabra A. Anthropometric characteristics, physical fitness and technical performance of under-19 soccer players by competitive level and field position. *Int J Sports Med*. 2013 Apr;34(4):312–17.
- Reilly T, Williams AM, Nevill A, Franks A. A multidisciplinary approach to talent identification in soccer. *J Sports Sci*. 2000 Sep;18(9):695–702.
- Silva JR, Magalhães J, Ascensão A, Seabra AF, Rebelo AN. Training status and match activity of professional soccer players throughout a season. *J Strength Cond Res*. 2013 Jan;27(1):20–30.
- Stølen T, Chamari K, Castagna C, Wisløff U. Physiology of soccer: an update. *Sports Med*. 2005;35(6): 501–36.
- Tomáš M, František Z, Lucia M, Jaroslav T. Profile, correlation and structure of speed in youth elite soccer players. *J Hum Kinet*. 2014 Apr;40:149–59.
- Wisløff U, Castagna C, Helgerud J, Jones R, Hoff J. Strong correlation of maximal squat strength with sprint performance and vertical jump height in elite soccer players. *Br J Sports Med*. 2004 Jun;38(3):285–8

## References

- Alonso J, McHugh MP, Mullaney MJ, Tyler TF. Effect of hamstring flexibility on isometric knee flexion angle-torque relationship. *Scand J Med Sci Sports*. 2009 Apr;19(2):252–6.
- Amiri-Khorasani M, Sotoodeh V. The acute effects of combined static and dynamic stretch protocols on fitness performances in soccer players. *J Sports Med Phys Fitness*. 2013 Oct;53(5):559–65.
- Amiri-Khorasani M, Abu Osman NA, Yusof A. Acute effect of static and dynamic stretching on hip dynamic range of motion during instep kicking in professional soccer players. *J Strength Cond Res*. 2011 Jun;25(6):1647–52.
- Amiri-Khorasani M, Mohammadkazemi R, Sarafrazi S, Riyahi-Malayeri S, Sotoodeh V. Kinematics analyses related to stretch-shortening cycle during soccer instep kicking after different acute stretching. *J Strength Cond Res*. 2012 Nov;26(11):3010–17.
- Angioi M, Metsios GS, Twitchett E, Koutedakis Y, Wyon M. Association between selected physical fitness parameters and esthetic competence in contemporary dancers. *J Dance Med Sci*. 2009;13(4):115–23.
- Aquino CF, Fonseca ST, Goncalves GG, Silva PL, Ocarino JM, Mancini MC. Stretching versus strength training in lengthened position in subjects with tight hamstring muscles: a randomized controlled trial. *Man Ther*. Feb 2010;15(1):26–31
- Aruin AS, Latash ML. Directional specificity of postural muscles in feed-forward postural reactions during fast voluntary arm movements. *Exp Brain Res*. 1995;103(2):323–32.
- Barbee-Ellison JB, Rose SJ, Sahrman SA. Patterns of hip rotation range of motion: comparisons between healthy subjects and patients with low back pain. *Phys Ther*. 1990 Sep;70(9):537–41.
- Barr KP, Griggs M, Cadby T. Lumbar stabilization: core concepts and current literature, Part 1. *Am J Phys Med Rehabil*. 2005 Jun;84(6):473–80.

- Behm DG, Leonard AM, Young WB, Bonsey WA, MacKinnon SN. Trunk muscle electromyographic activity with unstable and unilateral exercises. *J Strength Cond Res.* 2005 Feb;19(1):193–201.
- Bergmark A. Stability of the lumbar spine. A study in mechanical engineering. *Acta Orthop Scand Suppl.* 1989;230:1–54.
- Blazevich AJ, Cannavan D, Coleman DR, Horne S. Influence of concentric and eccentric resistance training on architectural adaptation in human quadriceps muscles. *J Appl Physiol* (1985). 2007 Nov;103(5):1565–75.
- Bosch F. *Krachttraining en coördinatie, een integratieve benadering.* Rotterdam: 2010 Uitgevers; 2012. 352 pp.
- Bouisset S, Zattara M. A sequence of postural adjustments precedes voluntary movement. *Neurosci Lett.* 1981;22:263–70.
- Carter JM, Beam WC, McMahan SG, Barr ML, Brown LE. The effects of stability ball training on spinal stability in sedentary individuals. *J Strength Cond Res.* 2006 May;20(2):429–35.
- Chesworth BM, Padfield BJ, Helewa A, Stitt LW. A comparison of hip mobility in patients with nonspecific low back pain. *Physiother Can.* 1994;46:267–74.
- Cholewicki J, McGill SM. Mechanical stability of the in vivo lumbar spine: implications for injury and chronic low back pain. *Clin Biomech (Bristol, Avon).* 1996 Jan;11(1):1–15.
- Cipriani DJ, Terry ME, Haines MA, Tabibnia AP, Lyssanova O. Effect of stretch frequency and sex on the rate of gain and rate of loss in muscle flexibility during a hamstring-stretching program: a randomized single-blind longitudinal study. *J Strength Cond Res.* 2012 Aug; 26(8):2119–29.
- Comerford MJ, Mottram SL. Movement and stability dysfunction—contemporary developments. *Man Ther.* 2001a Feb;6(1):15–26.
- Comerford MJ, Mottram SL. Functional stability re-training: principles and strategies for managing mechanical dysfunction. *Man Ther.* 2001b Feb;6(1):3–14.
- Comerford MJ, Mottram SL, Gibbons SG. Understanding movement and function ‘concepts’. *Kinetic control movement dysfunction course.* Southampton: Kinetic Control; 2004.
- Cordo PJ, Nashner LM. Properties of postural adjustments associated with rapid arm movements. *J Neurophysiol.* 1982 Feb;47(2):287–302.
- Danneels LA, Vanderstraeten GG, Cambier DC, Witvrouw EE, Stevens VK, De Cuyper HJ. A functional subdivision of hip, abdominal, and back muscles during asymmetric lifting. *Spine (Phila Pa 1976).* 2001 Mar;26(6):E114–21.
- Ellison, JB, Rose SJ, Sahrman SA. Patterns of hip rotation range of motion: a comparison between healthy subjects and patients with low back pain. *Phys Ther.* 1990 Sep;70(9):537–41.
- Fletcher IM, Anness R. The acute effects of combined static and dynamic stretch protocols on fifty-meter sprint performance in track-and-field athletes. *J Strength Cond Res.* Aug 2007;21(3):784–7.
- Gossman MR, Sahrman SA, Rose SJ. Review of length-associated changes in muscle. *Experimental evidence and clinical implications.* *Phys Ther.* 1982 Dec;62(12):1799–808.
- Halbertsma JP, Göeken LN. Stretching exercises: effect on passive extensibility and stiffness in short hamstrings of healthy subjects. *Arch Phys Med Rehabil.* 1994 Sep;75(9):976–81.
- Halbertsma JP, van Bolhuis AI, Göeken LN. Sport stretching: effect on passive muscle stiffness of short hamstrings. *Arch Phys Med Rehabil.* 1996 Jul;77(7):688–92.
- Henderson G, Barnes CA, Portas MD. Factors associated with increased propensity for hamstring injury in English Premier League soccer players. *J Sci Med Sport.* 2010 Jul;13(4):397–402.
- Herman SL, Smith DT. Four-week dynamic stretching warm-up intervention elicits longer-term performance benefits. *J Strength Cond Res.* 2008 Jul;22(4):1286–97.
- Hides JA, Stokes MJ, Saide M, Jull GA, Cooper DH. Evidence of lumbar multifidus muscle wasting ipsilateral to symptoms in patients with acute/subacute low back pain. *Spine (Phila Pa 1976).* 1994 Jan;19(2):165–72.
- Hodges PW, Moseley GL. Pain and motor control of the lumbopelvic region: effect and possible mechanisms. *J Electromyogr Kinesiol.* 2003 Aug;13(4):361–70.
- Hodges PW, Richardson CA. Feedforward contraction of transversus abdominis is not influenced by the direction of arm movement. *Exp Brain Res.* 1997 Apr;114(2):362–70.
- Hough PA, Ross EZ, Howatson G. Effects of dynamic and static stretching on vertical jump performance and electromyographic activity. *J Strength Cond Res.* Mar 2009;23(2):507–12.
- Janda V. Pain in the locomotor system – a broad approach. In: Glasgow EF, Twomey LT, Scull ER, Kleynhans AM, Idczak RM, editors. *Aspects of manipulative therapy.* Edinburgh: Churchill Livingstone; 1985. pp. 148–51.
- Janda V. Evaluation of muscular imbalance, In: Liebensohn C, editor. *Rehabilitation of the spine: a practitioner’s manual.* Baltimore, MD: Lippincott Williams & Wilkins; 1996. pp. 97–112.
- Jones BH, Knapik JJ. Physical training and exercise-related injuries. Surveillance, research and injury prevention in military populations. *Sports Med.* 1999 Feb;27(2):111–25.
- Kibler WB, Press J, Sciascia A. The role of core stability in athletic function. *Sports Med.* 2006;36(3):189–98.
- Leighton JR. A study of the effect of progressive weight training on flexibility. *J Assoc Phys Ment Rehabil.* 1964 Jul–Aug;18:101–4.
- Leinonen V, Kankaanpää M, Airaksinen O, Hänninen O. Back and hip extensor activities during trunk flexion/extension: effects of low back pain and rehabilitation. *Arch Phys Med Rehabil.* 2000 Jan;81(1):32–7.
- Leppänen M, Aaltonen S, Parkkari J, Heinonen A, Kujala UM. Interventions to prevent sports related injuries: a systematic review and meta-analysis of randomized controlled trials. *Sports Med.* 2014 Apr;44(4):473–86.
- Liemohn WP, Baumgartner TA, Gagnon LH. Measuring core stability. *J Strength Cond Res.* 2005 Aug;19(3):583–6.
- McClure PW, Esola M, Schreiber R, Siegler S. Kinematic analysis of lumbar and hip motion while rising from a forward, flexed position in patients with and without a history of low back pain. *Spine (Phila Pa 1976).* 1997 Mar 1;22(5):552–8.
- McGill SM. *Ultimate back fitness and performance.* 3rd ed. Ontario: Wabuno; 2004. Chapter 6, Fundamental principles of movement and causes of movement error; pp. 127–49.
- McGill SM. *Low back disorders: evidence-based prevention and rehabilitation.* 2nd ed. Champaign, IL: Human Kinetics; 2007. 328 pp.
- McGill SM. Core training: evidence translating to better performance and injury prevention. *Strength Cond J.* 2010 Jun;32(3):33–46.
- McHugh MP, Cosgrave CH. To stretch or not to stretch: the role of stretching in injury prevention and performance. *Scand J Med Sci Spor.* 2010 Apr;20(2):169–81.
- McMahon GE, Morse CI, Burden A, Winwood K, Onambélé GL. Impact of range of motion during ecologically valid resistance training protocols on muscle size, subcutaneous fat, and strength. *J Strength Cond Res.* 2014 Jan;28(1):245–55.
- McMillian D, Moore J, Hatler B, Taylor D. Dynamic vs. static-stretching warm up: the effect on power and agility performance. *J Strength Cond Res.*

2006 Aug;20(3):492–9.

- Magnusson SP, Simonsen EB, Aagaard P, Dyhre-Poulsen P, McHugh MP, Kjaer M. Mechanical and physical responses to stretching with and without preisometric contraction in human skeletal muscle. *Arch Phys Med Rehabil.* 1996a Apr;77(4):373–8.
- Magnusson SP, Simonsen EB, Aagaard P, Sørensen H, Kjaer M. A mechanism for altered flexibility in human skeletal muscle. *J Physiol.* 1996b Nov 15;497 (Pt 1):291–8.
- Magnusson SP, Simonsen EB, Aagaard P, Boesen J, Johannsen F, Kjaer M. Determinants of musculoskeletal flexibility: viscoelastic properties, cross-sectional area, EMG and stretch tolerance. *Scand J Med Sci Sports.* 1997 Aug;7(4):195–202.
- Mahieu NN, McNair P, Cools A, D'Haen C, Vandermeulen K, Witvrouw E. Effect of eccentric training on the plantar flexor muscle-tendon tissue properties. *Med Sci Sports Exerc.* 2008 Jan;40(1):117–23.
- Mahieu NN, Cools A, De Wilde B, Boon M, Witvrouw E. Effect of proprioceptive neuromuscular facilitation stretching on the plantar flexor muscle-tendon tissue properties. *Scand J Med Sci Sports.* 2009 Aug;19(4):553–60

## References

- Aguilar AJ, DiStefano LJ, Brown CN, Herman DC, Guskiewicz KM, Padua DA. A dynamic warm-up model increases quadriceps strength and hamstring flexibility. *J Strength Cond Res.* 2012 Apr;26(4):1130–41.
- Akuthota V, Nadler SF. Core strengthening. *Arch Phys Med Rehabil.* 2004 Mar;85(3 Suppl 1):S86–92.
- Amiri-Khorasani M, Sotoodeh V. The acute effects of combined static and dynamic stretch protocols on fitness performances in soccer players. *J Sports Med Phys Fitness.* 2013 Oct;53(5):559–65.
- Amiri-Khorasani M, Sahebozamani M, Tabrizi KG, Yusof AB. Acute effect of different stretching methods on Illinois agility test in soccer players. *J Strength Cond Res.* 2010 Oct;24(10):2698–704.
- Amiri-Khorasani M, Abu Osman NA, Yusof A. Acute effect of static and dynamic stretching on hip dynamic range of motion during instep kicking in professional soccer players. *J Strength Cond Res.* 2011 Jun;25(6):1647–52.
- Amiri-Khorasani M, Mohammadkazemi R, Sarafrazi S, Riyahi-Malayeri S, Sotoodeh V. Kinematics analyses related to stretch-shortening cycle during soccer instep kicking after different acute stretching. *J Strength Cond Res.* 2012 Nov;26(11):3010–17.
- Anderson K, Behm DG. Maintenance of EMG activity and loss of force output with instability. *J Strength Cond. Res.* 2004 Aug;18(3):637–40.
- Arjmand N, Shirazi-Adl A. Biomechanics of changes in lumbar posture in static lifting. *Spine (Phila Pa 1976).* 2005 Dec 1;30(23):2637–48.
- Avela J, Kyröläinen H, Komi PV. Altered reflex sensitivity after repeated and prolonged passive muscle stretching. *J Appl Physiol* (1985). 1999 Apr;86(4):1283–91.
- Ayala F, De Ste Croix M, Sainz De Baranda P, Santonja F. Acute effects of static and dynamic stretching on hamstring eccentric isokinetic strength and unilateral hamstring to quadriceps strength ratios. *J Sports Sci.* 2013;31(8):831–9.
- Baechle TR, Earle RW, Wathen D. Resistance training. In: Baechle TR, Earle RW, editors. *Essentials of strength training and conditioning.* Champaign, IL: Human Kinetics; 2008. pp. 381–411
- Bandy WD, Irion JM, Briggler M. The effect of static stretch and dynamic range of motion training on the flexibility of the hamstring muscles. *J Orthop Sports Phys Ther.* 1998 Apr;27(4):295–300.
- Barroso R, Silva-Batista C, Tricoli V, Roschel H, Ugrinowitsch C. The effects of different intensities and durations of the general warm-up on leg press 1RM. *J Strength Cond Res.* 2013 Apr;27(4):1009–13.
- Beedle BB, Mann CL. A comparison of two warm-ups on joint range of motion. *J Strength Cond Res.* 2007 Aug;21(3):776–9.
- Behm DG, Chaouachi A. A review of the acute effects of static and dynamic stretching on performance. *Eur J Appl Physiol.* 2011 Nov;111(11):2633–51.
- Behm D, Colado JC. The effectiveness of resistance training using unstable surfaces and devices for rehabilitation. *Int J Sports Phys Ther.* 2012 Apr;7(2):226–41.
- Behm DG, Button DC, Butt JC. Factors affecting force loss with prolonged stretching. *Can J Appl Physiol.* 2001 Jun;26(3):261–72.
- Behm DG, Anderson K, Curnew RS. Muscle force and activation under stable and unstable conditions. *J Strength Cond Res.* 2002 Aug;16(3):416–22.
- Behm DG, Bamburg A, Cahill F, Power K. Effect of acute static stretching on force, balance, reaction time, and movement time. *Med Sci Sports Exerc.* 2004 Aug;36(8):1397–402.
- Behm DG, Bradbury EE, Haynes AT, Hodder JN, Leonard AM, Paddock NR. Flexibility is not related to stretch-induced deficits in force or power. *J Sports Sci Med.* 2006 Mar;5(1):33–42.
- Behm DG, Drinkwater EJ, Willardson JM, Cowley PM. The use of instability to train the core musculature. *Appl Physiol Nutr Metab.* 2010 Feb;35(1):91–108.
- Behm DG, Plewe S, Grage P, Rabbani A, Beigi HT, Byrne JM, Button DC. Relative static stretch-induced impairments and dynamic stretch-induced enhancements are similar in young and middle-aged men. *Appl Physiol Nutr Metab.* 2011 Dec;36(6):790–7.
- Brandenburg J, Czajka A. The acute effects of performing drop jumps of different intensities on concentric squat strength. *J Sports Med Phys Fitness.* 2010 Sep;50(3):254–61.
- Caraffa A, Cerulli G, Proietti M, Aisa G, Rizzo A. Prevention of anterior cruciate ligament injuries in soccer. A prospective controlled study of proprioceptive training. *Knee Surg Sports Traumatol Arthrosc.* 1996;4(1):19–21.
- Carter JM, Beam WC, McMahan SG, Barr ML, Brown LE. The effects of stability ball training on spinal stability in sedentary individuals. *J Strength Cond Res.* 2006 May;20(2):429–35.
- Carvalho FL, Carvalho MC, Simão R, Gomes TM, Costa PB, Neto LB, Carvalho RL, Dantas EH. Acute effects of a warm-up including active, passive, and dynamic stretching on vertical jump performance. *J Strength Cond Res.* 2012 Sep;26(9):2447–52.
- Cê E, Margonato V, Casasco M, Veicsteinas A. Effects of stretching on maximal anaerobic power: the roles of active and passive warm-ups. *J Strength Cond Res.* May 2008;22(3):794–800.
- Chow TP, Ng GY. Active, passive and proprioceptive neuromuscular facilitation stretching are comparable in improving the knee flexion range in people with total knee replacement: a randomized controlled trial. *Clin Rehabil.* 2010 Oct;24(10):911–18.
- Covert CA, Alexander MP, Petronis JJ, Davis DS. Comparison of ballistic and static stretching on hamstring muscle length using an equal stretching dose. *J Strength Cond Res.* 2010 Nov;24(11):3008–14.
- Crow JF, Buttifant D, Kearny SG, Hrysonmallis C. Low load exercises targeting the gluteal muscle group acutely enhance explosive power output in elite athletes. *J Strength Cond Res.* 2012 Feb;26(2):438–42.
- Curry BS, Chengkalath D, Crouch GJ, Romance M, Manns PJ. Acute effects of dynamic stretching, static stretching, and light aerobic activity on mus-

cular performance in women. *J Strength Cond Res.* 2009 Sep;23(6):1811–19.

Dalrymple KJ, Davis SE, Dwyer GB, Moir GL. Effect of static and dynamic stretching on vertical jump performance in collegiate women volleyball players. *J Strength Cond Res.* 2010 Jan;24(1):149–55.

Di Cagno A, Baldari C, Battaglia C, Gallotta MC, Videira M, Piazza M, Guidetti L. Preexercise static stretching effect on leaping performance in elite rhythmic gymnasts. *J Strength Cond Res.* 2010 Aug;24(8):1995–2000.

Docherty D, Robbins D, Hodgson M. Complex training revisited: A review of its current status as a viable training approach. *Strength Cond J.* 2004 Dec;26(6):52–7.

Durall CJ, Udermann BE, Johansen DR, Gibson B, Reineke DM, Reuteman P. The effects of preseason trunk muscle training on low-back pain occurrence in women collegiate gymnasts. *J Strength Cond Res.* 2009 Jan;23(1):86–92.

Fletcher IM, Anness R. The acute effects of combined static and dynamic stretch protocols on fifty-meter sprint performance in track-and-field athletes. *J Strength Cond Res.* 2007 Aug;21(3):784–7.

Fletcher IM, Jones B. The effect of different warm-up stretch protocols on 20 meter sprint performance in trained rugby union players. *J Strength Cond Res.* 2004 Nov;18(4):885–8.

Fletcher IM, Monte-Colombo MM. An investigation into the effects of different warm-up modalities on specific motor skills related to soccer performance. *J Strength Cond Res.* 2010 Aug;24(8):2096–101.

Fowles JR, Sale DG, MacDougall JD. Reduced strength after passive stretch of the human plantarflexors. *J Appl Physiol* (1985). 2000 Sep;89(3):1179–88.

Franco BL, Signorelli GR, Trajano GS, Costa PB, de Oliveira CG. Acute effects of three different stretching protocols on the Wingate test performance. *J Sports Sci Med.* 2012 Mar 1;11(1):1–7.

Fredericson M, Cookingham CL, Chaudhari AM, Dowdell BC, Oestreicher N, Sahrman SA. Hip abductor weakness in distance runners with iliotibial band syndrome. *Clin J Sport Med.* 2000 Jul;10(3):169–75.

Gourgoulis V, Aggelousis N, Kasimatis P, Mavromatis G, Garas A. Effect of a submaximal half-squats warm-up program on vertical jumping ability. *J Strength Cond Res.* 2003 May;17(2):342–4.

Guissard N, Duchateau J, Hainaut K. Muscle stretching and motoneuron excitability. *Eur J Appl Physiol Occup Physiol.* 1988;58(1–2):47–52.

Guissard N, Duchateau J, Hainaut K. Mechanisms of decreased motoneuron excitation during passive muscle stretching. *Exp Brain Res.* 2001 Mar;137(2):163–9.

Haddad M, Dridi A, Chtara M, Chaouachi A, Wong del P, Behm D, Chamari K. Static stretching can impair explosive performance for at least 24 hours. *J Strength Cond Res.* 2014 Jan;28(1):140–6.

Herda TJ, Cramer JT, Ryan ED, McHugh MP, Stout JR. Acute effects of static versus dynamic stretching on isometric peak torque, electromyography, and mechanomyography of the biceps femoris muscle. *J Strength Cond Res.* 2008 May;22(3):809–17.

Herman SL, Smith DT. Four-week dynamic stretching warm-up intervention elicits longer-term performance benefits. *J Strength Cond Res.* 2008 Jul;22(4):1286–97.

Hilfiker R, Hübner K, Lorenz T, Marti B. Effects of drop jumps added to the warm-up of elite sport athletes with a high capacity for explosive force development. *J Strength Cond Res.* 2007 May;21(2):550–5. Hodges PW, Richardson CA. Inefficient muscular stabilization of the lumbar spine associated with low back pain. A motor control evaluation of transversus abdominis. *Spine* (Phila Pa 1976). 1996 Nov 15;21(22):2640–50.

Hodges PW, Richardson CA. Delayed postural contraction of transversus abdominis in low back pain associated with movement of the lower limb. *J Spinal Disord.* 1998 Feb;11(1):46–56.

Holt BW, Lambourne K. The impact of different warm-up protocols on vertical jump performance in male collegiate athletes. *J Strength Cond Res.* 2008 Jan;22(1):226–9.

Holtzmann M, Gaetz M, Anderson G. EMG activity of trunk stabilizers during stable and unstable push-ups. *Can J Appl Physiol.* 2004 Oct;29(S1):S55.

Hough PA, Ross EZ, Howatson G. Effects of dynamic and static stretching on vertical jump performance and electromyographic activity. *J Strength Cond Res.* 2009 Mar;23(2):507–12.

Hunter JP, Marshall RN. Effects of power and flexibility training on vertical jump technique. *Med Sci Sports Exerc.* 2002 Mar;34(3):478–86.

Kay AD, Blazevich AJ. Effect of acute static stretch on maximal muscle performance: a systematic review. *Med Sci Sports Exerc.* 2012 Jan;44(1):154–64.

Kistler BM, Walsh MS, Horn TS, Cox RH. The acute effects of static stretching on the sprint performance of collegiate men in the 60- and 100-m dash after a dynamic warm-up. *J Strength Cond Res.* 2010 Sep;24(9):2280–4.

Kraemer WJ, Adams K, Cafarelli E, Dudley GA, Dooly C, Feigenbaum MS, Fleck SJ, Franklin B, Fry AC, Hoffman JR, Newton RU, Potteiger J, Stone MH, Ratamess NA, Triplett-McBride T, American College of Sports Medicine. American College of Sports Medicine position stand. Progression models in resistance training for healthy adults. *Med Sci Sports Exerc.* 2002 Feb;34(2):364–80.

Kruse NT, Barr MW, Gilders RM, Kushnick MR, Rana SR. Using a practical approach for determining the most effective stretching strategy in female college division I volleyball players. *J Strength Cond Res.* 2013 Nov;27(11):3060–7.

Leetun DT, Ireland ML, Willson JD, Ballantyne BT, Davis IM. Core stability measures as risk factors for lower extremity injury in athletes. *Med Sci Sports Exerc.* 2004 Jun;36(6):926–34.

Little T, Williams AG. Effects of differential stretching protocols during warm-ups on high-speed motor capacities in professional soccer players. *J Strength Cond Res.* 2006 Feb;20(1):203–7.

Lowery RP, Joy JM, Brown LE, Oliveira de Souza E, Wistocki DR, Davis GS, Naimo MA, Zito GA, Wilson JM. Effects of static stretching on 1-mile uphill run performance. *J Strength Cond Res.* 2014 Jan;28(1):161–7.

McMillian DJ, Moore JH, Hatler BS, Taylor DC. Dynamic vs. static-stretching warm up: the effect on power and agility performance. *J Strength Cond Res.* 2006 Aug;20(3):492–9.

Macaluso F, Isaacs AW, Myburgh KH. Preferential type II muscle fiber damage from plyometric exercise. *J Athl Train.* 2012 Jul–Aug;47(4):414–20.

Mahieu NN, McNair P, De Muynek M, Stevens V, Blanckaert I, Smits N, Witvrouw E. Effect of static and ballistic stretching on the muscle-tendon tissue properties. *Med Sci Sports Exerc.* 2007 Mar;39(3):494–501.

Manoel ME, Harris-Love MO, Danoff JV, Miller TA. Acute effects of static, dynamic, and proprioceptive neuromuscular facilitation stretching on muscle power in women. *J Strength Cond Res.* 2008 Sep;22(5):1528–34.

Marshall P, Murphy B. Changes in muscle activity and perceived exertion during exercises performed on a Swiss ball. *Appl Physiol Nutr Metab.* 2006 Aug;31(4):376–83.

Meroni R, Cerri CG, Lanzarini C, Barindelli G, Morte GD, Gessaga V, Cesana GC, De Vito G. Comparison of active stretching technique and static

- stretching technique on hamstring flexibility. *Clin J Sport Med.* 2010 Jan;20(1):8–14.
- Miller PD. Fitness programming and physical disability. Champaign, IL: Human Kinetics; 1995. Chapter 3, Skeletal muscle physiology and anaerobic exercise; 232 pp.
- Moran KA, McGrath T, Marshall BM, Wallace ES. Dynamic stretching and golf swing performance. *Int J Sports Med.* 2009 Feb;30(2):113–18.
- Moreside JM, McGill SM. Improvements in hip flexibility do not transfer to mobility in functional movement patterns. *J Strength Cond Res.* 2013 Oct;27(10):2635–43.
- Morrin N, Redding E. Acute effects of warm-up stretch protocols on balance, vertical jump height, and range of motion in dancers. *J Dance Med Sci.* 2013;17(1):34–40.
- Needham RA, Morse CI, Degens H. The acute effect of different warm-up protocols on anaerobic performance in elite youth soccer players. *J Strength Cond Res.* 2009 Dec;23(9):2614–20.
- Nelson RT, Bandy WD. Eccentric training and static stretching improve hamstring flexibility of high school males. *J Athl Train.* 2004 Sep;39(3):254–8.
- O’Sullivan K, Murray E, Sainsbury D. The effect of warm-up, static stretching and dynamic stretching on hamstring flexibility in previously injured subjects. *BMC Musculoskelet Disord.* 2009 Apr;10:37.
- Pagaduan JC, Pojskić H, Užičanin E, Babajić F. Effect of various warm-up protocols on jump performance in college football players. *J Hum Kinet.* 2012 Dec;35:127–32.
- Pearce AJ, Kidgell DJ, Zois J, Carlson JS. Effects of secondary warm up following stretching. *Eur J Appl Physiol.* 2009 Jan;105(2):175–83.
- Perrier ET, Pavol MJ, Hoffman MA. The acute effects of a warm-up including static or dynamic stretching on countermovement jump height, reaction time, and flexibility. *J Strength Cond Res.* 2011 Jul;25(7):1925–31.
- Power K, Behm D, Cahill F, Carroll M, Young W. An acute bout of static stretching: effects on force and jumping performance. *Med Sci Sports Exerc.* 2004 Aug;36(8):1389–96.
- Prochazka A. Proprioceptive feedback and movement regulation. In: Rowell L, Sheperd JT, editors. *Handbook of physiology: section 12: exercise: regulation and integration of multiple systems.* New York: American Physiological Society; 1996. pp. 89–127.
- Rees SS, Murphy AJ, Watsford ML, McLachlan KA, Coutts AJ. Effects of proprioceptive neuromuscular facilitation stretching on stiffness and force-producing characteristics of the ankle in active women. *J Strength Cond Res.* 2007 May;21(2):572–7.
- Robbins DW. Postactivation potentiation and its practical applicability: a brief review. *J Strength Cond Res.* 2005 May;19(2):453–8.
- Rubini EC, Costa AL, Gomes PS. The effects of stretching on strength performance. *Sports Med.* 2007;37(3):213–24.
- Sahlin K, Ren JM. Relationship of contraction capacity to metabolic changes during recovery from a fatiguing contraction. *J Appl Physiol* (1985). 1989 Aug;67(2):648–54.
- Sale DG. Postactivation potentiation: role in human performance. *Exerc Sport Sci Rev.* 2002 Jul;30(3):138–43.
- Samson M, Button DC, Chaouachi A, Behm DG. Effects of dynamic and static stretching within general and activity specific warm-up protocols. *J Sports Sci Med.* 2012 Jun;11(2):279–85.
- Schache AG, Blanch PD, Murphy AT. Relation of anterior pelvic tilt during running to clinical and kinematic measures of hip extension. *Br J Sports Med.* 2000 Aug;34(4):279–83.
- Sekir U, Arabaci R, Akova B, Kadagan SM. Acute effects of static and dynamic stretching on leg flexor and extensor isokinetic strength in elite women athletes. *Scand J Med Sci Sports.* 2010 Apr;20(2):268–81.
- Shrier I. Does stretching improve performance? A systematic and critical review of the literature. *Clin J Sport Med.* 2004 Sep;14(5):267–73.
- Sports Medicine Australia (SMA). Recommendations for Warm-Up – Stretching. 2005.
- Stone MH, Sands WA, Pierce KC, Ramsey MW, Haff GG. Power and power potentiation among strength-power athletes: preliminary study. *Int J Sports Physiol Perform.* 2008 Mar;3(1):55–67.
- Taylor DC, Dalton JD Jr, Seaber AV, Garrett WE Jr. Viscoelastic properties of muscle-tendon units. The biomechanical effects of stretching. *Am J Sports Med.* 1990 May–Jun;18(3):300–9.
- Taylor JM, Weston M, Portas MD. The effect of a short practical warm-up protocol on repeated sprint performance. *J Strength Cond Res.* 2013 Jul;27(7):2034–8.
- Taylor KL, Sheppard JM, Lee H, Plummer N. Negative effect of static stretching restored when combined with a sport specific warm-up component. *J Sci Med Sport.* 2009 Nov;12(6):657–61.
- Tobin DP, Delahunt E. The acute effect of a plyometric stimulus on jump performance in professional rugby players. *J Strength Cond Res.* 2014 Feb;28(2):367–72.
- Torres EM, Kraemer WJ, Vingren JL, Volek JS, Hatfield DL, Spiering BA, Ho JY, Fragala MS, Thomas GA, Anderson JM, Häkkinen K, Maresh CM. Effects of stretching on upper-body muscular performance. *J Strength Cond Res.* 2008 Jul;22(4):1279–85.
- Twist C, Eston R. The effects of exercise-induced muscle damage on maximal intensity intermittent exercise performance. *Eur J Appl Physiol.* 2005 Aug;94(5–6):652–8.
- Van Gelder LH, Bartz SD. The effect of acute stretching on agility performance. *J Strength Cond Res.* 2011 Nov;25(11):3014–21.
- Vera-Garcia FJ, Elvira JL, Brown SH, McGill SM. Effects of abdominal stabilization maneuvers on the control of spine motion and stability against sudden trunk perturbations. *J Electromyogr Kinesiol.* 2007 Oct;17(5):556–67.
- Verhagen EA, van Tulder M, van der Beek AJ, Bouter LM, van Mechelen W. An economic evaluation of a proprioceptive balance board training programme for the prevention of ankle sprains in volleyball. *Br J Sports Med.* 2005 Feb;39(2):111–15.
- Wallmann HW, Mercer JA, Landers MR. Surface electromyographic assessment of the effect of dynamic activity and dynamic activity with static stretching of the gastrocnemius on vertical jump performance. *J Strength Cond Res.* 2008 May;22(3):787–93.
- Webright WG, Randolph BJ, Perrin DH. Comparison of nonballistic active knee extension in neutral slump position and static stretch techniques on hamstring flexibility. *J Orthop Sports Phys Ther.* 1997 Jul;26(1):7–13.
- Wilson GJ, Elliott BC, Wood GA. Stretch shorten cycle performance enhancement through flexibility training. *Med Sci Sports Exerc.* 1992 Jan;24(1):116–23.
- Winters MV, Blake CG, Trost JS, Marcello-Brinker TB, Lowe LM, Garber MB, Wainner RS. Passive versus active stretching of hip flexor muscles in subjects with limited hip extension: a randomized clinical trial. *Phys Ther.* 2004 Sep;84(9):800–7.
- Witvrouw E, Mahieu N, Roosen P, McNair P. The role of stretching in tendon injuries. *Br J Sports Med.* 2007 Apr;41(4):224–6. Yamaguchi T, Ishii K. Effects of static stretching for 30 seconds and dynamic stretching on leg extension power. *J Strength Cond Res.* 2005 Aug;19(3):677–83.
- Yetter M, Moir GL. The acute effects of heavy back and front squats on speed during forty-meter sprint trials. *J Strength Cond Res.* 2008 Jan;22(1):159–65.
- Young W, Elias G, Power J. Effects of static stretching volume and intensity on plantar flexor explosive force production and range of motion. *J Sports Med Phys Fitness.* 2006 Sep;46(3):403–11

## References

- Adams JA. Issues for a closed-loop theory of motor learning. In: Stelmach GE, editor. *Motor control: issues and trends*. New York: Academic Press; 1976. pp. 87–101.
- Alentorn-Geli E, Myer GD, Silvers HJ, Samitier G, Romero L, Lázaro-Haro C, Cugat R. Prevention of non-contact anterior cruciate ligament injuries in soccer players. Part 1: mechanisms of injury and underlying risk factors. *Knee Surg Sports Traumatol Arthrosc*. 2009 Jul;17(7):705–29.
- Ashton-Miller JA, Wojtys EM, Huston LJ, Fry-Welch D. Can proprioception really be improved by exercises? *Knee Surg Sports Traumatol Arthrosc*. 2001 May;9(3):128–36.
- Bernstein NA. On dexterity and its development. In: Latash ML, Turvey MT, editors. *Dexterity and its development (resources for ecological psychology)*. New Jersey: Lawrence Erlbaum Associates; 1996. pp. 3–246
- Blazevich AJ, Cannavan D, Coleman DR, Horne S. Influence of concentric and eccentric resistance training on architectural adaptation in human quadriceps muscles. *J Appl Physiol* (1985). 2007 Nov;103(5):1565–75.
- Blickhan R, Seyfarth A, Geyer H, Grimmer S, Wagner H, Günther M. Intelligence by mechanics. *Philos Trans A Math Phys Eng Sci*. 2007 Jan;365(1850):199–220.
- Bortoli L, Robazza C, Durigon V, Carra C. Effects on contextual interference on learning technical sports skills. *Percept Mot Skills*. 1992 Oct;75:555–62.
- Bosch F. *Krachttraining en coördinatie, een integratieve benadering*. Rotterdam: 2010 Uitgevers; 2012. 352 pp.
- Brown IE, Scott SH, Loeb GE. Mechanics of feline soleus: II. Design and validation of a mathematical model. *J Muscle Res Cell Motil*. 1996 Apr;17(2):221–33.
- Carroll TJ, Riek S, Carson RG. The sites of neural adaptation induced by resistance training in humans. *J Physiol*. 2002 Oct;544(Pt 2):641–52.
- Chimera NJ, Swanik KA, Swanik CB, Straub SJ. Effects of plyometric training on muscle-activation strategies and performance in female athletes. *J Athl Train*. 2004 Mar;39(1):24–31.
- Coyle D. *The talent code: Greatness isn't born. It's grown. Here's how*. New York: Bantam Dell; 2009. 256 pp.
- Ferris DP, Farley CT. Interaction of leg stiffness and surfaces stiffness during human hopping. *J Appl Physiol* (1985). 1997 Jan;82(1):15–22; discussion 13–14.
- Ferris DP, Louie M, Farley CT. Running in the real world: adjusting leg stiffness for different surfaces. *Proc Biol Sci*. 1998 Jun;265(1400):989–94. Ghez C, Sainburg R. Proprioceptive control of interjoint coordination. *Can J Physiol Pharmacol*. 1995 Feb;73(2):273–84.
- Goode S, Magill RA. Contextual interference effects in learning three badminton serves. *Res Q Exerc Sport*. 1986;57(4):308–14.
- Goodwill AM, Pearce AJ, Kidgell DJ. Corticomotor plasticity following unilateral strength training. *Muscle Nerve*. 2012 Sep;46(3):384–93.
- Hall KG, Domingues DA, Cavazos R. Contextual interference effects with skilled baseball players. *Percept Mot Skills*. 1994 Jun;78(3 Pt 1):835–41.
- Hughes T, Rochester P. The effects of proprioceptive exercise and taping on proprioception in subjects with functional ankle instability: a review of the literature. *Phys Ther Sport*. 2008 Aug;9(3):136–47.
- Jensen JL, Marstrand PC, Nielsen JB. Motor skill training and strength training are associated with different plastic changes in the central nervous system. *J Appl Physiol* (1985). 2005 Oct;99(4):1558–68.
- Johansson H. Neurophysiology of joints. In: Wright V, Radin E, editors. *Mechanics of human joints, physiology, pathophysiology and treatment*. New York: Dekker; 1993. pp. 243–84.
- Jones K, Bishop P, Hunter G, Fleisig G. The effects of varying resistance-training loads on intermediate and high-velocity-specific adaptations. *J Strength Cond Res*. 2001 Aug;15(3):349–56.
- Kaneko M, Fuchimoto T, Toji H, Sueti K. Training effect of different loads on the force-velocity relationship and mechanical power output in human muscle. *Scand J Med Sci Sports*. 1983;5:50–5.
- Kim D, Van Rysseghem G, Hong J. Overcoming the myth of proprioceptive training. *Clin kinesiol*. 2011;65(1):18–28.
- Krosshaug T, Nakamae A, Boden BP, Engebretsen L, Smith G, Slauterbeck JR, Hewett TE, Bahr R. Mechanisms of anterior cruciate ligament injury in basketball: video analysis of 39 cases. *Am J Sports Med*. 2007 Mar;35(3):359–67.
- Kubo K, Ikebukuro T, Yata H, Tsunoda N, Kanehisa H. Time course of changes in muscle and tendon properties during strength training and detraining. *J Strength Cond Res*. 2010 Feb;24(2):322–31.
- Latella C, Kidgell DJ, Pearce AJ. Reduction in corticospinal inhibition in the trained and untrained limb following unilateral leg strength training. *Eur J Appl Physiol*. 2012 Aug;112(8):3097–107.
- Lauersen JB, Bertelsen DM, Andersen LB. The effectiveness of exercise interventions to prevent sports injuries: a systematic review and meta-analysis of randomised controlled trials. *Br J Sports Med*. 2014 Jun;48(11):871–7.
- Lee TD, Magill RA. The locus of contextual interference in motor-skill acquisition. *J Exp Psychol Learn Mem Cogn*. 1983;9:730–46
- Lee TD, Magill RA. Can forgetting facilitate skill acquisition? In: Goodman D, Wilberg RB, Franks IM, editors. *Differing perspectives in motor learning, memory, and control*. Amsterdam: Elsevier; 1985. pp. 3–22.
- Lee TD, Simon D. Contextual interference. In: Williams AM, Hodges NJ, editors. *Skill acquisition in sport: research, theory and practice*. London: Routledge; 2004. pp. 29–44.
- McBride JM, Triplett-McBride T, Davie A, Newton RU. The effect of heavy- vs. light-load jump squats on the development of strength, power, and speed. *J Strength Cond Res*. 2002 Feb;16(1):75–82.
- McGeehan MR, Wright GA, Fleck SJ. Strength training for athletes: does it really help sports performance? *Int J Sports Physiol Perform*. 2012 Mar;7(1):2–5.
- McKeon PO, Hertel J. Systematic review of postural control and lateral ankle instability, part II: is balance training clinically effective? *J Athl Train*. 2008 May–Jun;43(3):305–15.
- Magill RA. *Motor learning and control: concepts and application*. 9th ed. New York: McGraw-Hill, 2010. 480 pp.
- Mahieu NN, McNair P, Cools A, D'Haen C, Vandermeulen K, Witvrouw E. Effect of eccentric training on the plantar flexor muscle-tendon tissue properties. *Med Sci Sports Exerc*. 2008 Jan;40(1):117–23.
- Meijer OG, Roth K. *Complex movement behaviour: the motor-action controversy (advances in psychology)*. Amsterdam: Elsevier; 1988. 604 pp.
- Milia M, Siskosky MJ, Wang YX, Boylan JP, Wojtys EM, Ashton-Miller JA. The role of the ankle evor muscles in preventing inversion during a one-footed landing on a hard surface: an experimental study in healthy young males. Presented at the 24th annual meeting of American Orthopedic Society for Sports Medicine; 1998 Jul 12–15; Vancouver.
- Moss BM, Refsnes PE, Abildgaard A, Nicolaysen K, Jensen J. Effects of maximal effort strength training with different loads on dynamic strength, cross-sectional area, load-power and load-velocity relationships. *Eur J Appl Physiol Occup Physiol*. 1997;75(3):193–9.
- O'Sullivan K, McAuliffe S, Deburca N. The effects of eccentric training on lower limb flexibility: a systematic review. *Br J Sports Med*. 2012

- Sep;46(12):838–45. Perez MA, Lungholt BK, Nyborg K, Nielsen JB. Motor skill training induces changes in the excitability of the leg cortical area in healthy humans. *Exp Brain Res*. 2004 Nov;159(2):197–205.
- Refshauge KM, Kilbreath SL, Raymond J. The effect of recurrent ankle inversion sprain and taping on proprioception at the ankle. *Med Sci Sports Exerc*. 2000 Jan;32(1):10–15.
- Rosenkranz K, Kacar A, Rothwell JC. Differential modulation of motor cortical plasticity and excitability in early and late phases of human motor learning. *J Neurosci*. 2007 Oct;27(44):12058–66.
- Schmidt RA. The search for invariance in skilled movement behaviour. *Res Q Exerc Sport*. 1985 Feb;56(2):188–200.
- Schmidt RA. *Motor control and learning: a behavioral emphasis*. Champaign, IL: Human Kinetics; 1988. 578 pp.
- Seynnes OR, de Boer M, Narici MV. Early skeletal muscle hypertrophy and architectural changes in response to high-intensity resistance training. *J Appl Physiol* (1985). 2007 Jan;102(1):368–73.
- Seynnes OR, Erskine RM, Maganaris CN, Longo S, Simoneau EM, Grosset JF, Narici MV. Training-induced changes in structural and mechanical properties of the patellar tendon are related to muscle hypertrophy but not to strength gains. *J Appl Physiol* (1985). 2009 Aug;107(2):523–30.
- Shapiro DC, Zernicke RF, Gregor RJ. Evidence for generalized motor programs using gait pattern analysis. *J Mot Behav*. 1981 Mar;13(1):33–47.
- Sjölander P, Johansson H. Sensory endings in ligaments: response properties and effects on proprioception and motor control. In: Yahia L, editor. *Ligaments and ligamentoplastics*. New York: Springer; 1997. pp. 39–83.
- Smith PJ, Davies M. Applying contextual interference to the Pawlata roll. *J Sports Sci*. 1995 Dec;13(6):455–62.
- Stevens J, Hall KG. Motor skill acquisition strategies for rehabilitation of low back pain. *J Orthop Sports Phys Ther*. 1998 Sep;28(3):165–7.
- Tillin NA, Pain MT, Folland JP. Short-term training for explosive strength causes neural and mechanical adaptations. *Exp Physiol*. 2012 May;97(5):630–41.
- Turvey MT. Coordination. *Am Psychol*. 1990 Aug;45(8):938–53. Wagner H, Blickhan R. Stabilizing function of antagonistic neuromusculoskeletal systems: an analytical investigation. *Biol Cybern*. 2003 Jul;89(1):71–9.
- Weier AT, Kidgell DJ. Strength training with superimposed whole body vibration does not preferentially modulate cortical plasticity. *Scientific World Journal*. 2012;2012:876328.
- Weier AT, Pearce AJ, Kidgell DJ. Strength training reduces intracortical inhibition. *Acta Physiol (Oxf)*. 2012 Oct;206(2):109–19.
- Winstein CJ. Designing practice for motor learning: clinical implications. In: Lister MJ, editor. *Contemporary management of motor control problems: proceedings of the II step conference*; 1991; Alexandria. Alexandria, VA: Foundation for Physical Therapy; 1991. pp. 65–76.
- Wyon MA, Smith A, Koutedakis Y. A comparison of strength and stretch interventions on active and passive ranges of movement in dancers: a randomized controlled trial. *J Strength Cond Res*. 2013 Nov;27(11):3053–9.

## References

- Adams JA. Issues for a closed-loop theory of motor learning. In: Stelmach GE, editor. *Motor control: issues and trends*. New York: Academic Press; 1976. pp. 87–101.
- Alentorn-Geli E, Myer GD, Silvers HJ, Samitier G, Romero D, Lázaro-Haro C, Cugat R. Prevention of non-contact anterior cruciate ligament injuries in soccer players. Part 1: mechanisms of injury and underlying risk factors. *Knee Surg Sports Traumatol Arthrosc*. 2009 Jul;17(7):705–29.
- Ashton-Miller JA, Wojtys EM, Huston LJ, Fry-Welch D. Can proprioception really be improved by exercises? *Knee Surg Sports Traumatol Arthrosc*. 2001 May;9(3):128–36.
- Bernstein NA. On dexterity and its development. In: Latash ML, Turvey MT, editors. *Dexterity and its development (resources for ecological psychology)*. New Jersey: Lawrence Erlbaum Associates; 1996. pp. 3–246.
- Blazevich AJ, Cannavan D, Coleman DR, Horne S. Influence of concentric and eccentric resistance training on architectural adaptation in human quadriceps muscles. *J Appl Physiol* (1985). 2007 Nov;103(5):1565–75.
- Blickhan R, Seyfarth A, Geyer H, Grimmer S, Wagner H, Günther M. Intelligence by mechanics. *Philos Trans A Math Phys Eng Sci*. 2007 Jan;365(1850):199–220.
- Bortoli L, Robazza C, Durigon V, Carra C. Effects on contextual interference on learning technical sports skills. *Percept Mot Skills*. 1992 Oct;75:555–62.
- Bosch F. *Krachttraining en coördinatie, een integratieve benadering*. Rotterdam: 2010 Uitgevers; 2012. 352 pp.
- Brown IE, Scott SH, Loeb GE. Mechanics of feline soleus: II. Design and validation of a mathematical model. *J Muscle Res Cell Motil*. 1996 Apr;17(2):221–33.
- Carroll TJ, Riek S, Carson RG. The sites of neural adaptation induced by resistance training in humans. *J Physiol*. 2002 Oct;544(Pt 2):641–52.
- Chimera NJ, Swanik KA, Swanik CB, Straub SJ. Effects of plyometric training on muscle-activation strategies and performance in female athletes. *J Athl Train*. 2004 Mar;39(1):24–31.
- Coyle D. *The talent code: Greatness isn't born. It's grown. Here's how*. New York: Bantam Dell; 2009. 256 pp.
- Ferris DP, Farley CT. Interaction of leg stiffness and surfaces stiffness during human hopping. *J Appl Physiol* (1985). 1997 Jan;82(1):15–22; discussion 13–14.
- Ferris DP, Louie M, Farley CT. Running in the real world: adjusting leg stiffness for different surfaces. *Proc Biol Sci*. 1998 Jun;265(1400):989–94. Ghez C, Sainburg R. Proprioceptive control of interjoint coordination. *Can J Physiol Pharmacol*. 1995 Feb;73(2):273–84.
- Goode S, Magill RA. Contextual interference effects in learning three badminton serves. *Res Q Exerc Sport*. 1986;57(4):308–14.
- Goodwill AM, Pearce AJ, Kidgell DJ. Corticomotor plasticity following unilateral strength training. *Muscle Nerve*. 2012 Sep;46(3):384–93.
- Hall KG, Domingues DA, Cavazos R. Contextual interference effects with skilled baseball players. *Percept Mot Skills*. 1994 Jun;78(3 Pt 1):835–41.
- Hughes T, Rochester P. The effects of proprioceptive exercise and taping on proprioception in subjects with functional ankle instability: a review of the literature. *Phys Ther Sport*. 2008 Aug;9(3):136–47.
- Jensen JL, Marstrand PC, Nielsen JB. Motor skill training and strength training are associated with different plastic changes in the central nervous system. *J Appl Physiol* (1985). 2005 Oct;99(4):1558–68.
- Johansson H. Neurophysiology of joints. In: Wright V, Radin E, editors. *Mechanics of human joints, physiology, pathophysiology and treatment*. New York: Dekker; 1993. pp. 243–84.
- Jones K, Bishop P, Hunter G, Fleisig G. The effects of varying resistance-training loads on intermediate and high-velocity-specific adaptations. *J Strength Cond Res*. 2001 Aug;15(3):349–56.
- Kaneko M, Fuchimoto T, Toji H, Suei K. Training effect of different loads on the force-velocity relationship and mechanical power output in human muscle. *Scand J Med Sci Sports*. 1983;5:50–5.

- Kim D, Van Rysseghem G, Hong J. Overcoming the myth of proprioceptive training. *Clin kinesiol.* 2011;65(1):18–28.
- Krosshaug T, Nakamae A, Boden BP, Engebretsen L, Smith G, Slauterbeck JR, Hewett TE, Bahr R. Mechanisms of anterior cruciate ligament injury in basketball: video analysis of 39 cases. *Am J Sports Med.* 2007 Mar;35(3):359–67.
- Kubo K, Ikebukuro T, Yata H, Tsunoda N, Kanehisa H. Time course of changes in muscle and tendon properties during strength training and detraining. *J Strength Cond Res.* 2010 Feb;24(2):322–31.
- Latella C, Kidgell DJ, Pearce AJ. Reduction in corticospinal inhibition in the trained and untrained limb following unilateral leg strength training. *Eur J Appl Physiol.* 2012 Aug;112(8):3097–107.
- Lauersen JB, Bertelsen DM, Andersen LB. The effectiveness of exercise interventions to prevent sports injuries: a systematic review and meta-analysis of randomised controlled trials. *Br J Sports Med.* 2014 Jun;48(11):871–7.
- Lee TD, Magill RA. The locus of contextual interference in motor-skill acquisition. *J Exp Psychol Learn Mem Cogn.* 1983;9:730–46
- Lee TD, Magill RA. Can forgetting facilitate skill acquisition? In: Goodman D, Wilberg RB, Franks IM, editors. *Differing perspectives in motor learning, memory, and control.* Amsterdam: Elsevier; 1985. pp. 3–22.
- Lee TD, Simon D. Contextual interference. In: Williams AM, Hodges NJ, editors. *Skill acquisition in sport: research, theory and practice.* London: Routledge; 2004. pp. 29–44.
- McBride JM, Triplett-McBride T, Davie A, Newton RU. The effect of heavy- vs. light-load jump squats on the development of strength, power, and speed. *J Strength Cond Res.* 2002 Feb;16(1):75–82.
- McGeehan MR, Wright GA, Fleck SJ. Strength training for athletes: does it really help sports performance? *Int J Sports Physiol Perform.* 2012 Mar;7(1):2–5.
- McKeon PO, Hertel J. Systematic review of postural control and lateral ankle instability, part II: is balance training clinically effective? *J Athl Train.* 2008 May–Jun;43(3):305–15.
- Magill RA. *Motor learning and control: concepts and application.* 9th ed. New York: McGraw-Hill, 2010. 480 pp.
- Mahieu NN, McNair P, Cools A, D’Haen C, Vandermeulen K, Witvrouw E. Effect of eccentric training on the plantar flexor muscle-tendon tissue properties. *Med Sci Sports Exerc.* 2008 Jan;40(1):117–23.
- Meijer OG, Roth K. *Complex movement behaviour: the motor-action controversy (advances in psychology).* Amsterdam: Elsevier; 1988. 604 pp.
- Milia M, Siskosky MJ, Wang YX, Boylan JP, Wojtys EM, Ashton-Miller JA. The role of the ankle evorator muscles in preventing inversion during a one-footed landing on a hard surface: an experimental study in healthy young males. Presented at the 24th annual meeting of American Orthopedic Society for Sports Medicine; 1998 Jul 12–15; Vancouver.
- Moss BM, Refsnes PE, Abildgaard A, Nicolaysen K, Jensen J. Effects of maximal effort strength training with different loads on dynamic strength, cross-sectional area, load-power and load-velocity relationships. *Eur J Appl Physiol Occup Physiol.* 1997;75(3):193–9.
- O’Sullivan K, McAuliffe S, Deburca N. The effects of eccentric training on lower limb flexibility: a systematic review. *Br J Sports Med.* 2012 Sep;46(12):838–45. Perez MA, Lugholt BK, Nyborg K, Nielsen JB. Motor skill training induces changes in the excitability of the leg cortical area in healthy humans. *Exp Brain Res.* 2004 Nov;159(2):197–205.
- Refshaug KM, Kilbreath SL, Raymond J. The effect of recurrent ankle inversion sprain and taping on proprioception at the ankle. *Med Sci Sports Exerc.* 2000 Jan;32(1):10–15.
- Rosenkranz K, Kacar A, Rothwell JC. Differential modulation of motor cortical plasticity and excitability in early and late phases of human motor learning. *J Neurosci.* 2007 Oct;27(44):12058–66.
- Schmidt RA. The search for invariance in skilled movement behaviour. *Res Q Exerc Sport.* 1985 Feb;56(2):188–200.
- Schmidt RA. *Motor control and learning: a behavioral emphasis.* Champaign, IL: Human Kinetics; 1988. 578 pp.
- Seynnes OR, de Boer M, Narici MV. Early skeletal muscle hypertrophy and architectural changes in response to high-intensity resistance training. *J Appl Physiol* (1985). 2007 Jan;102(1):368–73.
- Seynnes OR, Erskine RM, Maganaris CN, Longo S, Simoneau EM, Grosset JF, Narici MV. Training-induced changes in structural and mechanical properties of the patellar tendon are related to muscle hypertrophy but not to strength gains. *J Appl Physiol* (1985). 2009 Aug;107(2):523–30.
- Shapiro DC, Zernicke RF, Gregor RJ. Evidence for generalized motor programs using gait pattern analysis. *J Mot Behav.* 1981 Mar;13(1):33–47.
- Sjölander P, Johansson H. Sensory endings in ligaments: response properties and effects on proprioception and motor control. In: Yahia L, editor. *Ligaments and ligamentoplastics.* New York: Springer; 1997. pp. 39–83.
- Smith PJ, Davies M. Applying contextual interference to the Pawlata roll. *J Sports Sci.* 1995 Dec;13(6):455–62.
- Stevens J, Hall KG. Motor skill acquisition strategies for rehabilitation of low back pain. *J Orthop Sports Phys Ther.* 1998 Sep;28(3):165–7.
- Tillin NA, Pain MT, Folland JP. Short-term training for explosive strength causes neural and mechanical adaptations. *Exp Physiol.* 2012 May;97(5):630–41
- Turvey MT. Coordination. *Am Psychol.* 1990 Aug;45(8):938–53. Wagner H, Blickhan R. Stabilizing function of antagonistic neuromusculoskeletal systems: an analytical investigation. *Biol Cybern.* 2003 Jul;89(1):71–9.
- Weier AT, Kidgell DJ. Strength training with superimposed whole body vibration does not preferentially modulate cortical plasticity. *Scientific World Journal.* 2012;2012:876328.
- Weier AT, Pearce AJ, Kidgell DJ. Strength training reduces intracortical inhibition. *Acta Physiol (Oxf).* 2012 Oct;206(2):109–19.
- Winstein CJ. Designing practice for motor learning: clinical implications. In: Lister MJ, editor. *Contemporary management of motor control problems: proceedings of the II step conference;* 1991; Alexandria. Alexandria, VA: Foundation for Physical Therapy; 1991. pp. 65–76.
- Wyon MA, Smith A, Koutedakis Y. A comparison of strength and stretch interventions on active and passive ranges of movement in dancers: a randomized controlled trial. *J Strength Cond Res.* 2013 Nov;27(11):3053–9



## References

- Andersen V, Fimland MS, Brennest O, Haslestad LR, Lundteigen MS, Skalleberg K, Saeterbakken AH. Muscle activation and strength in squat and Bulgarian squat on stable and unstable surface. *Int J Sports Med*. 2014 Sep 25. [Epub ahead of print]
- Badiuk BW, Andersen JT, McGill SM. Exercises to activate the deeper abdominal wall muscles: the Lewit: a preliminary study. *J Strength Cond Res*. 2014 Mar;28(3):856–60.
- Barr KP, Griggs M, Cadby T. Lumbar stabilization: core concepts and current literature, Part 1. *Am J Phys Med Rehabil*. 2005 Jun;84(6):473–80.
- Behm DG, Anderson K, Curnew RS. Muscle force and activation under stable and unstable conditions. *J Strength Cond Res*. 2002 Aug;16(3):416–22.
- Bergmark A. Stability of the lumbar spine. A study in mechanical engineering. *Acta Orthop Scand Suppl*. 1989;230:1–54.
- Boren K, Conroy C, Le Coguic J, Paprocki L, Voight M, Robinson TK. Electromyographic analysis of gluteus medius and gluteus maximus during rehabilitation exercises. *Int J Sports Phys Ther*. 2011 Sep;6(3):206–23.
- Borghuis AJ, Lemmink KA, Hof AL. Core muscle response times and postural reactions in soccer players and nonplayers. *Med Sci Sports Exerc*. 2011 Jan;43(1):108–14.
- Butcher SJ, Craven BR, Chilibeck PD, Spink KS, Grona SL, Sprigings EJ. The effect of trunk stability training on vertical takeoff velocity. *J Orthop Sports Phys Ther*. 2007 May;37(5):223–31.
- Charnock BL, Lewis CL, Garrett WE Jr, Queen RM. Adductor longus mechanics during the maximal effort soccer kick. *Sports Biomech*. 2009 Sep;8(3):223–34.
- Chesworth BM, Padfield BJ, Helewa A, Stitt LW. A comparison of hip mobility in patients with low back pain and matched healthy subjects. *Physiother Can*. 1994;46:267–74.
- Cholewicki J, McGill SM. Mechanical stability of the in vivo lumbar spine: implications for injury and chronic low back pain. *Clin Biomech (Bristol, Avon)*. 1996 Jan;11(1):1–15.
- Chumanov ES, Heiderscheidt BC, Thelen DG. The effect of speed and influence of individual muscles on hamstring mechanics during the swing phase of sprinting. *J Biomech*. 2007;40(16):3555–62.
- Colado JC, Pablos C, Chulvi-Medrano I, Garcia-Masso X, Flandez J, Behm DG. The progression of paraspinal muscle recruitment intensity in localized and global strength training exercises is not based on instability alone. *Arch Phys Med Rehabil*. 2011 Nov;92(11):1875–83.
- Comerford MJ. Performance stability, module 1: stability for performance. Course 1: core stability concepts. Ludlow: Comerford & Performance Stability; 2007.
- Comerford MJ, Mottram SL. Movement and stability dysfunction—contemporary developments. *Man Ther*. 2001 Feb;6(1):15–26.
- Comerford MJ, Mottram SL, Gibbons SG. Understanding movement and function ‘concepts’. Kinetic control movement dysfunction course. Southampton: Kinetic Control; 2004.
- Comfort P, Pearson SJ, Mather D. An electromyographical comparison of trunk muscle activity during isometric trunk and dynamic strengthening exercises. *J Strength Cond Res*. 2011 Jan;25(1):149–54.
- Cresswell AG, Oddsson L, Thorstenson A. The influence of sudden perturbations on trunk muscle activity and intra-abdominal pressure while standing. *Exp Brain Res*. 1994;98(2):336–41.
- Czaprowski D, Afeltowicz A, Gębicka A, Pawłowska P, Kędra A, Barrios C, Hadała M. Abdominal muscle EMG-activity during bridge exercises on stable and unstable surfaces. *Phys Ther Sport*. 2014 Aug;15(3):162–8
- Ekstrom RA, Donatelli RA, Carp KC. Electromyographic analysis of core trunk, hip, and thigh muscles during 9 rehabilitation exercises. *J Orthop Sports Phys Ther*. 2007 Dec;37(12):754–62.
- Ellison, JB, Rose SJ, Sahrman SA. Patterns of hip rotation range of motion: a comparison between healthy subjects and patients with low back pain. *Phys Ther*. 1990 Sep;70(9):537–41.
- Escamilla RF, Babb E, DeWitt R, Jew P, Kelleher P, Burnham T, Busch J, D’Anna K, Mowbray R, Imamura RT. Electromyographic analysis of traditional and nontraditional abdominal exercises: implications for rehabilitation and training. *Phys Ther*. 2006 May;86(5):656–71.
- Escamilla RF, Lewis C, Bell D, Bramblet G, Daffron J, Lambert S, Pecoson A, Imamura R, Paulos L, Andrews JR. Core muscle activation during Swiss ball and traditional abdominal exercises. *J Orthop Sports Phys Ther*. 2010 May;40(5):265–76.
- Faries MD, Greenwood M. Core training: stabilizing the confusion. *Strength Cond J*. 2007 Apr;29(2):10–25.
- Fenwick CM, Brown SH, McGill SM. Comparison of different rowing exercises: trunk muscle activation and lumbar spine motion, load, and stiffness. *J Strength Cond Res*. 2009 Aug;23(5):1408–17.
- Fig G. Strength training for swimmers: training the core. *Strength Cond J*. 2005 Feb;27(2):40–2.
- Freeman S, Karpowicz A, Gray J, McGill S. Quantifying muscle patterns and spine load during various forms of the push-up. *Med Sci Sports Exerc*. 2006 Mar;38(3):570–7.
- Friel K, McLean N, Myers C, Caceres M. Ipsilateral hip abductor weakness after inversion ankle sprain. *J Athl Train*. 2006 Mar;41(1):74–8.
- Gamble P. Strength and conditioning for team sports: sport-specific physical preparation for high performance. 2nd ed. New York: Routledge; 2013. 304 pp.
- Gracovetsky S. Linking the spinal engine with the legs: A theory of human gait. In: Vleeming A, Mooney V, Dorman T, Snijders C, Stoeckart R, editors. *Movement, stability and low back pain*. New York: Churchill Livingstone; 1997. pp. 243.
- Greenman PE. Clinical aspects of sacroiliac joint in walking. In: Vleeming A, Mooney V, Dorman T, Snijders C, Stoeckart R, editors. *Movement, stability and low back pain*. New York: Churchill Livingstone; 1997. pp. 243–51.
- Hamlyn N, Behm DG, Young WB. Trunk muscle activation during dynamic weight-training exercises and isometric instability activities. *J Strength Cond Res*. 2007 Nov;21(4):1108–12.
- Hibbs AE, Thompson KG, French D, Wrigley A, Spears I. Optimizing performance by improving core stability and core strength. *Sports Med*. 2008;38(12):995–1008.
- Hodges PW, Moseley GL. Pain and motor control of the lumbopelvic region: effect and possible mechanisms. *J Electromyogr Kinesiol*. 2003 Aug;13(4):361–70.
- Hodges PW, Richardson CA. Contraction of the abdominal muscles associated with movement of the lower limb. *Phys Ther*. 1997 Feb;77(2):132–44.
- Hodges PW, Richardson CA. Delayed postural contraction of transversus abdominis in low back pain associated with movement of the lower limb. *J Spinal Disord*. 1998 Feb;11(1):46–56.
- Idoate F, Calbert JA, Izquierdo M, Sanchis-Moysi J. Soccer attenuates the asymmetry of rectus abdominis muscle observed in non-athletes. *PLoS One*. 2011 Apr;6(4):e19022.
- Imai A, Kaneoka K, Okubo Y, Shiina I, Tatsumura M, Izumi S, Shiraki H. Trunk muscle activity during lumbar stabilization exercises on both a stable

- and unstable surface. *J Orthop Sports Phys Ther.* 2010 Jun;40(6):369–75.
- Juker D, McGill S, Kropf P, Steffen T. Quantitative intramuscular myoelectric activity of lumbar portions of psoas and the abdominal wall during a wide variety of tasks. *Med Sci Sports Exerc.* 1998 Feb;30(2):301–10.
- Kankaanpää M, Taimela S, Laaksonen D, Hänninen O, Airaksinen O. Back and hip extensor fatigability in chronic low back pain patients and controls. *Arch Phys Med Rehabil.* 1998 Apr;79(4):412–7.
- Kavcic N, Grenier S, McGill SM. Determining the stabilizing role of individual torso muscles during rehabilitation exercises. *Spine (Phila Pa 1976).* 2004 Jun;29(11):1254–65.
- Kibler WB, Press J, Sciascia A. The role of core stability in athletic function. *Sports Med.* 2006;36(3):189–98.
- Kong YS, Cho YH, Park JW. Changes in the activities of the trunk muscles in different kinds of bridging exercises. *J Phys Ther Sci.* 2013 Dec;25(12):1609–12.
- Konrad P, Schmitz K, Denner A. Neuromuscular evaluation of trunk-training exercises. *J Athl Train.* 2001 Jun;36(2):109–18.
- Lafond D, Normand MC, Gosselin G. Rapport force. *J Can Chiropr Assoc.* 1998 Jun;42(2):90–100.
- Lee D. *The pelvic girdle: an approach to the examination and treatment of the thoracolumbar-hip region.* 3rd ed. Edinburgh: Churchill Livingstone; 2004. 267 pp.
- Leetun DT, Ireland ML, Willson JD, Ballantyne BT, Davis IM. Core stability measures as risk factors for lower extremity injury in athletes. *Med Sci Sports Exerc.* 2004 Jun;36(6):926–34.
- Lehman GJ. Resistance training for performance and injury prevention in golf. *J Can Chiropr Assoc.* 2006 Mar;50(1):27–42.
- Lehman GJ, Hoda W, Oliver S. Trunk muscle activity during bridging exercises on and off a Swiss ball. *Chiropr Osteopat.* 2005 Jul 30;13:14.
- Logan G, McKinney W. The serape effect. In: Lockhart A, editor. *Anatomic kinesiology.* 3rd ed. Dubuque, IA: Wm C Brown Company Publishers; 1970. pp. 287–302.
- Lyons K, Perry J, Gronley JK, Barnes L, Antonelli D. Timing and relative intensity of hip extensor and abductor muscle action during level and stair ambulation. An EMG study. *Phys Ther.* 1983 Oct;63(10):1597–605.
- McGill SM. Low back exercises: evidence for improving exercise regimens. *Phys Ther.* 1998 Jul;78(7):754–65.
- McGill SM. *Low back disorders: evidence-based prevention and rehabilitation.* 2nd ed. Champaign, IL: Human Kinetics; 2007. 328 pp.
- McGill S, Juker D, Kropf P. Quantitative intramuscular myoelectric activity of quadratus lumborum during a wide variety of tasks. *Clin Biomech (Bristol, Avon).* 1996 Apr;11(3):170–2.
- McGill SM, Grenier S, Kavcic N, Cholewicki J. Coordination of muscle activity to assure stability of the lumbar spine. *J Electromyogr Kinesiol.* 2003 Aug;13(4):353–9.
- McGill S, Andersen J, Cannon J. Muscle activity and spine load during anterior chain whole body linkage exercises: the body saw, hanging leg raise and walkout from a push-up. *J Sports Sci.* 2014 Aug 11:1–8. [Epub ahead of print]
- Maeo S, Chou T, Yamamoto M, Kanehisa H. Muscular activities during sling- and ground-based push-up exercise. *BMC Res Notes.* 2014 Mar;7:192.
- Marshall PW, Desai I. Electromyographic analysis of upper body, lower body, and abdominal muscles during advanced Swiss ball exercises. *J Strength Cond Res.* 2010 Jun;24(6):1537–45.
- Martuscello JM, Nuzzo JL, Ashley CD, Campbell BI, Orriola JJ, Mayer JM. Systematic review of core muscle activity during physical fitness exercises. *J Strength Cond Res.* 2013 Jun;27(6):1684–98.
- Moreside JM, McGill SM. Hip joint range of motion improvements using three different interventions. *J Strength Cond Res.* 2012 May;26(5):1265–73.
- Norton-Old KJ, Schache AG, Barker PJ, Clark RA, Harrison SM, Briggs CA. Anatomical and mechanical relationship between the proximal attachment of adductor longus and the distal rectus sheath. *Clin Anat.* 2013 May;26(4):522–30.
- Nuzzo JL, McCauley GO, Cormie P, Cavill MJ, McBride JM. Trunk muscle activity during stability ball and free weight exercises. *J Strength Cond Res.* 2008 Jan;22(1):95–102.
- Okubo Y, Kaneoka K, Imai A, Shiina I, Tatumura M, Izumi S, Miyakawa S. Electromyographic analysis of transversus abdominis and lumbar multifidus using wire electrodes during lumbar stabilization exercises. *J Orthop Sports Phys Ther.* 2010 Nov;40(11):743–50.
- O’Sullivan PB. Lumbar segmental ‘instability’: clinical presentation and specific stabilizing exercise management. *Man Ther.* 2000 Feb;5(1):2–12.
- Pearcy MJ. Twisting mobility of the human back in flexed postures. *Spine (Phila Pa 1976).* 1993 Jan;18(1):114–19.
- Richardson C, Jull G, Hodges P, Hides J. *Therapeutic exercise for spinal segmental stabilization in low back pain: scientific basis and clinical approach.* Edinburgh: Churchill Livingstone; 1999. 192 pp.
- Richardson C, Hodges PW, Hides J. *Therapeutic exercise for lumbopelvic stabilization: a motor control approach for the treatment and prevention of low back pain.* 2nd ed. Edinburgh: Churchill Livingstone; 2004. 280 pp.
- Roetert PE. 3D balance and core stability. In: Foran B, editor. *High-performance sports conditioning: modern training for ultimate athletic development.* Champaign, IL: Human Kinetics; 2001. pp. 119–38.
- Sahrmann S. *Diagnosis and treatment of movement impairment syndromes.* St Louis, MO: Mosby; 2002. 384 pp.
- Santana JC, Vera-Garcia FJ, McGill SM. A kinetic and electromyographic comparison of the standing cable press and bench press. *J Strength Cond Res.* 2007 Nov;21(4):1271–7.
- Schache AG, Blanch P, Rath D, Wrigley T, Bennell K. Three-dimensional angular kinematics of the lumbar spine and pelvis during running. *Hum Mov Sci.* 2002 Jul;21(2):273–93.
- Siff MC. *Facts and fallacies of fitness.* 6th ed. West Warwick: Perform Better; 2003. 319 pp.
- Snijders CJ, Vleeming A, Stoecart R. Transfer of lumbosacral load to iliac bones and legs. Part 1: biomechanics of self-bracing of the sacroiliac joints and its significance for treatment and exercise. *Clin Biomech (Bristol, Avon).* 1993 Nov;8(6):285–94.
- Tarmanen SP, Siekkinen KM, Häkkinen AH, Mälikä EA, Kautiainen HJ, Ylinen JJ. Core muscle activation during dynamic upper limb exercises in women. *J Strength Cond Res.* 2012 Dec;26(12):3217–24.
- Vad VB, Bhat AL, Basrai D, Gebeh A, Aspergren DD, Andrews JR. Low back pain in professional golfers: the role of associated hip and low back range-of-motion deficits. *Am J Sports Med.* 2004 Mar;32(2):494–7.
- Van Dillen LR, Bloom NJ, Gombatto SP, Susco TM. Hip rotation range of motion in people with and without low back pain who participate in rotation-related sports. *Phys Ther Sport.* 2008 May;9(2):72–81.
- van Wingerden JP, Vleeming A, Stam HJ, Stoecart R. Interaction of the spine and legs: influence of the hamstring tension on lumbopelvic rhythm. Second Interdisciplinary World Congress on Low Back Pain. San Diego, CA 1993; Nov 9–11.
- Vezina MJ, Hubley-Kozey CL. Muscle activation in therapeutic exercises to improve trunk stability. *Arch Phys Med Rehabil.* 2000 Oct;81(10):1370–9.
- Vleeming A, Pool-Goudzwaard AL, Stoecart R, van Wingerden JP, Snijders CJ. The posterior layer of the thoracolumbar fascia. Its function in load

- transfer from spine to legs. *Spine (Phila Pa 1976)*. 1995 Apr;20(7):753–8.
- Vleeming A, Stoeckart R, Snijders CJ. The sacrotuberous ligament: a conceptual approach to its dynamic role in stabilizing the sacroiliac joint. *Clin Biomech*. 1989a;4(4):201–3.
- Vleeming A, Van Wingerden JP, Snijders CJ, Stoeckart R and Stijnen T. Load application to the sacrotuberous ligament; influences on sacroiliac joint mechanics. *Clin Biomech*. 1989b;4(4):204–9.
- White AA, Panjabi MM. *Clinical biomechanics of the spine*. 2nd ed. Philadelphia: Lippincott Williams & Wilkins; 1990. 752 pp.
- Willardson JM, Fontana FE, Bressel E. Effect of surface stability on core muscle activity for dynamic resistance exercises. *Int J Sports Physiol Perform*. 2009 Mar;4(1):97–109.
- Wilson J, Ferris E, Heckler A, Maitland L, Taylor C. A structured review of the role of gluteus maximus in rehabilitation. *N Z J Physiother*. 2005 Nov;33(3):95–100.
- Wohlfart D, Jull G, Richardson C. The relationship between dynamic and static function of the abdominal muscles. *Aust J Phys*. 1993;39(1):9–13.
- Youdas JW, Boor MM, Darfler AL, Koenig MK, Mills KM, Hollman JH. Surface electromyographic analysis of core trunk and hip muscles during selected rehabilitation exercises in the side-bridge to neutral spine position. *Sports Health*. 2014 Sep;6(5):416–21.
- Zattara M, Bousset S. Posturo-kinetic organisation during the early phase of voluntary upper limb movement. 1. Normal subjects. *J Neurol Neurosurg Psychiatry*. 1988 Jul;51(7):956–65.
- Zazulak BT, Hewett TE, Reeves NP, Goldberg B, Cholewicki J. Deficits in neuromuscular control of the trunk predict knee injury risk: a prospective biomechanical-epidemiologic study. *Am J Sports Med*. 2007 Jul;35(7):1123–30

## References

- Blazevich AJ, Cannavan D, Coleman DR, Horne S. Influence of concentric and eccentric resistance training on architectural adaptation in human quadriceps muscles. *J Appl Physiol* (1985). 2007 Nov;103(5):1565–75
- Bloomquist K, Langberg H, Karlens S, Madsgaard S, Boesen M, Raastad T. Effect of range of motion in heavy load squatting on muscle and tendon adaptations. *Eur J Appl Physiol*. 2013 Aug;113(8):2133–42.
- Bryanton MA, Kennedy MD, Carey JP, Chiu LZ. Effect of squat depth and barbell load on relative muscular effort in squatting. *J Strength Cond Res*. 2012 Oct;26(10):2820–8.
- Cappozzo A, Felici F, Figura F, Gazzani F. Lumbar spine loading during half-squat exercises. *Med Sci Sports Exerc*. 1985 Oct;17(5):613–20.
- Chandler TJ, Wilson GD, Stone MH. The effect of the squat exercise on knee stability. *Med Sci Sports Exerc*. 1989 Jun;21(3):299–303.
- Clark DR, Lambert MI, Hunter AM. Muscle activation in the loaded free barbell squat: a brief review. *J Strength Cond Res*. 2012 Apr;26(4):1169–78.
- Comfort P, Bullock N, Pearson SJ. A comparison of maximal squat strength and 5-, 10-, and 20-meter sprint times, in athletes and recreationally trained men. *J Strength Cond Res*. 2012 Apr;26(4):937–40.
- Cormie P, Deane R, McBride JM. Methodological concerns for determining power output in the jump squat. *J Strength Cond Res*. 2007 May;21(2):424–30.
- Cormie P, McGuigan MR, Newton RU. Adaptations in athletic performance after ballistic power versus strength training. *Med Sci Sports Exerc*. 2010 Aug;42(8):1582–98.
- Cronin J, Sleivert G. Challenges in understanding the influence of maximal power training on improving athletic performance. *Sports Med*. 2005;35(3):213–34.
- Cunningham DJ, West DJ, Owen NJ, Shearer DA, Finn CV, Bracken RM, Crewther BT, Scott P, Cook CJ, Kilduff LP. Strength and power predictors of sprinting performance in professional rugby players. *J Sports Med Phys Fitness*. 2013 Apr;53(2):105–11.
- Drinkwater EJ, Moore NR, Bird SP. Effects of changing from full range of motion to partial range of motion on squat kinetics. *J Strength Cond Res*. 2012 Apr;26(4):890–6.
- Escamilla RF, Lander JE, Garhammer J. Biomechanics of powerlifting and weightlifting exercises. In: Garrett WE, Kirkendall DT, editors. *Exercise and sport science*. Philadelphia: Lippincott, Williams & Wilkins; 2000. pp. 585–615.
- Escamilla RF, Fleisig GS, Zheng N, Lander JE, Barrentine SW, Andrews JR, Bergemann BW, Moorman CT 3rd ed. Effects of technique variations on knee biomechanics during the squat and leg press. *Med Sci Sports Exerc*. 2001 Sep;33(9):1552–66.
- Esformes JJ, Bampouras TM. Effect of back squat depth on lower-body postactivation potentiation. *J Strength Cond Res*. 2013 Nov;27(11):2997–3000.
- Fry AC, Aro TA, Bauer JA, Kraemer WJ. A comparison of methods for determining kinematic properties of three barbell squat exercises. *J Hum Move Stud*. 1993;24:83–95.
- Fry AC, Smith JC, Schilling BK. Effect of knee position on hip and knee torques during the barbell squat. *J Strength Cond Res*. 2003 Nov;17(4):629–33.
- Gorsuch J, Long J, Miller K, Primeau K, Rutledge S, Sossong A, Durocher JJ. The effect of squat depth on multiarticular muscle activation in collegiate cross-country runners. *J Strength Cond Res*. 2013 Sep;27(9):2619–25.
- Gullett JC, Tillman MD, Gutierrez GM, Chow JW. A biomechanical comparison of back and front squats in healthy trained individuals. *J Strength Cond Res*. 2009 Jan;23(1):284–92.
- Harris NK, Cronin JB, Hopkins WG. Power outputs of a machine squat-jump across a spectrum of loads. *J Strength Cond Res*. 2007 Nov;21(4):1260–4.
- Hartmann H, Wirth K, Klusemann M, Dalic J, Matuschek C, Schmidtbleicher D. Influence of squatting depth on jumping performance. *J Strength Cond Res*. 2012 Dec;26(12):3243–61.
- Hartmann H, Wirth K, Klusemann M. Analysis of the load on the knee joint and vertebral column with changes in squatting depth and weight load. *Sports Med*. 2013 Oct;43(10):993–1008.
- Huijbregts PA, Clarijs JP. Krachtraining in revalidatie en sport. Utrecht: De Tijdstroom; 1995. 175 pp.
- Hunter JP, Marshall RN, McNair PJ. Relationships between ground reaction force impulse and kinematics of sprint-running acceleration. *J Appl Biomech*. 2005 Feb;21(1):31–43.
- Jones D, Round D. *Skeletal muscle in health and disease*. Manchester: Manchester University Press; 1990. 224 pp.
- Jones K, Bishop P, Hunter G, Fleisig G. The effects of varying resistance-training loads on intermediate and high-velocity-specific adaptations. *J Strength Cond Res*. 2001 Aug;15(3):349–56.
- Kaneko M, Fuchimoto T, Toji H, Suei K. Training effect of different loads on the force-velocity relationship and mechanical power output in human muscle. *Scand J Med Sci Sports*. 1983;5:50–5.
- Klein K. The deep squat exercise as utilized in weight training for athletes and its effects on the ligaments of the knee. *J Assoc Phys Ment Rehabil*. 1961;15:6–11.
- Li G, Zayontz S, Most E, DeFrate LE, Suggs JF, Rubash HE. In situ forces of the anterior and posterior cruciate ligaments in high knee flexion: an in vitro investigation. *J Orthop Res*. 2004 Mar;22(2):293–7.

- López-Segovia M, Marques MC, van den Tillaar R, González-Badillo JJ. Relationships between vertical jump and full squat power outputs with sprint times in u21 soccer players. *J Hum Kinet.* 2011 Dec;30:135–44.
- López-Segovia M, Dellal A, Chamari K, González-Badillo JJ. Importance of muscle power variables in repeated and single sprint performance in soccer players. *J Hum Kinet.* 2014 Apr;40:201–11.
- McBride JM, Triplett-McBride T, Davie A, Newton RU. The effect of heavy- vs. light-load jump squats on the development of strength, power, and speed. *J Strength Cond Res.* 2002 Feb;16(1):75–82.
- McBride JM, Blow D, Kirby TJ, Haines TL, Dayne AM, Triplett NT. Relationship between maximal squat strength and five, ten, and forty yard sprint times. *J Strength Cond Res.* 2009 Sep;23(6):1633–6.
- McCaw ST, Melrose DR. Stance width and bar load effects on leg muscle activity during the parallel squat. *Med Sci Sports Exerc.* 1999 Mar;31(3):428–36.
- McCurdy K, Walker J, Armstrong R, Langford G. The relationship between selected measures of strength and hip and knee excursion during unilateral and bilateral landings in females. *J Strength Cond Res.* 2014 Jun 17. [Epub ahead of print]
- McMahon GE, Morse CI, Burden A, Winwood K, Onambélé GL. Impact of range of motion during ecologically valid resistance training protocols on muscle size, subcutaneous fat, and strength. *J Strength Cond Res.* 2014 Jan;28(1):245–55.
- Morrissey MC, Harman EA, Johnson MJ. Resistance training modes: specificity and effectiveness. *Med Sci Sports Exerc.* 1995 May;27(5):648–60.
- Newton RU, Kraemer WJ, Hakkinen K, Humphries BJ, Murphy AJ. Kinematics, kinetics, muscle activation during explosive upper body movements: implications for power development. *J Appl Biomech.* 1996 Feb;12(1):31–43.
- Paoli A, Marcolin G, Petrone N. The effect of stance width on the electromyographical activity of eight superficial thigh muscles during back squat with different bar loads. *J Strength Cond Res.* 2009 Jan;23(1):246–50.
- Pereira GR, Leporace G, Chagas Dd, Furtado LF, Praxedes J, Batista LA. Influence of hip external rotation on hip adductor and rectus femoris myoelectric activity during a dynamic parallel squat. *J Strength Cond Res.* 2010 Oct;24(10):2749–54. Raastad T, Karlens S, Madsgaard S, Boesen M, Langberg H. Effects of heavy strength training with deep or shallow squats on muscle cross sectional area and muscle function. In: Cabri J, Alves F, Araújo D, Barreiros J, Diniz J, Veloso A, editors. Proceedings of the 13th Annual Congress of the European College of Sport Science; 2008 July 9–12; Estoril, Portugal. Cologne, Germany: European College of Sport Science; 2008. p. 515. [The training period comprised 12 weeks: personal communication from Prof. Dr. Raastad on Jan 18 2009.]
- Sale DG. Neural adaptations to strength training. In: Komi PV, editor. *Strength and power in sport.* Oxford: Blackwell Scientific; 1992. pp. 249–60.
- Schmidt H, Kettler A, Heuer F, Simon U, Claes L, Wilke HJ. Intradiscal pressure, shear strain, and fiber strain in the intervertebral disc under combined loading. *Spine (Phila Pa 1976).* 2007 Apr;32(7):748–55.
- Seynnes OR, de Boer M, Narici MV. Early skeletal muscle hypertrophy and architectural changes in response to high-intensity resistance training. *J Appl Physiol* (1985). 2007 Jan;102(1):368–73.
- Steiner ME, Grana WA, Chillag K, Schelberg-Karnes E. The effect of exercise on anterior-posterior knee laxity. *Am J Sports Med.* 1986 Jan-Feb;14(1):24–9 Stone MH, O'Bryant HS, McCoy L, Coglianesi R, Lehmkuhl M, Schilling B. Power and maximum strength relationships during performance of dynamic and static weighted jumps. *J Strength Cond Res.* 2003 Feb;17(1):140–7.
- Swinton PA, Lloyd R, Keogh JW, Agouris I, Stewart AD. A biomechanical comparison of the traditional squat, powerlifting squat, and box squat. *J Strength Cond Res.* 2012 Jul;26(7):1805–16.
- Wakeling JM, Uehli K, Rozitzi AI. Muscle fiber recruitment can respond to the mechanics of the muscle contraction. *J R Soc Interface.* 2006 Aug 22;3(9):533–44.
- Weiss LW, Fry AC, Wood LE, Relyea GE, Melton C. Comparative effects of deep versus shallow squat and leg-press training on vertical jumping ability and related factors. *J Strength Cond Res.* 2000 Aug;14(3):241–7.
- Weyand PG, Sternlight DB, Bellizzi MJ, Wright S. Faster top running speeds are achieved with greater ground forces not more rapid leg movements. *J Appl Physiol* (1985). 2000 Nov;89(5):1991–9.
- Wilson GJ, Newton RU, Murphy AJ, Humphries BJ. The optimal training load for the development of dynamic athletic performance. *Med Sci Sports Exerc.* 1993 Nov;25(11):1279–86.
- Wisloff U, Castagna C, Helgerud J, Jones R, Hoff J. Strong correlation of maximal squat strength with sprint performance and vertical jump height in elite soccer players. *Br J Sports Med.* 2004 Jun;38(3):285–8

## References

- Alenezi F, Herrington L, Jones P, Jones R. Relationship between lower limb biomechanics during single leg squat with running and cutting tasks: a preliminary investigation. *Br J Sports Med.* 2014;48:560–1.
- Atkin K, Herrington L, Alenezi F, Jones P, Jones R. The relationship between 2D knee valgus angle during single leg squat (SLS), single leg landing (SLL), and forward running. *Br J Sports Med.* 2014;48:563.
- Ayotte NW, Stetts DM, Keenan G, Greenway EH. Electromyographical analysis of selected lower extremity muscles during 5 unilateral weight-bearing exercises. *J Orthop Sports Phys Ther.* 2007 Feb;37(2):48–55.
- Begalle RL, Distefano LJ, Blackburn T, Padua DA. Quadriceps and hamstrings coactivation during common therapeutic exercises. *J Athl Train.* 2012 Jul–Aug;47(4):396–405.
- Blanpied P, Carroll R, Douglas T, Lyons M, Macalisang R, Pires L. Effectiveness of lateral slide exercise in an anterior cruciate ligament reconstruction rehabilitation home exercise program. *J Orthop Sports Phys Ther.* 2000 Oct;30(10):602–8; discussion 609–11.
- Boren K, Conrey C, Le Coguic J, Paprocki L, Voight M, Robinson TK. Electromyographic analysis of gluteus medius and gluteus maximus during rehabilitation exercises. *Int J Sports Phys Ther.* 2011 Sep;6(3):206–23
- Boudreau SN, Dwyer MK, Mattacola CG, Lattermann C, Uhl TL, McKeon JM. Hip-muscle activation during the lunge, single-leg squat, and step-up-and-over exercises. *J Sport Rehabil.* 2009 Feb;18(1):91–103.
- Chang R, Turcotte R, Pearsall D. Hip adductor muscle function in forward skating. *Sports Biomech.* 2009 Sep;8(3):212–22.
- Croisier J, Forthomme B, Namurois M, Vanderthommen M, Crielaard J. Hamstring muscle strain recurrence and strength performance disorders. *Am J Sports Med.* 2002 Mar–Apr;30(2):199–203.
- Dwyer MK, Boudreau SN, Mattacola CG, Uhl TL, Lattermann C. Comparison of lower extremity kinematics and hip muscle activation during rehabilitation tasks between sexes. *J Athl Train.* 2010 Mar–Apr;45(2):181–90.

- Ekstrom RA, Donatelli RA, Carp KC. Electromyographic analysis of core trunk, hip, and thigh muscles during 9 rehabilitation exercises. *J Orthop Sports Phys Ther.* 2007 Dec;37(12):754–62.
- Farrokhi S, Pollard CD, Souza RB, Chen YJ, Reischl S, Powers CM. Trunk position influences the kinematics, kinetics, and muscle activity of the lead lower extremity during the forward lunge exercise. *J Orthop Sports Phys Ther.* 2008 Jul;38(7):403–9.
- Flanagan SP, Wang MY, Greendale GA, Azen SP, Salem GJ. Biomechanical attributes of lunging activities for older adults. *J Strength Cond Res.* 2004 Aug;18(3):599–605.
- Hall CM, Brody LT. *Therapeutic exercise: moving toward function.* 2nd ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2004. 488 pp.
- Hamstra-Wright KL, Huxel Bliven K. Effective exercises for targeting the gluteus medius. *J Sport Rehabil.* 2012 Aug;21(3):296–300.
- Heinert BL, Kernozek TW, Greany JF, Fater DC. Hip abductor weakness and lower extremity kinematics during running. *J Sport Rehabil.* 2008 Aug;17(3):243–56.
- Hopkins JT, Ingersoll CD, Sandrey MA, Bleggi SD. An electromyographic comparison of 4 closed chain exercises. *J Athl Train.* 1999 Oct;34(4):353–7.
- Irish SE, Millward AJ, Wride J, Haas BM, Shum GL. The effect of closed-kinetic chain exercises and open-kinetic chain exercise on the muscle activity of vastus medialis oblique and vastus lateralis. *J Strength Cond Res.* 2010 May;24(5):1256–62.
- Jönhagen S, Ackermann P, Saartok T. Forward lunge: a training study of eccentric exercises of the lower limbs. *J Strength Cond Res.* 2009a May;23(3):972–8.
- Jönhagen S, Halvorsen K, Benoit DL. Muscle activation and length changes during two lunge exercises: implications for rehabilitation. *Scand J Med Sci Sports.* 2009b Aug;19(4):561–8.
- Leetun DT, Ireland ML, Willson JD, Ballantyne BT, Davis IM. Core stability measures as risk factors for lower extremity injury in athletes. *Med Sci Sports Exerc.* 2004 Jun;36(6):926–34.
- Lubahn AJ, Kernozek TW, Tyson TL, Merkitich KW, Reutemann P, Chestnut JM. Hip muscle activation and knee frontal plane motion during weight bearing therapeutic exercises. *Int J Sports Phys Ther.* 2011 Jun;6(2):92–103.
- McCurdy K, O’Kelley E, Kutz M, Langford G, Ernest J, Torres M. Comparison of lower extremity EMG between the 2-leg squat and modified single-leg squat in female athletes. *J Sport Rehabil.* 2010 Feb;19(1):57–70.
- McCurdy K, Walker J, Armstrong R, Langford G. The relationship between selected measures of strength and hip and knee excursion during unilateral and bilateral landings in females. *J Strength Cond Res.* 2014 Jun 17. [Epub ahead of print]
- Marshall BM, Franklyn-Miller AD, King EA, Moran KA, Strike SC, Falvey ÉC. Biomechanical factors associated with time to complete a change of direction cutting maneuver. *J Strength Cond Res.* 2014 Oct;28(10):2845–51.
- Mendiguchia J, Garrues MA, Cronin JB, Contreras B, Los Arcos A, Malliaropoulos N, Maffulli N, Idoate F. Nonuniform changes in MRI measurements of the thigh muscles after two hamstring strengthening exercises. *J Strength Cond Res.* 2013 Mar;27(3):574–81.
- Mendiguchia J, Samozino P, Martinez-Ruiz E, Brughelli M, Schmikli S, Morin JB, Mendez-Villanueva A. Progression of mechanical properties during on-field sprint running after returning to sports from a hamstring muscle injury in soccer players. *Int J Sports Med.* 2014 Jul;35(8):690–5
- Mercer VS, Gross MT, Sharma S, Weeks E. Comparison of gluteus medius muscle electromyographic activity during forward and lateral step-up exercises in older adults. *Phys Ther.* 2009 Nov;89(11):1205–14.
- Riemann BL, Lapinski S, Smith L, Davies G. Biomechanical analysis of the anterior lunge during 4 external-load conditions. *J Athl Train.* 2012 Jul–Aug;47(4):372–8.
- Riemann B, Congleton A, Ward R, Davies GJ. Biomechanical comparison of forward and lateral lunges at varying step lengths. *J Sports Med Phys Fitness.* 2013 Apr;53(2):130–8.
- Silder A, Heiderscheit BC, Thelen DG, Enright T, Tuite MJ. MR observations of long-term musculotendon remodeling following a hamstring strain injury. *Skeletal Radiol.* 2008;37:1101–9.
- Simenz CJ, Garceau LR, Lutsch BN, Suchomel TJ, Ebben WP. Electromyographical analysis of lower extremity muscle activation during variations of the loaded step-up exercise. *J Strength Cond Res.* 2012 Dec;26(12):3398–405.
- Wang MY, Flanagan S, Song JE, Greendale GA, Salem GJ. Lower-extremity biomechanics during forward and lateral stepping activities in older adults. *Clin Biomech (Bristol, Avon).* 2003 Mar;18(3):214–21

## References

- Arokoski JP, Kankaanpää M, Valta T, Juvonen I, Partanen J, Taimela S, Lindgren KA, Airaksinen O. Back and hip extensor muscle function during therapeutic exercises. *Arch Phys Med Rehabil.* 1999 Jul;80(7):842–50.
- Begalle RL, Distefano LJ, Blackburn T, Padua DA. Quadriceps and hamstrings coactivation during common therapeutic exercises. *J Athl Train.* 2012 Jul–Aug;47(4):396–405.
- Boren K, Conrey C, Le Coguic J, Paprocki L, Voight M, Robinson TK. Electromyographic analysis of gluteus medius and gluteus maximus during rehabilitation exercises. *Int J Sports Phys Ther.* 2011 Sep;6(3):206–23.
- Brockett CL, Morgan DL, Proske U. Human hamstring muscles adapt to eccentric exercise by changing optimum length. *Med Sci Sports Exerc.* 2001 May;33:783–90.
- Brockett CL, Morgan DL, Porske U. Predicting hamstring strain injury in elite athletes. *Med Sci Sports Exerc.* 2004 Mar;36(3):379–87.
- Brughelli M, Nosaka K, Cronin J. Application of eccentric exercise on an Australian rules football player with recurrent hamstring injuries. *Phys Ther Sport.* 2009 May;10(2):75–80.
- Brughelli M, Cronin J, Mendiguchia J, Kinsella D, Nosaka K. Contralateral leg deficits in kinetic and kinematic variables during running in Australian rules football players with previous hamstring injuries. *J Strength Cond Res.* 2010 Sep;24(9):2539–44.
- Charnock BL, Lewis CL, Garrett WE Jr, Queen RM. Adductor longus mechanics during the maximal effort soccer kick. *Sports Biomech.* 2009 Sep;8(3):223–34.
- Chumanov ES, Schache AG, Heiderscheit BC, Thelen DG. Hamstrings are most susceptible to injury during the late swing phase of sprinting. *Br J Sports Med.* 2012 Feb;46(2):90.
- Clark BC, Manini TM, Mayer JM, Ploutz-Snyder LL, Graves JE. Electromyographic activity of the lumbar and hip extensors during dynamic trunk extension exercise. *Arch Phys Med Rehabil.* 2002 Nov;83(11):1547–52.
- Croisier J, Forthomme B, Namurois M, Vanderthommen M, Crielaard J. Hamstring muscle strain recurrence and strength performance disorders. *Am J Sports Med.* 2002 Mar–Apr;30(2):199–203.
- De Ridder EM, Van Oosterwijck JO, Vleeming A, Vanderstraeten GG, Danneels LA. Posterior muscle chain activity during various extension exercises: an observational study. *BMC Musculoskelet Disord.* 2013 Jul 9;14(1):204.

- Distefano LJ, Blackburn JT, Marshall SW, Padua DA. Gluteal muscle activation during common therapeutic exercises. *J Orthop Sports Phys Ther.* 2009 Jul;39(7):532–40.
- Ditroilo M, De Vito G, Delahunt E. Kinematic and electromyographic analysis of the Nordic hamstring exercise. *J Electromyogr Kinesiol.* 2013 Oct;23(5):1111–18.
- Ebben WP. Hamstring activation during lower body resistance training exercises. *Int J Sports Physiol Perform.* 2009 Mar;4(1):84–96.
- Graves JE, Webb DC, Pollock ML, Matkovich J, Leggett SH, Carpenter DM, Foster DN, Cirulli J. Pelvic stabilization during resistance training: its effect on the development of lumbar extension strength. *Arch Phys Med Rehabil.* 1994 Feb;75(2):210–15. Iga J, Fruer CS, Deighan M, Croix MD, James DV. 'Nordic' hamstrings exercise – engagement characteristics and training responses. *Int J Sports Med.* 2012 Dec;33(12):1000–4.
- Koulouris G, Connell D. Evaluation of the hamstring muscle complex following acute injury. *Skeletal Radiol.* 2003 Oct;32(10):582–9.
- McAllister MJ, Hammond KG, Schilling BK, Ferreria LC, Reed JP, Weiss LW. Muscle activation during various hamstring exercises. *J Strength Cond Res.* 2014 Jun;28(6):1573–80.
- Macintosh JE, Bogduk N. The morphology of the lumbar erector spinae. *Spine (Phila Pa 1976).* 1987 Sep;12(7):658–68.
- Mannion AF, Dumas GA, Cooper RG, Espinosa FJ, Faris MW, Stevenson JM. Muscle fibre size and type distribution in thoracic and lumbar regions of erector spinae in healthy subjects without low back pain: normal values and sex differences. *J Anat.* 1997 May;190 (Pt 4):505–13.
- Mayer JM, Graves JE, Robertson VL, Pierra EA, Verna JL, Ploutz-Snyder LL. Electromyographic activity of the lumbar extensor muscles: effect of angle and hand position during Roman chair exercise. *Arch Phys Med Rehabil.* 1999 Jul;80(7):751–5.
- Mayer JM, Verna JL, Manini TM, Mooney V, Graves JE. Electromyographic activity of the trunk extensor muscles: effect of varying hip position and lumbar posture during Roman chair exercise. *Arch Phys Med Rehabil.* 2002 Nov;83(11):1543–6.
- Mayer JM, Udermann BE, Graves JE, Ploutz-Snyder LL. Effect of Roman chair exercise training on the development of lumbar extension strength. *J Strength Cond Res.* 2003 May;17(2):356–61.
- Mendiguchia J, Arcos AL, Garrues MA, Myer GD, Yanci J, Idoate F. The use of MRI to evaluate posterior thigh muscle activity and damage during Nordic hamstring exercise. *J Strength Cond Res.* 2013 Dec;27(12):3426–35.
- Ono T, Okuwaki T, Fukubayashi T. Differences in activation patterns of knee flexor muscles during concentric and eccentric exercises. *Res Sports Med.* 2010 Jul;18(3):188–98.
- Opar DA, Williams MD, Shield AJ. Hamstring strain injuries: factors that lead to injury and re-injury. *Sports Med.* 2012 Mar;42(3):209–26.
- Panjabi M, Abumi K, Duranceau J, Oxland T. Spinal stability and intersegmental muscle forces. A biomechanical model. *Spine (Phila Pa 1976).* 1989 Feb;14(2):194–200.
- Petersen J, Hölmich P. Evidence based prevention of hamstring injuries in sport. *Br J Sports Med.* 2005 Jun;39(6):319–23.
- Ploutz-Snyder LL, Mayer JM, Caruso R, Formikell M, Graves JE. The use of magnetic resonance imaging to evaluate lumbar muscle function during Roman chair trunk extension exercise. *Med Sci Sports Exerc.* 2001;33(5):S2351.
- Pollock ML, Leggett SH, Graves JE, Jones A, Fulton M, Cirulli J. Effect of resistance training on lumbar extension strength. *Am J Sports Med.* 1989 Sep–Oct;17(5):624–9.
- Richardson C, Toppenberg R, Jull G. An initial evaluation of eight abdominal exercises for their ability to provide stabilisation for the lumbar spine. *Aust J Physiother.* 1990;36(1):6–11.
- Sahrmann S. *Diagnosis and treatment of movement impairment syndromes.* St Louis, MO: Mosby; 2002. 384 pp.
- Sanfilippo JL, Silder A, Sherry MA, Tuite MJ, Heiderscheid BC. Hamstring strength and morphology progression after return to sport from injury. *Med Sci Sports Exerc.* 2013;45(3):448–54.
- Seynnes OR, de Boer M, Narici MV. Early skeletal muscle hypertrophy and architectural changes in response to high-intensity resistance training. *J Appl Physiol (1985).* 2007 Jan;102(1):368–73.
- Silder A, Heiderscheid BC, Thelen DG, Enright T, Tuite MJ. MR observations of long-term musculotendon remodeling following a hamstring strain injury. *Skeletal Radiol.* 2008 Dec;37(12):1101–9.
- Sole G, Milosavljevic S, Nicholson HD, Sullivan SJ. Selective strength loss and decreased muscle activity in hamstring injury. *J Orthop Sports Phys Ther.* 2011 May;41(5):354–63.
- Sutton G. Hamstring by hamstring strains: a review of the literature. *J Orthop Sports Phys Ther.* 1984;5(4):184–95.
- Thorborg K. Why hamstring eccentrics are hamstring essentials. *Br J Sports Med.* 2012 Jun;46(7):463–5.
- Thorstenson A, Carlson H. Fibre types in human lumbar back muscles. *Acta Physiol Scand.* 1987 Oct;131(2):195–202.
- Valencia FP, Munro RR. An electromyographic study of the lumbar multifidus in man. *Electromyogr Clin Neurophysiol.* 1985 May–Jun;25(4):205–21.
- Vleeming A, Stoeckart R, Snijders CJ. The sacrotuberous ligament: a conceptual approach to its dynamic role in stabilizing the sacroiliac joint. *Clin Biomech.* 1989 Nov;4(4):201–3.
- Williams PL, Warwick R. *Gray's anatomy.* 36th ed. Edinburgh: Churchill Livingstone; 1980. 1578 pp.
- Woods C, Hawkins RD, Maltby S, Hulse M, Thomas A, Hodson A. The Football Association Medical Research Programme: an audit of injuries in professional football – analysis of hamstring injuries. *Br J Sports Med.* 2004 Feb;38(1):36–41.
- Wright GA, Delong TH, Gehlsen G. Electromyographic activity of the hamstrings during performance of the leg curl, stiff-leg deadlift, and back squat movements. *J Strength Cond Res.* 1999 May;13(2):168–74.
- Zebis MK, Skotte J, Andersen CH, Mortensen P, Petersen HH, Viskaer TC, Jensen TL, Bencke J, Andersen LL. Kettlebell swing targets semitendinosus and supine leg curl targets biceps femoris: an EMG study with rehabilitation implications. *Br J Sports Med.* 2013 Dec;47(18):1192–8.
- Zuluaga M, Briggs C, Carlisle J, McDonald V. *Sports physiotherapy: applied science and practice.* 1st ed. Edinburgh: Churchill Livingstone; 1995. 544 pp.

## References

- Andersen CH, Zebis MK, Saervoll C, Sundstrup E, Jakobsen MD, Sjøgaard G, Andersen LL. Scapular muscle activity from selected strengthening exercises performed at low and high intensities. *J Strength Cond Res.* 2012 Sep;26(9):2408–16.
- Barnett C, Kippers V, Turner P. Effects of variations of the bench press exercise on EMG activity of five shoulder muscles. *J Strength Cond Res.* 1995 Nov;9(4):222–7.
- Beneka A, Malliou P, Giannakopoulos K, Kyrialanis P, Godolias G. Different training modes for the rotator cuff muscle group. A comparative study. *Isokinet Exerc Sci.* 2002 Jan;10(2):73–9.
- Blievernicht JA. Round shoulder syndrome. IDEA health & fitness association; 2000 Sep:44–53.
- Büll ML, Vitti M, Freitas V, Rosa GJ. Electromyographic validation of the trapezius and serratus anterior muscles in military press exercises with open and middle grip. *Electromyogr Clin Neurophysiol.* 2001a Jun;41(4):203–7.
- Büll ML, Vitti M, Freitas V, Rosa GJ. Electromyographic validation of the trapezius and serratus anterior muscles in military press exercises with middle grip. *Electromyogr Clin Neurophysiol.* 2001b Jul–Aug;41(5):263–8.
- Calatayud J, Borreani S, Colado JC, Martin F, Rogers ME. Muscle activity levels in upper-body push exercises with different loads and stability conditions. *Phys Sportsmed.* 2014 Nov;42(4):106–19.
- Choi JD. The effect of 7-week serratus anterior strengthening exercise on shoulder pain with serratus anterior weakness [dissertation]. [Seoul]: Yonsei University; 2008.
- Chulvi-Medrano I, Martínez-Ballester E, Masiá-Tortosa L. Comparison of the effects of an eight-week push-up program using stable versus unstable surfaces. *Int J Sports Phys Ther.* 2012 Dec;7(6):586–94.
- Clemons JM, Aaron C. Effect of grip width on myoelectric activity of the prime movers in the bench press. *J Strength Cond Res.* 1997 May;11(2):82–7.
- Cogley RM, Archambault TA, Fibeger JF, Koverman MM, Youdas JW, Hollman JH. Comparison of muscle activation using various hand positions during the push-up exercise. *J Strength Cond Res.* 2005 Aug;19(3):628–33.
- Cools AM, Witvrouw EE, Declercq GA, Dannaels LA, Cambier DC. Scapular muscle recruitment patterns: trapezius muscle latency with and without impingement symptoms. *Am J Sports Med.* 2003 Jul–Aug;31(4):542–9.
- Cools AM, Witvrouw EE, Mahieu NN, Dannaels LA. Isokinetic scapular muscle performance in overhead athletes with and without impingement symptoms. *J Athl Train.* 2005 Jun;40(2):104–10.
- Cools AM, Dewitte V, Lanszweert F, Notebaert D, Roets A, Soetens B, Cagnie B, Witvrouw EE. Rehabilitation of scapular muscle balance: which exercises to prescribe? *Am J Sports Med.* 2007 Oct;35(10):1744–51.
- Crowder VS, Jolly SW, Collins B, Johnson J. The effect of plyometric push-ups on upper body power. *Track Field Q Rev.* 1993;93:58–9.
- Decker MJ, Hintermeister RA, Faber KJ, Hawkins RJ. Serratus anterior muscle activity during selected rehabilitation exercises. *Am J Sports Med.* 1999 Nov–Dec;27(6):784–91.
- Decker MJ, Tokish JM, Ellis HB, Torry MR, Hawkins RJ. Subscapularis muscle activity during selected rehabilitation exercises. *Am J Sports Med.* 2003 Jan–Feb;31(1):126–34.
- Dillman CJ, Murray TA, Hintermeister RA, Faber KJ, Hawkins RJ. Biomechanical differences of open and closed chain exercises with respect to the shoulder. *J Sport Rehabil.* 1994 Aug;3(3):228–38.
- Ebben WP, Wurm B, VanderZanden TL, Spadavecchia ML, Durocher JJ, Bickham CT, Petushek EJ. Kinetic analysis of several variations of push-ups. *J Strength Cond Res.* 2011 Oct;25(10):2891–4.
- Escamilla RF, Yamashiro K, Paulos L, Andrews JR. Shoulder muscle activity and function in common shoulder rehabilitation exercises. *Sports Med.* 2009;39(8):663–85.
- Fees M, Decker T, Snyder-Mackler L, Axe MJ. Upper extremity weight-training modifications for the injured athlete. A clinical perspective. *Am J Sports Med.* 1998 Sep–Oct;26(5):732–42.
- Freeman S, Karpowicz A, Gray J, McGill S. Quantifying muscle patterns and spine load during various forms of the push-up. *Med Sci Sports Exerc.* 2006 Mar;38(3):570–7.
- García-Massó X, Colado JC, González LM, Salvá P, Alves J, Tella V, Triplett NT. Myoelectric activation and kinetics of different plyometric push-up exercises. *J Strength Cond Res.* 2011 Jul;25(7):2040–7.
- Giannakopoulos K, Beneka A, Malliou P, Godolias G. Isolated vs. complex exercise in strengthening the rotator cuff muscle group. *J Strength Cond Res.* 2004 Feb;18(1):144–8.
- Glass SC, Armstrong T. Electromyographical activity of the pectoralis muscle during incline and decline bench presses. *J Strength Cond Res.* 1997 Aug;11(3):163–7.
- Gouvali MK, Boudolos K. Dynamic and electromyographical analysis in variants of push-up exercise. *J Strength Cond Res.* 2005 Feb;19(1):146–51.
- Green CM, Comfort P. The affect of grip width on bench press performance and risk of injury. *Strength Cond J.* 2007 Oct;29(5):10–14.
- Haupt HA. Upper extremity injuries associated with strength training. *Clin Sports Med.* 2001 Jul;20(3):481–90.
- Howarth SJ, Beach TA, Callaghan JP. Abdominal muscles dominate contributions to vertebral joint stiffness during the push-up. *J Appl Biomech.* 2008 May;24(2):130–9.
- Jeong SY, Chung SH, Shim JH. Comparison of upper trapezius, anterior deltoid, and serratus anterior muscle activity during push-up plus exercise on slings and a stable surface. *J Phys Ther Sci.* 2014 Jun;26(6):937–9.
- Kibler WB. Closed kinetic chain rehabilitation for sports injuries. *Phys Med Rehabil Clin N Am.* 2000 May;11(2):369–84.
- Kohler JM, Flanagan SP, Whiting WC. Muscle activation patterns while lifting stable and unstable loads on stable and unstable surfaces. *J Strength Cond Res.* 2010 Feb;24(2):313–21.
- Lander JE, Bates BT, Sawhill JA, Hamill J. A comparison between free-weight and isokinetic bench pressing. *Med Sci Sports Exerc.* 1985 Jun;17(3):344–53.
- Lear LJ, Gross MT. An electromyographical analysis of the scapular stabilizing synergists during a push-up progression. *J Orthop Sports Phys Ther.* 1998 Sep;28(3):146–57.
- Lee S, Lee D, Park J. The effect of hand position changes on electromyographic activity of shoulder stabilizers during push-up plus exercise on stable and unstable surfaces. *J Phys Ther Sci.* 2013 Aug;25(8):981–4.
- Lehman GJ. The influence of grip width and forearm pronation/supination on upper-body myoelectric activity during the flat bench press. *J Strength Cond Res.* 2005 Aug;19(3):587–91.
- Ludewig PM, Hoff MS, Osowski EE, Meschke SA, Rundquist PJ. Relative balance of serratus anterior and upper trapezius muscle activity during push-up exercises. *Am J Sports Med.* 2004

- Mar;32(2):484–93. Lukasiwicz AC, McClure P, Michiner L, Pratt N, Sennet B. Comparison of 3-dimensional scapular position and orientation between subjects with and without shoulder impingement. *J Orthop Sports Phys Ther.* 1999 Oct;29(10):574–86.
- Madsen N, McLaughlin T. Kinematic factors influencing performance and injury risk in the bench press exercise. *Med Sci Sports Exerc.* 1984 Aug;16(4):376–81.
- Malliou PC, Giannakopoulos K, Beneka AG, Giftofidou A, Godolias G. Effective ways of restoring muscular imbalances of the rotator cuff muscle group: a comparative study of various training methods. *Br J Sports Med.* 2004 Dec;38(6):766–72.
- Padulo J, Laffaye G, Chaouachi A, Chamari K. Bench Press exercise: the key points. *J Sports Med Phys Fitness.* 2014 May 13. [Epub ahead of print] Page P. Shoulder muscle imbalance and subacromial impingement syndrome in overhead athletes. *Int J Sports Phys Ther.* 2011 Mar;6(1):51–8.
- Paoli A, Marcolin G, Petrone N. Influence of different ranges of motion on selective recruitment of shoulder muscles in the sitting military press: an electromyographic study. *J Strength Cond Res.* 2010 Jun;24(6):1578–83.
- Saeterbakken AH, Fimland MS. Muscle activity of the core during bilateral, unilateral, seated and standing resistance exercise. *Eur J Appl Physiol.* 2012 May;112(5):1671–8.
- Saeterbakken AH, Fimland MS. Effects of body position and loading modality on muscle activity and strength in shoulder presses. *J Strength Cond Res.* 2013 Jul;27(7):1824–31.
- Saeterbakken AH, van den Tillaar R, Fimland MS. A comparison of muscle activity and 1-RM strength of three chest-press exercises with different stability requirements. *J Sports Sci.* 2011 Mar;29(5):533–8.
- Sahrmann S. Diagnosis and treatment of movement impairment syndromes. St Louis, MO: Mosby; 2002. Chapter 5, Movement impairment syndromes of the shoulder girdle; pp. 193–261.
- Santana JC, Vera-Garcia FJ, McGill SM. A kinetic and electromyographic comparison of the standing cable press and bench press. *J Strength Cond Res.* 2007 Nov;21(4):1271–7.
- Trebs AA, Brandenburg JP, Pitney WA. An electromyography analysis of 3 muscles surrounding the shoulder joint during the performance of a chest press exercise at several angles. *J Strength Cond Res.* 2010 Jul;24(7):1925–30.
- Tucci HT, Ciol MA, de Araújo RC, de Andrade R, Martins J, McQuade KJ, Oliveira AS. Activation of selected shoulder muscles during unilateral wall and bench press tasks under submaximal isometric effort. *J Orthop Sports Phys Ther.* 2011 Jul;41(7):520–5.
- Vossen JE, Kramer JE, Burke DG, Vossen DP. Comparison of dynamic push-up training and plyometric push-up training on upper-body power and strength. *J Strength Cond Res.* 2000 Aug;14(3):248–53.
- Welsch EA, Bird M, Mayhew JL. Electromyographic activity of the pectoralis major and anterior deltoid muscles during three upper-body lifts. *J Strength Cond Res.* 2005 May;19(2):449–52.
- Willardson JM, Fontana FE, Bressel E. Effect of surface stability on core muscle activity for dynamic resistance exercises. *Int J Sports Physiol Perform.* 2009 Mar;4(1):97–109.
- Yoon JY, Kim TH, Oh JS. Effect of hand positions in electromyographic activity in scapulothoracic muscles during push-up plus. *J Phys Ther Korea.* 2010;17:8–15.

## References

- Andersen CH, Zebis MK, Saervoll C, Sundstrup E, Jakobsen MD, Sjøgaard G, Andersen LL. Scapular muscle activity from selected strengthening exercises performed at low and high intensities. *J Strength Cond Res.* 2012 Sep;26(9):2408–16.
- Beneka A, Malliou P, Giannakopoulos K, Kyrialanis P, Godolias G. Different training modes for the rotator cuff muscle group. A comparative study. *Isokinet Exerc Sci.* 2002;Jan:10(2):73–9. De Mey K, Danneels L, Cagnie B, Borms D, T'Jonck Z, Van Damme E, Cools AM. Shoulder muscle activation levels during four closed kinetic chain exercises with and without Redcord slings. *J Strength Cond Res.* 2014 Jun;28(6):1626–35. Durall CJ, Manske RC, Davies GJ. Avoiding shoulder injury from resistance training. *Strength Cond J.* 2001 Oct;23(5):10–18.
- Giannakopoulos K, Beneka A, Malliou P, Godolias G. Isolated vs. complex exercise in strengthening the rotator cuff muscle group. *J Strength Cond Res.* 2004 Feb;18(1):144–8.
- Kibler WB, Sciascia AD, Uhl TL, Tambay N, Cunningham T. Electromyographic analysis of specific exercises for scapular control in early phases of shoulder rehabilitation. *Am J Sports Med.* 2008 Sep;36(9):1789–98.
- McGill SM, Cannon J, Andersen JT. Muscle activity and spine load during pulling exercises: influence of stable and labile contact surfaces and technique coaching. *J Electromyogr Kinesiol.* 2014 Oct;24(5):652–65.
- Malliou PC, Giannakopoulos K, Beneka AG, Giftofidou A, Godolias G. Effective ways of restoring muscular imbalances of the rotator cuff muscle group: a comparative study of various training methods. *Br J Sports Med.* 2004 Dec;38(6):766–72.
- Youdas JW, Amundson CL, Cicero KS, Hahn JJ, Harezlak DT, Hollman JH. Surface electromyographic activation patterns and elbow joint motion during a pull-up, chin-up, or perfect-pullup™ rotational exercise. *J Strength Cond Res.* 2010 Dec;24(12):3404–14

## Reference

- Ratamess NA, Rosenberg JG, Klei S, Dougherty BM, Kang J, Smith C, Ross RE, Faigenbaum AD. Comparison of the acute metabolic responses to traditional resistance, body-weight, and battling rope exercises. *J Strength Cond Res.* 2015 Jan;29(1):47–57



## References

- Alkjaer T, Wieland MR, Andersen MS, Simonsen EB, Rasmussen J. Computational modeling of a forward lunge: towards a better understanding of the function of the cruciate ligaments. *J Anat.* 2012 Dec;221(6):590–7.
- Andrews JG. A general method for determining the functional role of a muscle. *J Biomech Eng.* 1985 Nov;107(4):348–53.
- Arnason A, Sigurdsson SB, Gudmundsson A, Holme I, Engebretsen L, Bahr R. Risk factors for injuries in football. *Am J Sports Med.* 2004 Jan–Feb;32(1 Suppl):5S–16S.
- Arnason A, Andersen TE, Holme I, Engebretsen L, Bahr R. Prevention of hamstring strains in elite soccer: an intervention study. *Scand J Med Sci Sports.* 2008 Feb;18(1):40–8.
- Asking C, Karlsson J, Thorstensson A. A hamstring injury occurrence in elite soccer players after preseason training with eccentric overload. *Scand J Med Sci.* 2003 Aug;13(4):244–50.
- Ayotte N, Stetts D, Keenan G, Greensway E. Electromyographical analysis of selected lower extremity muscles during 5 unilateral weight-bearing exercises. *J Orthop Sports Phys Ther.* 2007 Feb;37(2):48–55.
- Baldon Rde M, Nakagawa TH, Muniz TB, Amorim CF, Maciel CD, Serrão FV. Eccentric hip muscle function in females with and without patellofemoral pain syndrome. *J Athl Train.* 2009 Sep–Oct;44(5):490–6.
- Basmajian JV, De Luca CJ. *Muscles alive: their functions revealed by electromyography.* 5th ed. Baltimore, MD: Lippincott Williams & Wilkins; 1985. 561 pp.
- Besier TF, Lloyd DG, Ackland TR. Muscle activation strategies at the knee during running and cutting maneuvers. *Med Sci Sports Exerc.* 2003 Jan;35(1):119–27.
- Biscarini A. Minimization of the knee shear joint load in leg-extension equipment. *Med Eng Phys.* 2008 Oct;30(8):1032–41.
- Biscarini A, Botti FM, Pettorossi VE. Selective contribution of each hamstring muscle to anterior cruciate ligament protection and tibiofemoral joint stability in leg-extension exercise: a simulation study. *Eur J Appl Physiol.* 2013 Sep;113(9):2263–73.
- Bober T, Mularczyk W. The mechanics of the leg swing in running. In: Brüggemann GP, Rühl JK, editors. *Proceedings of the first international conference on techniques in athletics; 1990 Jun 7–9; Cologne.* Cologne: Deutsche Sporthochschule Köln; 1990. pp. 507–10.
- Bose K, Kanagasuntheram R, Osman MB. Vastus medialis oblique: an anatomic and physiologic study. *Orthopedics.* 1980 Sep;3(9):880–3.
- Brindle TJ, Mattacola C, McCrory J. Electromyographic changes in the gluteus medius during stair ascent and descent in subjects with anterior knee pain. *Knee Surg Sports Traumatol Arthrosc.* 2003 Jul;11(4):244–51.
- Brockett CL, Morgan DL, Proske U. Human hamstring muscles adapt to eccentric exercise by changing optimum length. *Med Sci Sports Exerc.* 2001 May;33(5):783–90.
- Brockett CL, Morgan DL, Proske U. Predicting hamstring strain injury in elite athletes. *Med Sci Sports Exerc.* 2004 Mar;36(3):379–87.
- Brughelli M, Nosaka K, Cronin J. Application of eccentric exercise on an Australian rules football player with recurrent hamstring injuries. *Phys Ther Sport.* 2009 May;10(2):75–80.
- Brughelli M, Cronin J, Mendiguchia J, Kinsella D, Nosaka K. Contralateral leg deficits in kinetic and kinematic variables during running in Australian rules football players with previous hamstring injuries. *J Strength Cond Res.* 2010 Sep;24(9):2539–44.
- Bullock-Saxton JE, Janda V, Bullock MI. The influence of ankle sprain injury on muscle activation during hip extension. *Int J Sports Med.* 1994 Aug;15(6):330–4.
- Burger H, Valencic V, Marincek C, Kogovsek N. Properties of musculus gluteus maximus in above-knee amputees. *Clin Biomech (Bristol, Avon).* 1996 Jan;11(1):35–38.
- Butler DL, Juncosa N, Dressler MR. Functional efficacy of tendon repair processes. *Annu Rev Biomed Eng.* 2004;6:303–29.
- Carling C, Le Gall F, Orhant E. A four-season prospective study of muscle strain reoccurrences in a professional football club. *Res Sports Med.* 2011 Apr;19(2):92–102.
- Cerny K. Vastus medialis oblique/vastus lateralis muscle activity ratios for selected exercises in persons with and without patellofemoral pain syndrome. *Phys Ther.* 1995 Aug;75(8):672–83.
- Chang R, Turcotte R, Pearsall D. Hip adductor muscle function in forward skating. *Sports Biomech.* 2009 Sep;8(3):212–22.
- Charnock BL, Lewis CL, Garrett WE Jr, Queen RM. Adductor longus mechanics during the maximal effort soccer kick. *Sports Biomech.* 2009 Sep;8(3):223–34.
- Chimera NJ, Swanik KA, Swanik CB, Straub SJ. Effects of plyometric training on muscle-activation strategies and performance in female athletes. *J Athl Train.* 2004 Mar;39(1):24–31.
- Chumanov ES, Heiderscheid BC, Thelen DG. The effect of speed and influence of individual muscles on hamstring mechanics during the swing phase of sprinting. *J Biomech.* 2007;40(16):3555–62.
- Chumanov ES, Heiderscheid BC, Thelen DG. Hamstring musculotendon dynamics during stance and swing phases of high-speed running. *Med Sci Sports Exerc.* 2011 Mar;43(3):525–32.
- Chumanov ES, Schache AG, Heiderscheid BC, Thelen DG. Hamstrings are most susceptible to injury during the late swing phase of sprinting. *Br J Sports Med.* 2012 Feb;46(2):90.
- Comerford MJ. Core stability: priorities in rehab of the athlete. *Sport Ex Medicine.* 2004;22:15–22.
- Cormie P, McGuigan MR, Newton RU. Changes in the eccentric phase contribute to improved stretch-shorten cycle performance after training. *Med Sci Sports Exerc.* 2010 Sep;42(9):1731–44.
- Cormie P, McGuigan MR, Newton RU. Developing maximal neuromuscular power: Part 1—biological basis of maximal power production. *Sports Med.* 2011 Jan;41(1):17–38.
- Cowan SM, Crossley KM. Does gender influence neuromotor control of the knee and hip? *J Electromyogr Kinesiol.* 2009 Apr;19(2):276–82.
- Croisier J, Forthomme B, Namurois M, Vanderthommen M, Crielaard J. Hamstring muscle strain recurrence and strength performance disorders. *Am J Sports Med.* 2002 Mar–Apr;30(2):199–203.
- Croisier JL, Ganteaume S, Binet J, Genty M, Ferret JM. Strength imbalances and prevention of hamstring injury in professional soccer players: a prospective study. *Am J Sports Med.* 2008 Aug;36(8):1469–75.
- Crow JF, Pearce AJ, Veale JP, VanderWesthuizen D, Coburn PT, Pizzari T. Hip adductor muscle strength is reduced preceding and during the onset of groin pain in elite junior Australian football players. *J Sci Med Sport.* 2010 Mar;13(2):202–4.
- Delp SL, Hess WE, Hungerford DS, Jones LC. Variation of rotation moment arms with hip flexion. *J Biomech.* 1999 May;32(5):493–501.
- Dhaer YY, Kahn LE. The effect of vastus medialis forces on patello-femoral contact: a model-based study. *J Biomech Eng.* 2002 Dec;124(6):758–67.
- Dick R, Putkian M, Agel J, Evans TA, Marshall SW. Descriptive epidemiology of collegiate women's soccer injuries: National Collegiate Athletic

- Association Injury Surveillance System, 1988–1989 through 2002–2003. *J Athl Train.* 2007 Apr–Jun;42(2):278–85.
- Distefano LJ, Blackburn JT, Marshall SW, Padua DA. Gluteal muscle activation during common therapeutic exercises. *J Orthop Sports Phys Ther.* 2009 Jul;39(7):532–40.
- Earl JE, Schmitz RJ, Arnold BL. Activation of the VMO and VL during dynamic mini-squat exercises with and without isometric hip adduction. *J Electromyogr Kinesiol.* 2001 Dec;11(6):381–6.
- Eirale C, Tol JL, Whiteley R, Chalabi H, Hölmich P. Different injury pattern in goalkeepers compared to field players: a three-year epidemiological study of professional football. *J Sci Med Sport.* 2014 Jan;17(1):34–8.
- Ekstrand J, Gillquist J. The avoidability of soccer injuries. *Int J Sports Med.* 1983 May;4(2):124–8.
- Ekstrand J, Häggglund M, Walden M. Injury incidence and injury patterns in professional football: the UEFA injury study. *Br J Sports Med.* 2011a;45:553–8.
- Ekstrand J, Häggglund M, Waldén M. Epidemiology of muscle injuries in professional football (soccer). *Am J Sports Med.* 2011b Jun;39(6):1226–32.
- Ekstrand J, Häggglund M, Kristenson K, Magnusson H, Waldén M. Fewer ligament injuries but no preventive effect on muscle injuries and severe injuries: an 11-year follow-up of the UEFA Champions League injury study. *Br J Sports Med.* 2013 Aug;47(12):732–7.
- Ekstrom R, Donatelli R, Carp K. Electromyographical analysis of core trunk, hip, and thigh muscles during 9 rehabilitation exercises. *J Orthop Sports Phys Ther.* 2007 Dec;37(12):754–62.
- Ellenbecker T, De Carlo M, DeRosa C. Effective functional progressions in sport rehabilitation. Champaign, IL: Human Kinetics; 2009. 248 pp.
- Emery CA, Meeuwisse WH. Risk factors for groin injuries in hockey. *Med Sci Sports Exerc.* 2001 Sep;33(9):1423–33.
- Engelbreten AH, Myklebust G, Holme I, Engelbreten L, Bahr R. Intrinsic risk factors for groin injuries among male soccer players: a prospective cohort study. *Am J Sports Med.* 2010 Oct;38(10):2051–7.
- Escamilla RF, Macleod TD, Wilk KE, Paulos L, Andrews JR. Anterior cruciate ligament strain and tensile forces for weight-bearing and non-weight-bearing exercises: a guide to exercise selection. *J Orthop Sports Phys Ther.* 2012 Mar;42(3):208–20.
- Ferreira PH, Ferreira ML, Hodges PW. Changes in recruitment of the abdominal muscles in people with low back pain: ultrasound measurement of muscle activity. *Spine (Phila Pa 1976).* 2004 Nov;29(22):2560–6.
- Fouré A, Nordez A, McNair P, Cornu C. Effects of plyometric training on both active and passive parts of the plantarflexors series elastic component stiffness of muscle-tendon complex. *Eur J Appl Physiol.* 2011 Mar;111(3):539–48.
- Fredericson M, Cookingham CL, Chaudhari AM, Dowdell BC, Oestreicher N, Sahrman SA. Hip abductor weakness in distance runners with iliotibial band syndrome. *Clin J Sport Med.* 2000 Jul;10(3):169–75.
- Freeman MA, Dean MR, Hanham IW. The etiology and prevention of functional instability of the foot. *J Bone Joint Surg Br.* 1965 Nov;47(4):678–85.
- Friel K, McLean N, Myers C, Caceres M. Ipsilateral hip abductor weakness after inversion ankle sprain. *J Athl Train.* 2006 Jan–Mar;41(1):74–8.
- Fujii M, Sato H, Takahira N. Muscle activity response to external moment during single-leg drop landing in young basketball players: the importance of biceps femoris in reducing internal rotation of knee during landing. *J Sports Sci Med.* 2012 Jun;11(2):255–9.
- Gabbe BJ, Bennell KL, Finch CF, Wajswelner H, Orchard JW. Predictors of hamstring injury at the elite level of Australian football. *Scand J Med Sci Sports.* 2006a Feb;16(1):7–13.
- Gabbe BL, Branson R, Bennell KL. A pilot randomised controlled trial of eccentric exercise to prevent hamstring injuries in community-level Australian football. *J Sci Med Sport.* 2006b May;9(1–2):103–9.
- Gamble P. Strength and conditioning for team sports: sport-specific physical preparation for high performance. 2nd ed. New York: Routledge; 2013. 304 pp.
- Garrett WE Jr. Muscle strain injuries: clinical and basic aspects. *Med Sci Sports Exerc.* 1990 Aug;22(4):436–43.
- Garrett WE Jr. Muscle strain injuries. *Am J Sports Med.* 1996;24(6 Suppl):S2–8.
- Gibbons SGT. Integrating the psoas major and deep sacral guteus maximus muscles into the lumbar cylinder model. Presented at The Spine – World Congress on Manual Therapy; Oct 7–9, 2005; Rome, Italy.
- Gibbons SGT, Comerford MJ. Strength versus stability: Part 1: Concept and terms. *Orthopaedic Division Review.* 2001 Mar–Apr:21–7.
- Giles LS, Webster KE, McClelland JA, Cook J. Does quadriceps atrophy exist in individuals with patellofemoral pain? A systematic literature review with meta-analysis. *J Orthop Sports Phys Ther.* 2013 Nov;43(11):766–76.
- Goldspink G. Changes in muscle mass and phenotype and the expression of autocrine and systemic growth factors by muscle in response to stretch and overload. *J Anat.* 1999 Apr;194(Pt 3):323–34.
- Greig M, Siegler JC. Soccer-specific fatigue and eccentric hamstrings muscle strength. *J Athl Train.* 2009;44:180–4.
- Greig MP, McNaughton LR, Lovell RJ. Physiological and mechanical response to soccer-specific intermittent activity and steady-state activity. *Res Sports Med.* 2006 Jan–Mar;14(1):29–5.
- Häggglund M, Walden M, Ekstrand J. Previous injury as a risk factor for injury in elite football: a prospective study over two consecutive seasons. *Br J Sports Med.* 2006 Sep;40(9):767–72.
- Häkkinen K, Komi PV. Effect of explosive-type strength training on electromyographic and force production characteristics of leg extensor muscles during concentric and various stretch-shortening cycle exercises. *Scand J Sports Sci.* 1985;7:65–76.
- Hanten WP, Schulthies SS. Exercise effect on electromyographic activity of the vastus medialis oblique and vastus lateralis muscles. *Phys Ther.* 1990 Sep;70(9):561–5.
- Harvie D, O’Leary T, Kumar S. A systematic review of randomized controlled trials on exercise parameters in the treatment of patellofemoral pain: what works? *J Multidiscip Healthc.* 2011;4:383–92.
- Hertel J, Earl JE, Tsang KK, Miller SJ. Combining isometric knee extension exercises with hip adduction or abduction does not increase quadriceps EMG activity. *Br J Sports Med.* 2004 Apr;38(2):210–13.
- Hewett TE, Myer GD. The mechanistic connection between the trunk, hip, knee, and anterior cruciate ligament injury. *Exerc Sport Sci Rev.* 2011 Oct;39(4):161–6.
- Hewett TE, Myer GD, Ford KR, Heidt RS Jr, Colosimo AJ, McLean SG, van den Bogert AJ, Paterno MV, Succop P. Biomechanical measures of neuromuscular control and valgus loading of the knee predict anterior cruciate ligament injury risk in female athletes: a prospective study. *Am J Sports Med.* 2005 Apr;33(4):492–501.
- Hewett TE, Myer GD, Ford KR. Anterior cruciate ligament injuries in female athletes: Part 1, mechanisms and risk factors. *Am J Sports Med.* 2006 Feb;34(2):299–311.
- Higashihara A, Ono T, Kubota J, Okuwaki T, Fukubayashi T. Functional differences in the activity of the hamstring muscles with increasing running speed. *J Sports Sci.* 2010 Aug;28(10):1085–92.
- Hodges PW, Richardson CA. The influence of isometric hip adduction on quadriceps femoris activity. *Scand J Rehabil Med.* 1993 Jun;25(2):57–62.

- Hölmich P. Long-standing groin pain in sportspeople falls into three primary patterns, a “clinical entity” approach: a prospective study of 207 patients. *Br J Sports Med.* 2007 Apr;41(4):247–52.
- Hölmich P, Uhrskou P, Ulnits L, Kanstrup IL, Nielsen MB, Bjerg AM, Krogsgaard K. Effectiveness of active physical training as treatment for long-standing adductor-related groin pain in athletes: randomised trial. *Lancet.* 1999 Feb 6;353(9151):439–43.
- Houglum PA. Therapeutic exercise for musculoskeletal injuries (athletic training education series). Champaign, IL: Human Kinetics; 2010. Chapter 23, Knee and thigh; pp. 847–915.
- Hrysomallis C. Hip adductors’ strength, flexibility, and injury risk. *J Strength Cond Res.* 2009 Aug;23(5):1514–17.
- Hung YJ, Gross MT. Effect of foot position on electromyographic activity of the vastus medialis oblique and vastus lateralis during lower-extremity weight-bearing activities. *J Orthop Sports Phys Ther.* 1999 Feb;29(2):93–102; discussion 103–5.
- Hureibi KA, McLatchie GR. Groin pain in athletes. *Scott Med J.* 2010 May;55(2):8–11.
- Ibrahim A, Murrell GA, Knapman P. Adductor strain and hip range of movement in male professional soccer players. *J Orthop Surg (Hong Kong).* 2007 Apr;15(1):46–9.
- Iga J, Fruer CS, Deighan M, Croix MD, James DV. ‘Nordic’ hamstrings exercise – engagement characteristics and training responses. *Int J Sports Med.* 2012 Dec;33(12):1000–4.
- Ingersoll CD, Grindstaff TL, Pietrosimone BG, Hart JM. Neuromuscular consequences of anterior cruciate ligament injury. *Clin Sports Med.* 2008 Jul;27(3):383–404.
- Ireland ML. The female ACL: why is it more prone to injury? *Orthop Clin North Am.* 2002 Oct;33(4):637–51.
- Ireland ML, Willson JD, Ballantyne BT, Davis IM. Hip strength in females with and without patellofemoral pain. *J Orthop Sports Phys Ther.* 2003 Nov;33(11):671–6.
- Irish SE, Millward AJ, Wride J, Haas BM, Shum GL. The effect of closed-kinetic chain exercises and open-kinetic chain exercise on the muscle activity of vastus medialis oblique and vastus lateralis. *J Strength Cond Res.* 2010 May;24(5):1256–62.
- Janda V. Pain in the locomotor system – a broad approach. In: Glasgow EF, Twomey LT, Scull ER, Kleynhans AM, Idczak RM, editors. *Aspects of manipulative therapy.* Edinburgh: Churchill Livingstone; 1985. pp. 148–51.
- Jenkins D. Hollinshead’s functional anatomy of the limbs and back. 9th ed. Philadelphia: Saunders; 2008. 480 pp.
- Johansen S, Ericson MO, Nemeth G, Eriksson E. Amplitude and timing of electromyographic activity during sprinting. *Scand J Med Sci Sports.* 1996 Feb;6(1):15–21.
- Kaariainen M, Jarvinen T, Jarvinen M, Rantanen J, Kalimo H. Relation between myofibers and connective tissue during muscle injury repair. *Scand J Med Sci Sports.* 2000 Dec;10(6):332–7.
- Kankaanpää M, Taimela S, Laaksonen D, Hänninen O, Airaksinen O. Back and hip extensor fatigability in chronic low back pain patients and controls. *Arch Phys Med Rehabil.* 1998 Apr;79(4):412–17.
- Kellis E, Galanis N, Kapetanios G, Natsis K. Architectural differences between the hamstring muscles. *J Electromyogr Kinesiol.* 2012 Aug;22(4):520–6.
- Kilgallon M, Donnelly AE, Shafat A. Progressive resistance training temporarily alters hamstring torque-angle relationship. *Scand J Med Sci Sports.* 2007 Feb;17(1):18–24.
- Koulouris G, Connell D. Evaluation of the hamstring muscle complex following acute injury. *Skeletal Radiol.* 2003 Oct;32(10):582–9.
- Kujala UM, Orava S, Jarvinen M. Hamstring injuries. Current trends in treatment and prevention. *Sports Med.* 1997 Jun;23(6):397–404.
- Kulas AS, Hortobagyi T, DeVita P. Trunk position modulates anterior cruciate ligament forces and strains during a single-leg squat. *Clin Biomech (Bristol, Avon).* 2012 Jan;27(1):16–21.
- Kyrolainen H, Komi PV, Belli A. Changes in muscle activity patterns and kinetics with increasing running speed. *J Strength Cond Res.* 1999 Nov;13(4):400–6.
- Kyrolainen H, Avela J, Komi PV. Changes in muscle activity with increasing running speed. *J Sports Sci.* 2005 Oct;23(10):1101–9.
- Lafond D, Normand MC, Gosselin G. Rapport force. *J Can Chiropr Assoc.* 1998;42(2):90–100.
- Leighton RD. A functional model to describe the action of the adductor muscles at the hip in the transverse plane. *Physiother Theory Pract.* 2006 Nov;22(5):251–62.
- Leinonen V, Kankaanpää M, Airaksinen O, Hänninen O. Back and hip extensor activities during trunk flexion/extension: effects of low back pain and rehabilitation. *Arch Phys Med Rehabil.* 2000 Jan;81(1):32–7.
- Lephart SM, Ferris CM, Riemann BL, Myers JB, Fu FH. Gender differences in strength and lower extremity kinematics during landing. *Clin Orthop Relat Res.* 2002 Aug;(401):162–9.
- Lewis CL, Sahrman SA, Moran DW. Anterior hip joint force increases with hip extension, decreased gluteal force, or decreased iliopsoas force. *J Biomech.* 2007;40(16):3725–31.
- Lieber RL, Bodine-Fowler SC. Skeletal muscle mechanics: implications for rehabilitation. *Phys Ther.* 1993 Dec;73(12):844–56.
- Lieber RL, Friden J. Functional and clinical significance of skeletal muscle architecture. *Muscle Nerve.* 2000 Nov;23(11):1647–66.
- Lieber RL, Ward SR. Skeletal muscle design to meet functional demands. *Phil Trans R Soc B.* 2011 Apr;366:1466–1476.
- Lloyd DG, Buchanan TS, Besier TF. Neuromuscular biomechanical modeling to understand knee ligament loading. *Med Sci Sports Exerc.* 2005 Nov;37(11):1939–47.
- McBride JM, Triplett-McBride T, Davie A, Newton RU. The effect of heavy- vs. light-load jump squats on the development of strength, power, and speed. *J Strength Cond Res.* 2002 Feb;16(1):75–82.
- McCurdy K, Walker J, Armstrong R, Langford G. The relationship between selected measures of strength and hip and knee excursion during unilateral and bilateral landings in females. *J Strength Cond Res.* 2014 Sep;28(9):2429–36.
- Macintyre J, Johnson C, Schroeder EL. Groin pain in athletes. *Curr Sports Med Rep.* 2006 Dec;5(6):293–9.
- McLay IS, Lake MJ, Cavanagh PR. Muscle activity in running. In: Cavanagh PR, editor. *Biomechanics of distance running.* Champaign, IL: Human Kinetics Books; 1990. pp. 165–86.
- Maffey L, Emery C. What are the risk factors for groin strain injury in sport? A systematic review of the literature. *Sports Med.* 2007;37(10):881–94.
- Makihara Y, Nishino A, Fukubayashi T, Kanamori A. Decrease of knee flexion torque in patients with ACL reconstruction: combined analysis of the architecture and function of the knee flexor muscles. *Knee Surg Sports Traumatol Arthrosc.* 2006 Apr;14(4):310–17.
- Malliaras P, Hogan A, Nawrocki A, Crossley K, Schache A. Hip flexibility and strength measures: reliability and association with athletic groin pain. *Br J Sports Med.* 2009 Oct;43(10):739–44.
- Mallo J, González P, Veiga S, Navarro E. Injury incidence in a Spanish sub-elite professional football team: a prospective study during four consecutive seasons. *J Sports Sci Med.* 2011 Dec 1;10(4):731–6.
- Marzke MW, Longhill JM, Rasmussen SA. Gluteus maximus muscle function and the origin of hominid bipedality. *Am J Phys Anthropol.* 1988

- Mascal CL, Landel R, Powers C. Management of patellofemoral pain targeting hip, pelvis, and trunk muscle function: 2 case reports. *J Orthop Sports Phys Ther.* 2003 Nov;33(11):647–60.
- Mendiguchia J, Ford KR, Quatman CE, Alentorn-Geli E, Hewett TE. Sex differences in proximal control of the knee joint. *Sports Med.* 2011 Jul 1;41(7):541–57.
- Mendiguchia J, Alentorn-Geli E, Brughelli M. Hamstring strain injuries: are we heading in the right direction? *Br J Sports Med.* 2012 Feb;46(2):81–5.
- Mendiguchia J, Garrues MA, Cronin JB, Contreras B, Los Arcos A, Malliaropoulos N, Maffulli N, Idoate F. Nonuniform changes in MRI measurements of the thigh muscles after two hamstring strengthening exercises. *J Strength Cond Res.* 2013 Mar;27(3):574–81.
- Mendiguchia J, Samozino P, Martinez-Ruiz E, Brughelli M, Schmikli S, Morin JB, Mendez-Villanueva A. Progression of mechanical properties during on-field sprint running after returning to sports from a hamstring muscle injury in soccer players. *Int J Sports Med.* 2014 Jul;35(8):690–5.
- Mero A, Komi PV. Force-, EMG-, and elasticity-velocity relationships at submaximal, maximal and supra-maximal running speeds in sprinters. *Eur J Appl Physiol.* 1986;55(5):553–61.
- Mero A, Komi PV. Electromyographic activity in sprinting at speeds ranging from sub-maximal to supra-maximal. *Med Sci Sports Exerc.* 1987 Jun;19(3):266–74.
- Miller JP, Sedory D, Croce RV. Leg rotation and vastus medialis oblique/vastus lateralis electromyogram activity ratio during closed chain kinetic exercises prescribed for patellofemoral pain. *J Athl Train.* 1997 Jul;32(3):216–20.
- Mjølshes R, Arnason A, Østhaugen T, Raastad T, Bahr R. A 10-week randomized trial comparing eccentric vs. concentric hamstring strength training in well-trained soccer players. *Scand J Med Sci Sports.* 2004 Oct;14(5):311–17.
- Mochizuki T, Akita K, Muneta T, Sato T. Pes anserinus: layered supportive structure on the medial side of the knee. *Clin Anat.* 2004 Jan;17(1):50–4.
- Mohib M, Moser N, Kim R, Thillai M, Gringmuth R. A four year prospective study of injuries in elite Ontario youth provincial and national soccer players during training and matchplay. *J Can Chiropr Assoc.* 2014 Dec;58(4):369–76.
- Molbeck S. On the paradoxical effect of some two-joint muscles. *Acta Morphologica Neerlando-Scandinavica.* 1965;6:171–8.
- Moore KL, Dalley AF. Clinically oriented anatomy. 4th ed. Baltimore, MD: Lippincott Williams & Wilkins; 1999. 1163 pp.
- Müller W. The knee: form, function, and ligament reconstruction. 3rd ed. Berlin: Springer-Verlag; 1983. Chapter 3, Rotation; pp. 76–115. Nagura T, Matsumoto H, Kiriya Y, Chaudhari A, Andriacchi TP. Tibiofemoral joint contact force in deep knee flexion and its consideration in knee osteoarthritis and joint replacement. *J Appl Biomech.* 2006 Nov;22(4):305–13.
- Nakagawa TH, Muniz TB, Baldon Rde M, Dias Maciel C, de Menezes Reiff RB, Serrão FV. The effect of additional strengthening of hip abductor and lateral rotator muscles in patellofemoral pain syndrome: a randomized controlled pilot study. *Clin Rehabil.* 2008 Dec;22(12):1051–60.
- Nakagawa TH, Baldon Rde M, Muniz TB, Serrão FV. Relationship among eccentric hip and knee torques, symptom severity and functional capacity in females with patellofemoral pain syndrome. *Phys Ther Sport.* 2011 Aug;12(3):133–9.
- Nelson-Wong E, Alex B, Csepe D, Lancaster D, Callaghan JP. Altered muscle recruitment during extension from trunk flexion in low back pain developers. *Clin Biomech.* 2012 Dec;27(10):994–8.
- Nicholas SJ, Tyler TF. Adductor muscle strains in sport. *Sports Med.* 2002;32(5):339–44.
- Nielsen AB, Yde J. Epidemiology and traumatology of injuries in soccer. *Am J Sports Med.* 1989 Nov–Dec;17(6):803–7.
- Noe DA, Mostardi RA, Jackson ME, Porterfield JA, Askew MJ. Myoelectric activity and sequencing of selected trunk muscles during isokinetic lifting. *Spine (Phila Pa 1976).* 1992 Feb;17(2):225–9.
- Nozic M, Mitchell J, de Klerk D. A comparison of the proximal and distal parts of the vastus medialis muscle. *Aust J Physiother.* 1997;43(4):277–81.
- O'Connor D. Groin injuries in professional rugby league players: a prospective study. *J Sports Sci.* 2004 Jul;22(7):629–36.
- Orchard J, Seward H. Epidemiology of injuries in the Australian Football League, seasons 1997–2000. *Br J Sports Med.* 2002 Feb;36(1):39–44.
- Pattyn E, Verdonk P, Steyaert A, Vanden Bossche L, Van den Broecke W, Thijs Y, Witvrouw E. Vastus medialis obliquus atrophy: does it exist in patellofemoral pain syndrome? *Am J Sports Med.* 2011 Jul;39(7):1450–5.
- Petersen J, Hölmich P. Evidence based prevention of hamstring injuries in sport. *Br J Sports Med.* 2005 Jun;39(6):319–23.
- Petersen J, Thorborg K, Nielsen MB, Budtz-Jørgensen E, Hölmich P. Preventive effect of eccentric training on acute hamstring injuries in men's soccer: a cluster-randomized controlled trial. *Am J Sports Med.* 2011 Nov;39(11):2296–303.
- Powers CM, Flynn T. Research forum. Presented at the Combined Sections Meeting of the American Physical Therapy Association; 2003 Feb; Tampa, FL.
- Prior S, Mitchell T, Whiteley R, O'Sullivan P, Williams BK, Racinais S, Farooq A. The influence of changes in trunk and pelvic posture during single leg standing on hip and thigh muscle activation in a pain free population. *BMC Sports Sci Med Rehabil.* 2014 Mar 27;6(1):13.
- Renström P, Peterson L. Groin injuries in athletes. *Br J Sports Med.* 1980 Mar;14(1):30–6.
- Retchford TH, Crossley KM, Grimaldi A, Kemp JL, Cowan SM. Can local muscles augment stability in the hip? A narrative literature review. *J Musculoskelet Neuronal Interact.* 2013 Mar;13(1):1–12.
- Sahrmann S. Diagnosis and treatment of movement impairment syndromes. St Louis, MO: Mosby; 2002. 384 pp.
- Sanfilippo JL, Silder A, Sherry MA, Tuite MJ, Heiderscheid BC. Hamstring strength and morphology progression after return to sport from injury. *Med Sci Sports Exerc.* 2013 Mar;45(3):448–54.
- Schache AG, Wrigley TV, Baker R, Pandy MG. Biomechanical response to hamstring muscle strain injury. *Gait Posture.* 2009 Feb;29(2):332–8.
- Schache AG, Kim HJ, Morgan DL, Pandy MG. Hamstring muscle forces prior to and immediately following an acute sprinting-related muscle strain injury. *Gait Posture.* 2010 May;32(1):136–40.
- Schmikli SL, de Vries WR, Inklaar H, Backx FJ. Injury prevention target groups in soccer: injury characteristics and incidence rates in male junior and senior players. *J Sci Med Sport.* 2011 May;14(3):199–203.
- Schmitt B, Tim T, McHugh M. Hamstring injury rehabilitation and prevention of reinjury using lengthened state eccentric training: a new concept. *Int J Sports Phys Ther.* 2012 Jun;7(3):333–41.
- Sedaghati P, Alizadeh MH, Shirzad E, Ardjmand A. Review of sport-induced groin injuries. *Trauma Mon.* 2013 Dec;18(3):107–12.
- Selkowitz DM, Beneck GJ, Powers CM. Which exercises target the gluteal muscles while minimizing activation of the tensor fascia lata? Electromyographic assessment using fine-wire electrodes. *J Orthop Sports Phys Ther.* 2013 Feb;43(2):54–64.
- Seward H, Orchard J, Hazard H, Collinson D. Football injuries in Australia at the elite level. *Med J Aust.* 1993 Sep 6;159(5):298–301.
- Seynnes OR, de Boer M, Narici MV. Early skeletal muscle hypertrophy and architectural changes in response to high-intensity resistance training. *J Appl Physiol.* 2007 Jan;102(1):368–73.
- Shelburne KB, Pandy MG. A dynamic model of the knee and lower limb for simulating rising movements. *Comput Methods Biomech Biomed Engin.*

- 2002 Apr;5(2):149–59.
- Shelburne KB, Torry MR, Pandy MG. Muscle, ligament, and joint-contact forces at the knee during walking. *Med Sci Sports Exerc.* 2005 Nov;37(11):1948–56.
- Sherry MA, Best TM. A comparison of 2 rehabilitation programs in the treatment of acute hamstring strains. *J Orthop Sports Phys Ther.* 2004 Mar;34(3):116–25.
- Shin CS, Chaudhari AM, Andriacchi TP. The influence of deceleration forces on ACL strain during single-leg landing: a simulation study. *J Biomech.* 2007;40(5):1145–52.
- Silder A, Heiderscheit BC, Thelen DG, Enright T, Tuite MJ. MR observations of long-term musculotendon remodeling following a hamstring strain injury. *Skeletal Radiol.* 2008 Dec;37(12):1101–9.
- Simonsen EB, Thomsen L, Klausen K. Activity of mono- and biarticular leg muscles during sprint running. *Eur J Appl Physiol Occup Physiol.* 1985;54(5):524–32.
- Smith TO, Bowyer D, Dixon J, Stephenson R, Chester R, Donell ST. Can vastus medialis oblique be preferentially activated? A systematic review of electromyographic studies. *Physiother Theory Pract.* 2009a Feb;25(2):69–98.
- Smith TO, Nichols R, Harle D, Donell ST. Do the vastus medialis obliquus and vastus medialis longus really exist? A systematic review. *Clin Anat.* 2009b Mar;22(2):183–99.
- Snijders CJ, Vleeming A, Stoeckart R. Transfer of lumbosacral load to iliac bones and legs Part 1: biomechanics of self-bracing of the sacroiliac joints and its significance for treatment and exercise. *Clin Biomech (Bristol, Avon).* 1993 Nov;8(6):285–94.
- Snijders CJ, Vleeming A, Stoeckart R, Mens JM, Kleinrensink GJ. Biomechanics of the interface between the spine and pelvis in different postures. In: Vleeming A, Mooney V, Snijders CJ, Dorman TA, Stoeckart A, editors. *Movement, stability and low back pain: the essential role of the pelvis.* Edinburgh: Churchill Livingstone; 1997. pp. 103–13.
- Sole G, Milosavljevic S, Nicholson HD, Sullivan SJ. Selective strength loss and decreased muscle activity in hamstring injury. *J Orthop Sports Phys Ther.* 2011 May;41(5):354–63.
- Souza RB, Powers CM. Differences in hip kinematics, muscle strength, and muscle activation between subjects with and without patellofemoral pain. *J Orthop Sports Phys Ther.* 2009 Jan;39(1):12–19.
- Standing S. *Gray's anatomy: the anatomical basis of clinical practice.* 40th ed. Edinburgh: Churchill & Livingstone; 2008. 1576 pp.
- Stern JT Jr, Paré EB, Schwartz JM. New perspectives on muscle use during locomotion: electromyographic studies of rapid and complex behaviors. *J Am Osteopath Assoc.* 1980 Dec;80(4):287–91.
- Stubbe J, van Beijsterveldt AM, van der Knaap S, Stege J, Verhagen E, van Mechelen W, Backx FJ. Injuries in professional male soccer players in the Netherlands: a prospective cohort study. *J Athl Train.* 2014 Dec 22. [Epub ahead of print]
- Takizawa M, Suzuki D, Ito H, Fujimiya M, Uchiyama E. Why adductor magnus muscle is large: the function based on muscle morphology in cadavers. *Scand J Med Sci Sports.* 2014 Feb;24(1):197–203.
- Tanino Y, Suzuki T. Spinal reflex arc excitability corresponding to the vastus medialis obliquus and vastus medialis longus muscles. *J Phys Ther Sci.* 2014 Jan;26(1):101–4.
- Terry GC, LaPrade RF. The posterolateral aspect of the knee. Anatomy and surgical approach. *Am J Sports Med.* 1996 Nov–Dec;24(6):732–9.
- Thelen DG, Chumanov ES, Hoerth DM, Best TM, Swanson SC, Li L, Young M, Heiderscheit BC. Hamstring muscle kinematics during treadmill sprinting. *Med Sci Sports Exerc.* 2005a Jan;37(1):108–14.
- Thelen DG, Chumanov ES, Best TM, Swanson SC, Heiderscheit BC. Simulation of biceps femoris musculotendon mechanics during the swing phase of sprinting. *Med Sci Sports Exerc.* 2005b; 37(11):1911–18.
- Thorborg K. Why hamstring eccentrics are hamstring essentials. *Br J Sports Med.* 2012;46:463–5.
- Thorborg K, Branci S, Nielsen MP, Tang L, Nielsen MB, Hölmich P. Eccentric and isometric hip adduction strength in male soccer players with and without adductor-related groin pain. An assessor-blinded comparison. *Orthopaedic Journal of Sports Medicine.* 2014 Feb;2(2):1–7.
- Toumi H, Poumarat G, Benjamin M, Best TM, F'Guyer S, Fairclough J. New insights into the function of the vastus medialis with clinical implications. *Med Sci Sports Exerc.* 2007 Jul;39(7):1153–9.
- Travnik L, Pernus F, Erzen I. Histochemical and morphometric characteristics of the normal human vastus medialis longus and vastus medialis obliquus muscles. *J Anat.* 1995 Oct;187 (Pt 2):403–11.
- Tyler TF, Nicholas SJ, Campbell RJ, McHugh MP. The association of hip strength and flexibility with the incidence of adductor muscle strains in professional ice hockey players. *Am J Sports Med.* 2001 Mar–Apr;29(2):124–8.
- Tyler TF, Nicholas SJ, Campbell RJ, Donellan S, McHugh MP. The effectiveness of a preseason exercise program to prevent adductor muscle strains in professional ice hockey players. *Am J Sports Med.* 2002 Sep–Oct;30(5):680–3.
- Tyler TF, Nicholas SJ, Mullaney MJ, McHugh MP. The role of hip muscle function in the treatment of patellofemoral pain syndrome. *Am J Sports Med.* 2006 Apr;34(4):630–6.
- Tyler TF, Fukunaga T, Gellert J. Rehabilitation of soft tissue injuries of the hip and pelvis. *Int J Sports Phys Ther.* 2014 Nov;9(6):785–97.
- Vakos JP, Nitz AJ, Threlkeld AJ, Shapiro R, Horn T. Electromyographic activity of selected trunk and hip muscles during a squat lift. Effect of varying the lumbar posture. *Spine (Phila Pa 1976).* 1994 Mar;19(6):687–95.
- van Kampen A, Huiskes R. The three-dimensional tracking pattern of the human patella. *J Orthop Res.* 1990 May;8(3):372–82.
- Vleeming A, Van Wingerden JP, Snijders CJ, Stoeckart R, Stijnen T. Load application to the sacrotuberous ligament; influences on sacroiliac joint mechanics. *Clin Biomech (Bristol, Avon).* 1989;4(4):204–9.
- Vleeming A, Pool-Goudzwaard AL, Stoeckart R, van Wingerden JP, Snijders CJ. The posterior layer of the thoracolumbar fascia. Its function in load transfer from spine to legs. *Spine (Phila Pa 1976).* 1995 Apr;20(7):753–8.
- Vogt L, Pfeifer K, Banzer W. Neuromuscular control of walking with chronic low-back pain. *Man Ther.* 2003 Feb;8(1):21–8.
- Ward SR, Eng CM, Smallwood LH, Lieber RL. Are current measurements of lower extremity muscle architecture accurate? *Clin Orthop Relat Res.* 2009 Apr;467(4):1074–82.
- Warren P, Gabbe BJ, Schneider-Kolsky M, Bennell KL. Clinical predictors of time to return to competition and of recurrence following hamstring strain in elite Australian footballers. *Br J Sports Med.* 2010 May;44(6):415–19.
- Weinhandl JT, Earl-Boehm JE, Ebersole KT, Huddleston WE, Armstrong BS, O'Connor KM. Reduced hamstring strength increases anterior cruciate ligament loading during anticipated sidestep cutting. *Clin Biomech (Bristol, Avon).* 2014 Aug;29(7):752–9.
- Wiemann K, Tidow G. Relative activity of hip and knee extensors in sprinting – implications for training. *New Studies in Athletics.* 1995;10(1):29–49.
- Williams PL, Warwick R. *Gray's anatomy.* 36th ed. Edinburgh: Churchill Livingstone; 1980. 1578 pp.

- Willis FB, Burkhardt EJ, Walker JE, Johnson MA, Spears TD. Preferential vastus medialis oblique activation achieved as a treatment for knee disorders. *J Strength Cond Res.* 2005 May;19(2):286–91.
- Wilson J, Ferris E, Heckler A, Maitland L, Taylor C. A structured review of the role of gluteus maximus in rehabilitation. *New Zeal J Physioth.* 2005;33(3):95–100.
- Wilson JM, Flanagan EP. The role of elastic energy in activities with high force and power requirements: a brief review. *J Strength Cond Res.* 2008 Sep;22(5):1705–15.
- Wood GA. Optimal performance criteria and limiting factors in sprint running. *New Stud Athlet.* 1986;2:SS–63.
- Wood GA. Biomechanical limitations to sprint running. In: Van Gheluwe B, Atha J, editors. *Current research in sports biomechanics (medicine and sport science)*. Basel, Switzerland: S Karger Pub; 1987. pp. 58–71.
- Woods C, Hawkins RD, Maltby S, Hulse M, Thomas A, Hodson A; Football Association Medical Research Programme. The Football Association Medical Research Programme: an audit of injuries in professional football – analysis of hamstring injuries. *Br J Sports Med.* 2004 Feb;38(1):36–41.
- Yamaguchi GT, Zajac FE. A planar model of the knee joint to characterise the knee extensor mechanism. *J Biomech.* 1989;22(1):1–10.
- Yeung SS, Suen AM, Yeung EW. A prospective cohort study of hamstring injuries in competitive sprinters: preseason muscle imbalance as a possible risk factor. *Br J Sports Med.* 2009 Aug;43(8):589–94.
- Yu B, Queen RM, Abbey AN, Liu Y, Moorman CT, Garrett WE. Hamstring muscle kinematics and activation during overground sprinting. *J Biomech.* 2008 Nov;41(15):3121–6.
- Zeller BL, McCrory J, Kibler B, Uhl TL. Differences in kinematics and electromyographic activity between men and women during the single-legged squat. *Am J Sports Med.* 2003 May–Jun;31(3):449–56.
- Zimmermann CL, Cook TM, Bravard MS, Hansen MM, Honomichl RT, Karns ST, Lammers MA, Steele SA, Yunker LK, Zebrowski RM. Effects of stair-stepping exercise direction and cadence on EMG activity of selected lower extremity muscle groups. *J Orthop Sports Phys Ther.* 1994 Mar;19(3):173–80

## References

- Adams K, O'Shea JP, O'Shea KL, Climstein M. The effect of six weeks of squat, plyometric and squat-plyometric training on power production. *J Strength Cond Res.* 1992 Feb;6(1):36–41.
- Baker D. A series of studies on the training of high intensity muscle power in rugby league football players. *J Strength Cond Res.* 2001a May;15(2):198–209.
- Baker D. The effects of an in-season of concurrent training on the maintenance of maximal strength and power in professional and college-aged rugby league football players. *J Strength Cond Res.* 2001b May;15(2):172–7.
- Baker D, Newton RU. Observation of 4-year adaptations in lower body maximal strength and power output in professional rugby league players. *J Aust Strength Cond.* 2008;16(1):3–10.
- Baker D, Nance S, Moore M. The load that maximizes the average mechanical power output during explosive bench press throws in highly trained athletes. *J Strength Cond Res.* 2001a Feb;15(1):20–4.
- Baker D, Nance S, Moore M. The load that maximizes the average mechanical power output during jump squats in power-trained athletes. *J Strength Cond Res.* 2001b Feb;15(1):92–7.
- Behm DG, Sale DG. Velocity specificity of resistance training. *Sports Med.* 1993;15(6):374–88.
- Behm DG. Neuromuscular implications and applications of resistance training. *J Strength Cond Res.* 1995 Nov;9(4):264–74.
- Bompa TO, Carrera MC. *Periodization training for sports*. 2nd ed. Champaign, IL: Human Kinetics; 2005.
- Carroll TJ, Riek S, Carson RG. Neural adaptations to resistance training. Implications for movement control. *Sports Med.* 2001;31(12):829–40.
- Clark RA, Bryant AL, Humphries B. A comparison of force curve profiles between the bench press and ballistic bench throws. *J Strength Cond Res.* 2008 Nov;22(6):1755–9.
- Čoh M, Bračić M, Peharec S, Bačić P, Bratić M, Aleksandrović M. Biodynamic characteristics of vertical and drop jumps. *Acta Kinesiologiae Universitatis Tartuensis.* 2011;17:24–36.
- Cormie P, McCaulley GO, Triplett NT, McBride JM. Optimal loading for maximal power output during lower-body resistance exercises. *Med Sci Sports Exerc.* 2007 Feb;39(2):340–9.
- Cormie P, McGuigan MR, Newton RU. Influence of strength on magnitude and mechanisms of adaptation to power training. *Med Sci Sports Exerc.* 2010a Aug;42(8):1566–81.
- Cormie P, McGuigan MR, Newton RU. Adaptations in athletic performance after ballistic power versus strength training. *Med Sci Sports Exerc.* 2010b Aug;42(8):1582–98.
- Cormie P, McGuigan MR, Newton RU. Developing maximal neuromuscular power: part 2 – training considerations for improving maximal power production. *Sports Med.* 2011 Feb 1;41(2):125–46.
- Cronin J, McNair PJ, Marshall RN. Velocity specificity, combination training and sport specific tasks. *J Sci Med Sport.* 2001 Jun;4(2):168–78.
- Desmedt JE, Godaux E. Ballistic contractions in fast or slow human muscles: discharge patterns of single motor units. *J Physiol.* 1978 Dec;285:185–96.
- Dintiman G, Ward B. *Sports speed*. 3rd ed. Champaign, IL: Human Kinetics; 2003. Chapter 11, Cutting and accelerating; pp. 218–30.
- Docherty D, Robbins D, Hodgson M. Complex training revisited: a review of its current status as a viable training approach. *Strength Cond J.* 2004 Dec;26(6):52–7.
- Duchateau J, Hainaut K. Isometric or dynamic training: differential effects on mechanical properties of a human muscle. *J Appl Physiol Respir Environ Exerc Physiol.* 1984 Feb;56(2):296–301.
- Dvorkin LS. *Tiiazhelaya atletika. Uchebnik dlja vuzov*. Moscow: Sovyetsky sport publishers; 2005. 600 pp.
- Elliott BC, Wilson GJ, Kerr GK. A biomechanical analysis of the sticking region in the bench press. *Med Sci Sports Exerc.* 1989 Aug;21(4):450–62.
- Faulkner JA, Claflin DR, McCully KK. Power output of fast and slow fibers from human skeletal muscles. In: Jones NL, McCartney NM, McComas AJ, editors. *Human muscle power*. Champaign, IL: Human Kinetics; 1986. pp. 81–94.
- Fleck SJ, Kraemer WJ. *Designing resistance training programs*. 2nd ed. Champaign, IL: Human Kinetics; 1987. 275 pp.
- Garhammer, J. A review of power output studies of Olympic and powerlifting: methodology, performance prediction, and evaluation tests. *J Strength Cond Res.* 1993 May;7(2):76–89.
- Haff GG, Nimphius S. Training principles for power. *Strength Cond J.* 2012 Oct;34(5):2–12.
- Haff GG, Stone M, O'Bryant HS, Harman E, Dinan C, Johnson R, Han KH. Force-time dependent characteristics of dynamic and isometric muscle actions. *J Strength Cond Res.* 1997 Nov;11(4):269–72.

- Häkkinen K. Neuromuscular and hormonal adaptations during strength and power training. *J Sports Med Phys Fitness*. 1989;29:9–26.
- Häkkinen K, Komi PV. Changes in electrical and mechanical behavior of leg extensor muscles during heavy resistance strength training. *Scand J Sports Sci*. 1985a;7:55–64.
- Häkkinen K, Komi PV. Effect of explosive-type strength training on electromyographic and force production characteristics of leg extensor muscles during concentric and various stretch-shortening cycle exercises. *Scand J Sports Sci*. 1985b;7:65–76.
- Hannerz J, Grimby L. The afferent influence on the voluntary firing range of individual motor units in man. *Muscle Nerve*. 1979 Nov–Dec;2(6):414–22.
- Harris GR, Stone MH, O'Bryant HS, Proulx CM, Johnson RL. Short-term performance effects of high power, high force, or combined weight-training methods. *J Strength Cond Res*. 2000 Feb;14(1):14–20.
- Haugen T, Tonnessen E, Hisdal J, Seiler S. The role and development of sprinting speed in soccer. *Int J Sports Physiol Perform*. 2014 May;9(3):432–41.
- Hilfiker R, Hubner K, Lorenz T, Marti B. Effects of drop jumps to the warm-up of elite sports athletes with a high capacity for explosive force development. *J Strength Cond Res*. 2007 May;21(2):550–5.
- Jones K, Bishop P, Hunter G, Fleisig G. The effects of varying resistance-training loads on intermediate-and high-velocity-specific adaptations. *J Strength Cond Res*. 2001 Aug;15(3):349–56.
- Kanehisa H, Miyashita M. Effect of isometric and isokinetic muscle training on static strength and dynamic power. *Eur J Appl Physiol Occup Physiol*. 1983;50(3):365–71.
- Kaneko M, Fuchimoto T, Toji H, Suei K. Training effect of different loads on the force-velocity relationship and mechanical power output in human muscle. *Scand J Med Sci Sports*. 1983;5:50–5.
- Kawamori N, Haff GG. The optimal training load for the development of muscular power. *J Strength Cond Res*. 2004 Aug;18(3):675–84.
- Kirby TJ, Erickson T, McBride JM. Model for progression of strength, power, and speed training. *Strength Cond J*. 2010 Oct;32(5):86–90.
- Lockie RG, Murphy AJ, Schultz AB, Knight TJ, Janse de Jonge XA. The effects of different speed training protocols on sprint acceleration kinematics and muscle strength and power in field sport athletes. *J Strength Cond Res*. 2012 Jun;26(6):1539–50.
- Lyttle AD, Wilson GJ, Ostrowski KJ. Enhancing performance: maximal power versus combined weights and plyometrics training. *J Strength Cond Res*. 1996;10(3):173–9.
- McBride JM, Triplett-McBride T, Davie A, Newton RU. The effect of heavy- vs. light-load jump squats on the development of strength, power, and speed. *J Strength Cond Res*. 2002 Feb;16(1):75–82.
- McLellan CP, Lovell DI, Gass GC. The role of rate of force development on vertical jump performance. *J Strength Cond Res*. 2011 Feb;25(2):379–85.
- Marshall BM, Franklyn-Miller AD, King EA, Moran KA, Strike SC, Falvey ÉC. Biomechanical factors associated with time to complete a change of direction cutting maneuver. *J Strength Cond Res*. 2014 Oct;28(10):2845–51.
- Mayhew JL, Ware JS, Johns RA, Bembem MG. Changes in upper body power following heavy-resistance strength training in college men. *Int J Sports Med*. 1997 Oct;18(7):516–20.
- Mero A, Komi PV. Force-, EMG-, and elasticity-velocity relationships at submaximal, maximal and supramaximal running speeds in sprinters. *Eur J Appl Physiol Occup Physiol*. 1986;55(5):553–61.
- Moss BM, Refsnes PE, Abildgaard A, Nicolaysen K, Jensen J. Effects of maximal effort strength training with different loads on dynamic strength, cross-sectional area, load-power and load-velocity relationships. *Eur J Appl Physiol Occup Physiol*. 1997;75(3):193–9.
- Newton RU, Kraemer WJ. Developing explosive muscular power: implications for a mixed methods training strategy. *Strength Cond J*. 1994 Oct;16(5):20–31.
- Newton RU, Kraemer WJ, Hakkinen K, Humphries BJ, Murphy AJ. Kinematics, kinetics, muscle activation during explosive upper body movements: implications for power development. *J Appl Biomech*. 1996 Feb;12(1):31–43.
- Nuzzo JL, McBride JM, Cormie P, McCaulley GO. Relationship between countermovement jump performance and multijoint isometric and dynamic tests of strength. *J Strength Cond Res*. 2008 May;22(3):699–707.
- Peterson MD, Alvar BA, Rhea MR. The contribution of maximal force production to explosive movement among young collegiate athletes. *J Strength Cond Res*. 2006 Nov;20(4):867–73.
- Sale D. Postactivation potentiation: role in performance. *Br J Sports Med*. 2004 Aug;38(4):386–7.
- Sale DG. Neural adaptations to strength training. In: Komi PV, editor. *Strength and power in sport*. Oxford, UK: Blackwell Scientific; 1992. pp. 249–65.
- Sale DG. Postactivation potentiation: role in human performance. *Exerc Sport Sci Rev*. 2002 Jul; 30(3):138–43.
- Schmidtbleicher D. Training for power events. In: Komi PV, editor. *Strength and power in sport*. Oxford, UK: Blackwell Scientific; 1992. pp. 381–95.
- Stone MH, Keith RE, Kearney JT, Fleck SJ, Wilson GD, Triplett NT. Overtraining: a review of the signs, symptoms and possible causes. *J Appl Sport Sci Res*. 1991;5:35–50.
- Stone MH, O'Bryant HS, McCoy L, Coglianese R, Lehmkuhl M, Schilling B. Power and maximum strength relationships during performance of dynamic and static weighted jumps. *J Strength Cond Res*. 2003 Feb;17(1):140–7.
- Swinton PA, Stewart A, Agouris I, Keogh JW, Lloyd R. A biomechanical analysis of straight and hexagonal barbell deadlifts using submaximal loads. *J Strength Cond Res*. 2011 Jul;25(7):2000–9.
- Swinton PA, Lloyd R, Keogh JW, Agouris I, Stewart AD. A biomechanical comparison of the traditional squat, powerlifting squat, and box squat. *J Strength Cond Res*. 2012 Jul;26(7):1805–16.
- Taube W, Leukel C, Lauber B, Gollhofer A. The drop height determines neuromuscular adaptations and changes in jump performance in stretch-shortening cycle training. *Scand J Med Sci Sports*. 2012 Oct;22(5):671–83.
- Taylor MJ, Beneke R. Spring mass characteristics of the fastest men on earth. *Int J Sports Med*. 2012 Aug;33(8):667–70.
- Verkhoshansky Y. Perspectives in the improvement of speed-strength preparation of jumpers. *Legkaya Atletika*. 1966; 9:11–12.
- Verkhoshanski Y, Tatyana V. Speed-strength preparation of future champions. *Sov Sports Rev*. 1983; 18(4):166–70.
- Wilson GJ, Newton RU, Murphy AJ, Humphries BJ. The optimal training load for the development of dynamic athletic performance. *Med Sci Sports Exerc*. 1993 Nov;25(11):1279–86.
- Wilson GJ, Murphy AJ, Walshe A. The specificity of strength training: the effect of posture. *Eur J Appl Physiol Occup Physiol*. 1996;73(3–4):346–52.
- Zatsiorsky VM. Science and practice of strength training. Champaign, IL: Human Kinetics; 1995. 243 pp.
- Zatsiorsky VM. Biomechanics of strength and strength training. In: Komi PV, editor. *Strength and power in sport*. 2nd ed. Oxford, UK: Blackwell Science; 2003. pp. 114–33.
- Zatsiorsky VM, Kraemer WJ. Science and practice of strength training. 2nd ed. Champaign, IL: Human Kinetics; 2006. Chapter 8, Goal-specific strength training; pp. 155–70.

## References

- Adams K, O'Shea JP, O'Shea KL, Climstein M. The effect of six weeks of squat, plyometric and squat-plyometric training on power production. *J Strength Cond Res.* 1992 Feb;6(1):36–41.
- Baechele TR, Earle RW. *Essentials of strength training and conditioning*. 2nd ed. Champaign, IL: Human Kinetics; 2000. 672 pp.
- Bobbert MF. Drop jumping as a training method for jumping ability. *Sports Med.* 1990 Jan;9(1):7–22.
- Bobbert MF, Huijijng PA, van Ingen Schenau GJ. Drop jumping. II. The influence of dropping height on the biomechanics of drop jumping. *Med Sci Sports Exerc.* 1987 Aug;19(4):339–46.
- Brandenburg J, Czajka A. The acute effects of performing drop jumps of different intensities on concentric squat strength. *J Sports Med Phys Fitness.* 2010 Sep;50(3):254–61.
- Cappa DF, Behm DG. Training specificity of hurdle vs. countermovement jump training. *J Strength Cond Res.* 2011 Oct;25(10):2715–20.
- Chelly MS, Ghenem MA, Abid K, Hermassi S, Tabka Z, Shephard RJ. Effects of in-season short-term plyometric training program on leg power, jump- and sprint performance of soccer players. *J Strength Cond Res.* 2010 Oct;24(10):2670–6.
- Chimera NJ, Swanik KA, Swanik CB, Straub SJ. Effects of plyometric training on muscle-activation strategies and performance in female athletes. *J Athl Train.* 2004 Mar;39(1):24–31.
- Chu D, Plummer L. The language of plyometrics. *Strength Cond J.* 1984 Oct;6(5):30–1.
- Cuoco A, Tyler TF. Plyometric training and drills. In: Andrews J, Harrelson G, Wilk K, editors. *Physical rehabilitation of the injured athlete*. 4th ed. Philadelphia: Elsevier Saunders; 2012. pp. 571–95.
- Ebben WP. Complex training: a brief review. *J Sports Sci Med.* 2002 Jun;1(2):42–6.
- Ebben WP, Fauth ML, Garceau LR, Petushek EJ. Kinetic quantification of plyometric exercise intensity. *J Strength Cond Res.* 2011 Dec;25(12):3288–98.
- Fouré A, Nordez A, Cornu C. Plyometric training effects on Achilles tendon stiffness and dissipative properties. *J Appl Physiol* (1985). 2010 Sep;109(3):849–54.
- Fouré A, Nordez A, McNair P, Cornu C. Effects of plyometric training on both active and passive parts of the plantarflexors series elastic component stiffness of muscle-tendon complex. *Eur J Appl Physiol.* 2011 Mar;111(3):539–48.
- Fowler NE, Lees A. A comparison of the kinetic and kinematic characteristics of plyometric drop-jump and pendulum exercises. *J Appl Biomechanics.* 1998 Aug;14(3):260–75.
- Hewett TE, Stroupe AL, Nance TA, Noyes FR. Plyometric training in female athletes. Decreased impact forces and increased hamstring torques. *Am J Sports Med.* 1996 Nov–Dec;24(6):765–73.
- Jensen RL, Ebben WP. Quantifying plyometric intensity via rate of force development, knee joint, and ground reaction forces. *J Strength Cond Res.* 2007 Aug;21(3):763–7.
- Kubo K, Morimoto M, Komuro T, Yata H, Tsunoda N, Kanehisa H, Fukunaga T. Effects of plyometric and weight training on muscle-tendon complex and jump performance. *Med Sci Sports Exerc.* 2007 Oct;39(10):1801–10.
- Luebbers PE, Potteiger JA, Hulver MW, Thyfault JP, Carper MJ, Lockwood RH. Effects of plyometric training and recovery on vertical jump performance and anaerobic power. *J Strength Cond Res.* 2003 Nov;17(4):704–9.
- Macaluso F, Isaacs AW, Myburgh KH. Preferential type II muscle fiber damage from plyometric exercise. *J Athl Train.* 2012 Jul–Aug;47(4):414–20.
- Maio Alves JM, Rebelo AN, Abrantes C, Sampaio J. Short-term effects of complex and contrast training in soccer players' vertical jump, sprint, and agility abilities. *J Strength Cond Res.* 2010 Apr;24(4):936–41.
- Markovic G, Mikulic P. Neuro-musculoskeletal and performance adaptations to lower-extremity plyometric training. *Sports Med.* 2010 Oct 1;40(10):859–95.
- Mero A, Komi PV. Force-, EMG-, and elasticity-velocity relationships at submaximal, maximal and supramaximal running speeds in sprinters. *Eur J Appl Physiol Occup Physiol.* 1986;55(5):553–61.
- Meylan C, Malatesta D. Effects of in-season plyometric training within soccer practice on explosive actions of young players. *J Strength Cond Res.* 2009 Dec;23(9):2605–13.
- Michailidis Y, Fatouros IG, Primpa E, Michailidis C, Avloniti A, Chatzinikolaou A, Barbero-Álvarez JC, Tsoukas D, Douroudos II, Draganidis D, Leontsini D, Margonis K, Berberidou F, Kambas A.
- Plyometrics' trainability in preadolescent soccer athletes. *J Strength Cond Res.* 2013 Jan;27(1):38–49.
- Moreno SD, Brown LE, Coburn JW, Judelson DA. Effect of cluster sets on plyometric jump power. *J Strength Cond Res.* 2014 Sep;28(9):2424–8.
- Morrissey MC, Harman EA, Johnson MJ. Resistance training modes: specificity and effectiveness. *Med Sci Sports Exerc.* 1995 May;27(5):648–60.
- Ozbar N, Ates S, Agopyan A. The effect of 8-week plyometric training on leg power, jump and sprint performance in female soccer players. *J Strength Cond Res.* 2014 Oct;28(10):2888–94.
- Ramírez-Campillo R, Meylan C, Alvarez C, Henríquez-Olguín C, Martínez C, Cañas-Jamett R, Andrade DC, Izquierdo M. Effects of in-season low-volume high-intensity plyometric training on explosive actions and endurance of young soccer players. *J Strength Cond Res.* 2014 May;28(5):1335–42.
- Rimmer E, Sleivert G. Effects of a plyometrics intervention program on sprint performance. *J Strength Cond Res.* 2000 Jul;14(3):295–301.
- Sáez-Sáez de Villarreal E, Kellis E, Kraemer WJ, Izquierdo M. Determining variables of plyometric training for improving vertical jump height performance: a meta-analysis. *J Strength Cond Res.* 2009 Mar;23(2):495–506.
- Sáez-Sáez de Villarreal E, Requena B, Newton RU. Does plyometric training improve strength performance? A meta-analysis. *J Sci Med Sport.* 2010 Sep;13(5):513–22.
- Schmidtbleicher D. Training for power. Presented at the 13th National Strength and Conditioning Association national convention on strength training and conditioning; 1990 June 28–30; San Diego, CA.
- Sedano Campo S, Vaeyens R, Philippaerts RM, Redondo JC, de Benito AM, Cuadrado G. Effects of lower-limb plyometric training on body composition, explosive strength, and kicking speed in female soccer players. *J Strength Cond Res.* 2009 Sep;23(6):1714–22.
- Siegler J, Gaskill S, Ruby B. Changes evaluated in soccer-specific power endurance either with or without a 10-week, in-season, intermittent, high-intensity training protocol. *J Strength Cond Res.* 2003 May;17(2):379–87.
- Taube W, Leukel C, Lauber B, Gollhofer A. The drop height determines neuromuscular adaptations and changes in jump performance in stretch-shortening cycle training. *Scand J Med Sci Sports.* 2012 Oct;22(5):671–83.
- Thomas K, French D, Hayes PR. The effect of two plyometric training techniques on muscular power and agility in youth soccer players. *J Strength*



- Cond Res. 2009 Jan;23(1):332–5.
- Tobin DP, Delahunt E. The acute effect of a plyometric stimulus on jump performance in professional rugby players. *J Strength Cond Res.* 2014 Feb;28(2):367–72.
- Vácz M, Tollár J, Meszler B, Juhász I, Karsai I. Short-term high intensity plyometric training program improves strength, power and agility in male soccer players. *J Hum Kinet.* 2013 Mar;36:17–26.
- Van Soest AJ, Roebroek ME, Bobbert MF, Huijzing PA, van Ingen Schenau GJ. A comparison of one-legged and two-legged countermovement jumps. *Med Sci Sports Exerc.* 1985 Dec;17(6):635–9.
- Verkhoshanski Y. Are depth jumps useful? *Sov Sports Rev.* 1968;3:75–6.
- Verkhoshanski Y. Perspectives in the improvement of speed-strength preparation of jumpers. *Sov Sports Rev.* 1969;4:28–34.
- Vissing K, Brink M, Lønbro S, Sørensen H, Overgaard K, Danborg K, Mortensen J, Elstrøm O, Rosenhøj N, Ringgaard S, Andersen JL, Aagaard P. Muscle adaptations to plyometric vs. resistance training in untrained young men. *J Strength Cond Res.* 2008 Nov;22(6):1799–810.
- Weyand PG, Sternlight DB, Bellizzi MJ, Wright S. Faster top running speeds are achieved with greater ground forces not more rapid leg movements. *J Appl Physiol* (1985). 2000 Nov;89(5):1991–9
- Wilk KE, Voight ML, Keirns MA, Gambetta V, Andrews JR, Dillman CJ. Stretch-shortening drills for the upper extremities: theory and clinical application. *J Orthop Sports Phys Ther.* 1993 May;17(5):225–39.
- Wong PL, Chamari K, Wisløff U. Effects of 12-week on-field combined strength and power training on physical performance among U-14 young soccer players. *J Strength Cond Res.* 2010 Mar;24(3):644–52.
- Young WB, Pryor JF, Wilson GJ. Effect of instructions on characteristics of countermovement and drop jump performance. *J Strength Cond Res.* 1995 Nov;9(4):232–6

## References

- Baker D. Improving vertical jump performance through general, special, and specific strength training: a brief review. *J Strength Cond Res.* 1996 May;10(2):131–6.
- Canavan PK, Garrett GE, Armstrong LE. Kinematic and kinetic relationships between an Olympic-style lift and the vertical jump. *J Strength Cond Res.* 1996 May;10(2):127–30.
- Duba J, Kraemer W, Martin G. Progressing from the hang power clean to the power clean: a 4-step model. *Strength Cond J.* 2009 June;31(3):58–66.
- Enoka RM. The pull in Olympic weightlifting. *Med Sci Sports.* 1979;11(2):131–7
- Garhammer J. A review of power output studies of Olympic and powerlifting: methodology, performance prediction, and evaluation tests. *J Strength Cond Res.* 1993 May 7(2):76–89.
- Haff GG, Whitley A, Potteiger JA. A brief review: explosive exercises and sports performance. *Strength Cond J.* 2001 Jun;23(3):13–20.
- Häkkinen K. Neuromuscular and hormonal adaptations during strength and power training. A review. *J Sports Med Phys Fitness.* 1989 Mar;29(1):9–26.
- Hedrick A, Wada H. Weightlifting movements: do the benefits outweigh the risks? *Strength Cond J.* 2008;Dec;30(6):26–35.
- Hoffman JR, Cooper J, Wendell M, Kang J. Comparison of Olympic vs. traditional power lifting training programs in football players. *J Strength Cond Res.* 2004 Feb;18(1):129–35.
- Hori N, Newton RU, Andrews WA, Kawamori N, McGuigan MR, Nosaka K. Does performance of hang power clean differentiate performance of jumping, sprinting, and changing of direction? *J Strength Cond Res.* 2008 Mar;22(2):412–18.
- MacKenzie SJ, Lavers RJ, Wallace BB. A biomechanical comparison of the vertical jump, power clean, and jump squat. *J Sports Sci.* 2014 Aug;32(16):1576–85.
- Miller C. Sequence exercise to learn the rotary, action of the legs and hips common to many sports. *Strength Cond J.* 1980 June;2(3):38–9.
- Miller C. Rotary jerk-hip and leg action common to many sports. *Strength Cond J.* 1981 Apr;3(2):30–1.
- Newton HS. Explosive lifting for sports. Champaign, IL: Human Kinetics; 2002. 191 pp. Souza AL, Shimada SD, Koontz A. Ground reaction forces during the power clean. *J Strength Cond Res.* 2002 Aug;16(3):423–7.
- Stone MH, O'Bryant HS, Williams FE, Johnson RL, Pierce KC. Analysis of bar paths during the snatch in elite male weightlifters. *Strength Cond J.* 1998 Aug;20(4):30–8.
- Tricoli V, Lamas L, Carnevale R, Ugrinowitsch C. Short-term effects on lower-body functional power development: weightlifting vs. vertical jump training programs. *J Strength Cond Res.* 2005 May;19(2):433–7.

## References

- Abe T, Yasuda M, Midorikawa TT, Sato Y, Kearns CF, Inoue K, Koizumi K, Ishii N. Skeletal muscle size and circulating IGF-1 are increased after two weeks of twice daily Kaatsu resistance training. *Int J Kaatsu Training Res.* 2005 Jul;1(1):6–12.
- Abe T, Kearns CF, Sato Y. Muscle size and strength are increased following walk training with restricted venous blood flow from the leg muscle, Kaatsu-walk training. *J Appl Physiol* (1985). 2006 May;100(5):1460–6.
- Abe T, Fujita S, Nakajima T, Sakamaki M, Ozaki H, Ogasawara R, Sugaya M, Kudo M, Kurano M, Yasuda T, Sato Y, Ohshima H, Mukai C, Ishii N. Effects of low-intensity cycle training with restricted leg blood flow on thigh muscle volume and VO2MAX in young men. *J Sports Sci Med.* 2010 Sep;9(3):452–8.
- Abe T, Loenneke JP, Fahs CA, Rossow LM, Thiebaut RS, Bemben MG. Exercise intensity and muscle hypertrophy in blood flow-restricted limbs and non-restricted muscles: a brief review. *Clin Physiol Funct Imaging.* 2012 Jul;32(4):247–52.
- Campos GER, Luecke TJ, Wendeln HK, Toma K, Hagerman FC, Murray TF, Ragg KE, Ratamess NA, Kraemer WJ, Staron RS. Muscular adaptation in response to three different resistance-training regimens: specificity of repetition maximum training zones. *Eur J Appl Physiol.* 2002 Nov;88(1–2):50–60.
- Fahs CA, Rossow LM, Loenneke JP, Thiebaut RS, Kim D, Bemben DA, Bemben MG. Effect of different types of lower body resistance training on arterial compliance and calf blood flow. *Clin Physiol Funct Imaging.* 2012 Jan;32(1):45–51. Fry CS, Glynn EL, Drummond MJ, Timmerman KL, Fujita S, Abe T, Dhanani S, Volpi E, Rasmussen BB. Blood flow restriction exercise stimulates mTORC1 signaling and muscle protein synthesis in older men. *J Appl Physiol* (1985). 2010 May;108(5):1199–209.
- Fujita S, Abe T, Drummond MJ, Cadenas JG, Dreyer HC, Sato Y, Volpi E, Rasmussen BB. Blood flow restriction during low-intensity resistance exercise

increases S6K1 phosphorylation and muscle protein synthesis. *J Appl Physiol* (1985). 2007 Sep;103(3):903–10.

Gosselink KL, Grindeland RE, Roy RR, Zhong H, Bigbee AJ, Grossman EJ, Edgerton VR. Skeletal muscle afferent regulation of bioassayable growth hormone in the rat pituitary. *J Appl Physiol* (1985). 1998 Apr;84(4):1425–30.

Häussinger D, Roth E, Lang F, Gerok W. Cellular hydration state: an important determinant of protein catabolism in health and disease. *Lancet*. 1993 May 22;341(8856):1330–2.

Hoffmann EK, Lambert IH, Pedersen SF. Physiology of cell volume regulation in vertebrates. *Physiol Rev*. 2009 Jan;89(1):193–277.

Hortobágyi T, Houmard JA, Stevenson JR, Fraser DD, Johns RA, Israel RG. The effects of detraining on power athletes. *Med Sci Sports Exerc*. 1993 Aug;25(8):929–35.

Izquierdo M, Ibañez J, González-Badillo JJ, Ratamess NA, Kraemer WJ, Häkkinen K, Bonnabau H, Granados C, French DN, Gorostiaga EM. Detraining and tapering effects on hormonal responses and strength performance. *J Strength Cond Res*. 2007 Aug;21(3):768–75.

Kadi F, Schjerling P, Andersen LL, Charifi N, Madsen JL, Christensen LR, Andersen JL. The effects of heavy resistance training and detraining on satellite cells in human skeletal muscles. *J Physiol*. 2004 Aug 1;558(Pt 3):1005–12.

Koutedakis Y. Seasonal variation in fitness parameters in competitive athletes. *Sports Med*. 1995 Jun;19(6):373–92.

Kraemer WJ, Ratamess NA. Fundamentals of resistance training: progression and exercise prescription. *Med Sci Sports Exerc*. 2004 Apr;36(4):674–88.

Kubota A, Sakuraba K, Sawaki K, Sumide T, Tamura Y. Prevention of disuse muscular weakness by restriction of blood flow. *Med Sci Sports Exerc*. 2008 Mar;40(3):529–34.

Kubota A, Sakuraba K, Koh S, Ogura Y, Tamura Y. Blood flow restriction by low compressive force prevents disuse muscular weakness. *J Sci Med Sport*. 2011 Mar;14(2):95–9.

Laurentino GC, Ugrinowitsch C, Roschel H, Aoki MS, Soares AG, Neves M Jr, Aihara AY, Fernandes Ada R, Tricoli V. Strength training with blood flow restriction diminishes myostatin gene expression. *Med Sci Sports Exerc*. 2012 Mar;44(3):406–12.

Lejkowski PM, Pajczkowski JA. Utilization of vascular restriction training in post-surgical knee rehabilitation: a case report and introduction to an under-reported training technique. *J Can Chiropr Assoc*. 2011 Dec;55(4):280–7.

Loenneke JP, Abe T, Wilson JM, Thibaud RS, Fahs CA, Rossow LM, Bemben MG. Blood flow restriction: an evidence based progressive model (review). *Acta Physiol Hung*. 2012a Sep;99(3):235–50.

Loenneke JP, Fahs CA, Rossow LM, Abe T, Bemben MG. The anabolic benefits of venous blood flow restriction training may be induced by muscle cell swelling. *Med Hypotheses*. 2012b Jan;78(1):151–4.

Loenneke JP, Wilson JM, Marin PJ, Zourdos MC, Bemben MG. Low intensity blood flow restriction training: a meta-analysis. *Eur J Appl Physiol*. 2012c May;112(5):1849–59.

Loenneke JP, Thibaud RS, Fahs CA, Rossow LM, Abe T, Bemben MG. Blood flow restriction does not result in prolonged decrements in torque. *Eur J Appl Physiol*. 2013a Apr;113(4):923–31.

Loenneke JP, Fahs CA, Rossow LM, Thibaud RS, Mattocks KT, Abe T, Bemben MG. Blood flow restriction pressure recommendations: a tale of two cuffs. *Front Physiol*. 2013b Sep;10(4):249.

Loenneke JP, Thibaud RS, Abe T. Does blood flow restriction result in skeletal muscle damage? A critical review of available evidence. *Scand J Med Sci Sports*. 2014 Dec;24(6):e415–22.

Luebbers PE, Fry AC, Kriley LM, Butler MS. The effects of a seven-week practical blood flow restriction program on well-trained collegiate athletes. *J Strength Cond Res*. 2014 Aug;28(8):2270–80.

McDonagh MJ, Davies CT. Adaptive response of mammalian skeletal muscle to exercise with high loads. *Eur J Appl Physiol Occup Physiol*. 1984;52(2):139–55.

Mackey AL, Holm L, Reitelseder S, Pedersen TG, Doessing S, Kadi F, Kjaer M. Myogenic response of human skeletal muscle to 12 weeks of resistance training at light loading intensity. *Scand J Med Sci Sports*. 2011 Dec;21(6):773–82.

Manini TM, Vincent KR, Leeuwenburgh CL, Lees HA, Kavazis AN, Borst SE, Clark BC. Myogenic and proteolytic mRNA expression following blood flow restricted exercise. *Acta Physiol (Oxf)*. 2011 Feb;201(2):255–63.

Miller KJ, Garland SJ, Ivanova T, Ohtsuki T. Motor-unit behavior in humans during fatiguing arm movements. *J Neurophysiol*. 1996 Apr;75:1629–36.

Moritani T, Michael-Sherman W, Shibata M, Matsumoto T, Shinohara M. Oxygen availability and motor unit activity in humans. *Eur J Appl Physiol Occup Physiol*. 1992;64(6):552–6.

Nielsen JL, Aagaard P, Bech RD, Nygaard T, Hvid LG, Wernbom M, Suetta C, Frandsen U. Proliferation of myogenic stem cells in human skeletal muscle in response to low-load resistance training with blood flow restriction. *J Physiol*. 2012 Sep 1;590(Pt 17):4351–61.

Ohta H, Kurosawa H, Ikeda H, Iwase Y, Satou N, Nakamura S. Low-load resistance muscular training with moderate restriction of blood flow after anterior cruciate ligament reconstruction. *Acta Orthop Scand*. 2003 Feb;74(1):62–8.

Olsen S, Aagaard P, Kadi F, Tufekovic G, Verney J, Olesen JL, Suetta C, Kjaer M. Creatine supplementation augments the increase in satellite cell and myonuclei number in human skeletal muscle induced by strength training. *J Physiol*. 2006 Jun 1;573(Pt 2):525–34.

Petrella JK, Kim JS, Mayhew DL, Cross JM, Bamman MM. Potent myofiber hypertrophy during resistance training in humans is associated with satellite cell-mediated myonuclear addition: a cluster analysis. *J Appl Physiol* (1985). 2008 Jun;104(6):1736–42.

Pope ZK, Willardson JM, Schoenfeld BJ. Exercise and blood flow restriction. *J Strength Cond Res*. 2013 Oct;27(10):2914–26.

Rossow LM, Fahs CA, Loenneke JP, Thibaud RS, Sherk VD, Abe T, Bemben MG. Cardiovascular and perceptual responses to blood-flow-restricted resistance exercise with differing restrictive cuffs. *Clin Physiol Funct Imaging*. 2012 Sep;32(5):331–7.

Roth SM, Martel GF, Ferrell RE, Metter EJ, Hurley BF, Rogers MA. Myostatin gene expression is reduced in humans with heavy-resistance strength training: a brief communication. *Exp Biol Med* (Maywood). 2003 Jun;228(6):706–9.

Sata S. Kaatsu training for patella tendonitis patient. *Int J Kaatsu Training Res*. 2005 Jul;1(1):29–32.

Suga T, Okita K, Takada S, Omokawa M, Kadoguchi T, Yokota T, Hirabayashi K, Takahashi M, Morita N, Horiuchi M, Kinugawa S, Tsutsui H. Effect of multiple set on intramuscular metabolic stress during low-intensity resistance exercise with blood flow restriction. *Eur J Appl Physiol*. 2012 Nov;112(11):3915–20.

Sumide T, Sakuraba K, Sawaki K, Ohmura H, Tamura Y. Effect of resistance exercise training combined with relatively low vascular occlusion. *J Sci Med Sport*. 2009 Jan;12(1):107–12.

Takarada Y, Nakamura Y, Aruga S, Onda T, Miyazaki S, Ishii N. Rapid increase in plasma growth hormone after low-intensity resistance exercise with vascular occlusion. *J Appl Physiol* (1985). 2000a Jan;88(1):61–5.

Takarada Y, Takazawa H, Sato Y, Takebayashi S, Tanaka Y, Ishii N. Effects of resistance exercise combined with moderate vascular occlusion on muscular function in humans. *J Appl Physiol* (1985). 2000b Jun;88(6):2097–106.

- Takarada Y, Takazawa H, Ishii N. Applications of vascular occlusion diminish disuse atrophy of knee extensor muscles. *Med Sci Sports Exerc.* 2000c Dec;32(12):2035–9.
- Takarada Y, Sato Y, Ishii N. Effects of resistance exercise combined with vascular occlusion on muscle function in athletes. *Eur J Appl Physiol.* 2002 Feb;86(4):308–14.
- Wilson JM, Lowery RP, Joy JM, Loenneke JP, Naimo MA. Practical blood flow restriction training increases acute determinants of hypertrophy without increasing indices of muscle damage. *J Strength Cond Res.* 2013 Nov;27(11):3068–75.
- Yamanaka T, Farley RS, Caputo JL. Occlusion training increases muscular strength in division IA football players. *J Strength Cond Res.* 2012 Sep;26(9):2523–9.
- Yasuda T, Ogasawara R, Sakamaki M, Ozaki H, Sato Y, Abe T. Combined effects of low-intensity blood flow restriction training and high-intensity resistance training on muscle strength and size. *Eur J Appl Physiol.* 2011 Oct;111(10):2525–33

## References

- Agel J, Schisel J. Practice injury rates in collegiate sports. *Clin J Sport Med.* 2013 Jan;23(1):33–8.
- Allerheiligen B. In-season strength training for power athletes. *Strength Cond J.* 2003 Jun;25(3):23–8.
- Anderson L, Triplett-McBride T, Foster C, Doberstein S, Brice G. Impact of training patterns on incidence of illness and injury during a women's collegiate basketball season. *J Strength Cond Res.* 2003 Nov;17(4):734–8.
- Baker D. Applying the in-season periodization of strength and power training to football. *Strength Cond J.* 1998 Apr;20(2):18–27.
- Baker D, Wilson G, Carlyon R. Periodization: the effect on strength of manipulating volume and intensity. *J Strength Cond Res.* 1994 Nov;8(4):235–42.
- Bompa T. Periodization training: theory and methodology. 4th ed. Champaign, IL: Human Kinetics; 1999. 424 pp.
- Buford TW, Rossi SJ, Smith DB, Warren AJ. A comparison of periodization models during nine weeks with equated volume and intensity for strength. *J Strength Cond Res.* 2007 Nov;21(4):1245–50.
- Eirale C, Farooq A, Smiley FA, Tol JL, Chalabi H. Epidemiology of football injuries in Asia: a prospective study in Qatar. *J Sci Med Sport.* 2013 Mar;16(2):113–17.
- Gambetta V. Athletic development: the art and science of functional sports conditioning. Champaign, IL: Human Kinetics; 2007. Chapter 6, Program planning and fine-tuning; pp. 81–117.
- Gamble P. Physical preparation of elite level rugby union football players. *Strength Cond J.* 2004 Aug;26(4):10–23.
- Gamble P. Periodization of training for team sport athletes. *Strength Cond J.* 2006 Oct;28(5):55–6.
- Gamble P. Strength and conditioning for team sports: sport-specific physical preparation for high performance. 2nd ed. New York: Routledge; 2013. 304 pp.
- Haff G. Periodization of training. In: Chandler TJ, Brown LE, editors. Conditioning for strength and human performance. Baltimore, MD: Lippincott Williams & Wilkins; 2013. pp. 326–45.
- Hoffman JR, Kang J. Strength changes during an in-season resistance-training program for football. *J Strength Cond Res.* 2003 Feb;17(1):109–14.
- Issurin VB. New horizons for the methodology and physiology of training periodization. *Sports Med.* 2010 Mar 1;40(3):189–206.
- Kraemer WJ, Fleck SJ. Optimizing strength training: designing nonlinear periodization workouts. Champaign, IL: Human Kinetics; 2007. 256 pp.
- Kujala UM, Orava S, Järvinen M. Hamstring injuries. Current trends in treatment and prevention. *Sports Med.* 1997 Jun;23(6):397–404.
- McMaster DT, Gill N, Cronin J, McGuigan M. The development, retention and decay rates of strength and power in elite rugby union, rugby league and American football: a systematic review. *Sports Med.* 2013 May;43(5):367–84.
- Mallo J, Dellal A. Injury risk in professional football players with special reference to the playing position and training periodization. *J Sports Med Phys Fitness.* 2012 Dec;52(6):631–8.
- Monteiro AG, Aoki MS, Evangelista AL, Alveno DA, Monteiro GA, Piçarro Ida C, Ugrinowitsch C. Nonlinear periodization maximizes strength gains in split resistance training routines. *J Strength Cond Res.* 2009 Jul;23(4):1321–6.
- Naclerio F, Moody J, Chapman M. Applied periodization: a methodological approach. *J Hum Sport Exerc.* 2013;8(2):350–66.
- Plisk SS, Stone MH. Periodization strategies. *Strength Cond J.* 2003 Dec;25(6):19–37.
- Prestes J, De Lima C, Frollini AB, Donatto FF, Conte M. Comparison of linear and reverse linear periodization effects on maximal strength and body composition. *J Strength Cond Res.* 2009 Jan;23(1):266–74.
- Rhea MR, Ball SD, Phillips WT, Burkett LN. A comparison of linear and daily undulating periodized programs with equated volume and intensity for strength. *J Strength Cond Res.* 2002 May;16(2):250–5.
- Siff MC. Supertraining. 6th ed. Denver, CO: Supertraining Institute; 2003. 496 pp.
- Silvestre R, Kraemer WJ, West C, Judelson DA, Spiering BA, Vingren JL, Hatfield DL, Anderson JM, Maresh CM. Body composition and physical performance during a National Collegiate Athletic Association Division I men's soccer season. *J Strength Cond Res.* 2006 Nov;20(4):962–70.
- Stone MH, Stone M, Sands WA. Principles and practice of resistance training. Champaign, IL: Human Kinetics; 2007. Chapter 13, The concept of periodization; pp. 259–86.
- Vanlommel L, Vanlommel J, Bollars P, Quisquater L, Van Crombrugge K, Corten K, Bellemans J. Incidence and risk factors of lower leg fractures in Belgian soccer players. *Injury.* 2013 Dec;44(12):1847–50.
- Wathen D, Baechle TR, Earle RW. Training variation: periodization. In: Baechle TR, Earle RW, editors. Essentials of strength training and conditioning. 2nd ed. Champaign, IL: Human Kinetics; 2000. pp. 513–28.
- Worrell TW. Factors associated with hamstring injuries: an approach to treatment and preventative measures. *Sports Med.* 1994;17(5):338–45.
- Zatsiorsky VW, Kraemer WJ. Science and practice of strength training. 2nd ed. Champaign, IL: Human Kinetics; 2006. Chapter 5, Timing in strength training; pp. 89–108

## References

- Aagaard P, Simonsen EB, Beyer N, Larsson B, Magnusson P, Kjaer M. Isokinetic muscle strength and capacity for muscular knee joint stabilization in elite sailors. *Int J Sports Med.* 1997 Oct;18(7):521–5.
- Aagaard P, Simonsen EB, Magnusson SP, Larsson B, Dyhre-Poulsen P. A new concept for isokinetic hamstring: quadriceps muscle strength ratio. *Am J Sports Med.* 1998 Mar–Apr;26(2):231–7.
- Baechle TR, Earle RW, Wathen D. Essentials of strength training and conditioning. 3rd ed. Champaign, IL: Human Kinetics; 2008. 641 pp.
- Beardsley C, Contreras B. The increasing role of the hip extensor musculature with heavier compound lower-body movements and more explosive sport actions. *Strength Cond J.* 2014 Apr;36(2):49–55.
- Behm DG, Leonard A, Young W, Bonsey A, MacKinnon S. Trunk muscle EMG activity with unstable and unilateral exercises. *J Strength Cond Res.* 2005 Feb;19(1):193–201.
- Bird SP, Tarpenning KM, Marino FE. Designing resistance training programmes to enhance muscular fitness: a review of the acute programme variables. *Sports Med.* 2005;35(10):841–51.
- Bondarchuk A. Transfer of training in sports. Grand Rapids, MI: Ultimate Athlete Concepts; 2007. 218 pp.
- Bosch F. Krachttraining en coördinatie, een integratieve benadering. Rotterdam: 2010 Uitgevers; 2012. 352 pp. Campos GE, Luecke TJ, Wendeln HK, Toma K, Hagerman FC, Murray TF, Ragg KE, Ratamess NA, Kraemer WJ, Staron RS. Muscular adaptations in response to three different resistance-training regimens: specificity of repetition maximum training zones. *Eur J Appl Physiol.* 2002 Nov;88(1–2):50–60.
- Cools AM, Witvrouw EE, Declercq GA, Danneels LA, Cambier DC. Scapular muscle recruitment patterns: trapezius muscle latency with and without impingement symptoms. *Am J Sports Med.* 2003 Jul–Aug;31(4):542–9.
- Croisier JL, Ganteaume S, Binet J, Genty M, Ferret JM. Strength imbalances and prevention of hamstring injury in professional soccer players: a prospective study. *Am J Sports Med.* 2008 Aug;36(8):1469–75. de Salles BF, Simão R, Miranda F, Novaes Jda S, Lemos A, Willardson JM. Rest interval between sets in strength training. *Sports Med.* 2009;39(9):765–77. de Salles BF, Simão R, Miranda H, Bottaro M, Fontana F, Willardson JM. Strength increases in upper and lower body are larger with longer inter-set rest intervals in trained men. *J Sci Med Sport.* 2010 Jul;13(4):429–33.
- Docherty D, Robbins D, Hodgson M. Complex training revisited: a review of its current status as a viable training approach. *Strength Cond J.* 2004 Dec;26(6):52–7.
- Ekstrom R, Donatelli R, Carp K. Electromyographical analysis of core trunk, hip, and thigh muscles during 9 rehabilitation exercises. *J Orthop Sports Phys Ther.* 2007 Dec;37(12):754–62.
- Fleck SJ, Kraemer WJ. Designing resistance training programs. 2nd ed. Champaign, IL: Human Kinetics; 1987. 275 pp.
- Fleck SJ, Kraemer WJ. Designing resistance training programs. 3rd ed. Champaign, IL: Human Kinetics; 2004. 392 pp.
- Fleck SJ, Kraemer WJ. Designing resistance training programs. 4th ed. Champaign, IL: Human Kinetics; 2014. 520 pp.
- Gamble P. Strength and conditioning for team sports: sport-specific physical preparation for high performance. 2nd ed. New York: Routledge; 2013. 304 pp.
- Häkkinen K, Pakarinen A. Acute hormonal responses to two different fatiguing heavy-resistance protocols in male athletes. *J Appl Physiol* (1985). 1993 Feb;74(2):882–7.
- Hilfiker R, Hübner K, Lorenz T, Marti B. Effects of drop jumps added to the warm-up of elite sport athletes with a high capacity for explosive force development. *J Strength Cond Res.* 2007 May;21(2):550–5.
- Hoffman JR, Kang J. Strength changes during an in-season resistance-training program for football. *J Strength Cond Res.* 2003 Feb;17(1):109–14.
- Hristov H. How to design strength training programs using Prilepin's table [Internet]. [place unknown: publisher unknown]; 2005 Oct 2 [updated 2005 Oct 2; cited 2015 Feb 17]. Available from: [www.powerliftingwatch.com/files/prelipins.pdf](http://www.powerliftingwatch.com/files/prelipins.pdf).
- Kenn J. The coach's strength training playbook. Monterey, CA: Coaches Choice; 2003. 160 pp. Simão R, Farinatti Pde T, Polito MD, Maior AS, Fleck SJ. Influence of exercise order on the number of repetitions performed and perceived exertion during resistance exercises. *J Strength Cond Res.* 2005 Feb;19(1):152–6. Simão R, Farinatti Pde T, Polito MD, Viveiros L, Fleck SJ. Influence of exercise order on the number of repetitions performed and perceived exertion during resistance exercise in women. *J Strength Cond Res.* 2007 Feb;21(1):23–8.
- Simão R, Spinetti J, de Salles BF, Oliveira LF, Matta T, Miranda F, Miranda H, Costa PB. Influence of exercise order on maximum strength and muscle thickness in untrained men. *J Sports Sci Med.* 2010 Mar;9(1):1–7.
- Spinetti J, de Salles BF, Rhea MR, Lavigne D, Matta T, Miranda F, Fernandes L, Simão R. Influence of exercise order on maximum strength and muscle volume in nonlinear periodized resistance training. *J Strength Cond Res.* 2010 Nov;24(11):2962–9.
- Spreuwenberg LP, Kraemer WJ, Spiering BA, Volek JS, Hatfield DL, Silvestre R, Vingren JL, Fragala MS, Häkkinen K, Newton RU, Maresh CM, Fleck SJ. Influence of exercise order in a resistance-training exercise session. *J Strength Cond Res.* 2006 Feb;20(1):141–4.
- Stoppani J. Encyclopedia of muscle & strength. Champaign, IL: Human Kinetics; 2006. 408 pp.
- Takahashi H, Inaki M, Fujimoto K, Katsuta S, Anno I, Niitsu M, Itai Y. Control of the rate of phosphocreatine resynthesis after exercise in trained and untrained human quadriceps muscles. *Eur J Appl Physiol Occup Physiol.* 1995;71(5):396–404.
- Tallon MJ, Harris RC, Boobis LH, Fallowfield JL, Wise JA. The carnosine content of vastus lateralis is elevated in resistance-trained bodybuilders. *J Strength Cond Res.* 2005 Nov;19(4):725–9.
- Tamanen SP, Siekkinen KM, Häkkinen AH, Mälkiä EA, Kautiainen HJ, Ylinen JJ. Core muscle activation during dynamic upper limb exercises in women. *J Strength Cond Res.* 2012 Dec;26(12):3217–24.
- Tesch PA, Wright JE. Recovery from short term intense exercise: its relation to capillary supply and blood lactate concentration. *Eur J Appl Physiol Occup Physiol.* 1983;52(1):98–103.
- Willardson JM, Burkett LN. The effect of rest interval length on the sustainability of squat and bench press repetitions. *J Strength Cond Res.* 2006 May;20(2):400–3.
- Zatsiorsky VM. Science and practice of strength training. Champaign, IL: Human Kinetics; 1995. 243 pp.
- Zebis MK, Andersen LL, Ellingsgaard H, Aagaard P. Rapid hamstring/quadriceps force capacity in male vs. female elite soccer players. *J Strength Cond Res.* 2011 Jul;25(7):1989–93

## References

- Alcaraz PE, Perez-Gomez J, Chavarrias M, Blazevich AJ. Similarity in adaptations to high-resistance circuit vs. traditional strength training in resistance-trained men. *J Strength Cond Res.* 2011 Sep;25(9):2519–27.
- Alegre LM, Jiménez F, Gonzalo-Orden JM, Martín-Acero R, Aguado X. Effects of dynamic resistance training on fascicle length and isometric strength. *J Sports Sci.* 2006 May;24(5):501–8.
- Alentorn-Geli E, Myer GD, Silvers HJ, Samitier G, Romero D, Lázaro-Haro C, Cugat R. Prevention of non-contact anterior cruciate ligament injuries in soccer players. Part 1: mechanisms of injury and underlying risk factors. *Knee Surg Sports Traumatol Arthrosc.* 2009 Jul;17(7):705–29.
- Alfredson H, Pietila T, Jonsson P, Lorentzon R. Heavy-load eccentric calf muscle training for the treatment of chronic Achilles tendinosis. *Am J Sports Med.* 1998 May–Jun;26(3):360–6.
- Berger R. Optimum repetitions for the development of strength. *Research Quarterly.* 1962;34:334–8.
- Bloomquist K, Langberg H, Karlens S, Madsgaard S, Boesen M, Raastad T. Effect of range of motion in heavy load squatting on muscle and tendon adaptations. *Eur J Appl Physiol.* 2013 Aug;113(8):2133–42.
- Bompa TO, Carrera M. Periodization training for sports: science-based strength and conditioning plans for 17 sports. 2nd ed. Champaign, IL: Human Kinetics; 2005. 272 pp.
- Bompa TO, Haff G. Periodization: theory and methodology of training. 5th ed. Champaign, IL: Human Kinetics; 2009. 480 pp.
- Bondarchuk A. Transfer of training in sports. Grand Rapids, MI: Ultimate Athlete Concepts; 2007. 218 pp.
- Børsheim E, Bahr R. Effect of exercise intensity, duration and mode on post-exercise oxygen consumption. *Sports Med.* 2003;33(14):1037–60.
- Brown SP, Miller WC, Eason JM. Exercise physiology: basis of human movement in health and disease. Philadelphia, PA: Lippincott Williams & Wilkins; 2006. Chapter 22, Exercise for obesity and weight control; pp. 536–53.
- Campos GE, Luecke TJ, Wendeln HK, Toma K, Hagerman FC, Murray TF, Ragg KE, Ratamess NA, Kraemer WJ, Staron RS. Muscular adaptations in response to three different resistance-training regimens: specificity of repetition maximum training zones. *Eur J Appl Physiol.* 2002 Nov;88(1–2):50–60.
- Chestnut JL, Docherty D. The effects of 4 and 10 repetition maximum weight-training protocols on neuromuscular adaptations in untrained men. *J Strength Cond Res.* 1999 Nov;13(4):353–9.
- Cormie P, McCaulley GO, Triplett NT, McBride JM. Optimal loading for maximal power output during lower-body resistance exercises. *Med Sci Sports Exerc.* 2007 Feb;39(2):340–9.
- Cormie P, McGuigan MR, Newton RU. Developing maximal neuromuscular power: part 1 – biological basis of maximal power production. *Sports Med.* 2011 Jan 1;41(1):17–38.
- Croisier JL, Forthomme B, Namurois MH, Vanderthommen M, Crielaard JM. Hamstring muscle strain recurrence and strength performance disorders. *Am J Sports Med.* 2002 Mar–Apr;30(2):199–203.
- Croisier JL, Ganteaume S, Binet J, Genty M, Ferret JM. Strength imbalances and prevention of hamstring injury in professional soccer players: a prospective study. *Am J Sports Med.* 2008 Aug;36(8):1469–75.
- Cronin J, McNair PJ, Marshall RN. Developing explosive power: a comparison of technique and training. *J Sci Med Sport.* 2001 Mar;4(1):59–70.
- Da Silva RL, Brentano MA, Kruehl LF. Effects of different strength training methods on postexercise energetic expenditure. *J Strength Cond Res.* 2010 Aug;24(8):2255–60.
- de Salles BF, Simão R, Miranda F, Novaes Jda S, Lemos A, Willardson JM. Rest interval between sets in strength training. *Sports Med.* 2009;39(9):765–77.
- de Salles BF, Simão R, Miranda H, Bottaro M, Fontana F, Willardson JM. Strength increases in upper and lower body are larger with longer inter-set rest intervals in trained men. *J Sci Med Sport.* 2010 Jul;13(4):429–33.
- Drinkwater EJ, Lawton TW, Lindsell RP, Pyne DB, Hunt PH, McKenna MJ. Training leading to repetition failure enhances bench press strength gains in elite junior athletes. *J Strength Cond Res.* 2005 May;19(2):382–8.
- Dvorak J, Junge A, Derman W, Schwellnus M. Injuries and illnesses of football players during the 2010 FIFA World Cup. *Br J Sports Med.* 2011 Jun;45(8):626–30.
- Dvorkin LS. Tiazhelaya atletika. Uchebnyk dlja vuzov. Moscow: Sovyetsky Sport Publishers; 2005. 600 pp.
- Ebbeling CB, Clarkson PM. Muscle adaptation prior to recovery following eccentric exercise. *Eur J Appl Physiol Occup Physiol.* 1990;60(1):26–31.
- Edge J, Hill-Haas S, Goodman C, Bishop D. Effects of resistance training on H<sup>+</sup> regulation, buffer capacity, and repeated sprints. *Med Sci Sports Exerc.* 2006 Nov;38(11):2004–11.
- Elliot DL, Goldberg L, Kuehl KS. Effect of resistance training on excess post-exercise oxygen consumption. *J Strength Cond Res.* 1992 May;6(2):77–81.
- Fleck SJ, Kraemer WJ. Designing resistance training programs. 4th ed. Champaign, IL: Human Kinetics; 2014. 520 pp.
- Fry AC. The role of resistance exercise intensity on muscle fiber adaptations. *Sports Med.* 2004;34(10):663–79.
- Gamble P. Strength and conditioning for team sports: sport-specific physical preparation for high performance. 2nd ed. New York: Routledge; 2013. 304 pp.
- Gillette CA, Bullough RC, Melby CL. Postexercise energy expenditure in response to acute aerobic or resistive exercise. *Int J Sport Nutr.* 1994 Dec;4(4):347–60.
- Goto K, Nagasawa M, Yanagisawa O, Kizuka T, Ishii N, Takamatsu K. Muscular adaptations to combinations of high- and low-intensity resistance exercises. *J Strength Cond Res.* 2004 Nov;18(4):730–7.
- Goto K, Ishii N, Kizuka T, Takamatsu K. The impact of metabolic stress on hormonal responses and muscular adaptations. *Med Sci Sports Exerc.* 2005 Jun;37(6):955–63.
- Grigg NL, Wearing SC, Smeathers JE. Eccentric calf muscle exercise produces a greater acute reduction in Achilles tendon thickness than concentric exercise. *Br J Sports Med.* 2009 Apr;43(4):280–3.
- Haddock BL, Wilkin LD. Resistance training volume and post exercise energy expenditure. *Int J Sports Med.* 2006 Feb;27(2):143–8.
- Häkkinen K, Komi PV, Alén M. Effect of explosive type strength training on isometric force- and relaxation-time, electromyographic and muscle fiber characteristics of leg extensor muscles. *Acta Physiol Scand.* 1985 Dec;125(4):587–600.
- Harris GR, Stone MH, O'Bryant HS, Proulx CM, Johnson RI. Short-term performance effects of high power, high force, or combined weight-training methods. *J Strength Cond Res.* 2000 Feb;14(1):14–20.
- Hoffman JR, Kang J. Strength changes during an in-season resistance-training program for football. *J Strength Cond Res.* 2003 Feb;17(1):109–14.
- Johnston RD, Gabbett TJ, Jenkins DG, Hulin BT. Influence of physical qualities on post-match fatigue in rugby league players. *J Sci Med Sport.* 2014 Feb 6. [Epub ahead of print]
- Jones K, Bishop P, Hunter G, Fleisig G. The effects of varying resistance-training loads on intermediate and high-velocity-specific adaptations. *J Strength Cond Res.* 2001 Aug;15(3):349–56.

- Kawamori N, Haff GG. The optimal training load for the development of muscular power. *J Strength Cond Res.* 2004 Aug;18(3):675–84.
- Kenn J. The coach's strength training playbook. Monterey, CA: Coaches Choice; 2003. 160 pp
- Krosshaug T, Nakamae A, Boden BP, Engebretsen L, Smith G, Slaughterbeck JR, Hewett TE, Bahr R. Mechanisms of anterior cruciate ligament injury in basketball: video analysis of 39 cases. *Am J Sports Med.* 2007 Mar;35(3):359–67.
- LaStayo PC, Woolf JM, Lewek MD, Snyder-Mackler L, Reich T, Lindstedt SL. Eccentric muscle contractions: their contribution to injury, prevention, rehabilitation, and sport. *J Orthop Sports Phys Ther.* 2003 Oct;33(10):557–71.
- Liow DK, Hopkins WG. Velocity specificity of weight training for kayak sprint performance. *Med Sci Sports Exerc.* 2003 Jul;35(7):1232–7.
- McMahon GE, Morse CI, Burden A, Winwood K, Onambélé GL. Impact of range of motion during ecologically valid resistance training protocols on muscle size, subcutaneous fat, and strength. *J Strength Cond Res.* 2014 Jan;28(1):245–55.
- Michaut A, Pousson M, Belleville J, Van Hoecke J. Recovery of muscle contractility after a strength training session: mechanical, neurophysiologic and biochemical approach. *C R Seances Soc Biol Fil.* 1998;192(1):195–208.
- Miranda H, Fleck SJ, Simão R, Barreto AC, Dantas EH, Novaes J. Effect of two different rest period lengths on the number of repetitions performed during resistance training. *J Strength Cond Res.* 2007 Nov;21(4):1032–6.
- Miranda H, Simão R, Moreira LM, de Souza RA, de Souza JA, de Salles BF, Willardson JM. Effect of rest interval length on the volume completed during upper body resistance exercise. *J Sports Sci Med.* 2009 Sep;8(3):388–92.
- Moritani T. Neuromuscular adaptations during the acquisition of muscle strength, power and motor tasks. *J Biomech.* 1993;26 Suppl 1:95–107.
- Morrissey MC, Harman EA, Johnson MJ. Resistance training modes: specificity and effectiveness. *Med Sci Sports Exerc.* 1995 May;27(5):648–60.
- Murphy E, Schwarzkopf R. Effects of standard set and circuit weight training on excess post-exercise oxygen consumption. *J Strength Cond Res.* 1992 May;6(2):88–91.
- Newton RU, Kraemer WJ. Developing explosive muscular power: implications for a mixed methods training strategy. *Strength Cond J.* 1994 Oct;16(5):20–31.
- Obst SJ, Barrett RS, Newsham-West R. Immediate effect of exercise on Achilles tendon properties: systematic review. *Med Sci Sports Exerc.* 2013 Aug;45(8):1534–44.
- Olbrecht J. The science of winning: planning, periodizing and optimizing swim training. 2nd ed. Tienen, Belgium: F&G Partners, Partners in Sports; 2007. 282 pp.
- Padulo J, Mignogna P, Mignardi S, Tonni F, D'Ottavio S. Effect of different pushing speeds on bench press. *Int J Sports Med.* 2012 May;33(5):376–80.
- Peterson MD, Rhea MR, Alvar BA. Maximizing strength development in athletes: a meta-analysis to determine the dose-response relationship. *J Strength Cond Res.* 2004 May;18(2):377–82.
- Pichon C, Hunter GR, Morris M, Bond RL, Metz J. Blood pressure and heart rate response and metabolic cost of circuit versus traditional weight training. *J Strength Cond Res.* 1996 Aug;10(3):153–6.
- Pincivero DM, Lephart SM, Karunakara RG. Effects of rest interval on isokinetic strength and functional performance after short-term high intensity training. *Br J Sports Med.* 1997 Sep;31(3):229–34.
- Rana SR, Chleboun GS, Gilders RM, Hagerman FC, Herman JR, Hikida RS, Kushnick MR, Staron RS, Toma K. Comparison of early phase adaptations for traditional strength and endurance, and low velocity resistance training programs in college-aged women. *J Strength Cond Res.* 2008 Jan;22(1):119–27.
- Rhea MR, Alvar BA, Burkett LN, Ball SD. A meta-analysis to determine the dose response for strength development. *Med Sci Sports Exerc.* 2003 Mar;35(3):456–64.
- Robinson JM, Stone MH, Johnson RL, Penland CM, Warren BJ, Lewis RD. Effects of different weight training exercise/rest intervals on strength, power, and high intensity exercise endurance. *J Strength Cond Res.* 1995 Nov;9(4):216–21.
- Rooney KJ, Herbert RD, Balnave RJ. Fatigue contributes to the strength training stimulus. *Med Sci Sports Exerc.* 1994 Sep;26(9):1160–4.
- Schoenfeld BJ. The mechanisms of muscle hypertrophy and their application to resistance training. *J Strength Cond Res.* 2010 Oct;24(10):2857–72
- Schoenfeld BJ. Postexercise hypertrophic adaptations: a reexamination of the hormone hypothesis and its applicability to resistance training program design. *J Strength Cond Res.* 2013 Jun;24(6):1720–30.
- Schuenke MD, Mikat RP, McBride JM. Effect of an acute period of resistance exercise on excess post-exercise oxygen consumption: implications for body mass management. *Eur J Appl Physiol.* 2002 Mar;86(5):411–17.
- Schuenke MD, Herman JR, Gliders RM, Hagerman FC, Hikida RS, Rana SR, Ragg KE, Staron RS. Early-phase muscular adaptations in response to slow-speed versus traditional resistance-training regimens. *Eur J Appl Physiol.* 2012 Oct;112(10):3585–95.
- Schuenke MD, Herman J, Staron RS. Preponderance of evidence proves “big” weights optimize hypertrophic and strength adaptations. *Eur J Appl Physiol.* 2013 Jan;113(1):269–71.
- Sedlock DA, Fissinger JA, Melby CL. Effect of exercise intensity and duration on postexercise energy expenditure. *Med Sci Sports Exerc.* 1989 Dec;21(6):662–6.
- Stanish WD, Rubinovich RM, Curwin S. Eccentric exercise in chronic tendinitis. *Clin Orthop Relat Res.* 1986 Jul;(208):65–8.
- Stone MH. Literature review: Explosive exercises and training. *Strength Cond J.* 1993 June;15(3):7–15.
- Stoppani J. Encyclopedia of muscle & strength. Champaign, IL: Human Kinetics; 2006. 408 pp.
- Tanimoto M, Sanada K, Yamamoto K, Kawano H, Gando Y, Tabata I, Ishii N, Miyachi M. Effects of whole-body low-intensity resistance training with slow movement and tonic force generation on muscular size and strength in young men. *J Strength Cond Res.* 2008 Nov;22(6):1926–38.
- Thorborg K. Why hamstring eccentrics are hamstring essentials. *Br J Sports Med.* 2012 Jun;46(7):463–5.
- Thorborg K, Branci S, Nielsen MP, Tang L, Nielsen MB, Hölmich P. Eccentric and isometric hip adduction strength in male soccer players with and without adductor-related groin pain. An assessor-blinded comparison. *Orthopaedic Journal of Sports Medicine.* 2014 Feb;2(2):1–7.
- Thornton MK, Potteiger JA. Effects of resistance exercise bouts of different intensities but equal work on EPOC. *Med Sci Sports Exerc.* 2002 Apr;34(4):715–22.
- Tillin NA, Folland JP. Maximal and explosive strength training elicit distinct neuromuscular adaptations, specific to the training stimulus. *Eur J Appl Physiol.* 2014 Feb;114(2):365–74.
- Willardson JM, Burkett LN. The effect of rest interval length on the sustainability of squat and bench press repetitions. *J Strength Cond Res.* 2006 May;20(2):400–3.
- Woods C, Hawkins RD, Maltby S, Hulse M, Thomas A, Hodson A, Football Association Medical Research Programme. The Football Association Medical Research Programme: an audit of injuries in professional football—analysis of hamstring injuries. *Br J Sports Med.* 2004 Feb;38(1):36–41.
- Yamanaka T, Farley RS, Caputo JL. Occlusion training increases muscular strength in division IA football players. *J Strength Cond Res.* 2012 Sep;26(9):2523–9.

- Yasuda T, Ogasawara R, Sakamaki M, Ozaki H, Sato Y, Abe T. Combined effects of low-intensity blood flow restriction training and high-intensity resistance training on muscle strength and size. *Eur J Appl Physiol*. 2011 Oct;111(10):2525–33.
- Zarins B, Ciullo JV. Acute muscle and tendon injuries in athletes. *Clin Sports Med*. 1983 Mar;2(1):167–82.
- Zatsiorsky VM. *Science and practice of strength training*. Champaign, IL: Human Kinetics; 1995. 243 pp.
- Zatsiorsky VW, Kraemer WJ. *Science and practice of strength training*. 2nd ed. Champaign, IL: Human Kinetics; 2006. 264 pp.
- Zebis MK, Andersen LL, Ellingsgaard H, Aagaard P. Rapid hamstring/quadriceps force capacity in male vs. female elite soccer players. *J Strength Cond Res*. 2011 Jul;25(7):1989–93