

REFERENCES

- Al Attar WS, Soomro N, Pappas E, Sinclair PJ, Sanders RH. How effective are F-MARC injury prevention programs for soccer players? A systematic review and meta-analysis. *Sports Med.* 2016;46:205-217. doi:10.1007/s40279-015-0404-x
- Al Attar WA, Soomro N, Sinclair PJ, Pappas E, Sanders RH. Effect of injury prevention programs that include the nordic hamstring exercise on hamstring injury rates in soccer players: A systematic review and meta-analysis. *Sports Med.* 2017;47(5):907-916. doi:10.1007/s40279-016-0638-2
- Aranda Y, Munuera PV. Plantar fasciitis and its relationship with hallux limitus. *J Am Podiatr Med Assoc.* 2014 May;104(3):263-268. doi:10.7547/0003-0538-104.3.263
- Archbold, P., and G. Mezzadri. Iliotibial band syndrome. *Surgery of the Knee* 2014; 127-130. doi:10.1007/978-1-4471-5631-4_12.
- Ardern CL, Ekås GR, Grindem H, et al. Prevention, diagnosis and management of paediatric ACL injuries. *Br J Sports Med.* 2018;52(20):1297-1298. doi:10.1136/bjsports-2018-099493
- Ardern CL, Taylor NF, Feller JA, Webster KE. Fifty-five per cent return to competitive sport following anterior cruciate ligament reconstruction surgery: An updated systematic review and meta-analysis including aspects of physical functioning and contextual factors. *Br J Sports Med.* 2014;48(21):1543-1552. doi:10.1136/bjsports-2013-093398
- Asmussen E, Bonde-Petersen F, Jorgensen K. Mechano-elastic properties of human muscles at different temperatures. *Acta Physiol Scand.* 1976 Jan;96(1):83-93. doi:10.1111/j.1748-1716.1976.tb10173.x
- Augustsson J. Documentation of strength training for research purposes after ACL reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2013 Aug;21(8):1849-1855.
- Ayala F, López-Valenciano A, Gámez Martín JA, et al. A preventive model for hamstring injuries in professional soccer: Learning algorithms. *Int J Sports Med.* 2019 May;40(5):344-353.
- Barengo NC, Meneses-Echávez JF, Ramírez-Vélez R, Cohen DD, Tovar G, Bautista JE. The impact of the FIFA 11+ training program on injury prevention in football players: a systematic review. *Int J Environ Res Public Health.* 2014;11:11986-12000. doi:10.3390/ijerph11111986
- Bates NA, Ford KR, Myer GD, Hewett TE. Impact differences in ground reaction force and center of mass between the first and second landing phases of a drop vertical jump and their implications for injury risk assessment. *J Biomech.* 2013;46(7):1237-1241. doi:10.1016/j.jbiomech.2013.02.024
- Bergh U, Ekblom B. Influence of muscle temperature on maximal muscle strength and power output in human skeletal muscles. *Acta Physiol Scand.* 1979 Sep;107(1):33-37. doi:10.1111/j.1748-1716.1979.tb06439.x
- Bishop D. Warm up I: potential mechanisms and the effects of passive warm up on exercise performance. *Sports Med.* 2003;33(6):439-454. doi:10.2165/00007256-200333060-00005

- Bourne MN, Duhig SJ, Timmins RG, et al. Impact of the Nordic hamstring and hip extension exercises on hamstring architecture and morphology: implications for injury prevention. *Br J Sports Med.* 2017;51:469-477.
- Brooks JH, Fuller CW, Kemp SP, et al. Incidence, risk, and prevention of hamstring muscle injuries in professional rugby union. *Am J Sports Med.* 2006 Aug;34(8):1297-1306.
- Butterfield TA, Herzog W. Quantification of muscle fiber strain during in vivo repetitive stretch-shortening cycles. *J Appl Physiol.* 2005;99:593-602.
- Cameron KL, Thompson BS, Peck KY, Owens BD, Marshall SW, Svoboda SJ. Normative values for the KOOS and WOMAC in a young athletic population: History of knee ligament injury is associated with lower scores. *Am J Sports Med.* 2013;41(3):582-589. doi:10.1177/0363546512472330
- Cherni Y, Jlid MC, Mehrez H, et al. Eight Weeks of Plyometric Training Improves Ability to Change Direction and Dynamic Postural Control in Female Basketball Players. *Front Physiol.* 2019;10:726. Published 2019 Jun 13. doi:10.3389/fphys.2019.00726
- Collins JD, Almonroeder TG, Ebersole KT, O'Connor KM. The effects of fatigue and anticipation on the mechanics of the knee during cutting in female athletes. *Clin Biomech (Bristol, Avon).* 2016;35:62-67. doi:10.1016/j.clinbiomech.2016.04.004
- Crossley KM, Patterson BE, Culvenor AG, Bruder AM, Mosler AB, Mentiplay BF. Making football safer for women: a systematic review and meta-analysis of injury prevention programmes in 11 773 female football (soccer) players. *Br J Sports Med.* 2020 Sep;54(18):1089-1098.
- Darrall-Jones J, Roe G, Cremen E, Jones, B. Can team-sport athletes accurately run at submaximal sprinting speeds? implications for rehabilitation and warm-up protocols. *J Strength Cond Res.* 2021 Jan. doi:10.1519/JSC.0000000000003960
- de Jonge S, van den Berg C, de Vos RJ, van der Heide HL, Weir A, Verhaar JN, Bierma-Zeinstra SA, Tol, JL. Incidence of midportion Achilles tendinopathy in the general population. *Br J Sports Med.* 2011;45(13):1026-1028.
- Dello Iacono A, Vigotsky A, Laver L, Halperin I. Beneficial effects of small-sided games as a conclusive part of warm-up routines in young elite handball players. *J Strength Cond Res.* 2021 Jun;35(6):1724-1731. doi:10.1519/JSC.0000000000002983
- deVries HA, Housh TJ. *Physiology of exercise for physical education, athletics and exercise science.* 5th ed. Brown; 1995.
- Dickin DC, Johann E, Wang H, Popp JK. Combined effects of drop height and fatigue on landing mechanics in active females. *J Appl Biomech.* 2015;31(4):237-243. doi:10.1123/jab.2014-0190
- Dix C, Logerstedt D, Arundale A, Snyder-Mackler L. Perceived barriers to implementation of injury prevention programs among collegiate women's soccer coaches. *J Sci Med Sport.* 2021 Apr;24(4):352-356. doi:10.1016/j.jsams.2020.09.016
- Draghi F, Bortolotto C, Ferrozzi G. Soleus strain: an underestimated injury? [published online ahead of print, 2021 Jan 5]. *J Ultrasound.* doi:10.1007/s40477-020-00555-7
- Drezner J, Ulager J, Sennett MD. Hamstring muscle injuries in track and field athletes: A 3-year study at the Penn Relay Carnival [abstract]. *Clin J Sport Med.* 2005;15(5):386.

- Ekstrand J, Hägglund M, Waldén M. Injury incidence and injury patterns in professional football - the UEFA injury study [published online ahead of print, 2010 May 29]. *Br J Sports Med*.
- Enoka, RM. *Neuromechanics of Human Movement*. 5th ed. Human Kinetics; 2015.
- Fairclough J, Hayashi K, Toumi H, et al. Is iliotibial band syndrome really a friction syndrome?. *J Sci Med Sport*. 2007;10(2):74-78. doi:10.1016/j.jsams.2006.05.017
- Feeley BT, Kennelly S, Barnes RP, et al. Epidemiology of National Football League training camp injuries from 1998 to 2007. *Am J Sports Med*. 2008 Aug;36(8):1597-1603.
- Fernandez-Fernandez J, García-Tormo V, Santos-Rosa FJ, et al. The effect of a neuromuscular vs. dynamic warm-up on physical performance in young tennis players. *J Strength Cond Res*. 2020 Oct;34(10):2776-2784. doi:10.1519/JSC.0000000000003703
- Finch CF, Twomey DM, Fortington LV, et al. Preventing Australian football injuries with a targeted neuromuscular control exercise programme: comparative injury rates from a training intervention delivered in a clustered randomised controlled trial. *Inj Prev*. 2016 Apr;22(2):123-128.
- Fleck S, Kraemer W. *Designing Resistance Training Programs*. 4th ed. Human Kinetics; 2014:1-62, 179-296.
- Fong DT, Hong Y, Chan LK, Yung PS, Chan KM. A systematic review on ankle injury and ankle sprain in sports. *Sports Med*. 2007;37(1):73-94. doi:10.2165/00007256-200737010-00006
- Ford K, Myer G, Schmitt L, van den Bogert A, Hewett, T. Effect of drop height on lower extremity biomechanical measures in female athletes. *Med Sci Sports Exerc*. 2008;40:S80.
- Fradkin AJ, Gabbe BJ, Cameron PA. Does warming up prevent injury in sport? the evidence from randomised controlled trials? *J Sci Med Sport*. 2006 Jun;9(3):214-220. doi:10.1016/j.jsams.2006.03.026
- Fradkin AJ, Zazryn TR, Smoliga JM. Effects of warming-up on physical performance: a systematic review with meta-analysis. *J Strength Cond Res*. 2010 Jan;24(1):140-148. doi:10.1519/JSC.0b013e3181c643a0
- Frank BS, Gilsdorf CM, Goerger BM, Prentice WE, Padua DA. Neuromuscular fatigue alters postural control and sagittal plane hip biomechanics in active females with anterior cruciate ligament reconstruction. *Sports Health*. 2014;6(4):301-308. doi:10.1177/1941738114530950
- Freckleton G, Cook J, Pizzari T. The predictive validity of a single leg bridge test for hamstring injuries in Australian Rules football players. *Br J Sports Med*. 2014;48:713-717.
- Fuller M, Moyle GM, Minett GM. Injuries across a pre-professional ballet and contemporary dance tertiary training program: A retrospective cohort study. *J Sci Med Sport*. 2020;23(12):1166-1171. doi:10.1016/j.jsams.2020.06.012
- Gabbett TJ, Hulin B, Blanch P, Chapman P, Bailey D. To couple or not to couple? For acute:chronic workload ratios and injury risk, does it really matter? *Int J Sports Med*. 2019;40(9):597-600. doi:10.1055/a-0955-5589

- Gil MH, Neiva HP, Alves AR, et al. The effect of warm-up running technique on sprint performance [published online ahead of print, 2020 Mar 12]. *J Strength Cond Res*. doi:10.1519/JSC.0000000000003528
- Gilchrist, J, Mandelbaum BR, Melancon H, et al. A randomized controlled trial to prevent noncontact anterior cruciate ligament injury in female collegiate soccer players. *Am J Sports Med*. 2008;36:1476-1483.
- Goel R, Abzug JM. de Quervain's tenosynovitis: a review of the rehabilitative options. *Hand (N Y)*. 2015 Mar;10(1):1-5.
- Goodwill AM, Pearce AJ, Kidgell DJ. Corticomotor plasticity following unilateral strength training. *Muscle Nerve*. 2012 Sep;46(3):384-393.
- Goossens L, Witvrouw E, Vanden Bossche L, et al. Lower eccentric hamstring strength and single leg hop for distance predict hamstring injury in PETE students. *Eur J Sport Sci* 2015;15:436-442.
- Green B, Bourne MN, van Dyk N, Pizzari T. Recalibrating the risk of hamstring strain injury (HSI): A 2020 systematic review and meta-analysis of risk factors for index and recurrent hamstring strain injury in sport. *Br J Sports Med*. 2020;54(18):1081-1088. doi:10.1136/bjsports-2019-100983
- Gremion G. Les exercices d'étirement dans la pratique sportive ont-ils encore leur raison d'être? Une revue de la littérature [Is stretching for sports performance still useful? A review of the literature]. *Rev Med Suisse*. 2005;1(28):1830-1834.
- Grindstaff TL, Potach, DH. Prevention of common wrestling injuries. *Strength Cond J*. 2006 Aug;28(4):20-28.
- Harwin JR, Richardson ML. "Tennis leg": gastrocnemius injury is a far more common cause than plantaris rupture. *Radiol Case Rep*. 2016;12(1):120-123. doi:10.1016/j.radcr.2016.10.012
- Heiser TM, Weber J, Sullivan G, et al. Prophylaxis and management of hamstring muscle injuries in intercollegiate football players. *Am J Sports Med*. 1984 Sep-Oct;12(5):368-370.
- Herman K, Barton C, Malliaras P, Morrissey D. The effectiveness of neuromuscular warm-up strategies, that require no additional equipment, for preventing lower limb injuries during sports participation: a systematic review. *BMC Med*. 2012;10:75. Published 2012 Jul 19. doi:10.1186/1741-7015-10-75
- Hewett TE, Myer GD, Ford KR, et al. Biomechanical measures of neuromuscular control and valgus loading of the knee predict anterior cruciate ligament injury risk in female athletes: a prospective study. *Am J Sports Med*. 2005;33(4):492-501. doi:10.1177/0363546504269591
- Hewett TE, Ford KR, Myer GD. Anterior cruciate ligament injuries in female athletes: Part 2, a meta-analysis of neuromuscular interventions aimed at injury prevention. *Am J Sports Med*. 2006;34(3):490-498. doi:10.1177/0363546505282619
- Higashihara A, Nagano Y, Ono T, et al. Differences in hamstring activation characteristics between the acceleration and maximum-speed phases of sprinting. *J Sports Sci*. 2018;36:1313-1318.
- Hiller CE, Nightingale EJ, Raymond J, et al. Prevalence and impact of chronic musculoskeletal ankle disorders in the community. *Arch Phys Med Rehabil*. 2012;93(10):1801-1807. doi:10.1016/j.apmr.2012.04.023

- Hoffman J. *Physiological Aspects of Sport Training and Performance*. Human Kinetics; 2002.
- Huang YL, Jung J, Mulligan CMS, Oh J, Norcross MF. A majority of anterior cruciate ligament injuries can be prevented by injury prevention programs: a systematic review of randomized controlled trials and cluster-randomized controlled trials with meta-analysis. *Am J Sports Med*. 2020 May;48(6):1505-1515. doi:10.1177/0363546519870175
- Hutchinson LA, Lichtwark GA, Willy RW, Kelly LA. The iliotibial band: A complex structure with versatile functions [published online ahead of print, 2022 Jan 24]. *Sports Med*. 2022;10.1007/s40279-021-01634-3. doi:10.1007/s40279-021-01634-3
- Johansson F, Cools A, Gabbett T, Fernandez-Fernandez J, Skillgate E. Association between spikes in external training load and shoulder injuries in competitive adolescent tennis players: The SMASH cohort study. *Sports Health*. 2022;14(1):103-110. doi:10.1177/19417381211051643
- Jones RI, Ryan B, Todd AI. Muscle fatigue induced by a soccer match-play simulation in amateur Black South African players. *J Sports Sci*. 2015;33(12):1305-1311. doi:10.1080/02640414.2015.1022572
- Khayambashi K, Ghoddosi N, Straub RK, Powers CM. Hip muscle strength predicts noncontact anterior cruciate ligament injury in male and female athletes: a prospective study. *Am J Sports Med*. 2016 Feb;44(2):355-361.
- Klugman MF, Brent JL, Myer GD, Ford KR, Hewett TE. Does an in-season only neuromuscular training protocol reduce deficits quantified by the tuck jump assessment? *Clin Sports Med*. 2011;30:825-840.
- Knapik JJ, Bauman CL, Jones BH, Harris JM, Vaughan L. Preseason strength and flexibility imbalances associated with athletic injuries in female collegiate athletes. *Am J Sports Med*. 1991;19:76-81.
- Kongsgaard M, Aagaard P, Roikjaer S, Olsen D, Jensen M, Langberg H. Decline eccentric squats increases patellar tendon loading compared to standard eccentric squats. *Clin Biomech* (Bristol, Avon). 2006;21:748-754.
- Kumagai K, Abe T, Brechue WF, Ryushi T, Takano S, Mizuno M. Sprint performance is related to muscle fascicle length in male 100-m sprinters. *J Appl Physiol* (1985). 2000;88(3):811-816. doi:10.1152/jappl.2000.88.3.811
- Landorf KB, Kaminski MR, Munteanu SE, Zammit GV, Menz HB. Clinical measures of foot posture and ankle joint dorsiflexion do not differ in adults with and without plantar heel pain. *Sci Rep*. 2021 Mar 19;11(1):6451. doi:10.1038/s41598-021-85520-y
- Markolf KL, Burchfield DM, Shapiro MM, Shepard MF, Finerman GA, Slauterbeck JL. Combined knee loading states that generate high anterior cruciate ligament forces. *J Orthop Res*. 1995;13(6):930-935. doi:10.1002/jor.1100130618
- Martinez JC, Mazerolle SM, Denegar CR, et al. Female adolescent athletes' attitudes and perspectives on injury prevention programs. *J Sci Med Sport*. 2017;20(2):146-151. doi:10.1016/j.jsams.2016.06.009
- Marušič J, Vatovec R, Markovič G, Šarabon N. Effects of eccentric training at long-muscle length on architectural and functional characteristics of the hamstrings. *Scand J Med Sci Sports*. 2020 Nov;30(11):2130-2142.

- Mawson R, Creech MJ, Peterson DC et al. Lower limb injury prevention programs in youth soccer: a survey of coach knowledge, usage, and barriers. *J Exp Orthop*. 2018;5:43. doi:10.1186/s40634-018-0160-6
- Mayo M, Seijas R, Alvarez P. Structured neuromuscular warm-up for injury prevention in young elite football players. *Rev Esp Cir Ortop Traumatol*. 2014;58:336-342. doi:10.1016/j.recote.2014.09.004
- McArdle WD, Katch FI, Katch VL. *Exercise Physiology: Nutrition, Energy, and Human Performance*. 8th ed. LWW; 2014.
- McBride JM, McCaulley GO, Cormie P, Nuzzo JL, Cavill MJ, Triplett NT. Comparison of methods to quantify volume during resistance exercise. *J Strength Cond Res*. 2009 Jan;23(1):106-110.
- McGowan CJ, Pyne DB, Thompson KG, Rattray B. Warm-up strategies for sport and exercise: Mechanisms and applications. *Sports Med*. 2015;45:1523-1546.
- Mendiguchia J, Conceição F, Edouard P, et al. Sprint versus isolated eccentric training: comparative effects on hamstring architecture and performance in soccer players. *PLoS One*. 2020 Feb 11;15(2):e0228283. doi:10.1371/journal.pone.0228283
- Miranda DL, Fadale PD, Hulstyn MJ, Shalvoy RM, Machan JT, Fleming BC. Knee biomechanics during a jump-cut maneuver: effects of sex and ACL surgery. *Med Sci Sports Exerc*. 2013 May;45(5):942-951.
- Moffroid MT, Haugh LD, Haig AJ, Henry SM, Pope MH. Endurance training of trunk extensor muscles. *Phys Ther*. 1993;73:10-17.
- Moore D, Semciw AI, Pizzari T. A systematic review and meta-analysis of common therapeutic exercises that generate highest muscle activity in the gluteus medius and gluteus minimus segments. *Int J Sports Phys Ther*. 2020;15(6):856-881. doi:10.26603/ijsp20200856
- Morin JB, Gimenez P, Edouard P, et al. Sprint acceleration mechanics: the major role of hamstrings in horizontal force production. *Front Physiol*. 2015;6:404. doi:10.3389/fphys.2015.00404
- Myer GD, Brent JL, Ford KR, Hewett TE.. A pilot study to determine the effect of trunk and hip focused neuromuscular training on hip and knee isokinetic strength. *Br J Sports Med*. 2008;42:614-619.
- Myer GD, Faigenbaum AD, Foss KB, et al. Injury initiates unfavourable weight gain and obesity markers in youth. *Br J Sports Med*. 2013;48(20):1477-1481. doi:10.1136/bjsports-2012-091988
- Myer GD, Ford KR, Barber Foss KD, Liu C, Nick TG, Hewett TE. The relationship of hamstrings and quadriceps strength to anterior cruciate ligament injury in female athletes. *Clin J Sport Med*. 2009 Jan;19(1):3-8.
- Myer GD, Ford KR, Brent JL, Hewett TE. Differential neuromuscular training effects on ACL injury risk factors in “high-risk” versus “low-risk” athletes. *BMC musculoskeletal disorders*. 2007;8:39.
- Myer GD, Ford KR, Brent JL, Hewett TE. The effects of plyometric versus dynamic balance training on power, balance and landing force in female athletes. *J Strength Cond Res*. 2006;20:345-353.

- Myer GD, Ford KR, Hewett TE. Rationale and clinical techniques for anterior cruciate ligament injury prevention among female athletes. *J Athl Train*. 2004;39:352-364.
- Myer GD, Ford KR, Khoury J, Succop P, Hewett TE. Biomechanics laboratory-based prediction algorithm to identify female athletes with high knee loads that increase risk of ACL injury. *Br J Sports Med*. 2011 Apr;45(4):245-252.
- Myer GD, Ford KR, McLean SG, Hewett TE. The effects of plyometric versus dynamic stabilization and balance training on lower extremity biomechanics. *Am J Sports Med*. 2006;34:445-455.
- Myer GD, Ford KR, Palumbo JP, Hewett TE. Neuromuscular training improves performance and lower-extremity biomechanics in female athletes. *J Strength Cond Res*. 2005;19:51-60.
- Myer GD, Lloyd RS, Brent JL, Faigenbaum AD. How young is “too young” to start training? *ACSMs Health Fit J*. 2013;17:14-23.
- Myer GD, Stroube BW, DiCesare CA, et al. Augmented feedback supports skill transfer and reduces high-risk injury landing mechanics: a double-blind, randomized controlled laboratory study. *Am J Sports Med*. 2013;41:669-677.
- National Strength and Conditioning Association, Haff G, Travis TN. *Essentials of strength training and conditioning*. 4th ed. Human Kinetics; 2016:440.
- Niederbracht Y, Shim AL, Sloniger MA, Paternostro-Bayles M, Short TH. Effects of a shoulder injury prevention strength training program on eccentric external rotator muscle strength and glenohumeral joint imbalance in female overhead activity athletes. *J Strength Cond Res*. 2008 Jan;22(1):140-145.
- Noyes FR, Barber Westin SD. Anterior cruciate ligament injury prevention training in female athletes: a systematic review of injury reduction and results of athletic performance tests. *Sports Health*. 2012 Jan;4(1):36-46. doi:10.1177/1941738111430203
- Nussbaum ED, Hosea TM, Sieler SD, Incremona BR, Kessler DE. Prospective evaluation of syndesmotic ankle sprains without diastasis. *Am J Sports Med*. 2001;29:31-35.
- O'Bryant HS, Byrd R, Stone MH. Cycle ergometer performance and maximum leg and hip strength adaptations to two different methods of weight-training. *J Strength Conditioning Res*. 1988;2(2):27-30.
- O'Connor KM, Johnson C, Benson LC. The effect of isolated hamstrings fatigue on landing and cutting mechanics. *J Appl Biomech*. 2015;31(4):211-220. doi:10.1123/jab.2014-0098
- Okoroa KR, Conte S, Makhni EC, et al. Hamstring injury trends in Major and Minor League Baseball: epidemiological findings from the Major League Baseball health and injury tracking system. *Orthop J Sports Med*. 2019;7(7):2325967119861064. doi:10.1177/2325967119861064
- Olewnik L, Wysiadecki G, Polguj M, Topol M. The report on the co-occurrence of two different rare anatomic variations of the plantaris muscle tendon on both sides of an individual. *Folia Morphologica (Poland)*. 2017;76(2):331-333.
- Oliveira FB, Oliveira AS, Rizzato GF, Denadai BS. Resistance training for explosive and maximal strength: effects on early and late rate of force development. *J Sports Sci Med*. 2013 Sep 1;12(3):402-408.

- Oliver GD, Dougherty CP. The razor curl: a functional approach to hamstring training. *J Strength Cond Res*. 2009 Mar;23(2):401-405. doi:10.1519/JSC.0b013e31818f08d0
- Opplert J, Babault N. Acute effects of dynamic stretching on muscle flexibility and performance: An analysis of the current literature. *Sports Med*. 2018;48(2):299-325. doi:10.1007/s40279-017-0797-9
- Palmieri-Smith RM, McLean SG, Ashton-Miller JA, Wojtys EM. Association of quadriceps and hamstrings cocontraction patterns with knee joint loading. *J Athl Train*. 2009;44(3):256-263. doi:10.4085/1062-6050-44.3.256
- Paterno MV, Rauh MJ, Schmitt LC, Ford KR, Hewett TE. Incidence of second ACL injuries 2 years after primary ACL reconstruction and return to sport. *Am J Sports Med*. 2014;42(7):1567-1573. PMID: PMC4205204
- Paterno MV, Schmitt LC, Ford KR, et al. *Am J Sports Med*. 2010 Oct;38(10):1968-1978.
- Petushek EJ, Sugimoto D, Stoolmiller M, Smith G, Myer GD. Evidence-based best-practice guidelines for preventing anterior cruciate ligament injuries in young female athletes: a systematic review and meta-analysis. *Am J Sports Med*. 2019 Jun;47(7):1744-1753.
- Pollard CD, Sigward SM, Powers CM. ACL injury prevention training results in modification of hip and knee mechanics during a drop-landing task. *Orthop J Sports Med*. 2017 Sep 8;5(9):2325967117726267. doi:10.1177/2325967117726267
- Potach DH, Myer G, Grindstaff, TL. Special consideration: female athlete and ACL injury prevention. In: Parikh SN, editor. *The Pediatric Anterior Cruciate Ligament*. Springer; 2018:251-283.
- Powell RW. Lawn tennis leg. *Lancet*. 1883;122(3123):44.
- Prince C, Morin JB, Mendiguchia J, et al. Sprint specificity of isolated hamstring-strengthening exercises in terms of muscle activity and force production. *Front Sports Act Living*. 2021 Jan 21;2:609636. doi:10.3389/fspor.2020.609636
- Proske U, Morgan DL. Muscle damage from eccentric exercise: mechanism, mechanical signs, adaptation and clinical applications. *J Physiol*. 2001;537:333-345.
- Quatman CE, Hewett TE. The anterior cruciate ligament injury controversy: is “valgus collapse” a sex-specific mechanism? *Br J Sports Med*. 2009;43:328-335.
- Rodríguez C, Echegoyen S, Aoyama T. The effects of “Prevent injury and Enhance Performance Program” in a female soccer team. *J Sports Med Phys Fitness*. 2018 May;58(5):659-663. doi:10.23736/S0022-4707.17.07024-4
- Rössler R, Verhagen E, Rommers N, et al. Comparison of the “11+ Kids” injury prevention programme and a regular warmup in children’s football (soccer): a cost effectiveness analysis. *Br J Sports Med*. 2019 Mar;53(5):309-314. doi:10.1136/bjsports-2018-099395
- Sá MA, Neto GR, Costa PB, et al. Acute effects of different stretching techniques on the number of repetitions in a single lower body resistance training session. *J Hum Kinet*. 2015;45:177-185. Published 2015 Apr 7. doi:10.1515/hukin-2015-0018
- Sands WA. Injury prevention in women’s gymnastics. *Sports Med*. 2000;30(5):359-373. doi:10.2165/00007256-200030050-00004
- Schneider DK, Grandhi RK, Bansal P, et al. Current state of concussion prevention strategies: a systematic review and meta-analysis of prospective, controlled studies. *Br J Sports Med*. 2017 Oct;51(20):1473-1482.

- Schuermans J, Van Tiggelan D, Danneels L, et al. Susceptibility to hamstring injuries in soccer: a prospective study using muscle functional magnetic resonance imaging. *Am J Sports Med.* 2016;44:1276-1285.
- Sell TC, Ferris CM, Abt JP, et al. Predictors of proximal tibia anterior shear force during a vertical stop-jump. *J Orthop Res.* 2007;25(12):1589-1597.
- Shiri R, Coggon D, Falah-Hassani K. Exercise for the prevention of low back pain: systematic review and meta-analysis of controlled trials. *Am J Epidemiol.* 2018 May;187(5):1093-1101.
- Shrier I. Stretching before exercise: an evidence based approach. *Br J Sports Med.* 2000 Oct;34(5):324-325. doi:10.1136/bjism.34.5.324
- Shrier I. Stretching before exercise does not reduce the risk of local muscle injury: a critical review of the clinical and basic science literature. *Clin J Sport Med.* 1999 Oct;9(4):221-227. doi:10.1097/00042752-199910000-00007
- Shultz SJ, Schmitz RJ, Cone JR, et al. Changes in fatigue, multiplanar knee laxity, and landing biomechanics during intermittent exercise. *J Athl Train.* 2015;50(5):486-497. doi:10.4085/1062-6050-49.5.08
- Silva LM, Neiva HP, Marques MC, Izquierdo M, Marinho DA. Effects of warm-up, post-warm-up, and re-warm-up strategies on explosive efforts in team sports: A systematic review. *Sports Med.* 2018;48:2285-2299.
- Silvers HJ, Mandelbaum BR. Preseason conditioning to prevent soccer injuries in young women. *Clin J Sport Med.* 2001 Jul;11(3):206.
- Silvers-Granelli H, Mandelbaum B, Adeniji O, et al. Efficacy of the FIFA 11+ injury prevention program in the collegiate male soccer player. *Am J Sports Med.* 2015 Nov;43(11):2628-2637. doi:10.1177/0363546515602009
- Söderman K, Alfredson H, Pietilä T, Werner S.. Risk factors for leg injuries in female soccer players: a prospective investigation during one out-door season. *Knee Surg Sports Traumatol Arthrosc.* 2001;9:313-321.
- Stearns-Reider KM, Straub RK, Powers CM. Hip abductor rate of torque development as opposed to isometric strength predicts peak knee valgus during landing: implications for anterior cruciate ligament injury. *J Appl Biomech.* 2021 Sep 20;37(5):471-476.
- Stone MH, Sands WA, Pierce KC, Ramsey MW, Haff GG. Power and power potentiation among strength-power athletes: preliminary study. *Int J Sports Physiol Perform.* 2008 Mar;3(1):55-67. doi:10.1123/ijsp.3.1.55
- Stroube BW, Myer GD, Brent JL, Ford KR, Heidt RS, Jr., Hewett TE. Effects of task-specific augmented feedback on deficit modification during performance of the tuck-jump exercise. *J Sport Rehabil.* 2013;22:7-18.
- Sugimoto D, Mattacola CG, Bush HM, et al. Preventive neuromuscular training for young female athletes: comparison of coach and athlete compliance rates. *J Athl Train.* 2017;52(1):58-64. doi:10.4085/1062-6050-51.12.20
- Sugimoto D, Myer GD, Bush HM, Hewett TE. Effects of compliance on trunk and hip integrative neuromuscular training on hip abductor strength in female athletes. *J Strength Cond Res.* 2014;28:1187-1194.

- Sugimoto D, Myer GD, Bush HM, Klugman MF, Medina McKeon JM, Hewett TE. Compliance with neuromuscular training and anterior cruciate ligament injury risk reduction in female athletes: a meta-analysis. *J Athl Train*. 2012;47:714-723.
- Sugimoto D, Myer GD, Micheli LJ, Hewett TE. ABCs of evidence-based anterior cruciate ligament injury prevention strategies in female athletes. *Curr Phys Med Rehabil Rep*. 2015;3(1):43-49. doi:10.1007/s40141-014-0076-8
- Sugimoto D, Myer G, Barber-Foss K, Hewett T. Dosage effects of neuromuscular training intervention to reduce anterior cruciate ligament injuries in female athletes: Meta- and sub-group analyses. *Sports Med*. 2014;44:551-562.
- Swanson J. A functional approach to warm-up and flexibility. *Strength Cond J*. 2006;28:30-36.
- Taddei UT, Matias AB, Duarte M, Sacco ICN. Foot core training to prevent running-related injuries: a survival analysis of a single-blind, randomized controlled trial. *Am J Sports Med*. 2020 Dec;48(14):3610-3619.
- Takeuchi K, Takemura M, Nakamura M, Tsukuda F, Miyakawa S. Effects of active and passive warm-ups on range of motion, strength, and muscle passive properties in ankle plantarflexor muscles. *J Strength Cond Res*. 2021 Jan;35(1):141-146. doi:10.1519/JSC.0000000000002642
- Tamura A, Akasaka K, Otsudo T, et al. Fatigue alters landing shock attenuation during a single-leg vertical drop jump. *Orthop J Sports Med*. 2016;4(1):2325967115626412. Published 2016 Jan 14. doi:10.1177/2325967115626412
- Tanaka MJ, Jones LC, Forman JM. Awareness of anterior cruciate ligament injury: preventive training programs among female collegiate athletes. *J Athl Train*. 2020 Apr;55(4):359-364.
- Tyler TF, Silvers HJ, Gerhardt MB, Nicholas SJ. Groin injuries in sports medicine. *Sports Health*. 2010;2(3):231-236. doi:10.1177/1941738110366820
- van der Horst N, Smits DW, Petersen J, Goedhart EA, Backx FJ. The preventive effect of the Nordic hamstring exercise on hamstring injuries in amateur soccer players: study protocol for a randomised controlled trial. *Inj Prev*. 2014;20(4):e8. doi:10.1136/injuryprev-2013-041092
- van Dyk N, Behan FP, Whiteley R. Including the Nordic hamstring exercise in injury prevention programmes halves the rate of hamstring injuries: a systematic review and meta-analysis of 8459 athletes. *Br J Sports Med*. 2019;53:1362-1370.
- Vuurberg G, Hoorntje A, Wink LM, et al. Diagnosis, treatment and prevention of ankle sprains: update of an evidence-based clinical guideline. *Br J Sports Med*. 2018 Aug;52(15):956. doi:10.1136/bjsports-2017-098106
- Warden SJ, Davis IS, Fredericson M. Management and prevention of bone stress injuries in long-distance runners. *J Orthop Sports Phys Ther*. 2014 Oct;44(10):749-765.
- Webster KE, Hewett TE. Meta-analysis of meta-analyses of anterior cruciate ligament injury reduction training programs. *J Orthop Res*. 2018 Oct;36(10):2696-2708. doi:10.1002/jor.24043
- Weier AT, Pearce AJ, Kidgell DJ. Strength training reduces intracortical inhibition. *Acta Physiol (Oxf)*. 2012 Oct;206(2):109-119.

- Whittaker JL, Woodhouse LJ, Nettel-Aguirre A, Emery CA. Outcomes associated with early post-traumatic osteoarthritis and other negative health consequences 3-10 years following knee joint injury in youth sport. *Osteoarthritis Cartilage*. 2015;23(7):1122-1129. doi:10.1016/j.joca.2015.02.021
- Wilk KE, Lupowitz LG, Arrigo CA. The youth throwers ten exercise program: A variation of an exercise series for enhanced dynamic shoulder control in the youth overhead throwing athlete. *Int J Sports Phys Ther*. 2021;16(6):1387-1395. Published 2021 Dec 1. doi:10.26603/001c.29923
- Will JS, Bury DC, Miller JA. Mechanical low back pain. *Am Fam Physician*. 2018 Oct 1;98(7):421-428.
- Withrow TJ, Huston LJ, Wojtys EM, Ashton-Miller JA. Effect of varying hamstring tension on anterior cruciate ligament strain during in vitro impulsive knee flexion and compression loading. *J Bone Joint Surg Am*. 2008;90:815-823.
- Witvrouw E, Mahieu N, Danneels L, McNair P. Stretching and injury prevention: an obscure relationship. *Sports Med*. 2004;34(7):443-449. doi:10.2165/00007256-200434070-00003
- Yamaguchi T, Ishii K, Yamanaka M, Yasuda K. Acute effect of static stretching on power output during concentric dynamic constant external resistance leg extension. *J Strength Cond Res*. 2006;20(4):804-810. doi:10.1519/R-18715.1
- Young W, Behm D. Should static stretching be used during a warm-up for strength and power activities? *NSCA Journal*. 2002;24(6):33-37.
- Yu B, Lin CF, Garrett WE. Lower extremity biomechanics during the landing of a stop-jump task. *Clin Biomech* (Bristol, Avon). 2006;21(3):297-305.
- Zebis MK, Andersen LL, Bencke J, Kjaer M, Aagaard P. Identification of athletes at future risk of anterior cruciate ligament ruptures by neuromuscular screening. *Am J Sports Med*. 2009 Oct;37(10):1967-1973.

ADDITIONAL REFERENCE

- International Olympic Committee Pediatric ACL Injury Consensus Group, Ardern CL, Ekås G, et al. 2018 International Olympic Committee consensus statement on prevention, diagnosis, and management of pediatric anterior cruciate ligament injuries. *Orthop J Sports Med*. 2018 Mar 21;6(3):2325967118759953.