

References

Introduction

1. Schrag A, Jahanshahi M, Quinn N. What contributes to quality of life in patients with Parkinson's disease? *Journal of Neurology, Neurosurgery & Psychiatry* 2000;69(3):308e12.
2. Stolze H, Klebe S, Zechlin C, Baecker C, Friege L, Deuschl G. Falls in frequent neurological diseases—prevalence, risk factors and aetiology. *Journal of Neurology* 2004;251(1):79e84.
3. Allen NE, Schwarzel AK, Canning CG. Recurrent falls in Parkinson's disease: a systematic review. *Parkinson's Disease* 2013;2013:906274.
4. Dorsey ER, Constaninescu R, Thompson JP, et al. Projected number of people with Parkinson disease in the most populous nations, 2005 through 2030. *Neurology* 2007; 68(5):384e6.
5. Horak FB. Postural orientation and equilibrium: what do we need to know about neural control of balance to prevent falls? *Age and Ageing* 2006;35(Suppl. 2):ii7e11.

Chapter 1

1. Macpherson J, Horak FB. Posture. In: Principles of neural science. 5th ed. The McGraw-Hill companies I; 2013.
2. Dakin CJ, Rosenberg A. Gravity estimation and verticality perception. *Handbook of Clinical Neurology* 2018;159:43e59.
3. Wapner S, Werner H. Experiments on sensory-tonic field theory of perception. V. Effect of body status on the kinaesthetic perception of verticality. *Journal of Experimental Psychology* 1952;44(2):126e31.
4. Shaw JA, Stefanyk LE, Frank JS, Jog MS, Adkin AL. Effects of age and pathology on stance modifications in response to increased postural threat. *Gait & Posture* 2012; 35(4):658e61.
5. St George RJ, Gurfinkel VS, Kraakevik J, Nutt JG, Horak FB. Case studies in neuroscience: a dissociation of balance and posture demonstrated by camptocormia. *Journal of Neurophysiology* 2017. <https://doi.org/10.1152/jn.00582.2017>.
6. Ivanenko Y, Gurfinkel VS. Human postural control. *Frontiers in Neuroscience* 2018;12:171.
7. Schepens B, Drew T. Independent and convergent signals from the pontomedullary reticular formation contribute to the control of posture and movement during reaching in the cat. *Journal of Neurophysiology* 2004;92(4):2217e38.
8. Burke RE. Sir Charles Sherrington's the integrative action of the nervous system: a centenary appreciation. *Brain: A Journal of Neurology* 2007;130(Pt 4):887e94.
9. Mackinnon C. Sensorimotor anatomy of gait, balance, and falls. In: *Handbook of clinical neurology*. Elsevier; 2018.
10. Peterka RJ. Sensorimotor integration in human postural control. *Journal of Neurophysiology* 2002;88(3):1097e118.
11. Dickstein R, Peterka RJ, Horak FB. Effects of light fingertip touch on postural responses in subjects with diabetic neuropathy. *Journal of Neurology Neurosurgery and Psychiatry* 2003;74(5):620e6.
12. Lackner JR, Rabin E, DiZio P. Stabilization of posture by precision touch of the index finger with rigid and flexible filaments. *Experimental Brain Research* 2001;139(4):454e64.
13. Peterson DS, Dijkstra BW, Horak FB. Postural motor learning in people with Parkinson's disease. *Journal of Neurology* 2016;263(8):1518e29.
14. Jacobs JV, Horak FB. Cortical control of postural responses. *Journal of Neural Transmission* 2007;114(10):1339e48.
15. Belen'kii VE, Gurfinkel VS, Pal'tsev EI. Control elements of voluntary movements. *Biofizika* 1967;12(1):135e41.
16. Mancini M, Zampieri C, Carlson-Kuhta P, Chiari L, Horak FB. Anticipatory postural adjustments prior to step initiation are hypometric in untreated Parkinson's disease: an accelerometer-based approach. *European Journal of Neurology* 2009;16(9):1028e34.
17. Cordo PJ, Nashner LM. Properties of postural adjustments associated with rapid arm movements. *Journal of Neurophysiology* 1982;47(2):287e302.
18. Frank JS, Patla AE. Balance and mobility challenges in older adults: implications for preserving community mobility. *American Journal of Preventive Medicine* 2003;25(3 Suppl. 2): 157e63.
19. Shimba T. An estimation of center of gravity from force platform data. *Journal of Biomechanics* 1984;17(1):53e60.
20. Winter DA. The biomechanics and motor control of human gait: normal, elderly and pathological. Waterloo (Ontario): Waterloo Biomechanics; 1991.
21. Winter DA, Ruder GK, MacKinnon CD. Control of balance of upper body during gait. In: Winters JM, Woo SLY, editors. *Multiple muscle systems: biomechanics and movement organization*. New York, NY: Springer New York; 1990. p. 534e41.
22. Winter DA, MacKinnon CD, Ruder GK, Wieman C. An integrated EMG/biomechanical model of upper body balance and posture during human gait. *Progress in Brain Research* 1993;97:359e67.
23. Cummings SR, Nevitt MC. Falls. *New England Journal of Medicine* 1994;331(13):872e3.
24. Sherrington CS. Flexion-reflex of the limb, crossed extension-reflex, and reflex stepping and standing. *The Journal of Physiology* 1910;40(1e2):28e121.
25. Diener HC, Ackermann H, Dichgans J, Guschlbauer B. Medium- and long-latency responses to displacements of the ankle joint in patients with spinal and central lesions. *Electroencephalography and Clinical Neurophysiology* 1985;60(5):407e16.
26. Takakusaki K. Functional neuroanatomy for posture and gait control. *Journal of Movement Disorder* 2017;10(1):1e17.
27. Jahn K, Zwergal A. Imaging supraspinal locomotor control in balance disorders. *Restorative Neurology and Neuroscience*

- 2010;28(1):105e14.
28. Jacobs JV, Lou JS, Kraakevik JA, Horak FB. The supplementary motor area contributes to the timing of the anticipatory postural adjustment during step initiation in participants with and without Parkinson's disease. *Neuroscience* 2009;164(2):877e85.
 29. Cullen KE. Physiology of central pathways. *Handbook of Clinical Neurology* 2016;137:17e40.
 30. Drew T, Dubuc R, Rossignol S. Discharge patterns of reticulospinal and other reticular neurons in chronic, unrestrained cats walking on a treadmill. *Journal of Neurophysiology* 1986;55(2):375e401.
 31. Prentice SD, Drew T. Contributions of the reticulospinal system to the postural adjustments occurring during voluntary gait modifications. *Journal of Neurophysiology* 2001; 85(2):679e98.
 32. Gilat M, Shine JM, Walton CC, O'Callaghan C, Hall JM, Lewis SJG. Brain activation underlying turning in Parkinson's disease patients with and without freezing of gait: a virtual reality fMRI study. *NPJ Parkinson's Disease* 2015;1:15020.
 33. Boisgontier MP, Cheval B, Chalavi S, et al. Individual differences in brainstem and basal ganglia structure predict postural control and balance loss in young and older adults. *Neurobiology of Aging* 2017;50:47e59.
 34. Burciu RG, Fritsche N, Granert O, et al. Brain changes associated with postural training in patients with cerebellar degeneration: a voxel-based morphometry study. *Journal of Neuroscience: The Official Journal of the Society for Neuroscience* 2013;33(10):4594e604.
 35. Mihara M, Miyai I, Hatakenaka M, Kubota K, Sakoda S. Role of the prefrontal cortex in human balance control. *NeuroImage* 2008;43(2):329e36.
 36. Slobounov S, Hallett M, Stanhope S, Shibasaki H. Role of cerebral cortex in human postural control: an EEG study. *Clinical Neurophysiology: Official Journal of the International Federation of Clinical Neurophysiology* 2005;116(2):315e23.
 37. Slobounov S, Wu T, Hallett M. Neural basis subserving the detection of postural instability: an fMRI study. *Motor Control* 2006;10(1):69e89.
 38. Taubert M, Mehnert J, Pleger B, Villringer A. Rapid and specific gray matter changes in M1 induced by balance training. *NeuroImage* 2016;133:399e407.
 39. Ouchi Y, Okada H, Yoshikawa E, Nobezawa S, Futatsubashi M. Brain activation during maintenance of standing postures in humans. *Brain: A Journal of Neurology* 1999;122(Pt2):329e38.
 40. Visser JE, Bloem BR. Role of the basal ganglia in balance control. *Neural Plasticity* 2005;12(2e3):161e74. discussion 263-72.
 41. Drijkoningen D, Leunissen I, Caeyenberghs K, et al. Regional volumes in brain stem and cerebellum are associated with postural impairments in young brain-injured patients. *Human Brain Mapping* 2015;36(12):4897e909.
 42. Honeycutt CF, Gottschall JS, Nichols TR. Electromyographic responses from the hindlimb muscles of the decerebrate cat to horizontal support surface perturbations. *Journal of Neurophysiology* 2009;101(6):2751e61.
 43. Karachi C, Grabli D, Bernard FA, et al. Cholinergic mesencephalic neurons are involved in gait and postural disorders in Parkinson disease. *Journal of Clinical Investigation* 2010; 120(8):2745e54.
 44. Bakker M, De Lange FP, Helmich RC, Scheeringa R, Bloem BR, Toni I. Cerebral correlates of motor imagery of normal and precision gait. *NeuroImage* 2008;41(3):998e1010.
 45. Bakker M, de Lange FP, Stevens JA, Toni I, Bloem BR. Motor imagery of gait: a quantitative approach. *Experimental Brain Research* 2007;179(3):497e504.
 46. Jahn K, Deutschlander A, Stephan T, Strupp M, Wiesmann M, Brandt T. Brain activation patterns during imagined stance and locomotion in functional magnetic resonance imaging. *NeuroImage* 2004;22(4):1722e31.
 47. Zwergal A, Linn J, Xiong G, Brandt T, Strupp M, Jahn K. Aging of human supraspinal locomotor and postural control in fMRI. *Neurobiology of Aging* 2012;33(6): 1073e84.
 48. Solis-Escalante T, van der Cruisjen J, de Kam D, van Kordelaar J, Weerdesteijn V, Schouten AC. Cortical dynamics during preparation and execution of reactive balance responses with distinct postural demands. *NeuroImage* 2018;188:557e71.
 49. Horak FB, Anderson ME. Influence of globus pallidus on arm movements in monkeys. I. Effects of kainic acid-induced lesions. *Journal of Neurophysiology* 1984;52(2):290e304.
 50. Horak FB, Anderson ME. Influence of globus pallidus on arm movements in monkeys. II. Effects of stimulation. *Journal of Neurophysiology* 1984;52(2):305e22.
 51. Wu T, Hallett M, Chan P. Motor automaticity in Parkinson's disease. *Neurobiology of Disease* 2015;82:226e34.
 52. Chong RK, Horak FB, Woollacott MH. Parkinson's disease impairs the ability to change set quickly. *Journal of the Neurological Sciences* 2000;175(1):57e70.
 53. MacKinnon CD. Sensorimotor anatomy of gait, balance, and falls. *Handbook of Clinical Neurology* 2018;159:3e26.
 54. Buford JA, Davidson AG. Movement-related and preparatory activity in the reticulospinal system
 55. Matsuyama K, Drew T. Vestibulospinal and reticulospinal neuronal activity during locomotion in the intact cat. I. Walking on a level surface. *Journal of Neurophysiology* 2000;84(5):2237e56.
 56. Canedo A, Lamas JA. Pyramidal and corticospinal synaptic effects over reticulospinal neurones in the cat. *The Journal of Physiology* 1993;463:475e89.
 57. He XW, Wu CP. Connections between pericruciate cortex and the medullary reticulospinal neurons in cat: an electrophysiological study. *Experimental Brain Research* 1985;61(1):109e16.
 58. Jinnai K. Electrophysiological study on the corticoreticular projection neurons of the cat. *Brain Research* 1984;291(1):145e9.
 59. Kably B, Drew T. Corticoreticular pathways in the cat. I. Projection patterns and collaterization. *Journal of Neurophysiology* 1998;80(1):389e405.
 60. Papegaaij S, Taube W, Baudry S, Otten E, Hortobagyi T. Aging causes a reorganization of cortical and spinal control of posture. *Frontiers in Aging Neuroscience* 2014;6:28.
 61. Dijkstra BW, Horak FB, Kamsma YP, Peterson DS. Older adults can improve compensatory stepping with repeated postural perturba-

tions. *Frontiers in Aging Neuroscience* 2015;7:201.

Chapter 2

1. Jenkinson C, Fitzpatrick R, Peto V, Greenhall R, Hyman N. The Parkinson's Disease Questionnaire (PDQ-39): development and validation of a Parkinson's disease summary index score. *Age and Ageing* 1997;26(5):353e7.
2. Ellis T, Cavanaugh JT, Earhart GM, Ford MP, Foreman KB, Dibble LE. Which measures of physical function and motor impairment best predict quality of life in Parkinson's disease? *Parkinsonism & Related Disorders* 2011;17(9):693e7.
3. Kalilani L, Asgharnejad M, Palokangas T, Durgin T. Comparing the incidence of falls/fractures in Parkinson's disease patients in the US population. *PLoS One* 2016;11(9):e0161689.
4. Paul SS, Harvey L, Canning CG, et al. Fall-related hospitalization in people with Parkinson's disease. *European Journal of Neurology* 2017;24(3):523e9.
5. Hoehn MM, Yahr MD. Parkinsonism: onset, progression and mortality. *Neurology* 1967;17(5):427e42.
6. Zampieri C, Salarian A, Carlson-Kuhta P, Aminian K, Nutt JG, Horak FB. The instrumented timed up and go test: potential outcome measure for disease modifying therapies in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 2010;81(2):171e6.
7. Mancini M, Horak FB, Zampieri C, Carlson-Kuhta P, Nutt JG, Chiari L. Trunk accelerometry reveals postural instability in untreated Parkinson's disease. *Parkinsonism & Related Disorders* 2011;17(7):557e62.
8. Lord S, Galna B, Yarnall AJ, Coleman S, Burn D, Rochester L. Predicting first fall in newly diagnosed Parkinson's disease: insights from a fall-naïve cohort. *Movement Disorders: Official Journal of the Movement Disorder Society* 2016;31(12):1829e36.
9. Horak FB, Nutt JG, Nashner LM. Postural inflexibility in parkinsonian subjects. *Journal of the Neurological Sciences* 1992;111(1):46e58.
10. Hallett M, Khoshbin S. A physiological mechanism of bradykinesia. *Brain: A Journal of Neurology* 1980;103(2):301e14.
11. Albin RL, Leventhal DK. The missing, the short, and the long: levodopa responses and dopamine actions. *Annals of Neurology* 2017;82(1):4e19.
12. Kerr G, Morrison S, Silburn P. Coupling between limb tremor and postural sway in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2008;23(3):386e94.
13. Píkštra ARA, van der Hoorn A, Leenders KL, de Jong BM. Relation of 18-F-Dopa PET with hypokinesia-rigidity, tremor and freezing in Parkinson's disease. *NeuroImage Clinical* 2016;11:68e72.
14. Wright WG, Gurfinkel VS, Nutt J, Horak FB, Cordo PJ. Axial hypertonicity in Parkinson's disease: direct measurements of trunk and hip torque. *Experimental Neurology* 2007;208(1):38e46.
15. Curtze C, Nutt JG, Carlson-Kuhta P, Mancini M, Horak FB. Levodopa is a double-edged sword for balance and gait in people with Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2015;30(10):1361e70.
16. Collomb-Clerc A, Welter ML. Effects of deep brain stimulation on balance and gait in patients with Parkinson's disease: a systematic neurophysiological review. *Neurophysiologie Clinique* 2015;45(4e5):371e88.
17. Del Tredici K, Braak H. Review: sporadic Parkinson's disease: development and distribution of alpha-synuclein pathology. *Neuropathology and Applied Neurobiology* 2016;42(1): 33e50.
18. Pienaar IS, Vernon A, Winn P. The cellular diversity of the pedunculopontine nucleus: relevance to behavior in health and aspects of Parkinson's disease. *The Neuroscientist* 2017;23(4):415e31.
19. Bohnen NI, Frey KA, Studenski S, et al. Gait speed in Parkinson disease correlates with cholinergic degeneration. *Neurology* 2013;81(18):1611e6.
20. Takakusaki K. Functional neuroanatomy for posture and gait control. *Journal of movement disorders* 2017;10(1):1e17.
21. Bohnen NI, Muller ML, Koeppel RA, et al. History of falls in Parkinson disease is associated with reduced cholinergic activity. *Neurology* 2009;73(20):1670e6.
22. Chung KA, Lobb BM, Nutt JG, Horak FB. Effects of a central cholinesterase inhibitor on reducing falls in Parkinson disease. *Neurology* 2010;75(14):1263e9.
23. Henderson EJ, Lord SR, Brodie MA, et al. Rivastigmine for gait stability in patients with Parkinson's disease (ReSPOND): a randomised, double-blind, placebo-controlled, phase 2 trial. *The Lancet Neurology* 2016;15(3):249e58.
24. Cardwell K, Hughes CM, Ryan C. The association between anticholinergic medication burden and health related outcomes in the 'oldest old': a systematic review of the literature. *Drugs & Aging* 2015;32(10):835e48.
25. Chatterjee S, Bali V, Carnahan RM, Chen H, Johnson ML, Aparasu RR. Anticholinergic medication use and risk of fracture in elderly adults with depression. *Journal of the American Geriatrics Society* 2016;64(7):1492e7.
26. Vesely B, Antonini A, Rektor I. The contribution of white matter lesions to Parkinson's disease motor and gait symptoms: a critical review of the literature. *Journal of Neural Transmission* 2016;123(3):241e50.
27. Bhidayasiri R, Rattanachaisit W, Phokaewwarangkul O, Lim TT, Fernandez HH. Exploring bedside clinical features of parkinsonism: a focus on differential diagnosis. *Parkinsonism & Related Disorders* 2018;59:74e81.
28. Flinn BW, Dale ML, Curtze C, Smulders K, Nutt JG, Horak FB. Associations between mobility, cognition and callosal integrity in people with parkinsonism. *NeuroImage Clinical* 2016;11:415e22.
29. Chaudhuri KR, Schapira AH. Non-motor symptoms of Parkinson's disease: dopaminergic pathophysiology and treatment. *The Lancet Neurology* 2009;8(5):464e74.
30. Martens KAE, Hall JM, Gilat M, Georgiades MJ, Walton CC, Lewis SJG. Anxiety is associated with freezing of gait and attentional set-shifting in Parkinson's disease: a new perspective for early intervention. *Gait & Posture* 2016;49:431e6.
31. Doumas M, Morsanyi K, Young WR. Cognitively and socially induced stress affects postural control. *Experimental Brain Research* 2018;236(1):305e14.

32. Pirker W, Katzenschlager R. Gait disorders in adults and the elderly: a clinical guide. *Wiener Klinische Wochenschrift* 2017;129(3e4):81e95.
33. Zis P, Grunewald RA, Chaudhuri RK, Hadjivassiliou M. Peripheral neuropathy in idiopathic Parkinson's disease: a systematic review. *Journal of the Neurological Sciences* 2017;378:204e9.
34. Sailer A, Molnar GF, Paradiso G, Gunraj CA, Lang AE, Chen R. Short and long latency afferent inhibition in Parkinson's disease. *Brain: A Journal of Neurology* 2003;126(Pt 8): 1883e94..

Chapter 3

1. Burleigh A, Horak F, Nutt J, Frank J. Levodopa reduces muscle tone and lower extremity tremor in Parkinson's disease. *The Canadian Journal of Neurological Sciences* 1995;22(4):280e5.
2. Bloem BR, Beckley DJ, van Dijk JG. Are automatic postural responses in patients with Parkinson's disease abnormal due to their stooped posture? *Experimental Brain Research* 1999;124(4):481e8.
3. Jacobs JV, Dimitrova DM, Nutt JG, Horak FB. Can stooped posture explain multidirectional postural instability in patients with Parkinson's disease? *Experimental Brain Research* 2005;166(1):78e88.
4. Horak FB, Macpherson JM. Postural orientation and equilibrium. *Comprehensive Physiology* 2011:255e92.
5. Bronstein AM, Pavlou M. Balance. *Handbook of Clinical Neurology* 2013;110:189e208.
6. Vaugoyeau M, Viel S, Assaiante C, Amblard B, Azulay JP. Impaired vertical postural control and proprioceptive integration deficits in Parkinson's disease. *Neuroscience* 2007;146(2):852e63.
7. Carpenter MG, Bloem BR. Postural control in Parkinson patients: a proprioceptive problem? *Experimental Neurology* 2011;227(1):26e30.
8. Ashour R, Jankovic J. Joint and skeletal deformities in Parkinson's disease, multiple system atrophy, and progressive supranuclear palsy. *Movement Disorders: Official Journal of the Movement Disorder Society* 2006;21(11):1856e63.
9. Benatru I, Vaugoyeau M, Azulay JP. Postural disorders in Parkinson's disease. *Neurophysiologie Clinique ¼ Clinical Neurophysiology* 2008;38(6):459e65.
10. Doherty KM, van de Warrenburg BP, Peralta MC, et al. Postural deformities in Parkinson's disease. *The Lancet Neurology* 2011;10(6):538e49.
11. Tassorelli C, Furnari A, Buscone S, et al. Pisa syndrome in Parkinson's disease: clinical, electromyographic, and radiological characterization. *Movement Disorders: Official Journal of the Movement Disorder Society* 2012;27(2):227e35.
12. Tinazzi M, Geroin C, Gandolfi M, et al. Pisa syndrome in Parkinson's disease: an integrated approach from pathophysiology to management. *Movement Disorders: Official Journal of the Movement Disorder Society* 2016;31(12):1785e95.
13. Gurfinkel V, Cacciatore TW, Cordo P, Horak F, Nutt J, Skoss R. Postural muscle tone in the body axis of healthy humans. *Journal of Neurophysiology* 2006;96(5):2678e87.
14. St George RJ, Gurfinkel VS, Kraakevik J, Nutt JG, Horak FB. Case studies in neuroscience: a dissociation of balance and posture demonstrated by camptocormia. *Journal of Neurophysiology* 2017. jn.00582.2017.
15. Margraf NG, Wrede A, Rohr A, et al. Camptocormia in idiopathic Parkinson's disease: a focal myopathy of the paravertebral muscles. *Movement Disorders: Official Journal of the Movement Disorder Society* 2010;25(5):542e51.
16. Spuler S, Krug H, Klein C, et al. Myopathy causing camptocormia in idiopathic Parkinson's disease: a multidisciplinary approach. *Movement Disorders: Official Journal of the Movement Disorder Society* 2010;25(5):552e9.
17. Laroche M, Ricq G, Delisle MB, Campech M, Marque P. Bent spine syndrome: computed tomographic study and isokinetic evaluation. *Muscle and Nerve* 2002;25(2): 189e93.
18. Mahjneh I, Marconi G, Paetau A, Saarinen A, Salmi T, Somer H. Axial myopathy: an unrecognized entity. *Journal of Neurology* 2002;249(6):730e4.
19. Laroche M, Delisle MB, Aziza R, Lagarrigue J, Mazieres B. Is camptocormia a primary muscular disease? *Spine* 1995;20(9):1011e6.
20. Lepoutre AC, Devos D, Blanchard-Dauphin A, et al. A specific clinical pattern of camptocormia in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 2006; 77(11):1229e34.
21. Melamed E, Djaldetti R. Camptocormia in Parkinson's disease. *Journal of Neurology* 2006;253(Suppl. 7). Vii14-V16.
22. Bloch F, Houeto JL, Tezenas du Montcel S, et al. Parkinson's disease with camptocormia. *Journal of Neurology Neurosurgery and Psychiatry* 2006;77(11):1223e8.
23. Azher SN, Jankovic J. Camptocormia: pathogenesis, classification, and response to therapy. *Neurology* 2005;65(3):355e9.
24. Barone P, Santangelo G, Amboni M, Pellecchia MT, Vitale C. Pisa syndrome in Parkinson's disease and parkinsonism: clinical features, pathophysiology, and treatment. *The Lancet Neurology* 2016;15(10):1063e74.
25. Galati S, Moller JC, Stadler C. Ropinirole-induced Pisa syndrome in Parkinson disease. *Clinical Neuropharmacology* 2014;37(2):58e9.
26. Michel SF, Arias Carrion O, Correa TE, Alejandro PL, Micheli F. Pisa syndrome. *Clinical Neuropharmacology* 2015;38(4):135e40.
27. Suzuki T, Matsuzaka H. Drug-induced Pisa syndrome (pleurothotonus): epidemiology and management. *CNS Drugs* 2002;16(3):165e74.
28. Castrìoto A, Piscicelli C, Perennou D, Krack P, Debu B. The pathogenesis of Pisa syndrome in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2014;29(9):1100e7.
29. Cannas A, Solla P, Floris G, et al. Reversible Pisa syndrome in patients with Parkinson's disease on dopaminergic therapy. *Journal of Neurology* 2009;256(3):390e5.
30. Fasano A, Di Matteo A, Vitale C, et al. Reversible Pisa syndrome in patients with Parkinson's disease on rasagiline therapy. *Movement Disorders: Official Journal of the Movement Disorder Society* 2011;26(14):2578e80.
31. Ungerstedt U, Butcher LL, Butcher SG, Anden NE, Fuxe K. Direct chemical stimulation of dopaminergic mechanisms in the neostriatum of the rat. *Brain Research* 1969;14(2): 461e71.

32. Boonstra TA, van der Kooij H, Munneke M, Bloem BR. Gait disorders and balance disturbances in Parkinson's disease: clinical update and pathophysiology. *Current Opinion in Neurology* 2008;21(4):461e71.
33. Vitale C, Marcellini V, Furia T, et al. Vestibular impairment and adaptive postural imbalance in parkinsonian patients with lateral trunk flexion. *Movement Disorders: Official Journal of the Movement Disorder Society* 2011;26(8):1458e63.
34. Schieppati M, Hugon M, Grasso M, Nardone A, Galante M. The limits of equilibrium in young and elderly normal subjects and in parkinsonians. *Electroencephalography and Clinical Neurophysiology* 1994;93(4):286e98.
35. Mancini M, Rocchi L, Horak FB, Chiari L. Effects of Parkinson's disease and levodopa on functional limits of stability. *Clinical Biomechanics* 2008;23(4):450e8.
36. Horak FB, Dimitrova D, Nutt JG. Direction-specific postural instability in subjects with Parkinson's disease. *Experimental Neurology* 2005;193(2):504e21.
37. Burleigh-Jacobs A, Horak FB, Nutt JG, Obeso JA. Step initiation in Parkinson's disease: influence of levodopa and external sensory triggers. *Movement Disorders: Official Journal of the Movement Disorder Society* 1997;12(2):206e15.
38. Ferrarin M, Lopiano L, Rizzone M, et al. Quantitative analysis of gait in Parkinson's disease: a pilot study on the effects of bilateral sub-thalamic stimulation. *Gait and Posture* 2002;16(2):135e48.
39. Rocchi L, Chiari L, Mancini M, Carlson-Kuhta P, Gross A, Horak FB. Step initiation in Parkinson's disease: influence of initial stance conditions. *Neuroscience Letters* 2006;406(1e2):128e32.
40. Mak MK, Cole JH. Movement dysfunction in patients with Parkinson's disease: a literature review. *Australian Journal of Physiotherapy* 1991;37(1):7e17.
41. Horak FB, Henry SM, Shumway-Cook A. Postural perturbations: new insights for treatment of balance disorders. *Physical Therapy* 1997;77(5):517e33.
42. Chong RK, Horak FB, Woollacott MH. Parkinson's disease impairs the ability to change set quickly. *Journal of the Neurological Sciences* 2000;175(1):57e70.
43. Stack EL, Ashburn AM. Impaired bed mobility and disordered sleep in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2006;21(9):1340e2.
44. Nutt J, Hammersstad JP, Gancher ST. Parkinson's disease. St. Louis, MO: Mosby Year Book;1992.
45. Crenna P, Carpinella I, Rabuffetti M, et al. The association between impaired turning and normal straight walking in Parkinson's disease. *Gait and Posture* 2007;26(2):172e8.
46. Mesure S, Azulay JP, Pouget J, Amblard B. Strategies of segmental stabilization during gait in Parkinson's disease. *Experimental Brain Research* 1999;129(4):573e81.
47. Vaugoyeau M, Viallet F, Aurenty R, Assaiante C, Mesure S, Massion J. Axial rotation in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 2006;77(7):815e21.
48. Nagumo K, Hirayama K. A study on truncal rigidity in parkinsonism: evaluation of diagnostic test and electrophysiological study. *Rinsho shinkeigaku* ¼ *Clinical Neurology* 1993;33(1):27e35.
49. Nagumo K, Hirayama K. Axial (neck and trunk) rigidity in Parkinson's disease, striatonigral degeneration and progressive supranuclear palsy. *Rinsho shinkeigaku* ¼ *Clinical neurology* 1996;36(10):1129e35.
50. Mak MK, Wong EC, Hui-Chan CW. Quantitative measurement of trunk rigidity in parkinsonian patients. *Journal of Neurology* 2007;254(2):202e9.
51. Sherrington CS. A mammalian spinal preparation. *The Journal of Physiology* 1909;38(5):375e83.
52. Wright WG, Gurfinkel VS, Nutt J, Horak FB, Cordo PJ. Axial hypertonicity in Parkinson's disease: direct measurements of trunk and hip torque. *Experimental Neurology* 2007;208(1):38e46.
53. Franzen E, Paquette C, Gurfinkel VS, Cordo PJ, Nutt JG, Horak FB. Reduced performance in balance, walking and turning tasks is associated with increased neck tone in Parkinson's disease. *Experimental Neurology* 2009;219(2):430e8.
54. Stack EL, Ashburn AM, Jupp KE. Strategies used by people with Parkinson's disease who report difficulty turning. *Parkinsonism and Related Disorders* 2006;12(2):87e92.
55. Horak FB, Nashner LM. Central programming of postural movements: adaptation to altered support-surface configurations. *Journal of Neurophysiology* 1986;55(6):1369e81.
56. Henry SM, Fung J, Horak FB. Control of stance during lateral and anterior/posterior surface translations. *IEEE Transactions on Rehabilitation Engineering: A Publication of the IEEE Engineering in Medicine and Biology Society* 1998;6(1):32e42.
57. Dimitrova D, Nutt J, Horak FB. Abnormal force patterns for multidirectional postural responses in patients with Parkinson's disease. *Experimental Brain Research* 2004;156(2): 183e95.
58. Maurer C, Mergner T, Peterka RJ. Multisensory control of human upright stance. *Experimental Brain Research* 2006;171(2):231e50.
59. Peterka RJ. Sensorimotor integration in human postural control. *Journal of Neurophysiology* 2002;88(3):1097e118.
60. Piirtola M, Era P. Force platform measurements as predictors of falls among older people - a review. *Gerontology* 2006;52(1):1e16.
61. Schoneburg B, Mancini M, Horak F, Nutt JG. Framework for understanding balance dysfunction in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2013;28(11):1474e82.
62. Mancini M, Horak FB, Zampieri C, Carlson-Kuhta P, Nutt JG, Chiari L. Trunk accelerometry reveals postural instability in untreated Parkinson's disease. *Parkinsonism and Related Disorders* 2011;17(7):557e62.
63. Maetzler W, Hausdorff JM. Motor signs in the prodromal phase of Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2012;27(5):627e33.
64. Mancini M, Zampieri C, Carlson-Kuhta P, Chiari L, Horak FB. Anticipatory postural adjustments prior to step initiation are hypometric in untreated Parkinson's disease: an accelerometer-based approach. *European Journal of Neurology* 2009;16(9):1028e34.
65. Mancini M, Carlson-Kuhta P, Zampieri C, Nutt JG, Chiari L, Horak FB. Postural sway as a marker of progression in Parkinson's

- disease: a pilot longitudinal study. *Gait and Posture* 2012;36(3):471e6.
66. Rocchi L, Chiari L, Horak FB. Effects of deep brain stimulation and levodopa on postural sway in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 2002;73(3):267e74.
 67. Bronstein AM, Hood JD, Gresly MA, Panagi C. Visual control of balance in cerebellar and parkinsonian syndromes. *Brain: A Journal of Neurology* 1990;113(Pt 3):767e79.
 68. Bronte-Stewart HM, Minn AY, Rodrigues K, Buckley EL, Nashner LM. Postural instability in idiopathic Parkinson's disease: the role of medication and unilateral pallidotomy. *Brain* 2002;125(Pt 9):2100e14.
 69. Frenklach A, Louie S, Koop MM, Bronte-Stewart H. Excessive postural sway and the risk of falls at different stages of Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2009;24(3):377e85.
 70. Mitchell SL, Collins JJ, De Luca CJ, Burrows A, Lipsitz LA. Open-loop and closed-loop postural control mechanisms in Parkinson's disease: increased mediolateral activity during quiet standing. *Neuroscience Letters* 1995;197(2):133e6.
 71. Visser JE, Carpenter MG, van der Kooij H, Bloem BR. The clinical utility of posturography. *Clinical Neurophysiology: Official Journal of the International Federation of Clinical Neurophysiology* 2008;119(11):2424e36.
 72. Ashburn A, Stack E, Pickering RM, Ward CD. A community-dwelling sample of people with Parkinson's disease: characteristics of fallers and non-fallers. *Age and Ageing* 2001; 30(1):47e52.
 73. Marchese R, Bove M, Abbruzzese G. Effect of cognitive and motor tasks on postural stability in Parkinson's disease: a posturographic study. *Movement Disorders: Official Journal of the Movement Disorder Society* 2003;18(6):652e8.
 74. Morris M, Iansek R, Smithson F, Huxham F. Postural instability in Parkinson's disease: a comparison with and without a concurrent task. *Gait and Posture* 2000;12(3):205e16.
 75. Bekkers EMJ, Dockx K, Devan S, et al. The impact of dual-tasking on postural stability in people with Parkinson's disease with and without freezing of gait. *Neurorehabilitation and Neural Repair* 2018;32(2):166e74.
 76. Peterka RJ, Benolken MS. Role of somatosensory and vestibular cues in attenuating visually induced human postural sway. *Experimental Brain Research* 1995;105(1):101e10.
 77. Bronstein AM, Yardley L, Moore AP, Cleeves L. Visually and posturally mediated tilt illusion in Parkinson's disease and in labyrinthine defective subjects. *Neurology* 1996; 47(3):651e6.
 78. Pastor MA, Day BL, Marsden CD. Vestibular induced postural responses in Parkinson's disease. *Brain: A Journal of Neurology* 1993;116(Pt 5):1177e90
 79. Chong RK, Horak FB, Frank J, Kaye J. Sensory organization for balance: specific deficits in Alzheimer's but not in Parkinson's disease. *The Journals of Gerontology Series A, Biological Sciences and Medical Sciences* 1999;54(3):M122e8.
 80. Maurer C, Mergner T, Xie J, Faisl M, Pollak P, Lucking CH. Effect of chronic bilateral subthalamic nucleus (STN) stimulation on postural control in Parkinson's disease. *Brain: A Journal of Neurology* 2003;126(Pt 5):1146e63.
 81. Tagliabue M, Ferrigno G, Horak F. Effects of Parkinson's disease on proprioceptive control of posture and reaching while standing. *Neuroscience* 2009;158(4):1206e14.
 82. Jacobs JV, Fujiwara K, Tomita H, Furune N, Kunita K, Horak FB. Changes in the activity of the cerebral cortex relate to postural response modification when warned of a perturbation. *Clinical Neurophysiology: Official Journal of the International Federation of Clinical Neurophysiology* 2008;119(6):1431e42.
 83. Mongeon D, Blanchet P, Messier J. Impact of Parkinson's disease and dopaminergic medication on proprioceptive processing. *Neuroscience* 2009;158(2):426e40.
 84. O'Suilleabhain P, Bullard J, Dewey RB. Proprioception in Parkinson's disease is acutely depressed by dopaminergic medications. *Journal of Neurology Neurosurgery and Psychiatry* 2001;71(5):607e10.
 85. Peterka RJ, Murchison CF, Parrington L, Fino PC, King LA. Implementation of a central sensorimotor integration test for characterization of human balance control during stance. *Frontiers in Neurology* 2018;9:1045.
 - 85a. Feller KJ, Peterka RJ, Horak FB. Sensory re-weighting for postural control in Parkinson's disease. *Front Hum Neurosci* 2019;13:126. <https://doi.org/10.3389/fnhum.2019.00126>. eCollection 2019.
 86. Obeso JA, Rodriguez-Oroz MC, Rodriguez M, et al. Pathophysiologic basis of surgery for Parkinson's disease. *Neurology* 2000;55(12 Suppl. 6):S7e12.
 87. Okun MS, Vitek JL. Lesion therapy for Parkinson's disease and other movement disorders: update and controversies. *Movement Disorders: Official Journal of the Movement Disorder Society* 2004;19(4):375e89.
 88. Peterka RJ, Benolken MS. Relation between perception of vertical axis rotation and vestibulo-ocular reflex symmetry. *Journal of Vestibular Research: Equilibrium and Orientation* 1992;2(1):59e69.
 89. Djaldetti R, Mosberg-Galili R, Sroka H, Merims D, Melamed E. Camptocormia (bent spine) in patients with Parkinson's disease: characterization and possible pathogenesis of an unusual phenomenon. *Movement Disorders: Official Journal of the Movement Disorder Society* 1999;14(3):443e7.
 90. Holler I, Dirnberger G, Pirker W, Auff E, Gerschlagner W. Camptocormia in idiopathic Parkinson's disease: [(123I)]beta-CIT SPECT and clinical characteristics. *European Neurology* 2003;50(2):118e20.
 91. Horak FB, Frank J, Nutt J. Effects of dopamine on postural control in parkinsonian subjects: scaling, set, and tone. *Journal of Neurophysiology* 1996;75(6):2380e96.
 92. Pavese N, Evans AH, Tai YF, et al. Clinical correlates of levodopa-induced dopamine release in Parkinson disease: a PET study. *Neurology* 2006;67(9):1612e7.
 93. Weinrich M, Koch K, Garcia F, Angel RW. Axial versus distal motor impairment in Parkinson's disease. *Neurology* 1988;38(4):540e5.
 94. Bejjani BP, Gervais D, Arnulf I, et al. Axial parkinsonian symptoms can be improved: the role of levodopa and bilateral subthalamic stimulation. *Journal of Neurology Neurosurgery and Psychiatry* 2000;68(5):595e600.

95. Bloem BR. Postural instability in Parkinson's disease. *Clinical Neurology and Neurosurgery* 1992;94(Suppl. 1):S41e5.
96. Beuter A, Hernandez R, Rigal R, Modolo J, Blanchet PJ. Postural sway and effect of levodopa in early Parkinson's disease. *The Canadian Journal of Neurological Sciences* 2008;35(1):65e8.
97. Curtze C, Nutt JG, Carlson-Kuhta P, Mancini M, Horak FB. Objective gait and balance impairments relate to balance confidence and perceived mobility in people with Parkinson disease. *Physical Therapy* 2016;96(11):1734e43.
98. Curtze C, Nutt JG, Carlson-Kuhta P, Mancini M, Horak FB. Levodopa is a double-edged sword for balance and gait in people with Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2015;30(10):1361e70.
99. Chung KA, Lobb BM, Nutt JG, McNames J, Horak F. Objective measurement of dyskinesia in Parkinson's disease using a force plate. *Movement Disorders: Official Journal of the Movement Disorder Society* 2010;25(5):602e8.
100. Weaver FM, Follett K, Stern M, et al. Bilateral deep brain stimulation vs best medical therapy for patients with advanced Parkinson disease: a randomized controlled trial. *JAMA* 2009;301(1):63e73.
101. Bloem BR, Beckley DJ, van Dijk JG, Zwiderman AH, Remler MP, Roos RA. Influence of dopaminergic medication on automatic postural responses and balance impairment in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 1996;11(5):509e21.
102. Bloem BR, Hausdorff JM, Visser JE, Giladi N. Falls and freezing of gait in Parkinson's disease: a review of two interconnected, episodic phenomena. *Movement Disorders* 2004; 19(8):871e84.
103. Bohnen NI, Muller ML, Koeppe RA, et al. History of falls in Parkinson disease is associated with reduced cholinergic activity. *Neurology* 2009;73(20):1670e6.
104. Colnat-Coulbois S, Gauchard GC, Maillard L, et al. Management of postural sensory conflict and dynamic balance control in late-stage Parkinson's disease. *Neuroscience* 2011;193:363e9.
105. Horak FB, Nutt JG, Nashner LM. Postural inflexibility in parkinsonian subjects. *Journal of the Neurological Sciences* 1992;111(1):46e58.
106. Chung KA, Lobb BM, Nutt JG, Horak FB. Effects of a central cholinesterase inhibitor on reducing falls in Parkinson disease. *Neurology* 2010;75(14):1263e9.
107. Hiller ALP, Nutt JG, Mancini M, et al. Are cholinesterase inhibitors effective in improving balance in Parkinson's disease? *Journal of Neurological Disorders* 2015; S2(002).
108. Martinez-Ramirez D, Giugni JC, Almeida L, et al. Association between antidepressants and falls in Parkinson's disease. *Journal of Neurology* 2016;263(1):76e82.
109. Askari M, Eslami S, Scheffer AC, et al. Different risk-increasing drugs in recurrent versus single fallers: are recurrent fallers a distinct population? *Drugs and Aging* 2013;30(10):845e51.
110. Parashos SA, Wielinski CL, Giladi N, Gurevich T. Falls in Parkinson disease: analysis of a large cross-sectional cohort. *Journal of Parkinson's Disease* 2013;3(4):515e22.
111. Griffin 3rd CE, Kaye AM, Bueno FR, Kaye AD. Benzodiazepine pharmacology and central nervous system-mediated effects. *The Ochsner Journal* 2013;13(2):214e23.
112. Rodriguez-Oroz MC, Zamarbide I, Guridi J, Palmero MR, Obeso JA. Efficacy of deep brain stimulation of the subthalamic nucleus in Parkinson's disease 4 years after surgery: double blind and open label evaluation. *Journal of Neurology Neurosurgery and Psychiatry* 2004;75(10):1382e5.
113. Micheli F, Cersosimo MG, Piedimonte F. Camptocormia in a patient with Parkinson disease: beneficial effects of pallidal deep brain stimulation. Case report *Journal Of Neurosurgery* 2005;103(6):1081e3.
114. Yamada K, Goto S, Matsuzaki K, et al. Alleviation of camptocormia by bilateral subthalamic nucleus stimulation in a patient with Parkinson's disease. *Parkinsonism and Related Disorders* 2006;12(6):372e5.
115. Umemura A, Oka Y, Ohkita K, Yamawaki T, Yamada K. Effect of subthalamic deep brain stimulation on postural abnormality in Parkinson disease. *Journal of Neurosurgery* 2010;112(6):1283e8.
116. Shih LC, Vanderhorst VG, Lozano AM, Hamani C, Moro E. Improvement of pisa syndrome with contralateral pedunculopontine stimulation. *Movement Disorders: Official Journal of the Movement Disorder Society* 2013;28(4):555e6.
117. Ricciardi L, Morgante L, Epifanio A, et al. Stimulation of the subthalamic area modulating movement and behavior. *Parkinsonism and Related Disorders* 2014;20(11): 1298e300.
118. Nantel J, McDonald JC, Bronte-Stewart H. Effect of medication and STN-DBS on postural control in subjects with Parkinson's disease. *Parkinsonism and Related Disorders* 2012;18(3):285e9.
119. Rocchi L, Chiari L, Cappello A, Gross A, Horak FB. Comparison between subthalamic nucleus and globus pallidus internus stimulation for postural performance in Parkinson's disease. *Gait and Posture* 2004;19(2):172e83.
120. Tassorelli C, De Icco R, Alfonsi E, et al. Botulinum toxin type A potentiates the effect of neuromotor rehabilitation of Pisa syndrome in Parkinson disease: a placebo controlled study. *Parkinsonism and Related Disorders* 2014;20(11):1140e4.
121. Capecchi M, Serpicelli C, Fiorentini L, et al. Postural rehabilitation and kinesio taping for axial postural disorders in Parkinson's disease. *Archives of Physical Medicine and Rehabilitation* 2014;95(6):1067e75.
122. Bartolo M, Serrao M, Tassorelli C, et al. Four-week trunk-specific rehabilitation treatment improves lateral trunk flexion in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2010;25(3):325e31.
123. Santamato A, Ranieri M, Panza F, et al. Botulinum toxin type A and a rehabilitation program in the treatment of Pisa syndrome in Parkinson's disease. *Journal of Neurology* 2010;257(1):139e41.
124. Kataoka H, Ikeda M, Horikawa H, Ueno S. Reversible lateral trunk flexion treated with a rehabilitation program in a patient with Parkinson's disease. *Parkinsonism and Related Disorders* 2013;19(4):494e7.
125. Shen X, Mak MK. Repetitive step training with preparatory signals improves stability limits in patients with Parkinson's disease.

- Journal of Rehabilitation Medicine 2012;44(11): 944e9.
126. Jobges M, Heuschkel G, Pretzel C, Illhardt C, Renner C, Hummelsheim H. Repetitive training of compensatory steps: a therapeutic approach for postural instability in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 2004;75(12):1682e7.
 127. Qutubuddin AA, Cifu DX, Armistead-Jehle P, Carne W, McGuirk TE, Baron MS. A comparison of computerized dynamic posturography therapy to standard balance physical therapy in individuals with Parkinson's disease: a pilot study. *NeuroRehabilitation* 2007;22(4):261e5.
 128. King LA, Salarian A, Mancini M, et al. Exploring outcome measures for exercise intervention in people with Parkinson's disease. *Parkinson's Disease* 2013;2013:572134.
 129. Jeka JJ, Lackner JR. Fingertip contact influences human postural control. *Experimental Brain Research* 1994;100(3):495e502.
 130. Franzen E, Paquette C, Gurfinkel V, Horak F. Light and heavy touch reduces postural sway and modifies axial tone in Parkinson's disease. *Neurorehabilitation and Neural Repair* 2012;26(8):1007e14.

Chapter 4

1. Hass CJ, Bloem BR, Okun MS. Pushing or pulling to predict falls in Parkinson disease? *Nature Clinical Practice Neurology* 2008;4(10):530e1.
2. Jacobs JV, Horak FB, Van Tran K, Nutt JG. An alternative clinical postural stability test for patients with Parkinson's disease. *Journal of Neurology* 2006;253(11):1404e13.
3. El-Gohary M, Peterson D, Gera G, Horak FB, Huisinga JM. Validity of the instrumented Push and release test to quantify postural responses in persons with multiple sclerosis. *Archives of Physical Medicine and Rehabilitation* 2017;98(7):1325e31.
4. Carlson-Kuhta P, Laird A, Mancini M, et al. The effect of cognitive dual-task on balance and gait in older men Society for Neuroscience 2016. 2016. San Diego, California.
5. Maki BE, McLroy WE. The role of limb movements in maintaining upright stance: the "change-in-support" strategy. *Physical Therapy* 1997;77(5):488e507.
6. King LA, Horak FB. Lateral stepping for postural correction in Parkinson's disease. *Archives of Physical Medicine and Rehabilitation* 2008;89(3):492e9.
7. Horak FB, Nutt JG, Nashner LM. Postural inflexibility in parkinsonian subjects. *Journal of the Neurological Sciences* 1992;111(1):46e58.
8. Horak FB, Dimitrova D, Nutt JG. Direction-specific postural instability in subjects with Parkinson's disease. *Experimental Neurology* 2005;193(2):504e21.
9. Peterson DS, Dijkstra BW, Horak FB. Postural motor learning in people with Parkinson's disease. *Journal of Neurology* 2016;263(8):1518e29.
10. Konczak J, Corcos DM, Horak F, et al. Proprioception and motor control in Parkinson's disease. *Journal of Motor Behavior* 2009;41(6):543e52.
11. Jacobs JV, Horak FB. Abnormal proprioceptive-motor integration contributes to hypometric postural responses of subjects with Parkinson's disease. *Neuroscience* 2006; 141(2):999e1009.
12. Carpenter MG, Allum JH, Honegger F, Adkin AL, Bloem BR. Postural abnormalities to multidirectional stance perturbations in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 2004;75(9):1245e54.
13. Horak FB, Frank J, Nutt J. Effects of dopamine on postural control in parkinsonian subjects: scaling, set, and tone. *Journal of Neurophysiology* 1996;75(6):2380e96.
14. Pickering RM, Grimbergen YA, Rigney U, et al. A meta-analysis of six prospective studies of falling in Parkinson's disease. *Movement Disorders* 2007;22(13):1892e900.
15. Horak FB, Diener HC. Cerebellar control of postural scaling and central set in stance. *Journal of Neurophysiology* 1994;72(2):479e93.
16. Timmann D, Horak FB. Prediction and set-dependent scaling of early postural responses in cerebellar patients. *Brain* 1997;120(Pt 2):327e37.
17. Chong RK, Horak FB, Woollacott MH. Parkinson's disease impairs the ability to change set quickly. *Journal of the Neurological Sciences* 2000;175(1):57e70.
18. Grimbergen YA, Munneke M, Bloem BR. Falls in Parkinson's disease. *Current Opinion in Neurology* 2004;17(4):405e15.
19. Teo WP, Rodrigues JP, Mastraglia FL, Thickbroom GW. Modulation of corticomotor excitability after maximal or sustainable-rate repetitive finger movement is impaired in Parkinson's disease and is reversed by levodopa. *Clinical Neurophysiology* 2014;125(3):562e8.
20. St George RJ, Carlson-Kuhta P, Burchiel KJ, Hogarth P, Frank N, Horak FB. The effects of subthalamic and pallidal deep brain stimulation on postural responses in patients with Parkinson disease. *Journal of Neurosurgery* 2012;116(6):1347e56.
21. St George RJ, Nutt JG, Burchiel KJ, Horak FB. A meta-regression of the long-term effects of deep brain stimulation on balance and gait in PD. *Neurology* 2010;75(14):1292e9.
22. Weaver FM, Follett KA, Stern M, et al. Randomized trial of deep brain stimulation for Parkinson disease: thirty-six-month outcomes. *Neurology* 2012;79(1):55e65.
23. McCrum C, Gerards MHG, Karamanidis K, Zijlstra W, Meijer K. A systematic review of gait perturbation paradigms for improving reactive stepping responses and falls risk among healthy older adults. *European review of aging and physical activity* 2017;14:3.
24. Van Ooteghem K, Frank JS, Horak FB. Postural motor learning in Parkinson's disease: the effect of practice on continuous compensatory postural regulation. *Gait & Posture* 2017;57:299e304.
25. Peterson DS, Horak FB. The effect of levodopa on improvements in protective stepping in people with Parkinson's disease. *Neurorehabilitation and Neural Repair* 2016;30(10): 931e40.

26. Shen X, Mak MK. Balance and gait training with augmented feedback improves balance confidence in people with Parkinson's disease: a randomized controlled trial. *Neurorehabilitation and Neural Repair* 2014;28(6):524e35.

Chapter 5

1. Bleuse S, Cassim F, Blatt JL, et al. Anticipatory postural adjustments associated with arm movement in Parkinson's disease: a biomechanical analysis. *Journal of Neurology Neurosurgery and Psychiatry* 2008;79(8):881e7.
2. Cordo PJ, Nashner LM. Properties of postural adjustments associated with rapid arm movements. *Journal of Neurophysiology* 1982;47(2):287e302.
3. Bazalgette D, Zattara M, Bathien N, Bouisset S, Rondot P. Postural adjustments associated with rapid voluntary arm movements in patients with Parkinson's disease. *Advances in Neurology* 1987;45:371e4.
4. Bouisset S, Zattara M. Biomechanical study of the programming of anticipatory postural adjustments associated with voluntary movement. *Journal of Biomechanics* 1987;20(8): 735e42.
5. Dick JP, Rothwell JC, Berardelli A, et al. Associated postural adjustments in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 1986;49(12):1378e85.
6. Rogers MW, Kukulka CG, Soderberg GL. Postural adjustments preceding rapid arm movements in parkinsonian subjects. *Neuroscience Letters* 1987;75(2):246e51.
7. Diener HC, Dichgans J, Guschlbauer B, Bacher M, Rapp H, Langenbach P. Associated postural adjustments with body movement in normal subjects and patients with parkinsonism and cerebellar disease. *Revue Neurologique* 1990;146(10):555e63.
8. Frank JS, Horak FB, Nutt J. Centrally initiated postural adjustments in parkinsonian patients on and off levodopa. *Journal of Neurophysiology* 2000;84(5):2440e8.
9. Defebvre LJ, Kryśkowiak P, Blatt JL, et al. Influence of pallidal stimulation and levodopa on gait and preparatory postural adjustments in Parkinson's disease. *Movement Disorders* 2002;17(1):76e83.
10. Lee RG, Tonolli I, Viallet F, Aurenty R, Massion J. Preparatory postural adjustments in parkinsonian patients with postural instability. *The Canadian Journal of Neurological Sciences* 1995;22(2):126e35.
11. Bouisset S, Do MC. Posture, dynamic stability, and voluntary movement. *Neurophysiologie Clinique* 2008;38(6):345e62.
12. Breniere Y, Do MC. When and how does steady state gait movement induced from upright posture begin? *Journal of Biomechanics* 1986;19(12):1035e40.
13. Massion J. Movement, posture and equilibrium: interaction and coordination. *Progress in Neurobiology* 1992;38(1):35e56.
14. Nakano K, Kayahara T, Tsutsumi T, Ushiro H. Neural circuits and functional organization of the striatum. *Journal of Neurology* 2000;247(Suppl. 5):V1e15.
15. Schlenstedt C, Mancini M, Horak F, Peterson D. Anticipatory postural adjustment during self-initiated, cued, and compensatory stepping in healthy older adults and patients with Parkinson disease. *Archives of Physical Medicine and Rehabilitation* 2017;98(7):1316e24. e1.
16. Pahapill PA, Lozano AM. The pedunculopontine nucleus and Parkinson's disease. *Brain* 2000;123(Pt 9):1767e83.
17. Rosin R, Topka H, Dichgans J. Gait initiation in Parkinson's disease. *Movement Disorders* 1997;12(5):682e90.
18. Carpinella I, Crenna P, Calabrese E, et al. Locomotor function in the early stage of Parkinson's disease. *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 2007; 15(4):543e51.
19. Mancini M, Zampieri C, Carlson-Kuhta P, Chiari L, Horak FB. Anticipatory postural adjustments prior to step initiation are hypometric in untreated Parkinson's disease: an accelerometer-based approach. *European Journal of Neurology* 2009;16(9):1028e34.
20. Halliday SE, Winter DA, Frank JS, Patla AE, Prince F. The initiation of gait in young, elderly, and Parkinson's disease subjects. *Gait & Posture* 1998;8(1):8e14.
21. Dietz V, Duysens J. Significance of load receptor input during locomotion: a review. *Gait & Posture* 2000;11(2):102e10.
22. Vaugoyeau M, Viel S, Assaiante C, Amblard B, Azulay JP. Impaired vertical postural control and proprioceptive integration deficits in Parkinson's disease. *Neuroscience* 2007;146(2):852e63.
23. Vaugoyeau M, Viallet F, Mesure S, Massion J. Coordination of axial rotation and step execution: deficits in Parkinson's disease. *Gait & Posture* 2003;18(3):150e7.
24. Patchay S, Gahery Y. Effect of asymmetrical limb loading on early postural adjustments associated with gait initiation in young healthy adults. *Gait & Posture* 2003;18(1):85e94.
25. Couillandre A, Breniere Y, Maton B. Is human gait initiation program affected by a reduction of the postural basis? *Neuroscience Letters* 2000;285(2):150e4.
26. Chong RK, Horak FB, Woollacott MH. Parkinson's disease impairs the ability to change set quickly. *Journal of the Neurological Sciences* 2000;175(1):57e70.
27. Horak FB, Nutt JG, Nashner LM. Postural inflexibility in parkinsonian subjects. *Journal of the Neurological Sciences* 1992;111(1):46e58.
28. Schieppati M, Nardone A. Free and supported stance in Parkinson's disease. The effect of posture and 'postural set' on leg muscle responses to perturbation, and its relation to the severity of the disease. *Brain* 1991;114(Pt 3):1227e44.
29. Rocchi L, Chiari L, Mancini M, Carlson-Kuhta P, Gross A, Horak FB. Step initiation in Parkinson's disease: influence of initial stance conditions. *Neuroscience Letters* 2006; 406(1e2):128e32.
30. Henry SM, Fung J, Horak FB. Control of stance during lateral and anterior/posterior surface translations. *IEEE Transactions on Rehabilitation Engineering* 1998;6(1):32e42.
31. McIlroy WE, Maki BE. Do anticipatory postural adjustments precede compensatory stepping reactions evoked by perturbation? Neu-

- rosience Letters 1993;164(1e2):199e202.
32. King LA, St George RJ, Carlson-Kuhta P, Nutt JG, Horak FB. Preparation for compensatory forward stepping in Parkinson's disease. *Archives of Physical Medicine and Rehabilitation* 2010;91(9):1332e8.
 33. Peterson DS, Lohse KR, Mancini M. Anticipatory postural responses prior to protective steps are not different in people with PD who do and do not freeze. *Gait & Posture* 2018; 64:126e9
 34. Peterson DS, Lohse KR, Mancini M. Relating anticipatory postural adjustments to step outcomes during loss of balance in people with Parkinson's disease. *Neurorehabilitation and Neural Repair* 2018;32(10):887e98.
 35. Berardelli A, Accornero N, Argenta M, Meco G, Manfredi M. Fast complex arm movements in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 1986; 49(10):1146e9.
 36. Burleigh-Jacobs A, Horak FB, Nutt JG, Obeso JA. Step initiation in Parkinson's disease: influence of levodopa and external sensory triggers. *Movement Disorders* 1997;12(2): 206e15.
 37. Godaux E, Koulischer D, Jacquy J. Parkinsonian bradykinesia is due to depression in the rate of rise of muscle activity. *Annals of Neurology* 1992;31(1):93e100.
 38. Hallett M, Khoshbin S. A physiological mechanism of bradykinesia. *Brain* 1980;103(2): 301e14.
 39. Johnson MT, Mendez A, Kipnis AN, Silverstein P, Zwiebel F, Ebner TJ. Acute effects of levodopa on wrist movement in Parkinson's disease. Kinematics, volitional EMG modulation and reflex amplitude modulation. *Brain* 1994;117(Pt 6):1409e22.
 40. Rocchi L, Carlson-Kuhta P, Chiari L, Burchiel KJ, Hogarth P, Horak FB. Effects of deep brain stimulation in the subthalamic nucleus or globus pallidus internus on step initiation in Parkinson disease: laboratory investigation. *Journal of Neurosurgery* 2012;117(6): 1141e9.
 41. Horak FB, Frank J, Nutt J. Effects of dopamine on postural control in parkinsonian subjects: scaling, set, and tone. *Journal of Neurophysiology* 1996;75(6):2380e96.
 42. Mackinnon C. Sensorimotor anatomy of gait, balance, and falls. In: *Handbook of Clinical Neurology*. Elsevier; 2018.
 43. MacKinnon CD, Bissig D, Chiusano J, et al. Preparation of anticipatory postural adjustments prior to stepping. *Journal of Neurophysiology* 2007;97(6):4368e79.
 44. Rogers MW, Kennedy R, Palmer S, et al. Postural preparation prior to stepping in patients with Parkinson's disease. *Journal of Neurophysiology* 2011;106(2):915e24.
 45. Peterson DS, Horak FB. The effect of levodopa on improvements in protective stepping in people with Parkinson's disease. *Neurorehabilitation and Neural Repair* 2016;30(10): 931e40.
 46. Chastan N, Westby GW, Yelnik J, et al. Effects of nigral stimulation on locomotion and postural stability in patients with Parkinson's disease. *Brain* 2009;132(Pt 1):172e84.
 47. Crenna P, Carpinella I, Rabuffetti M, et al. Impact of subthalamic nucleus stimulation on the initiation of gait in Parkinson's disease. *Experimental Brain Research* 2006;172(4): 519e32.
 48. Liu W, McIntire K, Kim SH, et al. Bilateral subthalamic stimulation improves gait initiation in patients with Parkinson's disease. *Gait & Posture* 2006;23(4):492e8.
 49. Weaver FM, Follett K, Stern M, et al. Bilateral deep brain stimulation vs best medical therapy for patients with advanced Parkinson disease: a randomized controlled trial. *Jama* 2009;301(1):63e73.
 50. Delval A, Tard C, Defebvre L. Why we should study gait initiation in Parkinson's disease. *Neurophysiologie Clinique* 2014;44(1):69e76.
 51. Dibble LE, Nicholson DE, Shultz B, MacWilliams BA, Marcus RL, Moncur C. Sensory cueing effects on maximal speed gait initiation in persons with Parkinson's disease and healthy elders. *Gait & Posture* 2004;19(3):215e25.
 52. Gantchev N, Viallet F, Aurenty R, Massion J. Impairment of posturo-kinetic coordination during initiation of forward oriented stepping movements in parkinsonian patients. *Electroencephalography and Clinical Neurophysiology* 1996;101(2):110e20.
 53. Lu C, Amundsen Huffmaster SL, Tuite PJ, Vachon JM, MacKinnon CD. Effect of cue timing and modality on gait initiation in Parkinson disease with freezing of gait. *Archives of Physical Medicine and Rehabilitation* 2017;98(7). 1291-9.e1.
 54. Kukulka CG, Hajela N, Olson E, Peters A, Podratz K, Quade C. Visual and cutaneous triggering of rapid step initiation. *Experimental Brain Research* 2009;192(2):167e73.
 55. Creath RA, Prettyman M, Shulman L, et al. Self-triggered assistive stimulus training improves step initiation in persons with Parkinson's disease. *Journal of Neuroengineering and Rehabilitation* 2013;10:11.
 56. Mille ML, Creath RA, Prettyman MG, et al. Posture and locomotion coupling: a target for rehabilitation interventions in persons with Parkinson's disease. *Parkinson's Disease* 2012;2012:754186.
 57. Rochester L, Baker K, Hetherington V, et al. Evidence for motor learning in Parkinson's disease: acquisition, automaticity and retention of cued gait performance after training with external rhythmical cues. *Brain Research* 2010;1319:103e11.
 58. Azulay JP, Mesure S, Blin O. Influence of visual cues on gait in Parkinson's disease: contribution to attention or sensory dependence? *Journal of the Neurological Sciences* 2006;248(1e2):192e5.
 59. Mille ML, Hilliard MJ, Martinez KM, Simuni T, Zhang Y, Rogers MW. Short-term effects of posture-assisted step training on rapid step initiation in Parkinson's disease. *Journal of Neurologic Physical Therapy* 2009;33(2):88e95.
 60. Rogers MW, Hilliard MJ, Martinez KM, Zhang Y, Simuni T, Mille ML. Perturbations of ground support alter posture and locomotion coupling during step initiation in Parkinson's disease. *Experimental Brain Research* 2011;208(4):557e67.
 61. Hass CJ, Buckley TA, Pitsikoulis C, Barthelemy EJ. Progressive resistance training improves gait initiation in individuals with Parkinson's disease. *Gait & Posture* 2012; 35(4):669e73.

Chapter 6

1. Lord S, Galna B, Yarnall AJ, et al. Natural history of falls in an incident cohort of Parkinson's disease: early evolution, risk and protective features. *Journal of Neurology* 2017;
2. Peterson DS, Horak FB. Neural control of walking in people with parkinsonism. *Physiology* 2016;31(2):95e107.
3. Moreno Catala M, Woitalla D, Arampatzis A. Reactive but not predictive locomotor adaptability is impaired in young Parkinson's disease patients. *Gait and Posture* 2016;
4. Curtze C, Nutt JG, Carlson-Kuhta P, Mancini M, Horak FB. Objective gait and balance impairments relate to balance confidence and perceived mobility in people with Parkinson disease. *Physical Therapy* 2016;96(11):1734e43.
5. Horak FB, Mancini M, Carlson-Kuhta P, Nutt JG, Salarian A. Balance and gait represent independent domains of mobility in Parkinson disease. *Physical Therapy* 2016;96(9):
6. Lord S, Galna B, Rochester L. Moving forward on gait measurement: toward a more refined approach. *Movement Disorders: Official Journal of the Movement Disorder Society* 2013;28(11):1534e43.
7. Lord S, Galna B, Verghese J, Coleman S, Burn D, Rochester L. Independent domains of gait in older adults and associated motor and nonmotor attributes: validation of a factor analysis approach. *The Journals of Gerontology Series A, Biological Sciences and Medical Sciences* 2013;68(7):820e7.
8. Morris R, Hickey A, Del Din S, Godfrey A, Lord S, Rochester L. A model of free-living gait: a factor analysis in Parkinson's disease. *Gait and Posture* 2017;52:68e71.
9. Hausdorff JM. Gait dynamics in Parkinson's disease: common and distinct behavior among stride length, gait variability, and fractal-like scaling. *Chaos* 2009;19(2):026113.
10. Morris ME, Iankov R, Matyas TA, Summers JJ. Ability to modulate walking cadence remains intact in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 1994;57(12):1532e4.
11. Morris ME, Iankov R, Matyas TA, Summers JJ. The pathogenesis of gait hypokinesia in Parkinson's disease. *Brain: A Journal of Neurology* 1994;117(Pt 5):1169e81.
12. Giladi N, Balash J. Paroxysmal locomotion gait disturbances in Parkinson's disease. *Neurologia I Neurochirurgia Polska* 2001;35(Suppl. 3):57e63.
13. Curtze C, Nutt JG, Carlson-Kuhta P, Mancini M, Horak FB. Levodopa is a double-edged sword for balance and gait in people with Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2015;30(10):1361e70.
14. Baltadjieva R, Giladi N, Gruendlinger L, Peretz C, Hausdorff JM. Marked alterations in the gait timing and rhythmicity of patients with de novo Parkinson's disease. *European Journal of Neuroscience* 2006;24(6):1815e20.
15. Hausdorff JM, Cudkovic ME, Firtion R, Wei JY, Goldberger AL. Gait variability and basal ganglia disorders: stride-to-stride variations of gait cycle timing in Parkinson's disease and Huntington's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 1998;13(3):428e37.
16. Schaafsma JD, Giladi N, Balash Y, Bartels AL, Gurevich T, Hausdorff JM. Gait dynamics in Parkinson's disease: relationship to Parkinsonian features, falls and response to levodopa. *Journal of the Neurological Sciences* 2003;212(1e2):47e53.
17. Mellone S, Mancini M, King LA, Horak FB, Chiari L. The quality of turning in Parkinson's disease: a compensatory strategy to prevent postural instability? *Journal of Neuroengineering and Rehabilitation* 2016;13:39.
18. Hong M, Perlmutter JS, Earhart GM. A kinematic and electromyographic analysis of turning in people with Parkinson disease. *Neurorehabilitation and Neural Repair* 2009; 23(2):166e76.
19. Hulbert S, Ashburn A, Robert L, Verheyden G. A narrative review of turning deficits in people with Parkinson's disease. *Disability and Rehabilitation* 2014:1e8.
20. Huxham F, Baker R, Morris ME, Iankov R. Head and trunk rotation during walking turns in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2008;23(10):1391e7.
21. Visser JE, Voermans NC, Oude Nijhuis LB, et al. Quantification of trunk rotations during turning and walking in Parkinson's disease. *Clinical Neurophysiology: Official Journal of the International Federation of Clinical Neurophysiology* 2007;118(7):1602e6.
22. Mancini M, Horak FB, Zampieri C, Carlson-Kuhta P, Nutt JG, Chiari L. Trunk accelerometry reveals postural instability in untreated Parkinson's disease. *Parkinsonism and Related Disorders* 2011;17(7):557e62.
23. Zampieri C, Salarian A, Carlson-Kuhta P, Aminian K, Nutt JG, Horak FB. The instrumented timed up and go test: potential outcome measure for disease modifying therapies in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 2010;81(2):171e6.
24. Mirelman A, Bernad-Elazari H, Thaler A, et al. Arm swing as a potential new prodromal marker of Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2016;31(10):1527e34.
25. Bloem BR, Hausdorff JM, Visser JE, Giladi N. Falls and freezing of gait in Parkinson's disease: a review of two interconnected, episodic phenomena. *Movement Disorders: Official Journal of the Movement Disorder Society* 2004;19(8):871e84.
26. Fasano A, Canning CG, Hausdorff JM, Lord S, Rochester L. Falls in Parkinson's disease: a complex and evolving picture. *Movement Disorders: Official Journal of the Movement Disorder Society* 2017;32(11):1524e36.
27. Snijders AH, Takakusaki K, Debu B, et al. Physiology of freezing of gait. *Annals of Neurology* 2016;80(5):644e59.
28. Kyrdaalen IL, Thingstad P, Sandvik L, Ormstad H. Associations between gait speed and well-known fall risk factors among community-dwelling older adults. *Physiotherapy Research International: The Journal for Researchers and Clinicians in Physical Therapy* 2019; 24(1):e1743.
29. Uemura K, Yamada M, Nagai K, Tanaka B, Mori S, Ichihashi N. Fear of falling is associated with prolonged anticipatory postural adjustment during gait initiation under dual-task conditions in older adults. *Gait and Posture* 2012;35(2):282e6.

30. Berardelli A, Rothwell JC, Thompson PD, Hallett M. Pathophysiology of bradykinesia in Parkinson's disease. *Brain: A Journal of Neurology* 2001;124(Pt 11):2131e46.
31. Huang YZ, Chang FY, Liu WC, Chuang YF, Chuang LL, Chang YJ. Fatigue and muscle strength involving walking speed in Parkinson's disease: insights for developing rehabilitation strategy for PD. *Neural Plasticity* 2017;2017:1941980.
32. Pedersen SW, Oberg B, Larsson LE, Lindval B. Gait analysis, isokinetic muscle strength measurement in patients with Parkinson's disease. *Scandinavian Journal of Rehabilitation Medicine* 1997;29(2):67e74.
33. Rebula JR, Ojeda LV, Adamczyk PG, Kuo AD. The stabilizing properties of foot yaw in human walking. *Journal of Biomechanics* 2017;53:1e8.
34. Mazzoni P, Shabbott B, Cortes JC. Motor control abnormalities in Parkinson's disease. *Cold Spring Harbor Perspectives in Medicine* 2012;2(6):a009282.
35. Hausdorff JM. Gait variability: methods, modeling and meaning. *Journal of Neuroengineering and Rehabilitation* 2005;2:19.
36. Galna B, Lord S, Burn DJ, Rocheſter L. Progression of gait dysfunction in incident Parkinson's disease: impact of medication and phenotype. *Movement Disorders: Official Journal of the Movement Disorder Society* 2015;30(3):359e67.
37. Reimann H, Fettes TD, Thompson ED, Agada P, McFadyen BJ, Jeka JJ. Complementary mechanisms for upright balance during walking. *PLoS One* 2017;12(2):e0172215.
38. Collins SH, Kuo AD. Two independent contributions to step variability during over ground human walking. *PLoS One* 2013;8(8):e73597.
39. Frenkel-Toledo S, Giladi N, Peretz C, Herman T, Gruendinger L, Hausdorff JM. Effect of gait speed on gait rhythmicity in Parkinson's disease: variability of stride time and swing time respond differently. *Journal of Neuroengineering and Rehabilitation* 2005;2:23.
40. Galna B, Lord S, Rocheſter L. Is gait variability reliable in older adults and Parkinson's disease? Towards an optimal testing protocol. *Gait and Posture* 2013;37(4):580e5.
41. Del Din S, Galna B, Godfrey A, et al. Analysis of free-living gait in older adults with and without Parkinson's disease and with and without a history of falls: identifying generic and disease specific characteristics. *The Journals of Gerontology Series A, Biological Sciences and Medical Sciences* 2019;74(4):500e6.
42. van den Heuvel L, Lim AS, Visanji NP, et al. Actigraphy detects greater intra-individual variability during gait in non-manifesting LRRK2 mutation carriers. *Journal of Parkinson's Disease* 2018;8(1):131e9.
43. Bohnen NI, Jahn K. Imaging: what can it tell us about parkinsonian gait? *Movement Disorders: Official Journal of the Movement Disorder Society* 2013;28(11):1492e500.
44. Clark DJ. Automaticity of walking: functional significance, mechanisms, measurement and rehabilitation strategies. *Frontiers in Human Neuroscience* 2015;9:246.
45. Wulf G. *Attention and motor skill learning*. Champaign, IL: Human Kinetics; 2007.
46. Wu T, Hallett M, Chan P. Motor automaticity in Parkinson's disease. *Neurobiology of Disease* 2015;82:226e34.
47. Lewis SJ, Barker RA. A pathophysiological model of freezing of gait in Parkinson's disease. *Parkinsonism and Related Disorders* 2009;15(5):333e8.
48. Lewis SJ, Shine JM. The next step: a common neural mechanism for freezing of gait. *The Neuroscientist: A Review Journal Bringing Neurobiology, Neurology and Psychiatry* 2016; 22(1):72e82.
49. Strouwen C, Molenaar EA, Munks L, et al. Dual tasking in Parkinson's disease: should we train hazardous behavior? *Expert Review of Neurotherapeutics* 2015;15(9):1031e9.
50. Hausdorff JM, Balash J, Giladi N. Effects of cognitive challenge on gait variability in patients with Parkinson's disease. *Journal of Geriatric Psychiatry and Neurology* 2003;16(1): 53e8.
51. Kelly VE, Eusterbrock AJ, Shumway-Cook A. A review of dual-task walking deficits in people with Parkinson's disease: motor and cognitive contributions, mechanisms, and clinical implications. *Parkinson's Disease* 2012;2012:918719.
52. Peterson DS, Plotnik M, Hausdorff JM, Earhart GM. Evidence for a relationship between bilateral coordination during complex gait tasks and freezing of gait in Parkinson's disease. *Parkinsonism and Related Disorders* 2012;18(9):1022e6.
53. Plotnik M, Dagan Y, Gurevich T, Giladi N, Hausdorff JM. Effects of cognitive function on gait and dual tasking abilities in patients with Parkinson's disease suffering from motor response fluctuations. *Experimental Brain Research* 2011;208(2):169e79.
54. Bryant MS, Rintala DH, Hou JG, Collins RL, Protas EJ. Gait variability in Parkinson's disease: levodopa and walking direction. *Acta Neurologica Scandinavica* 2016;134(1):83e6.
55. Gilat M, Bell PT, Ehgoetz Martens KA, et al. Dopamine depletion impairs gait automaticity by altering cortico-striatal and cerebellar processing in Parkinson's disease. *NeuroImage* 2017;152:207e20.
56. Czerny C, Rand T, Gstoettner W, Woelfl G, Imhof H, Trattnig S. MR imaging of the inner ear and cerebellopontine angle: comparison of three-dimensional and two-dimensional sequences. *American Journal of Roentgenology* 1998;170(3):791e6.
57. Doya K. Complementary roles of basal ganglia and cerebellum in learning and motor control. *Current Opinion in Neurobiology* 2000;10(6):732e9.
58. Lang CE, Baſtian AJ. Cerebellar subjects show impaired adaptation of anticipatory EMG during catching. *Journal of Neurophysiology* 1999;82(5):2108e19.
59. Morton SM, Baſtian AJ. Cerebellar contributions to locomotor adaptations during splitbelt treadmill walking. *Journal of Neuroscience: The Official Journal of the Society for Neuroscience* 2006;26(36):9107e16.
60. Wu T, Hallett M. The cerebellum in Parkinson's disease. *Brain: A Journal of Neurology* 2013;136(Pt 3):696e709.
61. Horak FB, Diener HC. Cerebellar control of postural scaling and central set in stance. *Journal of Neurophysiology* 1994;72(2):479e93.
62. Morton SM, Baſtian AJ. Cerebellar control of balance and locomotion. *The Neuroscientist: A Review Journal Bringing Neurobiology, Neurology and Psychiatry* 2004;10(3):247e59.
63. Schneider W, Chein JM. Controlled & automatic processing: behavior, theory, and biological mechanisms. *Cognitive Science*

- 2003;27(3):525e59.
64. Hamacher D, Herold F, Wiegel P, Hamacher D, Schega L. Brain activity during walking: a systematic review. *Neuroscience and Biobehavioral Reviews* 2015;57:310e27.
 65. Lucas M, Chaves F, Teixeira S, et al. Time perception impairs sensory-motor integration in Parkinson's disease. *International Archives of Medicine* 2013;6(1):39.
 66. Plotnik M, Giladi N, Hausdorff JM. A new measure for quantifying the bilateral coordination of human gait: effects of aging and Parkinson's disease. *Experimental Brain Research* 2007;181(4):561e70.
 67. Roemmich RT, Nocera JR, Stegemoller EL, Hassan A, Okun MS, Hass CJ. Locomotor adaptation and locomotor adaptive learning in Parkinson's disease and normal aging. *Clinical Neurophysiology: Official Journal of the International Federation of Clinical Neurophysiology* 2014;125(2):313e9.
 68. Lewek MD, Poole R, Johnson J, Halawa O, Huang X. Arm swing magnitude and asymmetry during gait in the early stages of Parkinson's disease. *Gait and Posture* 2010;31(2): 256e60.
 69. Patla AE, Prentice SD, Robinson C, Neufeld J. Visual control of locomotion: strategies for changing direction and for going over obstacles. *Journal of Experimental Psychology Human Perception and Performance* 1991;17(3):603e34.
 70. Boonsinsukh R, Saengsirisuwan V, Carlson-Kuhta P, Horak FB. A cane improves postural recovery from an unpracticed slip during walking in people with Parkinson disease. *Physical Therapy* 2012;92(9):1117e29.
 71. Oates AR, Van Ooteghem K, Frank JS, Patla AE, Horak FB. Adaptation of gait termination on a slippery surface in Parkinson's disease. *Gait and Posture* 2013;37(4):516e20.
 72. Lilleeng B, Gjerstad M, Baardsen R, Dalen I, Larsen JP. Motor symptoms after deep brain stimulation of the subthalamic nucleus. *Acta Neurologica Scandinavica* 2015;131(5): 298e304.
 73. Collomb-Clerc A, Welter ML. Effects of deep brain stimulation on balance and gait in patients with Parkinson's disease: a systematic neurophysiological review. *Neurophysiologie Clinique ¼ Clinical Neurophysiology* 2015;45(4e5):371e88.
 74. Cantiniaux S, Vaugoyeau M, Robert D, et al. Comparative analysis of gait and speech in Parkinson's disease: hypokinetic or dysrhythmic disorders? *Journal of Neurology Neurosurgery and Psychiatry* 2010;81(2):177e84.
 75. Johnsen EL, Mogensen PH, Sunde NA, Oøstergaard K. Improved asymmetry of gait in Parkinson's disease with DBS: gait and postural instability in Parkinson's disease treated with bilateral deep brain stimulation in the subthalamic nucleus. *Movement Disorders: Official Journal of the Movement Disorder Society* 2009;24(4):590e7.
 76. McNeely ME, Earhart GM. Medication and subthalamic nucleus deep brain stimulation similarly improve balance and complex gait in Parkinson disease. *Parkinsonism and Related Disorders* 2013;19(1):86e91.
 77. McNeely ME, Hershey T, Campbell MC, et al. Effects of deep brain stimulation of dorsal versus ventral subthalamic nucleus regions on gait and balance in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 2011;82(11):1250e5.
 78. Vallabhajosula S, Haq IU, Hwynn N, et al. Low-frequency versus high-frequency subthalamic nucleus deep brain stimulation on postural control and gait in Parkinson's disease: a quantitative study. *Brain Stimulation* 2015;8(1):64e75.
 79. Allert N, Volkman J, Dotse S, Hefter H, Sturm V, Freund HJ. Effects of bilateral pallidal or subthalamic stimulation on gait in advanced Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2001;16(6):1076e85.
 80. Defebvre LJ, Kryótkowiak P, Blatt JL, et al. Influence of pallidal stimulation and levodopa on gait and preparatory postural adjustments in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2002;17(1):76e83.
 81. Peppe A, Pierantozzi M, Chiavalon C, et al. Deep brain stimulation of the pedunculopontine tegmentum and subthalamic nucleus: effects on gait in Parkinson's disease. *Gait and Posture* 2010;32(4):512e8.
 82. Varriale P, Collomb-Clerc A, Van Hamme A, et al. Decreasing subthalamic deep brain stimulation frequency reverses cognitive interference during gait initiation in Parkinson's disease. *Clinical Neurophysiology: Official Journal of the International Federation of Clinical Neurophysiology* 2018;129(11):2482e91.
 83. Moreau C, Defebvre L, Devos D, et al. STN versus PPN-DBS for alleviating freezing of gait: toward a frequency modulation approach? *Movement Disorders: Official Journal of the Movement Disorder Society* 2009;24(14):2164e6.
 84. Mak MK, Wong-Yu IS, Shen X, Chung CL. Long-term effects of exercise and physical therapy in people with Parkinson disease. *Nature Reviews Neurology* 2017;13(11): 689e703.
 85. Tomlinson CL, Herd CP, Clarke CE, et al. Physiotherapy for Parkinson's disease: a comparison of techniques. *Cochrane Database of Systematic Reviews* 2014;(6):Cd002815.
 86. Shen X, Wong-Yu IS, Mak MK. Effects of exercise on falls, balance, and gait ability in Parkinson's disease: a meta-analysis. *Neurorehabilitation and Neural Repair* 2016;30(6): 512e27.
 87. Miller Koop M, Rosenfeldt AB, Alberts JL. Mobility improves after high intensity aerobic exercise in individuals with Parkinson's disease. *Journal of the Neurological Sciences* 2019; 399:187e93.
 88. Lamotte G, Rafferty MR, Prodoehl J, et al. Effects of endurance exercise training on the motor and non-motor features of Parkinson's disease: a review. *Journal of Parkinson's Disease* 2015;5(1):21e41.
 89. Ginis P, Nackaerts E, Nieuwboer A, Heremans E. Cueing for people with Parkinson's disease with freezing of gait: a narrative review of the state-of-the-art and novel perspectives. *Annals of Physical and Rehabilitation Medicine* 2018;61(6):407e13.
 90. Harrison EC, Horin AP, Earhart GM. Internal cueing improves gait more than external cueing in healthy adults and people with Parkinson disease. *Scientific Reports* 2018;8(1): 15525.
 91. Mackinnon C. Sensorimotor anatomy of gait, balance, and falls. In: *Handbook of clinical neurology*. Elsevier; 2018.
 92. Azulay JP, Mesure S, Amblard B, Blin O, Sangla I, Pouget J. Visual control of locomotion in Parkinson's disease. *Brain: A Journal of Neurology* 1999;122(Pt 1):111e20.
 93. Jacobs JV, Horak FB. Abnormal proprioceptive-motor integration contributes to hypometric postural responses of subjects with Par-

kinson's disease. *Neuroscience* 2006; 141(2):999e1009.

94. Mehrholz J, Kugler J, Storch A, Pohl M, Hirsch K, Elsner B. Treadmill training for patients with Parkinson's disease. *Cochrane Database of Systematic Reviews* 2015;9.
95. Herman T, Giladi N, Hausdorff JM. Treadmill training for the treatment of gait disturbances in people with Parkinson's disease: a mini-review. *Journal of Neural Transmission* 2009;116(3):307e18.

Chapter 7

1. Earhart GM. Dynamic control of posture across locomotor tasks. *Movement Disorders: Official Journal of the Movement Disorder Society* 2013;28(11):1501e8.
2. Glaišter BC, Bernatz GC, Klute GK, Orendurff MS. Video task analysis of turning during activities of daily living. *Gait and Posture* 2007;25(2):289e94.
3. Mancini M, Schlueter H, El-Gohary M, et al. Continuous monitoring of turning mobility and its association to falls and cognitive function: a pilot study. *The Journals of Gerontology Series A, Biological Sciences and Medical Sciences* 2016;71(8):1102e8.
4. Courtine G, Schieppati M. Human walking along a curved path. II. Gait features and EMG patterns. *European Journal of Neuroscience* 2003;18(1):191e205.
5. Hicheur H, Vieilledent S, Berthoz A. Head motion in humans alternating between straight and curved walking path: combination of stabilizing and anticipatory orienting mechanisms. *Neuroscience Letters* 2005;383(1e2):87e92.
6. Grasso R, Prevošt P, Ivanenko YP, Berthoz A. Eye-head coordination for the steering of locomotion in humans: an anticipatory synergy. *Neuroscience Letters* 1998;253(2):115e8.
7. Authie CN, Hilt PM, N'Guyen S, Berthoz A, Bennequin D. Differences in gaze anticipation for locomotion with and without vision. *Frontiers in Human Neuroscience* 2015;9:312.
8. Crenna P, Carpinella I, Rabuffetti M, et al. The association between impaired turning and normal straight walking in Parkinson's disease. *Gait and Posture* 2007;26(2):172e8.
9. Pradeep Ambati VN, Murray NG, Saucedo F, Powell DW, Reed-Jones RJ. Constraining eye movement when redirecting walking trajectories alters turning control in healthy young adults. *Experimental Brain Research* 2013;226(4):549e56.
10. Patla AE, Adkin A, Ballard T. Online steering: coordination and control of body center of mass, head and body reorientation. *Experimental Brain Research* 1999;129(4):629e34.
11. Stack E, Ashburn A. Dysfunctional turning in Parkinson's disease. *Disability and Rehabilitation* 2008;30(16):1222e9.
12. Stack EL, Ashburn AM, Jupp KE. Strategies used by people with Parkinson's disease who report difficulty turning. *Parkinsonism and Related Disorders* 2006;12(2):87e92.
13. Morris ME, Huxham FE, McGinley J, Iansek R. Gait disorders and gait rehabilitation in Parkinson's disease. *Advances in Neurology* 2001;87:347e61.
14. Huxham F, Baker R, Morris ME, Iansek R. Head and trunk rotation during walking turns in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2008;23(10):1391e7.
15. Visser JE, Voermans NC, Oude Nijhuis LB, et al. Quantification of trunk rotations during turning and walking in Parkinson's disease. *Clinical Neurophysiology: Official Journal of the International Federation of Clinical Neurophysiology* 2007;118(7):1602e6.
16. Herman T, Giladi N, Hausdorff JM. Properties of the 'timed up and go' test: more than meets the eye. *Gerontology* 2011;57(3):203e10.
17. King LA, Mancini M, Priešt K, Salarian A, Rodrigues-de-Paula F, Horak F. Do clinical scales of balance reflect turning abnormalities in people with Parkinson's disease? *Journal of Neurologic Physical Therapy: Journal of Neurologic Physical Therapy* 2012;36(1):25e31.
18. Franzen E, Paquette C, Gurfinkel VS, Cordo PJ, Nutt JG, Horak FB. Reduced performance in balance, walking and turning tasks is associated with increased neck tone in Parkinson's disease. *Experimental Neurology* 2009;219(2):430e8.
19. Hong M, Perlmutter JS, Earhart GM. A kinematic and electromyographic analysis of turning in people with Parkinson disease. *Neurorehabilitation and Neural Repair* 2009; 23(2):166e76.
20. Steiger MJ, Thompson PD, Marsden CD. Disordered axial movement in Parkinson's disease. *Journal of Neurology, Neurosurgery, and Psychiatry* 1996;61(6):645e8.
21. Orendurff MS, Segal AD, Berge JS, Flick KC, Spanier D, Klute GK. The kinematics and kinetics of turning: limb asymmetries associated with walking a circular path. *Gait and Posture* 2006;23(1):106e11.
22. Fino PC, Frames CW, Lockhart TE. Classifying step and spin turns using wireless gyroscopes and implications for fall risk assessments. *Sensors* 2015;15(5):1067e85.
23. Fino PC, Lockhart TE, Fino NF. Corner height influences center of mass kinematics and path trajectory during turning. *Journal of Biomechanics* 2015;48(1):104e12.
24. Mak MK, Patla A, Hui-Chan C. Sudden turn during walking is impaired in people with Parkinson's disease. *Experimental Brain Research* 2008;190(1):43e51.
25. Mellone S, Mancini M, King LA, Horak FB, Chiari L. The quality of turning in Parkinson's disease: a compensatory strategy to prevent postural instability? *Journal of Neuroengineering and Rehabilitation* 2016;13:39.
26. Mancini M, El-Gohary M, Pearson S, et al. Continuous monitoring of turning in Parkinson's disease: rehabilitation potential. *NeuroRehabilitation* 2015;37(1):3e10.
27. Bhatt H, Pieruccini-Faria F, Almeida QJ. Dynamics of turning sharpness influences freezing of gait in Parkinson's disease. *Parkinsonism and Related Disorders* 2013;19(2): 181e5.

28. Hase K, Stein RB. Turning strategies during human walking. *Journal of Neurophysiology* 1999;81(6):2914e22.
29. Song J, Sigward S, Fisher B, Salem GJ. Altered dynamic postural control during step turning in persons with early-stage Parkinson's disease. *Parkinson's Disease* 2012;2012: 386962.
30. Galna B, Lord S, Daud D, Archibald N, Burn D, Rochester L. Visual sampling during walking in people with Parkinson's disease and the influence of environment and dual-task. *Brain Research* 2012;1473:35e43.
31. Lohnes CA, Earhart GM. Saccadic eye movements are related to turning performance in Parkinson disease. *Journal of Parkinson's Disease* 2011;1(1):109e18.
32. Anastasopoulos D, Ziafra N, Savvidou E, Bain P, Bronstein AM. Altered eye-to-foot coordination in standing parkinsonian patients during large gaze and whole-body reorientations. *Movement Disorders: Official Journal of the Movement Disorder Society* 2011;26(12):2201e11.
33. Akram SB, Frank JS, Fraser J. Coordination of segments reorientation during on-the-spot turns in healthy older adults in eyes-open and eyes-closed conditions. *Gait and Posture* 2010;32(4):632e6.
34. Keus SH, Bloem BR, Hendriks EJ, Bredero-Cohen AB, Munneke M. Evidence-based analysis of physical therapy in Parkinson's disease with recommendations for practice and research. *Movement Disorders: Official Journal of the Movement Disorder Society* 2007; 22(4):451e60. quiz 600.
35. Schenkman ML, Clark K, Xie T, Kuchibhatla M, Shinberg M, Ray L. Spinal movement and performance of a standing reach task in participants with and without Parkinson disease. *Physical Therapy* 2001;81(8):1400e11.
36. Vaugoyeau M, Viallet F, Aurenry N, Assaiante C, Mesure S, Massion J. Axial rotation in Parkinson's disease. *Journal of Neurology, Neurosurgery, and Psychiatry* 2006;77(7):815e21.
37. Morris ME. Movement disorders in people with Parkinson disease: a model for physical therapy. *Physical Therapy* 2000;80(6):578e97.
38. Hulbert S, Ashburn A, Robert L, Verheyden G. A narrative review of turning deficits in people with Parkinson's disease. *Disability and Rehabilitation* 2014;1e8.
39. Becker W, Nasios G, Raab S, Jurgens R. Fusion of vestibular and podokinesthetic information during self-turning towards instructed targets. *Experimental Brain Research* 2002; 144(4):458e74.
40. Jurgens R, Boss T, Becker W. Estimation of self-turning in the dark: comparison between active and passive rotation. *Experimental Brain Research* 1999;128(4):491e504.
41. Jurgens R, Nasios G, Becker W. Vestibular, optokinetic, and cognitive contribution to the guidance of passive self-rotation toward instructed targets. *Experimental Brain Research* 2003;151(1):90e107.
42. Koutakis P, Mukherjee M, Vallabhajosula S, Blanke DJ, Stergiou N. Path integration: effect of curved path complexity and sensory system on blindfolded walking. *Gait and Posture* 2013;37(2):154e8.
43. Savona F, Stratulat AM, Roussarie V, Bourdin C. The influence of yaw motion on the perception of active vs passive visual curvilinear displacement. *Journal of Vestibular Research: Equilibrium and Orientation* 2015;25(3e4):125e41.
44. Earhart GM, Stevens ES, Perlmutter JS, Hong M. Perception of active and passive turning in Parkinson disease. *Neurorehabilitation and Neural Repair* 2007;21(2):116e22.
45. Zampieri C, Salarian A, Carlson-Kuhta P, Aminian K, Nutt JG, Horak FB. The instrumented timed up and go test: potential outcome measure for disease modifying therapies in Parkinson's disease. *Journal of Neurology, Neurosurgery, and Psychiatry* 2010;81(2): 171e6.
46. Curtze C, Nutt JG, Carlson-Kuhta P, Mancini M, Horak FB. Objective gait and balance impairments relate to balance confidence and perceived mobility in people with Parkinson disease. *Physical Therapy* 2016;96(11):1734e43.
47. Bloem BR, Grimbergen YA, Cramer M, Willemsen M, Zwiderman AH. Prospective assessment of falls in Parkinson's disease. *Journal of Neurology* 2001;248(11):950e8.
48. Weaver TB, Robinovitch SN, Laing AC, Yang Y. Falls and Parkinson's disease: evidence from video recordings of actual fall events. *Journal of the American Geriatrics Society* 2016; 64(1):96e101.
49. Robinovitch SN, Feldman F, Yang Y, et al. Video capture of the circumstances of falls in elderly people residing in long-term care: an observational study. *Lancet* 2013;381(9860): 47e54.
50. Spildooren J, Vercruyse S, Heremans E, et al. Head-pelvis coupling is increased during turning in patients with Parkinson's disease and freezing of gait. *Movement Disorders: Official Journal of the Movement Disorder Society* 2013;28(5):619e25.
51. Spildooren J, Vinken C, Van Baekel L, Nieuwboer A. Turning problems and freezing of gait in Parkinson's disease: a systematic review and meta-analysis. *Disability and Rehabilitation* 2018;1e11.
52. Mancini M, Weiss A, Herman T, Hausdorff JM. Turn around freezing: community-living turning behavior in people with Parkinson's disease. *Frontiers in Neurology* 2018;9:18.
53. Connolly BS, Lang AE. Pharmacological treatment of Parkinson disease: a review. *Jama* 2014;311(16):1670e83.
54. Bohnen NI, Cham R. Postural control, gait, and dopamine functions in parkinsonian movement disorders. *Clinics in Geriatric Medicine* 2006;22(4):797e812 [vi].
55. Curtze C, Nutt JG, Carlson-Kuhta P, Mancini M, Horak FB. Levodopa is a double-edged sword for balance and gait in people with Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2015;30(10):1361e70.
56. Conradsson D, Paquette C, Lökk J, Franzen E. Pre- and unplanned walking turns in Parkinson's disease - effects of dopaminergic medication. *Neuroscience* 2017;341:18e26.
57. McNeely ME, Earhart GM. The effects of medication on turning in people with Parkinson disease with and without freezing of gait. *Journal of Parkinson's Disease* 2011;1(3): 259e70.
58. Huxham F, Baker R, Morris ME, Iansek R. Footstep adjustments used to turn during walking in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2008;23(6):817e23.

59. Horak FB, Dimitrova D, Nutt JG. Direction-specific postural instability in subjects with Parkinson's disease. *Experimental Neurology* 2005;193(2):504e21.
60. King LA, Horak FB. Lateral stepping for postural correction in Parkinson's disease. *Archives of Physical Medicine and Rehabilitation* 2008;89(3):492e9.
61. Lohnes CA, Earhart GM. Effect of subthalamic deep brain stimulation on turning kinematics and related saccadic eye movements in Parkinson disease. *Experimental Neurology* 2012;236(2):389e94.
62. St George RJ, Nutt JG, Burchiel KJ, Horak FB. A meta-regression of the long-term effects of deep brain stimulation on balance and gait in PD. *Neurology* 2010;75(14):1292e9.
63. Cheng FY, Yang YR, Wu YR, Cheng SJ, Wang RY. Effects of curved-walking training on curved-walking performance and freezing of gait in individuals with Parkinson's disease: a randomized controlled trial. *Parkinsonism and Related Disorders* 2017;43:20e6.
64. King LA, Salarian A, Mancini M, et al. Exploring outcome measures for exercise intervention in people with Parkinson's disease. *Parkinson's Disease* 2013;2013:572134.
65. Nieuwboer A, Baker K, Willems AM, et al. The short-term effects of different cueing modalities on turn speed in people with Parkinson's disease. *Neurorehabilitation and Neural Repair* 2009;23(8):831e6.
66. Willems AM, Nieuwboer A, Chavret F, et al. Turning in Parkinson's disease patients and controls: the effect of auditory cues. *Movement Disorders: Official Journal of the Movement Disorder Society* 2007;22(13):1871e8.

Chapter 8

1. Nutt JG, Bloem BR, Giladi N, Hallett M, Horak FB, Nieuwboer A. Freezing of gait: moving forward on a mysterious clinical phenomenon. *The Lancet Neurology* 2011;10(8): 734e44.
2. Youn J, Okuma Y, Hwang M, Kim D, Cho JW. Falling direction can predict the mechanism of recurrent falls in advanced Parkinson's disease. *Scientific Reports* 2017;7(1): 3921.
3. Paul SS, Canning CG, Sherrington C, Lord SR, Close JC, Fung VS. Three simple clinical tests to accurately predict falls in people with Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2013;28(5):655e62.
4. Hely MA, Reid WG, Adena MA, Halliday GM, Morris JG. The Sydney multicenter study of Parkinson's disease: the inevitability of dementia at 20 years. *Movement Disorders: Official Journal of the Movement Disorder Society* 2008;23(6):837e44.
5. Auyeung M, Tsoi TH, Mok V, et al. Ten year survival and outcomes in a prospective cohort of new onset Chinese Parkinson's disease patients. *Journal of Neurology, Neurosurgery, and Psychiatry* 2012;83(6):607e11.
6. Giladi N, McDermott MP, Fahn S, et al. Freezing of gait in PD: prospective assessment in the DATATOP cohort. *Neurology* 2001;56(12):1712e21.
7. Espay AJ, Fasano A, van Nuenen BF, Payne MM, Snijders AH, Bloem BR. "On" state freezing of gait in Parkinson disease: a paradoxical levodopa-induced complication. *Neurology* 2012;78(7):454e7.
8. Kerr GK, Worringham CJ, Cole MH, Lacherez PF, Wood JM, Silburn PA. Predictors of future falls in Parkinson disease. *Neurology* 2010;75(2):116e24.
9. Latt MD, Lord SR, Morris JG, Fung VS. Clinical and physiological assessments for elucidating falls risk in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2009;24(9):1280e9.
10. Hausdorff JM, Balash Y, Giladi N. Time series analysis of leg movements during freezing of gait in Parkinson's disease: akinesia, rhyme or reason? *Physica A: Statistical Mechanics and Its Applications* 2003;321:565e70.
11. Moore ST, MacDougall HG, Ondo WG. Ambulatory monitoring of freezing of gait in Parkinson's disease. *Journal of Neuroscience Methods* 2008;167(2):340e8.
12. Yanagisawa N, Ueno E, Takami M. Frozen gait of Parkinson's disease and parkinsonism. A study with floor reaction forces and EMG. In: Shimamura M, Grillner S, Edgerton VR, editors. *Neurobiological basis of human locomotion*. Tokyo: Japan Scientific Societies Press; 1991.
13. Bloem BR, Hausdorff JM, Visser JE, Giladi N. Falls and freezing of gait in Parkinson's disease: a review of two interconnected, episodic phenomena. *Movement Disorders: Official Journal of the Movement Disorder Society* 2004;19(8):871e84.
14. Schaafsma JD, Giladi N, Balash Y, Bartels AL, Gurevich T, Hausdorff JM. Gait dynamics in Parkinson's disease: relationship to parkinsonian features, falls and response to levodopa. *Journal of the Neurological Sciences* 2003;212(1e2):47e53.
15. Vercurysse S, Gilat M, Shine JM, Heremans E, Lewis S, Nieuwboer A. Freezing beyond gait in Parkinson's disease: a review of current neurobehavioral evidence. *Neuroscience and Biobehavioral Reviews* 2014;43:213e27.
16. Vercurysse S, Spildooren J, Heremans E, et al. The neural correlates of upper limb motor blocks in Parkinson's disease and their relation to freezing of gait. *Cerebral Cortex* 2014; 24(12):3154e66.
17. Cohen RG, Klein KA, Nomura M, et al. Inhibition, executive function, and freezing of gait. *Journal of Parkinson's Disease* 2014;4(1):111e22.
18. Bekkers EMJ, Dijkstra BW, Dockx K, Heremans E, Verschueren SMP, Nieuwboer A. Clinical balance scales indicate worse postural control in people with Parkinson's disease who exhibit freezing of gait compared to those who do not: a meta-analysis. *Gait and Posture* 2017;56:134e40.
19. Schlenstedt C, Mancini M, Nutt J, et al. Are hypometric anticipatory postural adjustments contributing to freezing of gait in Parkinson's disease? *Frontiers in Aging Neuroscience* 2018;10:36.
20. Jacobs JV, Nutt JG, Carlson-Kuhta P, Stephens M, Horak FB. Knee trembling during freezing of gait represents multiple anticipatory postural adjustments. *Experimental Neurology* 2009; 215(2): 334-341.
21. Smulders K, Esselink RA, De Swart BJ, Geurts AC, Bloem BR, Weerdesteijn V. Postural inflexibility in PD: does it affect compensa-

- tory stepping? *Gait and Posture* 2014;39(2): 700e6.
22. Peterson DS, Horak FB. Effects of freezing of gait on postural motor learning in people with Parkinson's disease. *Neuroscience* 2016;334:283e9.
 23. El-Gohary M, Peterson D, Gera G, Horak FB, Huisinga JM. Validity of the instrumented Push and release test to quantify postural responses in persons with multiple sclerosis. *Archives of Physical Medicine and Rehabilitation* 2017;98(7):1325e31.
 24. Smith BA, Carlson-Kuhta P, Horak FB. Consistency in administration and response for the backward Push and release test: a clinical assessment of postural responses. *Physiotherapy Research International: The Journal for Researchers and Clinicians in Physical Therapy* 2016;21(1):36e46.
 25. Jacobs JV, Horak FB, Van Tran K, Nutt JG. An alternative clinical postural stability test for patients with Parkinson's disease. *Journal of Neurology* 2006;253(11):1404e13.
 26. Schieppati M, Nardone A. Free and supported stance in Parkinson's disease. The effect of posture and 'postural set' on leg muscle responses to perturbation, and its relation to the severity of the disease. *Brain: A Journal of Neurology* 1991;114(Pt 3):1227e44.
 27. Nantel J, Bronte-Stewart H. The effect of medication and the role of postural instability in different components of freezing of gait (FOG). *Parkinsonism and Related Disorders* 2014;20(4):447e51.
 28. Pelykh O, Klein AM, Botzel K, Kosutzka Z, Ilmberger J. Dynamics of postural control in Parkinson patients with and without symptoms of freezing of gait. *Gait and Posture* 2015; 42(3):246e50.
 29. Vervoort G, Bengevoord A, Strouwen C, et al. Progression of postural control and gait deficits in Parkinson's disease and freezing of gait: a longitudinal study. *Parkinsonism and Related Disorders* 2016;28:73e9.
 30. Huh YE, Hwang S, Kim K, Chung WH, Youn J, Cho JW. Postural sensory correlates of freezing of gait in Parkinson's disease. *Parkinsonism and Related Disorders* 2016;25:72e7.
 31. Schlenstedt C, Muthuraman M, Witt K, Weisser B, Fasano A, Deuschl G. Postural control and freezing of gait in Parkinson's disease. *Parkinsonism and Related Disorders* 2016;24: 107e12.
 32. de Souza Fortaleza AC, Mancini M, Carlson-Kuhta P, et al. Dual task interference on postural sway, postural transitions and gait in people with Parkinson's disease and freezing of gait. *Gait and Posture* 2017;56:76e81.
 33. Peterka RJ. Sensorimotor integration in human postural control. *Journal of Neurophysiology* 2002;88(3):1097e118.
 - 33a. Feller KJ, Peterka RJ, Horak FB. Sensory re-weighting for postural control in Parkinson's disease. *Front Hum Neurosci* 2019;13:126. <https://doi.org/10.3389/fnhum.2019.00126>. eCollection 2019.
 34. Maurer C. Postural deficits in Parkinson's disease are caused by insufficient feedback motor error correction and by deficits in sensory reweighting. *Clinical Neurophysiology* 2009;120:e82.
 35. Plotnik M, Giladi N, Balash Y, Peretz C, Hausdorff JM. Is freezing of gait in Parkinson's disease related to asymmetric motor function? *Annals of Neurology* 2005;57(5):656e63.
 36. Plotnik M, Giladi N, Hausdorff JM. Bilateral coordination of walking and freezing of gait in Parkinson's disease. *European Journal of Neuroscience* 2008;27(8):1999e2006.
 37. Plotnik M, Hausdorff JM. The role of gait rhythmicity and bilateral coordination of stepping in the pathophysiology of freezing of gait in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2008;23(Suppl. 2):S444e50.
 38. Hausdorff JM, Schaafsma JD, Balash Y, Bartels AL, Gurevich T, Giladi N. Impaired regulation of stride variability in Parkinson's disease subjects with freezing of gait. *Experimental Brain Research* 2003;149(2):187e94.
 39. Weiss A, Herman T, Giladi N, Hausdorff JM. New evidence for gait abnormalities among Parkinson's disease patients who suffer from freezing of gait: insights using a body-fixed sensor worn for 3 days. *Journal of Neural Transmission* 2015;123(3):403e10.
 40. Ianssek R, Huxham F, McGinley J. The sequence effect and gait festination in Parkinson disease: contributors to freezing of gait? *Movement Disorders: Official Journal of the Movement Disorder Society* 2006;21(9):1419e24.
 41. Peterson DS, Fling BW, Mancini M, Cohen RG, Nutt JG, Horak FB. Dual-task interference and brain structural connectivity in people with Parkinson's disease who freeze. *Journal of Neurology, neurosurgery, and Psychiatry* 2015;86(7):786e92.
 42. Shine JM, Matar E, Ward PB, et al. Freezing of gait in Parkinson's disease is associated with functional decoupling between the cognitive control network and the basal ganglia. *Brain: A Journal of Neurology* 2013;136(Pt 12):3671e81.
 43. Maidan I, Bernad-Elazari H, Gazit E, Giladi N, Hausdorff JM, Mirelman A. Changes in oxygenated hemoglobin link freezing of gait to frontal activation in patients with Parkinson disease: an fNIRS study of transient motor-cognitive failures. *Journal of Neurology* 2015;262(4):899e908.
 - 43a. Mancini M, Bloem BR, Horak FB, Lewis SJG, Nieuwboer A, Nonnekes J. Clinical and methodological challenges for assessing freezing of gait: Future perspectives. *Mov Disord* 2019;34(6):783e90. <https://doi.org/10.1002/mds.27709>. Epub 2019 May 2.
 44. Mancini M, Smulders K, Cohen RG, Horak FB, Giladi N, Nutt JG. The clinical significance of freezing while turning in Parkinson's disease. *Neuroscience* 2017;343:222e8.
 45. Nieuwboer A, Rochester L, Herman T, et al. Reliability of the new freezing of gait questionnaire: agreement between patients with Parkinson's disease and their carers. *Gait and Posture* 2009;30(4):459e63.
 46. Fasano A, Herman T, Tessitore A, Strafella AP, Bohnen NI. Neuroimaging of freezing of gait. *Journal of Parkinson's Disease* 2015;5(2):241e54.
 47. Fasano A, Laganieri SE, Lam S, Fox MD. Lesions causing freezing of gait localize to a cerebellar functional network. *Annals of Neurology* 2017;81(1):129e41.
 48. Fling BW, Cohen RG, Mancini M, et al. Functional reorganization of the locomotor network in Parkinson patients with freezing of gait. *PLoS One* 2014;9(6):e100291.
 49. Wang M, Jiang S, Yuan Y, et al. Alterations of functional and structural connectivity of freezing of gait in Parkinson's disease. *Journal of Neurology* 2016;263(8):1583e92.

50. Canu E, Agošta F, Sarasso E, et al. Brain structural and functional connectivity in Parkinson's disease with freezing of gait. *Human Brain Mapping* 2015;36(12):5064e78.
51. Tessitore A, Amboni M, Esposito F, et al. Resting-state brain connectivity in patients with Parkinson's disease and freezing of gait. *Parkinsonism and Related Disorders* 2012;18(6): 781e7.
52. Fling BW, Cohen RG, Mancini M, Nutt JG, Fair DA, Horak FB. Asymmetric pedunculopontine network connectivity in parkinsonian patients with freezing of gait. *Brain: A Journal of Neurology* 2013;136(Pt 8):2405e18.
53. Cohen RG, Horak FB, Nutt JG. Peering through the FoG: visual manipulations shed light on freezing of gait. *Movement Disorders* 2012;27(4):470e2.
54. Shine JM, Matar E, Ward PB, et al. Exploring the cortical and subcortical functional magnetic resonance imaging changes associated with freezing in Parkinson's disease. *Brain: A Journal of Neurology* 2013;136(Pt 4):1204e15.
55. Lewis SJ, Barker RA. A pathophysiological model of freezing of gait in Parkinson's disease. *Parkinsonism and Related Disorders* 2009;15(5):333e8.
56. Lewis SJ, Shine JM. The next step: a common neural mechanism for freezing of gait. *The Neuroscientist: A Review Journal Bringing Neurobiology, Neurology and Psychiatry* 2016; 22(1):72e82.
57. Gilat M, Ehgoetz Martens KA, Miranda-Dominguez O, et al. Dysfunctional limbic circuitry underlying freezing of gait in Parkinson's disease. *Neuroscience* 2018;374:119e32.
58. Burn DJ, Landau S, Hindle JV, et al. Parkinson's disease motor subtypes and mood. *Movement Disorders: Official Journal of the Movement Disorder Society* 2012;27(3):379e86.
59. Ehgoetz Martens KA, Ellard CG, Almeida QJ. Does anxiety cause freezing of gait in Parkinson's disease? *PLoS One* 2014;9(9):e106561.
60. Giladi N, Hausdorff JM. The role of mental function in the pathogenesis of freezing of gait in Parkinson's disease. *Journal of the Neurological Sciences* 2006;248(1e2):173e6.
61. Lieberman A. Are freezing of gait (FOG) and panic related? *Journal of the Neurological Sciences* 2006;248(1e2):219e22.
62. Ehgoetz Martens KA, Pieruccini-Faria F, Almeida QJ. Could sensory mechanisms be a core factor that underlies freezing of gait in Parkinson's disease? *PLoS One* 2013;8(5): e62602.
63. Maidan I, Plotnik M, Mirelman A, Weiss A, Giladi N, Hausdorff JM. Heart rate changes during freezing of gait in patients with Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2010;25(14):2346e54.
64. Mazilu S, Calatroni A, Gazit E, Mirelman A, Hausdorff JM, Trošter G. Prediction of freezing of gait in Parkinson's from physiological wearables: an exploratory study. *IEEE Journal of Biomedical and Health Informatics* 2015;19(6):1843e54.
65. Ehgoetz Martens KA, Lukasiak EL, Georgiades MJ, et al. Predicting the onset of freezing of gait: a longitudinal study. *Movement Disorders: Official Journal of the Movement Disorder Society* 2018;33(1):128e35.
66. De Witte N, Mueller SC. White matter integrity in brain networks relevant to anxiety and depression: evidence from the human connectome project dataset. *Brain Imaging and Behavior* 2017;11(6):1604e15.
67. Marchand WR. Cortico-basal ganglia circuitry: a review of key research and implications for functional connectivity studies of mood and anxiety disorders. *Brain Structure and Function* 2010;215(2):73e96.
68. Ochsner KN, Silvers JA, Buhle JT. Functional imaging studies of emotion regulation: a synthetic review and evolving model of the cognitive control of emotion. *Annals of the New York Academy of Sciences* 2012;1251:1E1e24.
69. Rohr CS, Dreyer FR, Aderka IM, et al. Individual differences in common factors of emotional traits and executive functions predict functional connectivity of the amygdala. *NeuroImage* 2015;120:154e63.
70. Amboni M, Cazzolino A, Longo K, Picillo M, Barone P. Freezing of gait and executive functions in patients with Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2008;23(3):395e400.
71. Brugger F, Abela E, Hagele-Link S, Bohlhalter S, Galovic M, Kagi G. Do executive dysfunction and freezing of gait in Parkinson's disease share the same neuroanatomical correlates? *Journal of the Neurological Sciences* 2015;356(1e2):184e7.
72. Walton CC, O'Callaghan C, Hall JM, et al. Antisaccade errors reveal cognitive control deficits in Parkinson's disease with freezing of gait. *Journal of Neurology* 2015;262(12): 2745e54.
73. Vandenbossche J, Deroost N, Soetens E, et al. Freezing of gait in Parkinson's disease: disturbances in automaticity and control. *Frontiers in Human Neuroscience* 2012;6:356.
74. Lenka A, Naduthota RM, Jha M, et al. Freezing of gait in Parkinson's disease is associated with altered functional brain connectivity. *Parkinsonism and Related Disorders* 2016; 24:100e6.
75. Delval A, Moreau C, Bleuse S, et al. Gait and attentional performance in freezers under methylphenidate. *Gait and Posture* 2015;41(2):384e8.
76. Espay AJ, Dwivedi AK, Payne M, et al. Methylphenidate for gait impairment in Parkinson disease: a randomized clinical trial. *Neurology* 2011;76(14):1256e62.
77. Gurevich T, Peretz C, Moore O, Weizmann N, Giladi N. The effect of injecting botulinum toxin type a into the calf muscles on freezing of gait in Parkinson's disease: a double blind placebo-controlled pilot study. *Movement Disorders: Official Journal of the Movement Disorder Society* 2007;22(6):880e3.
78. Wieler M, Camicioli R, Jones CA, Martin WR. Botulinum toxin injections do not improve freezing of gait in Parkinson disease. *Neurology* 2005;65(4):626e8.
79. Giladi N, Gurevich T, Shabtai H, Paleacu D, Simon ES. The effect of botulinum toxin injections to the calf muscles on freezing of gait in parkinsonism: a pilot study. *Journal of Neurology* 2001;248(7):572e6.
80. Karachi C, Cormier-Dequaire F, Grabli D, et al. Clinical and anatomical predictors for freezing of gait and falls after subthalamic deep brain stimulation in Parkinson's disease patients. *Parkinsonism and Related Disorders* 2019.
81. Schrader C, Capelle HH, Kinfe TM, et al. GPI-DBS may induce a hypokinetic gait disorder with freezing of gait in patients with

- dystonia. *Neurology* 2011;77(5):483e
82. Huang C, Chu H, Zhang Y, Wang X. Deep brain stimulation to alleviate freezing of gait and cognitive dysfunction in Parkinson's disease: update on current research and future perspectives. *Frontiers in Neuroscience* 2018;12:29.
 83. Su D, Chen H, Hu W, et al. Frequency-dependent effects of subthalamic deep brain stimulation on motor symptoms in Parkinson's disease: a meta-analysis of controlled trials. *Scientific Reports* 2018;8(1):14456.
 84. Ginis P, Nackaerts E, Nieuwboer A, Heremans E. Cueing for people with Parkinson's disease with freezing of gait: a narrative review of the state-of-the-art and novel perspectives. *Annals of Physical and Rehabilitation Medicine* 2018;61(6):407e13.
 85. Barthel C, Nonnekes J, van Helvert M, et al. The laser shoes: a new ambulatory device to alleviate freezing of gait in Parkinson disease. *Neurology* 2018;90(2):e164e71.
 86. Barthel C, van Helvert M, Haan R, et al. Visual cueing using laser shoes reduces freezing of gait in Parkinson's patients at home. *Movement Disorders: Official Journal of the Movement Disorder Society* 2018;33(10):1664e5.
 87. Casamassima F, Ferrari A, Milosevic B, Ginis P, Farella E, Rocchi L. A wearable system for gait training in subjects with Parkinson's disease. *Sensors* 2014;14(4):6229e46.
 88. Harrington W, Greenberg A, King E, et al. Alleviating freezing of gait using phasedependent tactile biofeedback. In: Conference proceedings: annual international conference of the IEEE engineering in medicine and biology society IEEE engineering in medicine and biology society annual conference, vol. 2016; 2016. p. 5841e4.
 89. Mancini M, Smulders K, Harker G, Stuart S, Nutt JG. Assessment of the ability of open and closed-loop cueing to improve turning and freezing in people with Parkinson's disease. *Scientific Reports* 2018;8(1):12773.
 90. Stummer C, Dibilio V, Overeem S, Weerdesteijn V, Bloem BR, Nonnekes J. The walk bicycle: a new assistive device for Parkinson's patients with freezing of gait? *Parkinsonism and Related Disorders* 2015;21(7):755e7.
 91. Killane I, Fearon C, Newman L, et al. Dual motor-cognitive virtual reality training impacts dual-task performance in freezing of gait. *IEEE Journal of Biomedical Health Informatics* 2015;19(6):1855e61.
 92. Hackney ME, Earhart GM. Effects of dance on movement control in Parkinson's disease: a comparison of Argentine tango and American ballroom. *Journal of Rehabilitation Medicine* 2009;41(6):475e81.
 93. Duncan RP, Earhart GM. Randomized controlled trial of community-based dancing to modify disease progression in Parkinson disease. *Neurorehabilitation and Neural Repair* 2012;26(2):132e43.
 94. dos Santos Delabary M, Komerowski IG, Monteiro EP, Costa RR, Haas AN. Effects of dance practice on functional mobility, motor symptoms and quality of life in people with Parkinson's disease: a systematic review with meta-analysis. *Aging Clinical and Experimental Research* 2018;30(7):727e35.
 95. Mirelman A, Maidan I, Herman T, Deutsch JE, Giladi N, Hausdorff JM. Virtual reality for gait training: can it induce motor learning to enhance complex walking and reduce fall risk in patients with Parkinson's disease? *The Journals of Gerontology Series A, Biological Sciences and Medical Sciences* 2011;66(2):234e40.
 96. Walton CC, Shine JM, Mowszowski L, Naismith SL, Lewis SJ. Freezing of gait in Parkinson's disease: current treatments and the potential role for cognitive training. *Restorative Neurology and Neuroscience* 2014;32(3):411e22.

Chapter 9

1. Christiansen C, Moore C, Schenkman M, et al. Factors associated with ambulatory activity in de novo Parkinson disease. *Journal of Neurologic Physical Therapy* 2017;41(2):93e100.
2. Lord S, Godfrey A, Galna B, Mhiripiri D, Burn D, Rochester L. Ambulatory activity in incident Parkinson's: more than meets the eye? *Journal of Neurology* 2013;260(12): 2964e72.
3. Saaksjarvi K, Knekt P, Mannisto S, et al. Reduced risk of Parkinson's disease associated with lower body mass index and heavy leisure-time physical activity. *European Journal of Epidemiology* 2014;29(4):285e92.
4. Xu Q, Park Y, Huang X, et al. Physical activities and future risk of Parkinson disease. *Neurology* 2010;75(4):341e8.
5. Ahlskog JE. Does vigorous exercise have a neuroprotective effect in Parkinson disease? *Neurology* 2011;77(3):288e94.
6. Kim IY, O'Reilly EJ, Hughes KC, et al. Integration of risk factors for Parkinson disease in 2 large longitudinal cohorts. *Neurology* 2018;90(19):e1646e53.
7. Johansson C, Lindstrom B, Forsgren L, Johansson GM. Balance and mobility in patients with newly diagnosed Parkinson's disease - a five-year follow-up of a cohort in northern Sweden. *Disability and Rehabilitation* 2018;1e10.
8. Baltadjieva R, Giladi N, Gruendlinger L, Peretz C, Hausdorff JM. Marked alterations in the gait timing and rhythmicity of patients with de novo Parkinson's disease. *European Journal of Neuroscience* 2006;24(6):1815e20.
9. Chou KL, Stacy M, Simuni T, et al. The spectrum of "off" in Parkinson's disease: what have we learned over 40 years? *Parkinsonism and Related Disorders* 2018;51:9e16.
10. Lord S, Galna B, Yarnall AJ, et al. Natural history of falls in an incident cohort of Parkinson's disease: early evolution, risk and protective features. *Journal of Neurology* 2017; 264(11):2268e76.
11. Frazzitta G, Maestri R, Bertotti G, et al. Intensive rehabilitation treatment in early Parkinson's disease: a randomized pilot study with a 2-year follow-up. *Neurorehabilitation and Neural Repair* 2015;29(2):123e31.
12. Schenkman M, Moore CG, Kohrt WM, et al. Effect of high-intensity treadmill exercise on motor symptoms in patients with de novo Parkinson disease: a phase 2 randomized clinical trial. *JAMA Neurology* 2018;75(2):219e26.
13. Corcos DM, Robichaud JA, David FJ, et al. A two-year randomized controlled trial of progressive resistance exercise for Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2013;28(9):1230e40.
14. Uhrbrand A, Stenager E, Pedersen MS, Dalgas U. Parkinson's disease and intensive exercise therapy—a systematic review and me-

- ta-analysis of randomized controlled trials.
- Journal of the Neurological Sciences 2015;353(1e2):9e19.15. Klamroth S, Steib S, Devan S, Pfeifer K. Effects of exercise therapy on postural instability in Parkinson disease: a meta-analysis. *Journal of Neurologic Physical Therapy* 2016;40(1):3e14.
16. Shen X, Wong-Yu IS, Mak MK. Effects of exercise on falls, balance, and gait ability in Parkinson's disease: a meta-analysis. *Neurorehabilitation and Neural Repair* 2016;30(6):512e27.
 17. Yitayeh A, Teshome A. The effectiveness of physiotherapy treatment on balance dysfunction and postural instability in persons with Parkinson's disease: a systematic review and meta-analysis. *BMC Sports Science, Medicine and Rehabilitation* 2016;8:17.
 18. King LA, Wilhelm J, Chen Y, et al. Effects of group, individual, and home exercise in persons with Parkinson disease: a randomized clinical trial. *Journal of Neurologic Physical Therapy* 2015;39(4):204e12.
 19. Dos Santos Delabary M, Komeroski IG, Monteiro EP, Coŝta RR, Haas AN. Effects of dance practice on functional mobility, motor symptoms and quality of life in people with Parkinson's disease: a systematic review with meta-analysis. *Aging Clinical and Experimental Research* 2018;30(7):727e35.
 20. Li F, Harmer P, Fitzgerald K, et al. Tai chi and postural stability in patients with Parkinson's disease. *New England Journal of Medicine* 2012;366(6):511e9.
 21. Yang Y, Qiu WQ, Hao YL, Lv ZY, Jiao SJ, Teng JF. The efficacy of traditional Chinese medical exercise for Parkinson's disease: a systematic review and meta-analysis. *PLoS One* 2015;10(4):e0122469.
 22. Jacobs JV, Horak FB, Van Tran K, Nutt JG. An alternative clinical postural stability test for patients with Parkinson's disease. *Journal of Neurology* 2006;253(11):1404e13.
 23. Valkovic P, Brozova H, Botzel K, Ruzicka E, Benetin J. Push-and-release test predicts Parkinson fallers and nonfallers better than the pull test: comparison in OFF and ON medication states. *Movement Disorders: Official Journal of the Movement Disorder Society* 2008; 23(10):1453e7.
 24. Beuter A, Hernandez R, Rigal R, Modolo J, Blanchet PJ. Postural sway and effect of levodopa in early Parkinson's disease. *The Canadian Journal of Neurological Sciences* 2008;35(1):65e8.
 25. Curtze C, Nutt JG, Carlson-Kuhta P, Mancini M, Horak FB. Levodopa is a double-edged sword for balance and gait in people with Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2015;30(10):1361e70.
 26. Chung KA, Lobb BM, Murchison CF, Mancini M, Hogarth P, Nutt JG. Assessment of an objective method of dyskinesia measurement in Parkinson's disease. *Movement Disorders Clinical Practice* 2018;5(2):160e4.
 27. Schrag A, Choudhury M, Kaski D, Gallagher DA. Why do patients with Parkinson's disease fall? A cross-sectional analysis of possible causes of falls. *NPJ Parkinson's Disease* 2015;1:15011.
 28. Schaafsma JD, Giladi N, Balash Y, Bartels AL, Gurevich T, Hausdorff JM. Gait dynamics in Parkinson's disease: relationship to parkinsonian features, falls and response to levodopa. *Journal of the Neurological Sciences* 2003;212(1e2):47e53.
 29. Franchignoni F, Horak F, Godi M, Nardone A, Giordano A. Using psychometric techniques to improve the balance evaluation systems test: the mini-BESTest. *Journal of Rehabilitation Medicine* 2010;42(4):323e31.
 30. Fasano A, Canning CG, Hausdorff JM, Lord S, Rochester L. Falls in Parkinson's disease: a complex and evolving picture. *Movement Disorders: Official Journal of the Movement Disorder Society* 2017;32(11):1524e36.
 31. Alzahrani H, Venneri A. Cognitive rehabilitation in Parkinson's disease: a systematic review. *Journal of Parkinson's Disease* 2018;8(2):233e45.
 32. da Silva FC, Iop RDR, de Oliveira LC, et al. Effects of physical exercise programs on cognitive function in Parkinson's disease patients: a systematic review of randomized controlled trials of the last 10 years. *PLoS One* 2018;13(2):e0193113.
 33. Diaz-Gutierrez MJ, Martinez-Cengotitabengoa M, Saez de Adana E, et al. Relationship between the use of benzodiazepines and falls in older adults: a systematic review. *Maturitas* 2017;101:17e22.
 34. Laberge S, Crizzle AM. A literature review of psychotropic medications and alcohol as risk factors for falls in community dwelling older adults. *Clinical Drug Investigation* 2019; 39(2):117e39.
 35. Mansfield A, Wong JS, Bryce J, Knorr S, Patterson KK. Does perturbation-based balance training prevent falls? Systematic review and meta-analysis of preliminary randomized controlled trials. *Physical Therapy* 2015;95(5):700e9.
 36. Collomb-Clerc A, Welter ML. Effects of deep brain stimulation on balance and gait in patients with Parkinson's disease: a systematic neurophysiological review. *Neurophysiologie Clinique ¼ Clinical Neurophysiology* 2015;45(4e5):371e88.
 37. Abboud H, Genc G, Thompson NR, et al. Predictors of functional and quality of life outcomes following deep brain stimulation surgery in Parkinson's disease patients: disease, patient, and surgical factors. *Parkinson's Disease* 2017;2017:5609163.
 38. Sorar M, Hanalioglu S, Kocer B, Eser MT, Comoglu SS, Kertmen H. Experience reduces surgical and hardware-related complications of deep brain stimulation surgery: a single-center study of 181 patients operated in six years. *Parkinson's Disease* 2018;2018:3056018.
 39. Rossi M, Bruno V, Arena J, Cammarota A, Merello M. Challenges in PD patient management after DBS: a pragmatic review. *Movement Disorders Clinical Practice* 2018;5(3): 246e54.
 40. Forsaa EB, Larsen JP, Wentzel-Larsen T, Alves G. A 12-year population-based study of freezing of gait in Parkinson's disease. *Parkinsonism and Related Disorders* 2015;21(3): 254e8.
 41. Giladi N, Kao R, Fahn S. Freezing phenomenon in patients with parkinsonian syndromes. *Movement Disorders: Official Journal of the Movement Disorder Society* 1997; 12(3):302e5.
 42. Bekkers EMJ, Dijkstra BW, Dockx K, Heremans E, Verschueren SMP, Nieuwboer A. Clinical balance scales indicate worse postural control in people with Parkinson's disease who exhibit freezing of gait compared to those who do not: a meta-analysis. *Gait and Posture* 2017;56:134e40.
 43. Chang FC, Tsui DS, Mahant N, et al. 24 h Levodopa-carbidopa intestinal gel may reduce falls and "unresponsive" freezing of gait in

Parkinson's disease. *Parkinsonism and Related Disorders* 2015;21(3):317e20.

44. Ehgoetz Martens KA, Ellard CG, Almeida QJ. Does anxiety cause freezing of gait in Parkinson's disease? *PLoS One* 2014;9(9):e106561.
45. Walton CC, Mowszowski L, Gilat M, et al. Cognitive training for freezing of gait in Parkinson's disease: a randomized controlled trial. *NPJ Parkinson's Disease* 2018;4:15.
46. Nieuwboer A, Kwakkel G, Rocheſter L, et al. Cueing training in the home improves gait-related mobility in Parkinson's disease: the RESCUE trial. *Journal of Neurology Neurosurgery and Psychiatry* 2007;78(2):134e40.
47. Nonnekes J, Nijders AH, Nutt JG, Deuschl G, Giladi N, Bloem BR. Freezing of gait: a practical approach to management. *The Lancet Neurology* 2015;14(7):768e78.

Chapter 10

1. Bloem BR, Beckley DJ, van Hilten BJ, Roos RA. Clinimetrics of postural instability in Parkinson's disease. *Journal of Neurology* 1998;245(10):669e73.
2. Dibble LE, Lange M. Predicting falls in individuals with Parkinson disease: a reconsideration of clinical balance measures. *Journal of Neurologic Physical Therapy: Journal of Neurologic Physical Therapy* 2006;30(2):60e7.
3. Ebersbach G, Baas H, Csoti I, Mungersdorf M, Deuschl G. Scales in Parkinson's disease. *Journal of Neurology* 2006;253(Suppl. 4):IV32e5.
4. Haaxma CA, Bloem BR, Borm GF, Horſtink MW. Comparison of a timed motor test battery to the unified Parkinson's disease rating scale-III in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2008;23(12): 1707e17.
5. Franchignoni F, Horak F, Godi M, Nardone A, Giordano A. Using psychometric techniques to improve the balance evaluation systems test: the mini-BESTest. *Journal of Rehabilitation Medicine* 2010;42(4):323e31.
6. King LA, Prieſt KC, Salarian A, Pierce D, Horak FB. Comparing the mini-BESTest with the berg balance scale to evaluate balance disorders in Parkinson's disease. *Parkinson's Disease* 2012;2012:375419.
7. Bekkers EMJ, Dijkstra BW, Dockx K, Heremans E, Verschueren SMP, Nieuwboer A. Clinical balance scales indicate worse postural control in people with Parkinson's disease who exhibit freezing of gait compared to those who do not: a meta-analysis. *Gait & Posture* 2017;56:134e40.
8. Duncan RP, Earhart GM. Randomized controlled trial of community-based dancing to modify disease progression in Parkinson disease. *Neurorehabilitation and Neural Repair* 2012;26(2):132e43.
9. Duncan RP, Earhart GM. Are the effects of community-based dance on Parkinson disease severity, balance, and functional mobility reduced with time? A 2-year prospective pilot study. *Journal of Alternative and Complementary Medicine (New York, NY)* 2014;20(10): 757e63.
10. Rawson KS, Creel P, Templin L, Horin AP, Duncan RP, Earhart GM. Freezing of Gait Boot Camp: feasibility, safety and preliminary efficacy of a community-based group intervention. *Neurodegenerative Disease Management* 2018;8(5):307e14.
11. Mancini M, Horak FB. The relevance of clinical balance assessment tools to differentiate balance deficits. *European Journal of Physical and Rehabilitation Medicine* 2010;46(2): 239e48.
12. Bonato P. Advances in wearable technology and applications in physical medicine and rehabilitation. *Journal of Neuroengineering and Rehabilitation* 2005;2(1):2.
13. Froſt Jr JD. Triaxial vector accelerometry: a method for quantifying tremor and ataxia. *IEEE Transactions on Bio-Medical Engineering* 1978;25(1):17e27.
14. Hoff JI, Wagemans EA, van Hilten BJ. Ambulatory objective assessment of tremor in Parkinson's disease. *Clinical Neuropharmacology* 2001;24(5):280e3.
15. Jankovic J, Froſt Jr JD. Quantitative assessment of parkinsonian and essential tremor: clinical application of triaxial accelerometry. *Neurology* 1981;31(10):1235e40.
16. Salarian A, Russmann H, Wider C, Burkhard PR, Vingerhoets FJ, Aminian K. Quantification of tremor and bradykinesia in Parkinson's disease using a novel ambulatory monitoring system. *IEEE Transactions on Bio-Medical Engineering* 2007;54(2): 313e22.
17. Horak F, King L, Mancini M. Role of body-worn movement monitor technology for balance and gait rehabilitation. *Physical Therapy* 2015;95(3):461e70.
18. Lord S, Rocheſter L, Baker K, Nieuwboer A. Concurrent validity of accelerometry to measure gait in Parkinson's disease. *Gait & Posture* 2008;27(2):357e9.
19. Mactier K, Lord S, Godfrey A, Burn D, Rocheſter L. The relationship between real world ambulatory activity and falls in incident Parkinson's disease: influence of classification scheme. *Parkinsonism & Related Disorders* 2015;21(3):236e42.
20. Burkhard PR, Shale H, Langston JW, Tetrad JW. Quantification of dyskinesia in Parkinson's disease: validation of a novel instrumental method. *Movement Disorders: Official Journal of the Movement Disorder Society* 1999;14(5):754e63.
21. Hoff JI, van den Plas AA, Wagemans EA, van Hilten JJ. Accelerometric assessment of levodopa-induced dyskinesias in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2001;16(1):58e61.
22. Katayama S. Actigraph analysis of diurnal motor fluctuations during dopamine agonist therapy. *European Neurology* 2001;46(Suppl. 1):11e7.
23. Chiari L, Dozza M, Cappello A, Horak FB, Macellari V, Giansanti D. Audio-biofeedback for balance improvement: an accelerometry-based system. *IEEE Transactions on BioMedical Engineering* 2005;52(12):2108e11.
24. Bonora G, Carpinella I, Cattaneo D, Chiari L, Ferrarin M. A new instrumented method for the evaluation of gait initiation and step climbing based on inertial sensors: a pilot application in Parkinson's disease. *Journal of Neuroengineering and Rehabilitation* 2015;12: 45.
25. Bonora G, Mancini M, Carpinella I, et al. Investigation of anticipatory postural adjustments during one-leg stance using inertial sen-

- sors: evidence from subjects with parkinsonism. *Frontiers in Neurology* 2017;8:361.
26. Bonora G, Mancini M, Carpinella I, Chiari L, Horak FB, Ferrarin M. Gait initiation is impaired in subjects with Parkinson's disease in the OFF state: evidence from the analysis of the anticipatory postural adjustments through wearable inertial sensors. *Gait & Posture* 2017;51:218e21.
 27. Mancini M, Zampieri C, Carlson-Kuhta P, Chiari L, Horak FB. Anticipatory postural adjustments prior to step initiation are hypometric in untreated Parkinson's disease: an accelerometer-based approach. *European Journal of Neurology* 2009;16(9):1028e34.
 28. Mancini M, Chiari L, Holmstrom L, Salarian A, Horak FB. Validity and reliability of an IMU-based method to detect APAs prior to gait initiation. *Gait & Posture* 2016;43: 125e31.
 29. Mancini M, Salarian A, Carlson-Kuhta P, et al. ISway: a sensitive, valid and reliable measure of postural control. *Journal of Neuroengineering and Rehabilitation* 2012;9:59.
 30. Mancini M, Horak FB, Zampieri C, Carlson-Kuhta P, Nutt JG, Chiari L. Trunk accelerometry reveals postural instability in untreated Parkinson's disease. *Parkinsonism & Related Disorders* 2011;17(7):557e62.
 31. Curtze C, Nutt JG, Carlson-Kuhta P, Mancini M, Horak FB. Levodopa is a double-edged sword for balance and gait in people with Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2015;30(10):1361e70.
 32. El-Gohary M, Peterson D, Gera G, Horak FB, Huisinga JM. Validity of the instrumented push and release test to quantify postural responses in persons with multiple sclerosis. *Archives of Physical Medicine and Rehabilitation* 2017;98(7):1325e31.
 33. Del Din S, Godfrey A, Mazza C, Lord S, Rochester L. Free-living monitoring of Parkinson's disease: lessons from the field. *Movement Disorders: Official Journal of the Movement Disorder Society* 2016;31(9):1293e313.
 34. Herman T, Weiss A, Brozgol M, Giladi N, Hausdorff JM. Identifying axial and cognitive correlates in patients with Parkinson's disease motor subtype using the instrumented timed up and go. *Experimental Brain Research* 2014;232(2):713e21.
 35. Weiss A, Herman T, Mirelman A, et al. The transition between turning and sitting in patients with Parkinson's disease: a wearable device detects an unexpected sequence of events. *Gait & Posture* 2019;67:224e9.
 36. Weiss A, Herman T, Plotnik M, et al. Can an accelerometer enhance the utility of the timed up & go test when evaluating patients with Parkinson's disease? *Medical Engineering & Physics* 2010;32(2):119e25.
 37. Zampieri C, Salarian A, Carlson-Kuhta P, Aminian K, Nutt JG, Horak FB. The instrumented timed up and go test: potential outcome measure for disease modifying therapies in Parkinson's disease. *Journal of Neurology Neurosurgery and Psychiatry* 2010;81(2): 171e6.
 38. Espay AJ, Bonato P, Nahab FB, et al. Technology in Parkinson's disease: challenges and opportunities. *Movement Disorders: Official Journal of the Movement Disorder Society* 2016; 31(9):1272e82.
 39. Espay AJ, Hausdorff JM, Sanchez-Ferro A, et al. A roadmap for implementation of patient-centered digital outcome measures in Parkinson's disease obtained using mobile health technologies. *Movement Disorders: Official Journal of the Movement Disorder Society* 2019.
 40. Stocchi F, Ruggieri S, Brughitta G, Agnoli A. Problems in daily motor performances in Parkinson's disease: the continuous dopaminergic stimulation. *Journal of Neural Transmission Supplementum* 1986;22:209e18.
 41. Stone AA, Shiffman S, Schwartz JE, Broderick JE, Hufford MR. Patient compliance with paper and electronic diaries. *Controlled Clinical Trials* 2003;24(2):182e99.
 42. Isacson D, Bingeferos K, Kristiansen IS, Nyholm D. Fluctuating functions related to quality of life in advanced Parkinson disease: effects of duodenal levodopa infusion. *Acta Neurologica Scandinavica* 2008;118(6):379e86.
 43. El-Gohary M, Pearson S, McNames J, et al. Continuous monitoring of turning in patients with movement disability. *Sensors* 2013;14(1):356e69.
 44. Mancini M, El-Gohary M, Pearson S, et al. Continuous monitoring of turning in Parkinson's disease: rehabilitation potential. *NeuroRehabilitation* 2015;37(1):3e10.
 45. Mancini M, Schlueter H, El-Gohary M, et al. Continuous monitoring of turning mobility and its association to falls and cognitive function: a pilot study. *The Journals of Gerontology Series A, Biological Sciences and Medical Sciences* 2016;71(8):1102e8.
 46. Schwenk M, Hauer K, Zieschang T, Englert S, Mohler J, Najafi B. Sensor-derived physical activity parameters can predict future falls in people with dementia. *Gerontology* 2014;60(6):483e92.
 47. van Schooten KS, Pijnappels M, Rispens SM, Elders PJ, Lips P, van Dieen JH. Ambulatory fall-risk assessment: amount and quality of daily-life gait predict falls in older adults. *The Journals of Gerontology Series A, Biological Sciences and Medical Sciences* 2015.
 48. Weiss A, Brozgol M, Dorfman M, et al. Does the evaluation of gait quality during daily life provide insight into fall risk? A novel approach using 3-day accelerometer recordings. *Neurorehabilitation and Neural Repair* 2013;27(8):742e52.
 49. Weiss A, Herman T, Giladi N, Hausdorff JM. New evidence for gait abnormalities among Parkinson's disease patients who suffer from freezing of gait: insights using a body-fixed sensor worn for 3 days. *Journal of Neural Transmission* 2015;122(3):403e10.
 50. Weiss A, Herman T, Giladi N, Hausdorff JM. Objective assessment of fall risk in Parkinson's disease using a body-fixed sensor worn for 3 days. *PLoS One* 2014;9(5):e96675.
 51. Galperin I, Hillel I, Del Din S, et al. Associations between daily-living physical activity and laboratory-based assessments of motor severity in patients with falls and Parkinson's disease. *Parkinsonism & Related Disorders* 2019.
 52. Mancini M, Weiss A, Herman T, Hausdorff JM. Turn around freezing: community-living turning behavior in people with Parkinson's disease. *Frontiers in Neurology* 2018;9:18.
 53. Hagler S, Austin D, Hayes TL, Kaye J, Pavel M. Unobtrusive and ubiquitous in-home monitoring: a methodology for continuous assessment of gait velocity in elders. *IEEE Transactions on Bio-Medical Engineering* 2010;57(4):813e20.
 54. Hayes TL, Hagler S, Austin D, Kaye J, Pavel M. Unobtrusive assessment of walking speed in the home using inexpensive PIR sensors. In: *Conference proceedings: annual international conference of the IEEE engineering in medicine and biology society IEEE*

- engineering in medicine and biology society annual conference, vol. 2009; 2009. p. 7248e51.
55. Kaye J, Mattek N, Dodge H, et al. One walk a year to 1000 within a year: continuous in home unobtrusive gait assessment of older adults. *Gait & Posture* 2012;35(2):197e202.
 56. Buracchio T, Dodge HH, Howieson D, Wasserman D, Kaye J. The trajectory of gait speed preceding mild cognitive impairment. *Archives of Neurology* 2010;67(8):980e6.
 57. Morris R, Lord S, Lawson RA, et al. Gait rather than cognition predicts decline in specific cognitive domains in early Parkinson's disease. *The Journals of Gerontology Series A, Biological Sciences and Medical Sciences* 2017;72(12):1656e62.
 58. Hansen C, Sanchez-Ferro A, Maetzler W. How mobile health technology and electronic health records will change care of patients with Parkinson's disease. *Journal of Parkinson's Disease* 2018;8(s1):S41e5.
 59. Klucken J, Krüger R, Schmidt P, Bloem BR. Management of Parkinson's disease 20 years from now: towards digital health pathways. *Journal of Parkinson's Disease* 2018;8(s1): S85e94.
 60. Horak FB, Mancini M. Objective biomarkers of balance and gait for Parkinson's disease using body-worn sensors. *Movement Disorders: Official Journal of the Movement Disorder Society* 2013;28(11):1544e51.
 61. Dozza M, Chiari L, Horak FB. A portable audio-biofeedback system to improve postural control. In: Conference proceedings: annual international conference of the IEEE engineering in medicine and biology society IEEE engineering in medicine and biology society annual conference, vol. 7; 2004. p. 4799e802.
 62. Dozza M, Wall 3rd C, Peterka RJ, Chiari L, Horak FB. Effects of practicing tandem gait with and without vibrotactile biofeedback in subjects with unilateral vestibular loss. *Journal of Vestibular Research: Equilibrium & Orientation* 2007;17(4):195e204.
 63. Harrington W, Greenberg A, King E, et al. Alleviating Freezing of Gait using phasedependent tactile biofeedback. In: Conference proceedings: annual international conference of the IEEE engineering in medicine and biology society IEEE engineering in medicine and biology society annual conference, vol. 2016; 2016. p. 5841e4.
 64. Mancini M, Smulders K, Harker G, Stuart S, Nutt JG. Assessment of the ability of open and closed-loop cueing to improve turning and freezing in people with Parkinson's disease. *Scientific Reports* 2018;8(1):12773.
 65. Barry G, Galna B, Rochešter L. The role of exergaming in Parkinson's disease rehabilitation: a systematic review of the evidence. *Journal of Neuroengineering and Rehabilitation* 2014;11:33.
 66. dos Santos Mendes FA, Pompeu JE, Modenesi Lobo A, et al. Motor learning, retention and transfer after virtual-reality-based training in Parkinson's disease: effect of motor and cognitive demands of games: a longitudinal, controlled clinical study. *Physiotherapy* 2012;98(3):217e23.
 67. Espay AJ, Baram Y, Dwivedi AK, et al. At-home training with closed-loop augmented reality cueing device for improving gait in patients with Parkinson disease. *Journal of Rehabilitation Research and Development* 2010;47(6):573e81.
 68. Gandolfi M, Geroin C, Dimitrova E, et al. Virtual reality telerehabilitation for postural instability in Parkinson's disease: a multicenter, single-blind, randomized, controlled trial. *BioMed Research International* 2017;2017:7962826.
 69. Gomez-Jordana LI, Stafford J, Peper CLE, Craig CM. Virtual footprints can improve walking performance in people with Parkinson's disease. *Frontiers in Neurology* 2018; 9:681.
 70. Liao YY, Yang YR, Cheng SJ, Wu YR, Fuh JL, Wang RY. Virtual reality-based training to improve obstacle-crossing performance and dynamic balance in patients with Parkinson's disease. *Neurorehabilitation and Neural Repair* 2015;29(7):658e67.
 71. Mirelman A, Herman T, Nicolai S, et al. Audio-biofeedback training for posture and balance in patients with Parkinson's disease. *Journal of Neuroengineering and Rehabilitation* 2011;8:35.
 72. Shih MC, Wang RY, Cheng SJ, Yang YR. Effects of a balance-based exergaming intervention using the Kinect sensor on posture stability in individuals with Parkinson's disease: a single-blinded randomized controlled trial. *Journal of Neuroengineering and Rehabilitation* 2016;13(1):78.
 73. Ginis P, Nieuwboer A, Dorfman M, et al. Feasibility and effects of home-based smartphone-delivered automated feedback training for gait in people with Parkinson's disease: a pilot randomized controlled trial. *Parkinsonism & Related Disorders* 2016;22: 28e34.
 74. Klamroth S, Steib S, Devan S, Pfeifer K. Effects of exercise therapy on postural instability in Parkinson disease: a meta-analysis. *Journal of Neurologic Physical Therapy* 2016;40(1):3e14.
 75. Shen X, Mak MK. Repetitive step training with preparatory signals improves stability limits in patients with Parkinson's disease. *Journal of Rehabilitation Medicine* 2012;44(11): 944e9.
 76. Mirelman A, Rochešter L, Maidan I, et al. Addition of a non-immersive virtual reality component to treadmill training to reduce fall risk in older adults (V-TIME): a randomised controlled trial. *The Lancet (London, England)* 2016;388(10050):1170e82.
 77. Berra E, De Icco R, Avenali M, et al. Body weight support combined with treadmill in the rehabilitation of parkinsonian gait: a review of literature and new data from a controlled study. *Frontiers in Neurology* 2018;9:1066.
 78. Ford MP, Malone LA, Nyikos I, Yelisetty R, Bickel CS. Gait training with progressive external auditory cueing in persons with Parkinson's disease. *Archives of Physical Medicine and Rehabilitation* 2010;91(8):1255e61.
 79. Frazzitta G, Maestri R, Uccellini D, Bertotti G, Abelli P. Rehabilitation treatment of gait in patients with Parkinson's disease with freezing: a comparison between two physical therapy protocols using visual and auditory cues with or without treadmill training. *Movement Disorders: Official Journal of the Movement Disorder Society* 2009; 24(8):1139e43.
 80. Olson M, Lockhart TE, Lieberman A. Motor learning deficits in Parkinson's disease (PD) and their effect on training response in gait and balance: a narrative review. *Frontiers in Neurology* 2019;10:62.
 81. Rochešter L, Baker K, Hetherington V, et al. Evidence for motor learning in Parkinson's disease: acquisition, automaticity and retention of cued gait performance after training with external rhythmical cues. *Brain Research* 2010;1319:103e11.
 82. Broeder S, Nackaerts E, Heremans E, et al. Transcranial direct current stimulation in Parkinson's disease: neurophysiological mechanisms and behavioral effects. *Neuroscience & Biobehavioral Reviews* 2015;57:105e17.

83. Benninger DH, Hallett M. Non-invasive brain stimulation for Parkinson's disease: current concepts and outlook 2015. *NeuroRehabilitation* 2015;37(1):11e24.
84. Kaski D, Allum JH, Bronstein AM, Dominguez RO. Applying anodal tDCS during tango dancing in a patient with Parkinson's disease. *Neuroscience Letters* 2014;568:39e43.
85. Manenti R, Brambilla M, Rosini S, et al. Time up and go task performance improves after transcranial direct current stimulation in patient affected by Parkinson's disease. *Neuroscience Letters* 2014;580:74e7.
86. Manenti R, Cotelli MS, Cobelli C, et al. Transcranial direct current stimulation combined with cognitive training for the treatment of Parkinson disease: a randomized, placebo-controlled study. *Brain Stimulation* 2018;11(6):1251e62.
87. Valentino F, Cosentino G, Brighina F, et al. Transcranial direct current stimulation for treatment of freezing of gait: a cross-over study. *Movement Disorders: Official Journal of the Movement Disorder Society* 2014;29(8):1064e9.
88. Kaski D, Dominguez RO, Allum JH, Islam AF, Bronstein AM. Combining physical training with transcranial direct current stimulation to improve gait in Parkinson's disease: a pilot randomized controlled study. *Clinical Rehabilitation* 2014;28(11):1115e24.
89. Doruk D, Gray Z, Bravo GL, Pascual-Leone A, Fregni F. Effects of tDCS on executive function in Parkinson's disease. *Neuroscience Letters* 2014;582:27e31.
90. Verheyden G, Purdey J, Burnett M, Cole J, Ashburn A. Immediate effect of transcranial direct current stimulation on postural stability and functional mobility in Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2013;28(14): 2040e1.
91. Greig SL, McKeage K. Carbidopa/levodopa ER capsules (Rytary(R)), numient): a review in Parkinson's disease. *CNS Drugs* 2016;30(1):79e90.
92. Olanow CW, Kieburtz K, Odin P, et al. Continuous intrajejunal infusion of levodopacarbidopa intestinal gel for patients with advanced Parkinson's disease: a randomised, controlled, double-blind, double-dummy study. *The Lancet Neurology* 2014;13(2):141e9.
93. Rascol O, Perez-Lloret S, Ferreira JJ. New treatments for levodopa-induced motor complications. *Movement Disorders: Official Journal of the Movement Disorder Society* 2015;30(11):1451e60.
94. Christine CW, Bankiewicz KS, Van Laar AD, et al. MRI-guided phase 1 trial of putaminal AADC gene therapy for Parkinson's disease. *Annals of Neurology* 2019.
95. Nutt JG, Carter JH, Lea ES, Woodward WR. Motor fluctuations during continuous levodopa infusions in patients with Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 1997;12(3):285e92.
96. Ganguly U, Chakrabarti SS, Kaur U, Mukherjee A, Chakrabarti S. Alpha-synuclein, proteotoxicity and Parkinson's disease: search for neuroprotective therapy. *Current Neuropharmacology* 2018;16(7):1086e97.
97. Whone A, Luz M, Boca M, et al. Randomized trial of intermittent intraputamenal glial cell line-derived neurotrophic factor in Parkinson's disease. *Brain: A Journal of Neurology* 2019;142(3):512e25.
98. Lv Q, Du A, Wei W, Li Y, Liu G, Wang XP. Deep brain stimulation: a potential treatment for dementia in Alzheimer's disease (AD) and Parkinson's disease dementia (PDD). *Frontiers in Neuroscience* 2018;12:360.
99. Riva-Posse P, Choi KS, Holtzheimer PE, et al. A connectomic approach for subcallosal cingulate deep brain stimulation surgery: prospective targeting in treatment-resistant depression. *Molecular Psychiatry* 2018;23(4):843e9.
100. French IT, Muthusamy KA. A review of the pedunculopontine nucleus in Parkinson's disease. *Frontiers in Aging Neuroscience* 2018;10:99.
101. Hamani C, Lozano AM, Mazzone PA, et al. Pedunculopontine nucleus region deep brain stimulation in Parkinson disease: surgical techniques, side effects, and postoperative imaging. *Stereotactic and Functional Neurosurgery* 2016;94(5):307e19.
102. Fuentes R, Petersson P, Siesser WB, Caron MG, Nicolelis MA. Spinal cord stimulation restores locomotion in animal models of Parkinson's disease. *Science (New York, NY)* 2009;323(5921):1578e82.
103. Santana MB, Halje P, Simplicio H, et al. Spinal cord stimulation alleviates motor deficits in a primate model of Parkinson disease. *Neuron* 2014;84(4):716e22.
104. de Andrade EM, Ghilardi MG, Cury RG, et al. Spinal cord stimulation for Parkinson's disease: a systematic review. *Neurosurgical Review* 2016;39(1):27e35 [discussion].
105. Nishioka K, Nakajima M. Beneficial therapeutic effects of spinal cord stimulation in advanced cases of Parkinson's disease with intractable chronic pain: a case series. *Neuromodulation: Journal of the International Neuromodulation Society* 2015;18(8):751e3.
106. Yadav AP, Nicolelis MAL. Electrical stimulation of the dorsal columns of the spinal cord for Parkinson's disease. *Movement Disorders: Official Journal of the Movement Disorder Society* 2017;32(6):820e32.
107. de Lima-Pardini AC, Coelho DB, Souza CP, et al. Effects of spinal cord stimulation on postural control in Parkinson's disease patients with freezing of gait. *eLife* 2018;7.
108. Morris R, Yarnall AJ, Hunter H, Taylor JP, Baker MR, Rochester L. Noninvasive vagus nerve stimulation to target gait impairment in Parkinson's disease. *Mov Disord* 2019 Jun;34:918e9. <https://doi.org/10.1002/mds.27664>. Epub 2019 Mar 19.