

References

1. Wolfe RR, Baum JI, Starck C, Moughan PJ. Factors contributing to the selection of dietary protein food sources. *Clin Nutr*. 2018 Feb;37(1):130-138. [[PubMed](#)]
2. Berryman CE, Lieberman HR, Fulgoni VL 3rd, Pasiakos SM. Protein intake trends and conformity with the Dietary Reference Intakes in the United States: analysis of the National Health and Nutrition Examination Survey, 2001-2014. *Am J Clin Nutr*. 2018 Aug 1;108(2):405-413.[[PubMed](#)]
3. Fryar CD, Kruszon-Moran D, Gu Q, Ogden CL. Mean Body Weight, Height, Waist Circumference, and Body Mass Index Among Adults: United States, 1999-2000 Through 2015-2016. *Natl Health Stat Report*. 2018 Dec;(122):1-16.[[PubMed](#)] [[Full PDF](#)]
4. National Research Council (US) Subcommittee on the Tenth Edition of the Recommended Dietary Allowances. *Recommended Dietary Allowances: 10th Edition*. Washington (DC): National Academies Press (US); 1989. [[PubMed](#)]
5. Layman DK. Dietary Guidelines should reflect new understandings about adult protein needs. *NutrMetab (Lond)*. 2009;6:12. [[PubMed](#)]
6. Lonnie M, Hooker E, Brunstrom JM, Corfe BM, Green MA, Watson AW, Williams EA, Stevenson EJ, Penson S,

- Johnstone AM. Protein for Life: Review of Optimal Protein Intake, Sustainable Dietary Sources and the Effect on Appetite in Ageing Adults. *Nutrients*. 2018 Mar 16;10(3):360. [[PubMed](#)]
7. Phillips SM, Chevalier S, Leidy HJ. Protein "requirements" beyond the RDA: implications for optimizing health. *Appl Physiol Nutr Metab*. 2016 May;41(5):565-72. [[PubMed](#)]
 8. Pencharz PB, Elango R, Wolfe RR. Recent developments in understanding protein needs - How much and what kind should we eat? *Appl Physiol Nutr Metab*. 2016 May;41(5):577-80.
 9. Institute of Medicine. 2005. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Protein and Amino Acids (Macronutrients). The National Academies Press, Washington, DC, USA. [[National Academies Press](#)]
 10. Gillen JB, Trommelen J, Wardenaar FC, Brinkmans NY, Versteegen JJ, Jonvik KL, Kapp C, de Vries J, van den Borne JJ, Gibala MJ, van Loon LJ. Dietary Protein Intake and Distribution Patterns of Well-Trained Dutch Athletes. *Int J Sport Nutr Exerc Metab*. 2017 Apr;27(2):105-114. [[PubMed](#)]
 11. Slater G, Phillips SM. Nutrition guidelines for strength sports: sprinting, weightlifting, throwing events, and bodybuilding. *J Sports Sci*. 2011;29 Suppl 1:S67-77. [[PubMed](#)]

12. Spendlove J, Mitchell L, Gifford J, Hackett D, Slater G, Cobley S, O'Connor H. Dietary Intake of Competitive Bodybuilders. *Sports Med.* 2015 Jul;45(7):1041-63. [[PubMed](#)]
13. Chappell AJ, Simper T, Barker ME. Nutritional strategies of high level natural bodybuilders during competition preparation. *J Int Soc Sports Nutr.* 2018 Jan 15;15:4.[[PubMed](#)]
14. Jenner SL, Buckley GL, Belski R, Devlin BL, Forsyth AK. Dietary Intakes of Professional and Semi-Professional Team Sport Athletes Do Not Meet Sport Nutrition Recommendations-A Systematic Literature Review. *Nutrients.* 2019 May 23;11(5):1160.[[PubMed](#)]
15. Tarnopolsky M. Protein requirements for endurance athletes. *Nutrition.* 2004 Jul-Aug;20(7-8):662-8.[[PubMed](#)]
16. Burke LM, Slater G, Broad EM, Haukka J, Modulon S, Hopkins WG. Eating patterns and meal frequency of elite Australian athletes. *Int J Sport NutrExercMetab.* 2003 Dec;13(4):521-38.[[PubMed](#)]
17. Jäger R, Kerksick CM, Campbell BI, Cribb PJ, Wells SD, Skwiat TM, Purpura M, Ziegenfuss TN, Ferrando AA, Arent SM, Smith-Ryan AE, Stout JR, Arciero PJ, Ormsbee MJ, Taylor LW, Wilborn CD, Kalman DS, Kreider RB, Willoughby DS, Hoffman JR, Krzykowski JL, Antonio J. International Society of Sports Nutrition Position Stand: protein and exercise. *J Int Soc Sports Nutr.* 2017 Jun 20;14:20. [[PubMed](#)]

18. Thomas DT, Erdman KA, Burke LM. Position of the Academy of Nutrition and Dietetics, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and Athletic Performance. *J Acad Nutr Diet*. 2016 Mar;116(3):501-528. [[PubMed](#)]
19. Elango R, Ball RO, Pencharz PB. Recent advances in determining protein and amino acid requirements in humans. *Br J Nutr*. 2012 Aug;108 Suppl 2:S22-30. [[PubMed](#)]
20. Kato H, Suzuki K, Bannai M, Moore DR. Protein Requirements Are Elevated in Endurance Athletes after Exercise as Determined by the Indicator Amino Acid Oxidation Method. *PLoS One*. 2016 Jun 20;11(6):e0157406. [[PubMed](#)]
21. Bandegan A, Courtney-Martin G, Rafii M, Pencharz PB, Lemon PWR. Indicator amino acid oxidation protein requirement estimate in endurance-trained men 24 h postexercise exceeds both the EAR and current athlete guidelines. *Am J Physiol Endocrinol Metab*. 2019 May 1;316(5):E741-E748. [[PubMed](#)]
22. Aragon AA, Schoenfeld BJ. Magnitude and Composition of the Energy Surplus for Maximizing Muscle Hypertrophy: Implications for Bodybuilding and Physique Athletes. *Strength and Conditioning Journal*: October 2020 – Vol42 - Issue 5 - p 79-86. [[SCI](#)]

23. McClave SA, Snider HL. Dissecting the energy needs of the body. *Curr Opin Clin Nutr Metab Care*. 2001 Mar;4(2):143-7. [[PubMed](#)]
24. Morton RW, Murphy KT, McKellar SR, Schoenfeld BJ, Henselmans M, Helms E, Aragon AA, Devries MC, Banfield L, Krieger JW, Phillips SM. A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *Br J Sports Med*. 2018 Mar;52(6):376-384. [[PubMed](#)]
25. Bandegan A, Courtney-Martin G, Rafii M, Pencharz PB, Lemon PW. Indicator Amino Acid-Derived Estimate of Dietary Protein Requirement for Male Bodybuilders on a Nontraining Day Is Several-Fold Greater than the Current Recommended Dietary Allowance. *J Nutr*. 2017 May;147(5):850-857. [[PubMed](#)]
26. Mazzulla M, Sawan SA, Williamson E, Hannaian SJ, Volterman KA, West DWD, Moore DR. Protein Intake to Maximize Whole-Body Anabolism during Postexercise Recovery in Resistance-Trained Men with High Habitual Intakes is Severalfold Greater than the Current Recommended Dietary Allowance. *J Nutr*. 2020 Mar 1;150(3):505-511. [[PubMed](#)]
27. Yasuda J, Tomita T, Arimitsu T, Fujita S. Evenly Distributed Protein Intake over 3 Meals Augments Resistance Exercise-

- Induced Muscle Hypertrophy in Healthy Young Men. *J Nutr.* 2020 Jul 1;150(7):1845-1851. [[PubMed](#)]
28. Snijders T, Trommelen J, Kouw IWK, Holwerda AM, Verdijk LB, van Loon LJC. The Impact of Pre-sleep Protein Ingestion on the Skeletal Muscle Adaptive Response to Exercise in Humans: An Update. *Front Nutr.* 2019 Mar 6;6:17. [[PubMed](#)]
29. Morton RW, McGlory C, Phillips SM. Nutritional interventions to augment resistance training-induced skeletal muscle hypertrophy. *Front Physiol.* 2015 Sep 3;6:245. [[PubMed](#)]
30. Macnaughton LS, Wardle SL, Witard OC, McGlory C, Hamilton DL, Jeromson S, Lawrence CE, Wallis GA, Tipton KD. The response of muscle protein synthesis following whole-body resistance exercise is greater following 40 g than 20 g of ingested whey protein. *Physiol Rep.* 2016 Aug;4(15):e12893. [[PubMed](#)]
31. Park S, Jang J, Choi MD, Shin YA, Schutzler S, Azhar G, Ferrando AA, Wolfe RR, Kim IY. The Anabolic Response to Dietary Protein Is Not Limited by the Maximal Stimulation of Protein Synthesis in Healthy Older Adults: A Randomized Crossover Trial. *Nutrients.* 2020 Oct 26;12(11):3276. [[PubMed](#)]
32. Schoenfeld BJ, Aragon AA. How much protein can the body use in a single meal for muscle-building? Implications for

daily protein distribution. J Int Soc Sports Nutr. 2018 Feb 27;15:10. [[PubMed](#)]

33. Aragon AA, Schoenfeld BJ, Wildman R, Kleiner S, VanDusseldorp T, Taylor L, Earnest CP, Arciero PJ, Wilborn C, Kalman DS, Stout JR, Willoughby DS, Campbell B, Arent SM, Bannock L, Smith-Ryan AE, Antonio J. International society of sports nutrition position stand: diets and body composition. J Int Soc Sports Nutr. 2017 Jun 14;14:16. [[PubMed](#)]
34. Martens EA, Gonnissen HK, Gatta-Cherifi B, Janssens PL, Westerterp-Plantenga MS. Maintenance of energy expenditure on high-protein vs. high-carbohydrate diets at a constant body weight may prevent a positive energy balance. Clin Nutr. 2015 Oct;34(5):968-75. [[PubMed](#)]
35. Bray GA, Redman LM, de Jonge L, Covington J, Rood J, Brock C, Mancuso S, Martin CK, Smith SR. Effect of protein overfeeding on energy expenditure measured in a metabolic chamber. Am J Clin Nutr. 2015 Mar;101(3):496-505. [[PubMed](#)]
36. Hector AJ, Phillips SM. Protein Recommendations for Weight Loss in Elite Athletes: A Focus on Body Composition and Performance. Int J Sport Nutr Exerc Metab. 2018 Mar 1;28(2):170-177. [[PubMed](#)]
37. Helms ER, Zinn C, Rowlands DS, Brown SR. A systematic review of dietary protein during caloric restriction in resistance trained lean athletes: a case for higher intakes.

Int J Sport Nutr Exerc Metab. 2014 Apr;24(2):127-38. [[PubMed](#)]

38. Mäestu J, Eliakim A, Jürimäe J, Valter I, Jürimäe T. Anabolic and catabolic hormones and energy balance of the male bodybuilders during the preparation for the competition. J Strength Cond Res. 2010 Apr;24(4):1074-81. [[PubMed](#)]
39. Moro T, Tinsley G, Bianco A, Marcolin G, Pacelli QF, Battaglia G, Palma A, Gentil P, Neri M, Paoli A. Effects of eight weeks of time-restricted feeding (16/8) on basal metabolism, maximal strength, body composition, inflammation, and cardiovascular risk factors in resistance-trained males. J Transl Med. 2016 Oct 13;14(1):290. [[PubMed](#)]
40. Tinsley GM, Moore ML, Graybeal AJ, Paoli A, Kim Y, Gonzales JU, Harry JR, VanDusseldorp TA, Kennedy DN, Cruz MR. Time-restricted feeding plus resistance training in active females: a randomized trial. Am J Clin Nutr. 2019 Sep 1;110(3):628-640. [[PubMed](#)]
41. Gabel K, Varady KA. Current research: effect of time restricted eating on weight and cardiometabolic health. J Physiol. 2020 Oct 1. [[PubMed](#)]
42. Stratton MT, Tinsley GM, Alesi MG, Hester GM, Olmos AA, Serafini PR, Modjeski AS, Mangine GT, King K, Savage SN, Webb AT, VanDusseldorp TA. Four Weeks of Time-Restricted Feeding Combined with Resistance Training Does Not Differentially Influence Measures of Body

Composition, Muscle Performance, Resting Energy Expenditure, and Blood Biomarkers. *Nutrients*. 2020 Apr 17;12(4):1126. [[PubMed](#)]

43. Schoenfeld BJ, Aragon AA, Krieger JW. Effects of meal frequency on weight loss and body composition: a meta-analysis. *Nutr Rev*. 2015 Feb;73(2):69-82. [[PubMed](#)]
44. Bakarar C, Pearson J, Escalante G, Campbell B, De Souza EO. Body recomposition: Can trained individuals build muscle and lose fat at the same time? August 2020 *Strength and Conditioning Journal*. Published Ahead of Print. DOI: 10.1519/SSC.0000000000000584 [[ResearchGate](#)]
45. Lee H, Kim K, Kim B, Shin J, Rajan S, Wu J, Chen X, Brown MD, Lee S, Park JY. A cellular mechanism of muscle memory facilitates mitochondrial remodelling following resistance training. [[PubMed](#)]
46. Bruusgaard JC, Johansen IB, Egner IM, Rana ZA, Gundersen K. Myonuclei acquired by overload exercise precede hypertrophy and are not lost on detraining. *Proc Natl Acad Sci U S A*. 2010 Aug 24;107(34):15111-6. [[PubMed](#)]
47. Leuchtman AB, Mueller SM, Aguayo D, Petersen JA, Ligon-Auer M, Flück M, Jung HH, Toigo M. Resistance training preserves high-intensity interval training induced improvements in skeletal muscle capillarization of healthy old men: a randomized controlled trial. *Sci Rep*. 2020 Apr 20;10(1):6578. [[PubMed](#)]

48. Stearns RL, Emmanuel H, Volek JS, Casa DJ. Effects of ingesting protein in combination with carbohydrate during exercise on endurance performance: a systematic review with meta-analysis. *J Strength Cond Res.* 2010;24(8):2192-2202. [[PubMed](#)]
49. Nielsen LL, Tandrup Lambert MN, Jeppesen PB. The Effect of Ingesting Carbohydrate and Proteins on Athletic Performance: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Nutrients.* 2020;12(5):1483. [[PubMed](#)]
50. Rowlands DS, Hopkins WG. Effect of high-fat, high-carbohydrate, and high-protein meals on metabolism and performance during endurance cycling. *Int J Sport Nutr Exerc Metab.* 2002 Sep;12(3):318-35. [[PubMed](#)]
51. Power O, Hallihan A, Jakeman P. Human insulinotropic response to oral ingestion of native and hydrolysed whey protein. *Amino Acids.* 2009 Jul;37(2):333-9. [[PubMed](#)]
52. Bird SP, Tarpenning KM, Marino FE. Liquid carbohydrate/essential amino acid ingestion during a short-term bout of resistance exercise suppresses myofibrillar protein degradation. *Metabolism.* 2006 May;55(5):570-7. [[PubMed](#)]
53. Craven J, Desbrow B, Sabapathy S, Bellinger P, McCartney D, Irwin C. The effect of consuming carbohydrate with and without protein on the rate of muscle glycogen re-synthesis during short-term post-exercise recovery: a

- systematic review and meta-analysis. *Sports Med Open*. 2021 Jan 28;7(1):9. [[PubMed](#)]
54. Kerksick CM, Arent S, Schoenfeld BJ, Stout JR, Campbell B, Wilborn CD, Taylor L, Kalman D, Smith-Ryan AE, Kreider RB, Willoughby D, Arciero PJ, VanDusseldorp TA, Ormsbee MJ, Wildman R, Greenwood M, Ziegenfuss TN, Aragon AA, Antonio J. International society of sports nutrition position stand: nutrient timing. *J Int Soc Sports Nutr*. 2017 Aug 29;14:33. [[PubMed](#)]
55. Hackney KJ, Bruenger AJ, Lemmer JT. Timing protein intake increases energy expenditure 24 h after resistance training. *Med Sci Sports Exerc*. 2010 May;42(5):998-1003. [[PubMed](#)]
56. Wingfield HL, Smith-Ryan AE, Melvin MN, Roelofs EJ, Trexler ET, Hackney AC, Weaver MA, Ryan ED. The acute effect of exercise modality and nutrition manipulations on post-exercise resting energy expenditure and respiratory exchange ratio in women: a randomized trial. *Sports Med Open*. 2015 Jun;2:11. [[PubMed](#)]
57. Schoenfeld BJ, Aragon A, Wilborn C, Urbina SL, Hayward SE, Krieger J. Pre- versus post-exercise protein intake has similar effects on muscular adaptations. *PeerJ*. 2017 Jan 3;5:e2825. [[PubMed](#)]
58. Deldicque L, De Bock K, Maris M, Ramaekers M, Nielens H, Francaux M, Hespel P. Increased p70s6k phosphorylation during intake of a protein-carbohydrate drink following

- resistance exercise in the fasted state. Eur J Appl Physiol. 2010 Mar;108(4):791-800. [[PubMed](#)]
59. Ivy J.L., Portman R.M. Nutrient Timing: The Future of Sports Nutrition. Basic Health Publications; Laguna Beach, CA, USA: 2004. [[Google Scholar](#)]
60. Schoenfeld BJ, Aragon AA. Is There a Postworkout Anabolic Window of Opportunity for Nutrient Consumption? Clearing up Controversies. J Orthop Sports Phys Ther. 2018 Dec;48(12):911-914. [[PubMed](#)]
61. Schoenfeld BJ, Aragon AA, Krieger JW. The effect of protein timing on muscle strength and hypertrophy: a meta-analysis. J Int Soc Sports Nutr. 2013 Dec 3;10(1):53. [[PubMed](#)]
62. Aragon AA, Schoenfeld BJ. Nutrient timing revisited: is there a post-exercise anabolic window? J Int Soc Sports Nutr. 2013 Jan 29;10(1):5. [[PubMed](#)]
63. Chappell AJ, Simper T, Barker ME. Nutritional strategies of high level natural bodybuilders during competition preparation. J Int Soc Sports Nutr. 2018 Jan 15;15:4. [[PubMed](#)]
64. Blomstrand E, Eliasson J, Karlsson HK, Köhnke R. Branched-chain amino acids activate key enzymes in protein synthesis after physical exercise. J Nutr. 2006 Jan;136(1 Suppl):269S-73S [[PubMed](#)]
65. Witard OC, Wardle SL, Macnaughton LS, Hodgson AB, Tipton KD. Protein Considerations for Optimising Skeletal

- Muscle Mass in Healthy Young and Older Adults. *Nutrients*. 2016 Mar 23;8(4):181. [[PubMed](#)]
66. Jackman SR, Witard OC, Philp A, Wallis GA, Baar K, Tipton KD. Branched-Chain Amino Acid Ingestion Stimulates Muscle Myofibrillar Protein Synthesis following Resistance Exercise in Humans. *Front Physiol*. 2017 Jun 7;8:390. [[PubMed](#)]
67. Fedewa MV, Spencer SO, Williams TD, Becker ZE, Fuqua CA. Effect of branched-Chain Amino Acid Supplementation on Muscle Soreness following Exercise: A Meta-Analysis. *Int J Vitam Nutr Res*. 2019 Nov;89(5-6):348-356. [[PubMed](#)]
68. Dudgeon WD, Kelley EP, Scheett TP. In a single-blind, matched group design: branched-chain amino acid supplementation and resistance training maintains lean body mass during a caloric restricted diet. *J Int Soc Sports Nutr*. 2016 Jan 5;13:1. [[PubMed](#)]
69. Dieter BP, Schoenfeld BJ, Aragon AA. The data do not seem to support a benefit to BCAA supplementation during periods of caloric restriction. *J Int Soc Sports Nutr*. 2016 May 11;13:21. [[PubMed](#)]
70. Bagheri R, Forbes SC, Candow DG, Wong A. Effects of branched-chain amino acid supplementation and resistance training in postmenopausal women. *Exp Gerontol*. 2021 Feb;144:111185. [[PubMed](#)]
71. DE Andrade IT, Gualano B, Hevia-Larraín V, Neves-Junior J, Cajueiro M, Jardim F, Gomes RL, Artioli GG, Phillips SM,

Campos-Ferraz P, Roschel H. Leucine Supplementation Has No Further Effect on Training-induced Muscle Adaptations. *Med Sci Sports Exerc.* 2020 Aug;52(8):1809-1814. [[PubMed](#)]

72. Aguiar AF, Grala AP, da Silva RA, Soares-Caldeira LF, Pacagnelli FL, Ribeiro AS, da Silva DK, de Andrade WB, Balvedi MCW. Free leucine supplementation during an 8-week resistance training program does not increase muscle mass and strength in untrained young adult subjects. *Amino Acids.* 2017 Jul;49(7):1255-1262. [[PubMed](#)]
73. Mobley CB, Haun CT, Roberson PA, Mumford PW, Romero MA, Kephart WC, Anderson RG, Vann CG, Osburn SC, Pledge CD, Martin JS, Young KC, Goodlett MD, Pascoe DD, Lockwood CM, Roberts MD. Effects of Whey, Soy or Leucine Supplementation with 12 Weeks of Resistance Training on Strength, Body Composition, and Skeletal Muscle and Adipose Tissue Histological Attributes in College-Aged Males. *Nutrients.* 2017 Sep 4;9(9):972. [[PubMed](#)]
74. Spillane M, Emerson C, Willoughby DS. The effects of 8 weeks of heavy resistance training and branched-chain amino acid supplementation on body composition and muscle performance. *Nutr Health.* 2012 Oct;21(4):263-73. [[PubMed](#)]
75. Ooi DSQ, Ling JQR, Sadananthan SA, Velan SS, Ong FY, Khoo CM, Tai ES, Henry CJ, Leow MKS, Khoo EYH, Tan CS, Lee YS,

Chong MFF. Branched-Chain Amino Acid Supplementation Does Not Preserve Lean Mass or Affect Metabolic Profile in Adults with Overweight or Obesity in a Randomized Controlled Weight Loss Intervention. *J Nutr.* 2021 Feb 4:nxaa414. doi: 10.1093/jn/nxaa414. [[PubMed](#)]

76. Hou Y, Yin Y, Wu G. Dietary essentiality of "nutritionally non-essential amino acids" for animals and humans. *Exp Biol Med (Maywood).* 2015 Aug;240(8):997-1007. [[PubMed](#)]
77. Volek J, Phinney S. The art and science of low carbohydrate performance. Beyond Obesity LLC, Miami FL. 2012.
78. Paoli A. Ketogenic diet for obesity: friend or foe? *Int J Environ Res Public Health.* 2014 Feb 19;11(2):2092-107. [[PubMed](#)]
79. Wilson JM, et al. Effects of Ketogenic Dieting on Body Composition, Strength, Power, and Hormonal Profiles in Resistance Training Men. *J Strength Cond Res.* 2020 Dec;34(12):3463-3474. [[PubMed](#)]
80. Burke LM, Ross ML, Garvican-Lewis LA, Welvaert M, Heikura IA, Forbes SG, Mirtschin JG, Cato LE, Strobel N, Sharma AP, Hawley JA. Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *J Physiol.* 2017 May 1;595(9):2785-2807. [[PubMed](#)]
81. Volek JS, Freidenreich DJ, Saenz C, Kunces LJ, Creighton BC, Bartley JM, Davitt PM, Munoz CX, Anderson JM, Maresh CM,

- Lee EC, Schuenke MD, Aerni G, Kraemer WJ, Phinney SD. Metabolic characteristics of keto-adapted ultra-endurance runners. *Metabolism*. 2016 Mar;65(3):100-10. [[PubMed](#)]
82. Mirzaei H, Suarez JA, Longo VD. Protein and amino acid restriction, aging and disease: from yeast to humans. *Trends Endocrinol Metab*. 2014 Nov;25(11):558-66. [[PubMed](#)]
83. Mirzaei H, Raynes R, Longo VD. The conserved role of protein restriction in aging and disease. *Curr Opin Clin Nutr Metab Care*. 2016 Jan;19(1):74-9. [[PubMed](#)]
84. Levine ME, Suarez JA, Brandhorst S, Balasubramanian P, Cheng CW, Madia F, Fontana L, Mirisola MG, Guevara-Aguirre J, Wan J, Passarino G, Kennedy BK, Wei M, Cohen P, Crimmins EM, Longo VD. Low protein intake is associated with a major reduction in IGF-1, cancer, and overall mortality in the 65 and younger but not older population. *Cell Metab*. 2014 Mar 4;19(3):407-17. [[PubMed](#)]
85. Kitada M, Ogura Y, Monno I, Koya D. The impact of dietary protein intake on longevity and metabolic health. *EBioMedicine*. 2019 May;43:632-640. [[PubMed](#)]
86. Woo SL, Yang J, Hsu M, Yang A, Zhang L, Lee RP, Gilbuena I, Thames G, Huang J, Rasmussen A, Carpenter CL, Henning SM, Heber D, Wang Y, Li Z. Effects of branched-chain amino acids on glucose metabolism in obese, prediabetic men and women: a randomized, crossover study. *Am J Clin Nutr*. 2019 Jun 1;109(6):1569-1577. [[PubMed](#)]

87. Burd NA, McKenna CF, Salvador AF, Paulussen KJM, Moore DR. Dietary protein quantity, quality, and exercise are key to healthy living: a muscle-centric perspective across the lifespan. *Front Nutr.* 2019 Jun 6;6:83. [[PubMed](#)]
88. Papadopoulou SK. Sarcopenia: A Contemporary Health Problem among Older Adult Populations. *Nutrients.* 2020 May 1;12(5):1293. [[PubMed](#)]
89. Morton RW, Traylor DA, Weijs PJM, Phillips SM. Defining anabolic resistance: implications for delivery of clinical care nutrition. *Curr Opin Crit Care.* 2018 Apr;24(2):124-130. [[PubMed](#)]
90. Moore DR, Churchward-Venne TA, Witard O, Breen L, Burd NA, Tipton KD, Phillips SM. Protein ingestion to stimulate myofibrillar protein synthesis requires greater relative protein intakes in healthy older versus younger men. *J Gerontol A Biol Sci Med Sci.* 2015 Jan;70(1):57-62. [[PubMed](#)]
91. Park S, Jang J, Choi MD, Shin YA, Schutzler S, Azhar G, Ferrando AA, Wolfe RR, Kim IY. The Anabolic Response to Dietary Protein Is Not Limited by the Maximal Stimulation of Protein Synthesis in Healthy Older Adults: A Randomized Crossover Trial. *Nutrients.* 2020 Oct 26;12(11):3276. [[PubMed](#)]
92. Holwerda AM, Paulussen KJM, Overkamp M, Goessens JPB, Kramer IF, Wodzig WKWH, Verdijk LB, van Loon LJC. Dose-Dependent Increases in Whole-Body Net Protein Balance

and Dietary Protein-Derived Amino Acid Incorporation into Myofibrillar Protein During Recovery from Resistance Exercise in Older Men. *J Nutr.* 2019 Feb 1;149(2):221-230. [[PubMed](#)]

93. Breen L, Phillips SM. Skeletal muscle protein metabolism in the elderly: Interventions to counteract the 'anabolic resistance' of ageing. *Nutr Metab (Lond).* 2011 Oct 5;8:68. doi: 10.1186/1743-7075-8-68. [[PubMed](#)]
94. Shad BJ, Thompson JL, Breen L. Does the muscle protein synthetic response to exercise and amino acid-based nutrition diminish with advancing age? A systematic review. *Am J Physiol Endocrinol Metab.* 2016 Nov 1;311(5):E803-E817. [[PubMed](#)]
95. Moro T, Brightwell CR, Deer RR, Graber TG, Galvan E, Fry CS, Volpi E, Rasmussen BB. Muscle Protein Anabolic Resistance to Essential Amino Acids Does Not Occur in Healthy Older Adults Before or After Resistance Exercise Training. *J Nutr.* 2018 Jun 1;148(6):900-909. [[PubMed](#)]
96. Age limits and adolescents. *Paediatr Child Health.* 2003 Nov;8(9):577-8. [[PubMed](#)]
97. Jaworska N, MacQueen G. Adolescence as a unique developmental period. *J Psychiatry Neurosci.* 2015 Sep;40(5):291-3. [[PubMed](#)]
98. Hoch AZ, Goossen K, Kretschmer T. Nutritional requirements of the child and teenage athlete. *Phys Med Rehabil Clin N Am.* 2008 May;19(2):373-98, x. [[PubMed](#)]

99. Purcell LK; Canadian Paediatric Society, Paediatric Sports and Exercise Medicine Section. Sport nutrition for young athletes. Paediatr Child Health. 2013 Apr;18(4):200-5. [[PubMed](#)]
100. Smith JW, Holmes ME, McAllister MJ. Nutritional considerations for performance in young athletes. J Sports Med (Hindawi Publ Corp). 2015;2015:734649. [[PubMed](#)]
101. Institute of Medicine. 2005. Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids. Washington, DC: The National Academies Press. [[Full Report](#)]
102. Berg EK. Performance Nutrition for the Adolescent Athlete: A Realistic Approach. Clin J Sport Med. 2019 Sep;29(5):345-352. [[PubMed](#)]
103. Elango R, Humayun MA, Ball RO, Pencharz PB. Protein requirement of healthy school-age children determined by the indicator amino acid oxidation method. Am J Clin Nutr. 2011 Dec;94(6):1545-52. [[PubMed](#)]
104. Tipton KD. Gender differences in protein metabolism. Curr Opin Clin Nutr Metab Care. 2001 Nov;4(6):493-8. [[PubMed](#)]
105. Smith GI, Atherton P, Reeds DN, Mohammed BS, Jaffery H, Rankin D, Rennie MJ, Mittendorfer B. No major sex differences in muscle protein synthesis rates in the postabsorptive state and during hyperinsulinemia-

- hyperaminoacidemia in middle-aged adults. *J Appl Physiol* (1985). 2009 Oct;107(4):1308-15. [[PubMed](#)]
106. Dreyer HC, Fujita S, Glynn EL, Drummond MJ, Volpi E, Rasmussen BB. Resistance exercise increases leg muscle protein synthesis and mTOR signalling independent of sex. *Acta Physiol (Oxf)*. 2010 May;199(1):71-81. [[PubMed](#)]
107. Witard OC, Wardle SL, Macnaughton LS, Hodgson AB, Tipton KD. Protein Considerations for Optimising Skeletal Muscle Mass in Healthy Young and Older Adults. *Nutrients*. 2016 Mar 23;8(4):181. [[PubMed](#)]
108. Smith GI, Atherton P, Villareal DT, Frimel TN, Rankin D, Rennie MJ, Mittendorfer B. Differences in muscle protein synthesis and anabolic signaling in the postabsorptive state and in response to food in 65-80 year old men and women. *PLoS One*. 2008 Mar 26;3(3):e1875. [[PubMed](#)]
109. Malowany JM, West DWD, Williamson E, Volterman KA, Abou Sawan S, Mazzulla M, Moore DR. Protein to Maximize Whole-Body Anabolism in Resistance-trained Females after Exercise. *Med Sci Sports Exerc*. 2019 Apr;51(4):798-804. [[PubMed](#)]
110. Antonio J, Ellerbroek A, Evans C, Silver T, Peacock CA. High protein consumption in trained women: bad to the bone? *J Int Soc Sports Nutr*. 2018 Jan 31;15:6. [[PubMed](#)]
111. Groenendijk I, den Boeft L, van Loon LJC, de Groot LCPGM. High versus low dietary protein intake and bone health in older adults: a systematic review and meta-

- analysis. *Comput Struct Biotechnol J*. 2019 Jul 22;17:1101-1112. [[PubMed](#)]
112. Antonio J, Ellerbroek A, Silver T, Orris S, Scheiner M, Gonzalez A, Peacock CA. A high protein diet (3.4 g/kg/d) combined with a heavy resistance training program improves body composition in healthy trained men and women--a follow-up investigation. *J Int Soc Sports Nutr*. 2015 Oct 20;12:39. [[PubMed](#)]
113. Antonio J, Ellerbroek A, Silver T, Vargas L, Peacock C. The effects of a high protein diet on indices of health and body composition--a crossover trial in resistance-trained men. *J Int Soc Sports Nutr*. 2016 Jan 16;13:3. [[PubMed](#)]
114. Antonio J, Ellerbroek A, Silver T, Vargas L, Tamayo A, Buehn R, Peacock CA. A high protein diet has no harmful effects: a one-year crossover study in resistance-trained males. *J Nutr Metab*. 2016;2016:9104792. [[PubMed](#)]
115. Devries MC, Sithamparapillai A, Brimble KS, Banfield L, Morton RW, Phillips SM. Changes in Kidney Function Do Not Differ between Healthy Adults Consuming Higher- Compared with Lower- or Normal-Protein Diets: A Systematic Review and Meta-Analysis. *J Nutr*. 2018 Nov 1;148(11):1760-1775. [[PubMed](#)]
116. Kim J. Pre-sleep casein protein ingestion: new paradigm in post-exercise recovery nutrition. *Phys Act Nutr*. 2020 Jun 30;24(2):6-10. [[PubMed](#)]

117. Antonio J, Ellerbroek A, Peacock C, Silver T. Casein protein supplementation in trained men and women: morning versus evening. *Int J Exerc Sci.* 2017 May 1;10(3):479-486. [[PubMed](#)]
118. Joy JM, Vogel RM, Shane Broughton K, Kudla U, Kerr NY, Davison JM, Wildman REC, DiMarco NM. Daytime and nighttime casein supplements similarly increase muscle size and strength in response to resistance training earlier in the day: a preliminary investigation. *J Int Soc Sports Nutr.* 2018 May [[PubMed](#)]
119. Sharp MH, Lowery RP, Shields KA, Lane JR, Gray JL, Partl JM, Hayes DW, Wilson GJ, Hollmer CA, Minivich JR, Wilson JM. The Effects of Beef, Chicken, or Whey Protein After Workout on Body Composition and Muscle Performance. *J Strength Cond Res.* 2018 Aug;32(8):2233-2242. [[PubMed](#)]
120. Churchward-Venne TA, Pinckaers PJM, Smeets JSJ, Peeters WM, Zorenc AH, Schierbeek H, Rollo I, Verdijk LB, van Loon LJC. Myofibrillar and Mitochondrial Protein Synthesis Rates Do Not Differ in Young Men Following the Ingestion of Carbohydrate with Milk Protein, Whey, or Micellar Casein after Concurrent Resistance- and Endurance-Type Exercise. *J Nutr.* 2019 Feb 1;149(2):198-209. [[PubMed](#)]
121. Reitelseder S, Agergaard J, Doessing S, Helmark IC, Lund P, Kristensen NB, Frystyk J, Flyvbjerg A, Schjerling P, van Hall G, Kjaer M, Holm L. Whey and casein labeled with L-[1-

- 13C]leucine and muscle protein synthesis: effect of resistance exercise and protein ingestion. *Am J Physiol Endocrinol Metab.* 2011 Jan;300(1):E231-42. [[PubMed](#)]
122. Tipton KD, Elliott TA, Cree MG, Wolf SE, Sanford AP, Wolfe RR. Ingestion of casein and whey proteins result in muscle anabolism after resistance exercise. *Med Sci Sports Exerc.* 2004 Dec;36(12):2073-81. [[PubMed](#)]
123. Cribb PJ, Williams AD, Carey MF, Hayes A. The effect of whey isolate and resistance training on strength, body composition, and plasma glutamine. *Int J Sport Nutr Exerc Metab.* 2006 Oct;16(5):494-509. [[PubMed](#)]
124. Wilborn CD, Taylor LW, Outlaw J, Williams L, Campbell B, Foster CA, Smith-Ryan A, Urbina S, Hayward S. The Effects of Pre- and Post-Exercise Whey vs. Casein Protein Consumption on Body Composition and Performance Measures in Collegiate Female Athletes. *J Sports Sci Med.* 2013 Mar 1;12(1):74-9. [[PubMed](#)]
125. Fabre M, Hausswirth C, Tiollier E, Molle O, Louis J, Durguerian A, Neveux N, Bigard X. Effects of postexercise protein intake on muscle mass and strength during resistance training: Is there an optimal ratio between fast and slow proteins? *Int J Sport Nutr Exerc Metab.* 2017 Oct;27(5):448-457. [[PubMed](#)]
126. van Vliet S, Shy EL, Abou Sawan S, Beals JW, West DW, Skinner SK, Ulanov AV, Li Z, Paluska SA, Parsons CM, Moore DR, Burd NA. Consumption of whole eggs promotes greater

stimulation of postexercise muscle protein synthesis than consumption of isonitrogenous amounts of egg whites in young men. *Am J Clin Nutr.* 2017 Dec;106(6):1401-1412. [[PubMed](#)]

127. Bagheri R, Hooshmand Moghadam B, Ashtary-Larky D, Forbes SC, Candow DG, Galpin AJ, Eskandari M, Kreider RB, Wong A. Whole egg vs. egg white ingestion during 12 weeks of resistance training in trained young males: a randomized controlled trial. *J Strength Cond Res.* 2021 Feb 1;35(2):411-419. [[PubMed](#)]
128. Zhang X, Lv M, Luo X, Estill J, Wang L, Ren M, Liu Y, Feng Z, Wang J, Wang X, Chen Y. Egg consumption and health outcomes: a global evidence mapping based on an overview of systematic reviews. *Ann Transl Med.* 2020 Nov;8(21):1343. [[PubMed](#)]
129. Mah E, Chen CO, Liska DJ. The effect of egg consumption on cardiometabolic health outcomes: an umbrella review. *Public Health Nutr.* 2020 Apr;23(5):935-955. [[PubMed](#)]
130. Lodish H, Berk A, Zipursky SL, et al. *Molecular Cell Biology.* 4th edition. New York: W.H. Freeman; 2000. Section 22.3, Collagen: The Fibrous Proteins of the Matrix. [[NCBI](#)]
131. Poortmans JR, Carpentier A, Pereira-Lancha LO, Lancha A Jr. Protein turnover, amino acid requirements and recommendations for athletes and active populations. *Braz J Med Biol Res.* 2012 Oct;45(10):875-90. [[PubMed](#)]

132. Paul C, Leser S, Oesser S. Significant Amounts of Functional Collagen peptides can be incorporated in the diet while maintaining indispensable amino acid balance. *Nutrients*. 2019 May 15;11(5):1079. [[PubMed](#)]
133. Praet SFE, Purdam CR, Welvaert M, Vlahovich N, Lovell G, Burke LM, Gaida JE, Manzanero S, Hughes D, Waddington G. Oral Supplementation of Specific Collagen Peptides Combined with Calf-Strengthening Exercises Enhances Function and Reduces Pain in Achilles Tendinopathy Patients. *Nutrients*. 2019 Jan 2;11(1):76. [[PubMed](#)]
134. Dressler P, Gehring D, Zdzieblik D, Oesser S, Gollhofer A, König D. Improvement of Functional Ankle Properties Following Supplementation with Specific Collagen Peptides in Athletes with Chronic Ankle Instability. *J Sports Sci Med*. 2018 May 14;17(2):298-304. [[PubMed](#)]
135. Porfirio E, Fanaro GB. Collagen supplementation as a complementary therapy for the prevention and treatment of osteoporosis and osteoarthritis: a systematic review. *Rev. bras. geriatr. gerontol.* vol.19 no.1 Rio de Janeiro Jan./Feb. 2016. [[Scielo](#)]
136. König D, Oesser S, Scharla S, Zdzieblik D, Gollhofer A. Specific Collagen peptides improve bone mineral density and bone markers in postmenopausal women-a randomized controlled study. *Nutrients*. 2018 Jan 16;10(1):97. [[PubMed](#)]

137. Zdzieblik D, Oesser S, Gollhofer A, Koenig D. Corrigendum: Improvement of activity-related knee joint discomfort following supplementation of specific collagen peptides. *Appl Physiol Nutr Metab*. 2017 Nov;42(11):1237. [[PubMed](#)]
138. Clark KL, Sebastianelli W, Flechsenhar KR, Aukermann DF, Meza F, Millard RL, Deitch JR, Sherbondy PS, Albert A. 24-Week study on the use of collagen hydrolysate as a dietary supplement in athletes with activity-related joint pain. *Curr Med Res Opin*. 2008 May;24(5):1485-96. [[PubMed](#)]
139. Sugihara F, Inoue N, Venkateswarathirukumara S. Ingestion of bioactive collagen hydrolysates enhanced pressure ulcer healing in a randomized double-blind placebo-controlled clinical study. *Sci Rep*. 2018 Jul 30;8(1):11403. [[PubMed](#)]
140. Choi FD, Sung CT, Juhasz ML, Mesinkovsk NA. Oral Collagen Supplementation: A Systematic Review of Dermatological Applications. *J Drugs Dermatol*. 2019 Jan 1;18(1):9-16. [[PubMed](#)]
141. Zdzieblik D, Oesser S, Baumstark MW, Gollhofer A, König D. Collagen peptide supplementation in combination with resistance training improves body composition and increases muscle strength in elderly sarcopenic men: a randomised controlled trial. *Br J Nutr*. 2015 Oct 28;114(8):1237-45. [[PubMed](#)]

142. Jendricke P, Centner C, Zdzieblik D, Gollhofer A, König D. Specific Collagen Peptides in Combination with Resistance Training Improve Body Composition and Regional Muscle Strength in Premenopausal Women: A Randomized Controlled Trial. *Nutrients*. 2019 Apr 20;11(4):892. [[PubMed](#)]
143. Kirmse M, Oertzen-Hagemann V, de Marées M, Bloch W, Platen P. Prolonged Collagen peptide supplementation and resistance exercise training affects body composition in recreationally active men. *Nutrients*. 2019 May 23;11(5):1154. [[PubMed](#)]
144. Giglio BM, Schincaglia RM, da Silva AS, Fazani ICS, Monteiro PA, Mota JF, Cunha JP, Pichard C, Pimentel GD. Whey protein supplementation compared to collagen increases blood nesfatin concentrations and decreases android fat in overweight women: a randomized double-blind study. *Nutrients*. 2019 Sep 2;11(9):2051. [[PubMed](#)]
145. Oikawa SY, Kamal MJ, Webb EK, McGlory C, Baker SK, Phillips SM. Whey protein but not collagen peptides stimulate acute and longer-term muscle protein synthesis with and without resistance exercise in healthy older women: a randomized controlled trial. *Am J Clin Nutr*. 2020 Mar 1;111(3):708-718. [[PubMed](#)]
146. Medawar E, Huhn S, Villringer A, Veronica Witte A. The effects of plant-based diets on the body and the brain: a

- systematic review. *Transl Psychiatry*. 2019 Sep 12;9(1):226. [[PubMed](#)]
147. Berrazaga I, Micard V, Gueugneau M, Walrand S. The Role of the Anabolic Properties of Plant- versus Animal-Based Protein Sources in Supporting Muscle Mass Maintenance: A Critical Review. *Nutrients*. 2019 Aug 7;11(8):1825. [[PubMed](#)]
148. Tang JE, Moore DR, Kujbida GW, Tarnopolsky MA, Phillips SM. Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *J Appl Physiol (1985)*. 2009 Sep;107(3):987-92. [[PubMed](#)]
149. Yang Y, Churchward-Venne TA, Burd NA, Breen L, Tarnopolsky MA, Phillips SM. Myofibrillar protein synthesis following ingestion of soy protein isolate at rest and after resistance exercise in elderly men. *Nutr Metab (Lond)*. 2012 Jun 14;9(1):57. [[PubMed](#)]
150. Gorissen SH, Horstman AM, Franssen R, Crombag JJ, Langer H, Bierau J, Respondek F, van Loon LJ. Ingestion of wheat protein increases in vivo muscle protein synthesis rates in healthy older men in a randomized trial. *J Nutr*. 2016 Sep;146(9):1651-9. [[PubMed](#)]
151. Brennan JL, Keerati-U-Rai M, Yin H, Daoust J, Nonnotte E, Quinquis L, St-Denis T, Bolster DR. Differential responses of blood essential amino acid levels following ingestion of high-quality plant-based protein blends compared to whey

- protein-a double-blind randomized, cross-over, clinical trial. *Nutrients*. 2019 Dec 6;11(12):2987. [[PubMed](#)]
152. Monteyne AJ, Coelho MOC, Porter C, Abdelrahman DR, Jameson TSO, Jackman SR, Blackwell JR, Finnigan TJA, Stephens FB, Dirks ML, Wall BT. Mycoprotein ingestion stimulates protein synthesis rates to a greater extent than milk protein in rested and exercised skeletal muscle of healthy young men: a randomized controlled trial. *Am J Clin Nutr*. 2020 Aug 1;112(2):318-333. [[PubMed](#)]
153. Pinckaers PJM, et al. The Muscle Protein Synthetic Response Following Ingestion of Corn Protein, Milk Protein and Their Protein Blend in Young Males. *Curr Dev Nutr*. 2020 Jun; 4(Suppl 2): 651. [[PMC](#)]
154. Joy JM, Lowery RP, Wilson JM, Purpura M, De Souza EO, Wilson SM, Kalman DS, Dudeck JE, Jäger R. The effects of 8 weeks of whey or rice protein supplementation on body composition and exercise performance. *Nutr J*. 2013 Jun 20;12:86. [[PubMed](#)]
155. Babault N, Païzis C, Deley G, Guérin-Deremaux L, Saniez MH, Lefranc-Millot C, Allaert FA. Pea proteins oral supplementation promotes muscle thickness gains during resistance training: a double-blind, randomized, Placebo-controlled clinical trial vs. Whey protein. *J Int Soc Sports Nutr*. 2015 Jan 21;12(1):3. [[PubMed](#)]
156. Nieman DC, Zwetsloot KA, Simonson AJ, Hoyle AT, Wang X, Nelson HK, Lefranc-Millot C, Guérin-Deremaux L. Effects

- of Whey and Pea Protein Supplementation on Post-Eccentric Exercise Muscle Damage: A Randomized Trial. *Nutrients*. 2020 Aug 9;12(8):2382. [[PubMed](#)]
157. Messina M, Lynch H, Dickinson JM, Reed KE. No Difference Between the Effects of Supplementing With Soy Protein Versus Animal Protein on Gains in Muscle Mass and Strength in Response to Resistance Exercise. *Int J Sport Nutr Exerc Metab*. 2018 Nov 1;28(6):674-685. [[PubMed](#)]
158. Hevia-Larraín V, Gualano B, Longobardi I, Gil S, Fernandes AL, Costa LAR, Pereira RMR, Artioli GG, Phillips SM, Roschel H. High-protein plant-based diet versus a protein-matched omnivorous diet to support resistance training adaptations: a comparison between habitual vegans and omnivores. *Sports Med*. 2021 Feb 18. [[PubMed](#)]
159. Reed KE, Camargo J, Hamilton-Reeves J, Kurzer M, Messina M. Neither soy nor isoflavone intake affects male reproductive hormones: An expanded and updated meta-analysis of clinical studies. *Reprod Toxicol*. 2020 Dec 28;100:60-67. [[PubMed](#)]
160. Kraemer WJ, Solomon-Hill G, Volk BM, Kupchak BR, Looney DP, Dunn-Lewis C, Comstock BA, Szivak TK, Hooper DR, Flanagan SD, Maresh CM, Volek JS. The effects of soy and whey protein supplementation on acute hormonal responses to resistance exercise in men. *J Am Coll Nutr*. 2013;32(1):66-74. [[PubMed](#)]

161. Goodin S, Shen F, Shih WJ, Dave N, Kane MP, Medina P, Lambert GH, Aisner J, Gallo M, DiPaola RS. Clinical and biological activity of soy protein powder supplementation in healthy male volunteers. *Cancer Epidemiol Biomarkers Prev.* 2007 Apr;16(4):829-33. [[PubMed](#)]
162. Wu G. Important roles of dietary taurine, creatine, carnosine, anserine and 4-hydroxyproline in human nutrition and health. *Amino Acids.* 2020 Mar;52(3):329-360. [[PubMed](#)]
163. Kerksick CM, Wilborn CD, Roberts MD, Smith-Ryan A, Kleiner SM, Jäger R, Collins R, Cooke M, Davis JN, Galvan E, Greenwood M, Lowery LM, Wildman R, Antonio J, Kreider RB. ISSN exercise & sports nutrition review update: research & recommendations. *J Int Soc Sports Nutr.* 2018 Aug 1;15(1):38. [[PubMed](#)]
164. Lee CW, et al. Dietary cholesterol affects skeletal muscle protein synthesis following acute resistance exercise. Volume25, IssueS1 Experimental Biology 2011 Meeting Abstracts April 2011 Pages lb563-lb563 [[FASEB](#)]
165. Riechman SE, Andrews RD, Maclean DA, Sheather S. Statins and dietary and serum cholesterol are associated with increased lean mass following resistance training. *J Gerontol A Biol Sci Med Sci.* 2007 Oct;62(10):1164-71. [[PubMed](#)]

166. Soenen S, Westerterp-Plantenga MS. Proteins and satiety: implications for weight management. *Curr Opin Clin Nutr Metab Care*. 2008 Nov;11(6):747-51. [[PubMed](#)]
167. Westerterp-Plantenga MS, Lemmens SG, Westerterp KR. Dietary protein - its role in satiety, energetics, weight loss and health. *Br J Nutr*. 2012 Aug;108 Suppl 2:S105-12. [[PubMed](#)]
168. Bellisle F, Drewnowski A, Anderson GH, Westerterp-Plantenga M, Martin CK. Sweetness, satiation, and satiety. *J Nutr*. 2012 Jun;142(6):1149S-54S. [[PubMed](#)]
169. Leidy HJ. Increased dietary protein as a dietary strategy to prevent and/or treat obesity. *Mo Med*. 2014 Jan-Feb;111(1):54-8. [[PubMed](#)]
170. Kim JE, O'Connor LE, Sands LP, Slebodnik MB, Campbell WW. Effects of dietary protein intake on body composition changes after weight loss in older adults: a systematic review and meta-analysis. *Nutr Rev*. 2016 Mar;74(3):210-24. [[PubMed](#)]
171. Clifton PM, Condo D, Keogh JB. Long term weight maintenance after advice to consume low carbohydrate, higher protein diets--a systematic review and meta analysis. *Nutr Metab Cardiovasc Dis*. 2014 Mar;24(3):224-35. [[PubMed](#)]
172. Roberts J, Zinchenko A, Mahbubani K, Johnstone J, Smith L, Merzbach V, Blacutt M, Banderas O, Villasenor L, Vårvik FT, Henselmans M. Satiating effect of high protein diets on

- resistance-trained subjects in energy deficit. *Nutrients*. 2018 Dec 28;11(1):56. [[PubMed](#)]
173. Antonio J, Peacock CA, Ellerbroek A, Fromhoff B, Silver T. The effects of consuming a high protein diet (4.4 g/kg/d) on body composition in resistance-trained individuals. *J Int Soc Sports Nutr*. 2014 May 12;11:19. doi: 10.1186/1550-2783-11-19. [[PubMed](#)]
174. MacDougall JD, Gibala MJ, Tarnopolsky MA, MacDonald JR, Interisano SA, Yarasheski KE. The time course for elevated muscle protein synthesis following heavy resistance exercise. *Can J Appl Physiol*. 1995 Dec;20(4):480-6. [[PubMed](#)]
175. Phillips SM, Tipton KD, Aarsland A, Wolf SE, Wolfe RR. Mixed muscle protein synthesis and breakdown after resistance exercise in humans. *Am J Physiol*. 1997 Jul;273(1 Pt 1):E99-107. [[PubMed](#)]
176. Moore DR. Maximizing Post-exercise Anabolism: The Case for Relative Protein Intakes. *Front Nutr*. 2019 Sep 10;6:147. [[PubMed](#)]
177. Burd NA, West DW, Moore DR, Atherton PJ, Staples AW, Prior T, Tang JE, Rennie MJ, Baker SK, Phillips SM. Enhanced amino acid sensitivity of myofibrillar protein synthesis persists for up to 24 h after resistance exercise in young men. *J Nutr*. 2011 Apr 1;141(4):568-73. [[PubMed](#)]
178. Damas F, Phillips SM, Libardi CA, Vechin FC, Lixandrão ME, Jannig PR, Costa LA, Bacurau AV, Snijders T, Parise G,

Tricoli V, Roschel H, Ugrinowitsch C. Resistance training-induced changes in integrated myofibrillar protein synthesis are related to hypertrophy only after attenuation of muscle damage. J Physiol. 2016 Sep 15;594(18):5209-22. [[PubMed](#)]

This is the end of the book, but the beginning of an adventure.