

- Achten J, Jeukendrup AE. Heart rate monitoring: applications and limitations. *Sports Med* 2003; 33: 517-538.
- Adlercreutz H, Härkönen M, Kuoppasalmi K, et al. Effect of training on plasma anabolic and catabolic steroid hormones and their response during physical exercise. *Int J Sports Med* 1986; 7: 27-28.
- Armstrong LE. Nutritional strategies for football: counteracting heat, cold, high altitude and jet-lag. *J Sport Sci* 2006; 24: 723-740.
- Atlaoui D, Duclos M, Gouarne C, et al. The 24-hr urinary cortisol/cortisone ratio for monitoring training in elite swimmers. *Med Sci Sports Exerc* 2004; 36: 218-224.
- Avalos M, Hellard P, Chatard JC. Modeling the training-performance relationship using a mixed model in elite swimmers. *Med Sci Sports* 2003; 35: 838-846.
- Baj Z, Kantorski J, Majewski E, et al. Immunological status of competitive cyclists before and after the training season. *Int J Sports Med* 1994; 15: 319-324.
- Balague G. Periodization of psychological skills training. *J Sci Med Sports* 2000; 3: 230-237.
- Bangsbo J. Préparation physique en vue de la Coupe du monde de football. *Science & Sport* 1999; 14: 220-226.
- Bangsbo J, Mohr M, Poulsen A, Perez-Gomez J, Krustrup P. Training and testing the elite athlete. *J Exerc Sci Fit* 2006; 4: 1-14.
- Banister EW, Calvert TW. Planning for future performance: implications for long term training. *Can J Appl Sport Sci* 1980; 5: 170-176.
- Banister EW, Calvert TW, Savage MV, et al. A systems model of training for athletic performance. *Aust J Sports Med* 1975; 7: 57-61.
- Banister EW, Carter JB, Zarkadas PC. Training theory and taper: validation in triathlon athletes. *Eur J Appl Physiol* 1999; 79: 182-191.
- Banister EW, Fitz-Clarke JR. Plasticity of response to equal quantities of endurance training separated by non-training in humans. *J Therm Biol* 1993; 18: 587-597.
- Banister EW, Hamilton CL. Variations in iron status with fatigue modelled from training in female distance runners. *Eur J Appl Physiol* 1985; 54: 16-23.
- Banister EW, Morton RH, Fitz-Clarke J. Dose/response effects of exercise modeled from training: physical and biochemical measures. *Ann Physiol Anthropol* 1992; 11: 345-356.
- Berger BG, Grove JR, Prapavessis H, et al. Relationship of swimming distance, expectancy, and performance to mood states of competitive athletes. *Percept Mot Skills* 1997; 84: 1199-1210.
- Berger BG, Motl RW, Butki BD, et al. Mood and cycling performance in response to three weeks of high-intensity, short-duration overtraining, and a two-week taper. *Sport Psychol* 1999; 13: 444-457.
- Berglund B, Säfström H. Psychological monitoring and modulation of training load of world-class canoeists. *Med Sci Sports Exerc* 1994; 26: 1036-1040.
- Bessman JD, Ridgeway Gilmer P, Gardner FH. Improved classification of anemias by MCV and RDW. *Am J Clin Pathol* 1983; 80: 322-326.
- Best R, Walker BR. Additional value of measurement of urinary cortisone and unconjugated cortisol metabolites in assessing the activity of 11 beta-hydroxysteroid dehydrogenase in vivo. *Clin Endocrinol (Oxf)* 1997; 47: 231-236.
- Bishop D, Edge J. The effects of a 10-day taper on repeated-sprint performance in females. *J Sci Med Sport* 2005; 8: 200-209.
- Bonifazi M, Sardella F, Luppo C. Preparatory versus main competitions: differences in performances, lactate responses and pre-competition plasma cortisol concentrations in elite male swimmers. *Eur J Appl Physiol* 2000; 82: 368-373.
- Borg G. Perceived exertion as an indicator of somatic stress. *Scand J Rehab Med* 1970; 2: 92-98.
- Borg G. Psychophysical bases of perceived exertion. *Med Sci Sports Exerc* 1982; 14: 377-381.
- Borg G, Hassmen P, Lagerstrom M. Perceived exertion related to heart rate and blood lactate during arm and leg exercise. *Eur J Appl Physiol* 1987; 65: 679-685.
- Bosquet L, Montpetit J, Arvisais D, et al. Effects of tapering on performance: a meta-analysis. *Med Sci Sports Exerc* 2007; 39: 1358-1365.
- Bothwell TH, Charlton RW, Cook JD, et al. *Iron Metabolism in Man*. Oxford, UK: Blackwell Scientific, 1979.
- Brodthagen UA, Hansen KN, Knudsen JB, et al. Red cell 2,3-DPG, ATP, and mean cell volume in highly trained athletes. Effect of long-term submaximal exercise. *Eur J Appl Physiol* 1985; 53: 334-338.

- Bruunsgaard H, Hartkopp A, Mohr T, et al. In vivo cell-mediated immunity and vaccination response following prolonged, intense exercise. *Med Sci Sports Exer* 1997; 29: 1176-1181.
- Bunt JC. Hormonal alterations due to exercise. *Sports Med* 1986; 3: 331-345.
- Burke ER, Falsetti HL, Feld RD, et al. Blood testing to determine overtraining in swimmers. *Swimming Tech* 1982a; 18: 29-33.
- Burke ER, Falsetti HL, Feld RD, et al. Creatine kinase levels in competitive swimming during a season of training. *Scand J Sports Sci* 1982b; 4: 1-4.
- Busso T. Variable dose-response relationship between exercise training and performance. *Med Sci Sports Exerc* 2003; 35: 1188-1195.
- Busso T, Benoit H, Bonnefoy R, et al. Effects of training frequency on the dynamics of performance response to a single training bout. *J Appl Physiol* 2002; 92: 572-580.
- Busso T, Candau R, Lacour JR. Fatigue and fitness modelled from the effects of training on performance. *Eur J Appl Physiol* 1994; 69: 50-54.
- Busso T, Denis C, Bonnefoy R, et al. Modeling of adaptations to physical training by using a recursive least squares algorithm. *J Appl Physiol* 1997; 82: 1685-1693.
- Busso T, Häkkinen K, Pakarinen A, et al. A systems model of training responses and its relationship to hormonal responses in elite weight-lifters. *Eur J Appl Physiol* 1990; 61: 48-54.
- Busso T, Häkkinen K, Pakarinen A, et al. Hormonal adaptations and modelled responses in elite weightlifters during 6 weeks of training. *Eur J Appl Physiol* 1992; 64: 381-386.
- Busso T, Thomas L. Using mathematical modelling in training planning. *Int J Sports Physiol Perf* 2006; 1: 400-405.
- Butterfield GE, Gates J, Fleming S, Brooks GA, Sutton JR, Reeves JT. Increased energy intake minimises weight loss in men at high altitude. *J Appl Physiol* 1992; 72: 1741-1748.
- Calvert TW, Banister EW, Savage MV, et al. A systems model of the effects of training on physical performance. *IEEE Trans Syst Man Cybern* 1976; 6: 94-102.
- Carli G, Martelli G, Viti A, et al. Modulation of hormone levels in male swimmers during training. In: *Biomechanics and Medicine in Swimming*. Champaign, IL: Human Kinetics, 1983: 33-40.
- Casoni I, Borsetto C, Cavicchi A, et al. Reduced hemoglobin concentration and red cell hemoglobinization in Italian marathon and ultramarathon runners. *Int J Sports Med* 1985; 6: 176-179.
- Cavanaugh DJ, Musch KI. Arm and leg power of elite swimmers increase after taper as measured by biokinetic variable resistance machines. *J Swimming Research* 1989; 5: 7-10.
- Chatard JC, Paulin M, Lacour JR. Postcompetition blood lactate measurements and swimming performance: illustrated by data from a 400-m Olympic record holder. In: *Swimming Science V*. Champaign, IL: Human Kinetics, 1988: 311-316.
- Child RB, Wilkinson DM, Fallowfield JL. Effects of a training taper on tissue damage indices, serum antioxidant capacity and half-marathon running performance. *Int J Sports Med* 2000; 21: 325-331.
- Clement DB, Sawchuk LL. Iron status and sports performance. *Sports Med* 1984; 1: 65-74.
- Cohen J. *Statistical Power Analysis for the Behavioral Sciences*. Hillsdale, NJ: Erlbaum, 1988.
- Convertino VA, Keil C, Greenleaf JE. Plasma volume, osmolality, vasopressin, and renin activity during graded exercise in man. *J Appl Physiol* 1981; 50: 123-128.
- Convertino VA, Keil C, Greenleaf JE. Plasma volume, renin and vasopressin responses to graded exercise after training. *J Appl Physiol* 1983; 54: 508-514.
- Costill DL, King DS, Thomas R, et al. Effects of reduced training on muscular power in swimmers. *Physician Sportsmed* 1985; 13: 94-101.
- Costill DL, Thomas R, Robergs A, et al. Adaptations to swimming training: influence of training volume. *Med Sci Sports Exerc* 1991; 23: 371-377.
- Coutts A, Reaburn P, Piva TJ. Changes in selected biochemical, muscular strength, power, and endurance measures during deliberate overreaching and tapering in rugby league players. *Int J Sports Med* 2007a; 28: 116-124.
- Coutts AJ, Wallace LK, Slattery KM. Monitoring changes in performance, physiology, biochemistry, and psychology during overreaching and recovery in triathletes. *Int J Sports Med* 2007b; 28: 125-134.
- Cumming DC, Wall SR. Non-sex hormone-binding globulin-bound testosterone as a marker for hyperandrogenism. *J Clin Endocrinol Metab* 1985; 61: 873-876.
- D'Acquisto LJ, Bone M, Takahashi S, et al. Changes in aerobic power and swimming economy as a result of reduced training volume. In: *Swimming Science VI*. London: E & FN Spon, 1992: 201-205.
- Dawkins R. *The Selfish Gene* (30th Anniversary Edition). Oxford, UK: Oxford University Press, 2006.
- Dressendorfer RH, Petersen SR, Moss Lovshin SE, et al. Performance enhancement with maintenance of resting immune status after

- intensified cycle training. *Clin J Sport Med* 2002a; 12: 301-307.
- Dressendorfer RH, Petersen SR, Moss Lovshin SE, et al. Mineral metabolism in male cyclists during high-intensity endurance training. *Int J Sport Nutr Exerc Metab* 2002b; 12: 63-72.
- Dufaux B, Hoederath A, Streitberger I, et al. Serum ferritin, transferrin, haptoglobin, and iron in middle- and long-distance runners, elite rowers, and professional racing cyclists. *Int J Sports Med* 1981; 2: 43-46.
- Ekstrand J, Walden M, Hagglund M. A congested football calendar and the well being of players: correlation between match exposure of European footballers before the World Cup 2002 and their injuries and performances during that World Cup. *Br J Sports Med* 2004; 38: 439-497.
- Eliakim A, Nemet D, Bar-Sela S, et al. Changes in circulating IGF-I and their correlation with self-assessment and fitness among elite athletes. *Int J Sports Med* 2002; 23: 600-603.
- Ferret JM, Cotte T. Analyse des différences de préparation médico-sportive de l'Equipe de France de football pour les coupes du monde 1998 et 2002. In: Lutter contre le Dopage en gérant la Récupération physique. JC Chatard, Ed. Publications de l'Université de Saint-Étienne, 2003: 23-26. Saint-Étienne, France.
- Fitz-Clarke JR, Morton RH, Banister EW. Optimizing athletic performance by influence curves. *J Appl Physiol* 1991; 71: 1151-1158.
- Flynn MG, Pizza FX, Boone JB Jr, et al. Indices of training stress during competitive running and swimming seasons. *Int J Sports Med* 1994; 15: 21-26.
- Fry RW, Morton AR, Crawford GPM, et al. Cell numbers and in vitro responses of leucocytes and lymphocyte subpopulations following maximal exercise and interval training sessions of different intensities. *Eur J Appl Physiol* 1992; 64: 218-227.
- Fry RW, Morton AR, Keast D. Overtraining in athletes: an update. *Sports Med* 1991; 12: 32-65.
- Galbo H. The hormonal response to exercise. *Diabet/Metab Rev* 1986; 1: 385-408.
- Gibala MJ, MacDougall JD, Sale DG. The effects of tapering on strength performance in trained athletes. *Int J Sports Med* 1994; 15: 492-497.
- Gledhill N. Blood doping and related issues: a brief review. *Med Sci Sports Exerc* 1982; 14: 183-189.
- Gledhill N. The influence of altered blood volume and oxygen transport capacity on aerobic performance. *Exerc Sports Sci Rev* 1985; 13: 75-94.
- Gleeson M. Mucosal immunity and respiratory illness in elite athletes. *Int J Sports Med* 2000; 21: S33-S43.
- Gleeson M, McDonald WA, Cripps AW, et al. The effect of immunity of long-term intensive training in elite swimmers. *Clin Exp Immunol* 1995; 102: 210-215.
- Gleeson M, McDonald WA, Pyne DB, et al. Salivary IgA levels and infection risk in elite swimmers. *Med Sci Sports Exerc* 1999; 31: 67-73.
- Gleeson M, McDonald WA, Pyne DB, et al. Immune status and respiratory illness for elite swimmers during a 12-week training cycle. *Int J Sports Med* 2000; 21: 302-307.
- Gleeson M, Pyne D. Exercise effects on mucosal immunity. *Immunol Cell Biol* 2000; 78: 536-544.
- Gordon T, Pattullo MC. Plasticity of muscle fiber and motor unit types. *Exerc Sport Sci Rev* 1993; 21: 331-362.
- Graves JE, Pollock ML, Leggett SH, et al. Effect of reduced training frequency on muscular strength. *Int J Sports Med* 1988; 9: 316-319.
- Hague JFE, Gilbert SS, Burgess HJ, et al. A sedentary day: effects on subsequent sleep and body temperatures in trained athletes. *Physiol Behav* 2003; 78: 261-267.
- Hallberg L, Magnusson B. The etiology of "sports anemia." *Acta Med Scand* 1984; 216: 145-148.
- Halson SL, Jeukendrup AE. Does overtraining exist? An analysis of overreaching and overtraining research. *Sports Med* 2004; 34: 967-981.
- Harber MP, Gallagher PM, Creer AR, et al. Single muscle fiber contractile properties during a competitive season in male runners. *Am J Physiol Regul Integr Comp Physiol* 2004; 287: R1124-R1131.
- Hawley J, Burke L. Peak performance: training and nutritional strategies for sport. St. Leonards, NSW, Australia: Allen & Unwin, 1988.
- Haykowsky MJ, Smith DJ, Malley L, et al. Effects of short term altitude training and tapering on left ventricular morphology in elite swimmers. *Can J Cardiol* 1998; 14: 678-681.
- Hellard P, Avalos M, Lacoste L, et al. Assessing the limitations of the Banister model in monitoring training. *J Sports Sci* 2006; 24: 509-520.
- Hellard P, Avalos M, Millet G, et al. Modeling the residual effects and threshold saturation of training: a case study of Olympic swimmers. *J Strength Cond Res* 2005; 19: 67-75.
- Hickson RC, Foster C, Pollock ML, et al. Reduced training intensities and loss of aerobic power, endurance, and cardiac growth. *J Appl Physiol* 1985; 58: 492-499.
- Hickson RC, Kanakis C Jr, Davis JR, et al. Reduced training duration effects on aerobic power, endurance, and cardiac growth. *J Appl Physiol* 1982; 53: 225-229.

- Hickson RC, Rosenkoetter MA. Reduced training frequencies and maintenance of increased aerobic power. *Med Sci Sports Exerc* 1981; 13: 13-16.
- Hoffman-Goetz L, Pedersen BK. Exercise and the immune system: a model of the stress response? *Immunol Today* 1994; 15: 382-387.
- Hooper SL, Mackinnon LT, Ginn EM. Effects of three tapering techniques on the performance, forces and psychometric measures of competitive swimmers. *Eur J Appl Physiol* 1998; 78: 258-263.
- Hooper SL, Mackinnon LT, Gordon RD, et al. Hormonal responses of elite swimmers to overtraining. *Med Sci Sports Exerc* 1993; 25: 741-747.
- Hooper SL, Mackinnon LT, Howard A. Physiological and psychometric variables for monitoring recovery during tapering for major competition. *Med Sci Sports Exerc* 1999; 31: 1205-1210.
- Hooper SL, Mackinnon LT, Howard A, et al. Markers for monitoring overtraining and recovery. *Med Sci Sports Exerc* 1995; 27: 106-112.
- Hopkins WG, Hawley JA, Burke LM. Design and analysis of research on sport performance enhancement. *Med Sci Sports Exerc* 1999; 31: 472-485.
- Hopkins WG, Hewson DJ. Variability of competitive performance of distance runners. *Med Sci Sports Exerc* 2001; 33: 1588-1592.
- Hoppeler H. Exercise-induced ultrastructural changes in skeletal muscle. *Int J Sports Med* 1986; 7: 187-204.
- Houmard JA. Impact of reduced training on performance in endurance athletes. *Sports Med* 1991; 12: 380-393.
- Houmard JA, Costill DL, Mitchell JB, et al. Reduced training maintains performance in distance runners. *Int J Sports Med* 1990a; 11: 46-52.
- Houmard JA, Costill DL, Mitchell JB, et al. Testosterone, cortisol, and creatine kinase levels in male distance runners during reduced training. *Int J Sports Med* 1990b; 11: 41-45.
- Houmard JA, Johns RA. Effects of taper on swim performance: practical implications. *Sports Med* 1994; 17: 224-232.
- Houmard JA, Kirwan JP, Flynn MG, et al. Effects of reduced training on submaximal and maximal running responses. *Int J Sports Med* 1989; 10: 30-33.
- Houmard JA, Scott BK, Justice CL, et al. The effects of taper on performance in distance runners. *Med Sci Sports Exerc* 1994; 26: 624-631.
- Ingjer F, Myhre K. Physiological effects of altitude training on young male cross-country. *J Sport Sci* 1992; 10: 37-47.
- Izquierdo M, Ibañez J, González-Badillo JJ, et al. Detraining and tapering effects on hormonal responses and strength performance. *J Strength Cond Res* 2007; 21: 768-775.
- Jeukendrup AE, Hesselink MKC, Snyder AC, et al. Physiological changes in male competitive cyclists after two weeks of intensified training. *Int J Sports Med* 1992; 13: 534-541.
- Johns RA, Houmard JA, Kobe RW, et al. Effects of taper on swim power, stroke distance and performance. *Med Sci Sports Exerc* 1992; 24: 1141-1146.
- Kaiser V, Janssen GME, Van Wersch JWJ. Effect of training on red blood cell parameters and plasma ferritin: a transverse and a longitudinal approach. *Int J Sports Med* 1989; 10: S169-S175.
- Kajiura JS, MacDougall JD, Ernst PB, et al. Immune responses to changes in training intensity and volume in runners. *Med Sci Sports Exerc* 1995; 27: 1111-1117.
- Kannus P, Jozsa L, Renström P, et al. The effects of training, immobilization and remobilization on musculoskeletal tissue: 1. Training and immobilization. *Scand J Med Sci Sports* 1992; 2: 100-118.
- Kenitzer RF Jr. Optimal taper period in female swimmers. *J Swimming Research* 1998; 13: 31-36.
- Kindermann W. Metabolic and hormonal reactions in overstrain. *Semin Orthop* 1988; 3: 207-216.
- Kirwan JP, Costill DL, Flynn MG, et al. Physiological responses to successive days of intense training in competitive swimmers. *Med Sci Sports Exerc* 1988; 20: 255-259.
- Konig D, Grathwohl D, Weinstock C, et al. Upper respiratory tract infection in athletes: influence of lifestyle, type of sport, training effort and immunostimulant intake. *Exer Immunol Rev* 2000; 6: 102-120.
- Koziris LP, Hickson RC, Chatterton RT, et al. Serum levels of total and free IGF-I and IGF-BP-3 are increased and maintained in long-term training. *J Appl Physiol* 1999; 86: 1436-1442.
- Kubukeli ZN, Noakes TD, Dennis SC. Training techniques to improve endurance exercise performances. *Sports Med* 2002; 32: 489-509.
- Kuipers H. Training and overtraining: an introduction. *Med Sci Sports Exerc* 1998; 30: 1137-1139.
- Kuoppasalmi K, Adlercreutz H. Interaction between catabolic and anabolic steroid hormones in muscular exercise. In: *Exercise Endocrinology*. Berlin: Walter de Gruyter, 1985: 65-98.
- Lacour JR, Bouvat E, Barthélémy JC. Post-competition blood lactate concentrations as indicators of anaerobic energy expenditure during 400-m and 800-m races. *Eur J Appl Physiol* 1990; 61: 172-176.

- Lehmann M, Baumgartl P, Wiesenack C, et al. Training-overtraining: influence of a defined increase in training volume vs training intensity on performance, catecholamines and some metabolic parameters in experienced middle- and long-distance runners. *Eur J Appl Physiol* 1992; 64: 169-177.
- Lehmann M, Deickhuth HH, Gendrisch G, et al. Training-overtraining: a prospective experimental study with experienced middle- and long-distance runners. *Int J Sports Med* 1991; 12: 444-452.
- Lehmann M, Foster C, Keul J. Overtraining in endurance athletes: a brief review. *Med Sci Sports Exerc* 1993; 25: 854-862.
- Lowenstein JM. The purine nucleotide cycle revised. *Int J Sports Med* 1990; 11: S37-S46.
- Mackinnon LT. Chronic exercise training effects on immune function. *Med Sci Sports Exerc* 2000; 32: S369-S376.
- Mackinnon LT, Hooper S. Mucosal (secretory) immune system responses to exercise of varying intensity and during overtraining. *Int J Sports Med* 1994; 15: S179-S183.
- Mackinnon LT, Hooper SL, Jones S, et al. Hormonal, immunological and hematological responses to intensified training in elite swimmers. *Med Sci Sports Exerc* 1997; 29: 1637-1645.
- Maestu J, Jurimae J, Jurimae T. Hormonal reactions during heavy training stress and following tapering in highly trained male rowers. *Horm Metab Res* 2003; 35: 109-113.
- Mairbäurl H, Humpeler E, Schwabberger G, et al. Training-dependent changes of red cell density and erythrocytic oxygen transport. *J Appl Physiol* 1983; 55: 1403-1407.
- Malisoux L, Francaux M, Theisen D. What do single-fiber studies tell us about exercise training? *Med Sci Sports Exerc* 2007; 39: 1051-1060.
- Malm C. Exercise immunology: a skeletal muscle perspective. *Exer Immunol Rev* 2002; 8: 116-167.
- Manni A, Partridge WM, Cefalu M. Bioavailability of albumin-bound testosterone. *J Clin Endocrinol Metab* 1985; 61: 705-710.
- Margaritis I, Palazetti S, Rousseau A-S, et al. Antioxidant supplementation and tapering exercise improve exercise-induced antioxidant response. *J Am Coll Nutr* 2003; 22: 147-156.
- Martin DT, Andersen MB. Heart rate-perceived exertion relationship during training and taper. *J Sports Med Phys Fitness* 2000; 40: 201-208.
- Martin DT, Andersen MB, Gates W. Using Profile of Mood States (POMS) to monitor high-intensity training in cyclists: group versus case studies. *Sport Psychol* 2000; 14: 138-156.
- Martin DT, Scifres JC, Zimmerman SD, et al. Effects of interval training and a taper on cycling performance and isokinetic leg strength. *Int J Sports Med* 1994; 15: 485-491.
- McCarthy DA, Dale MM. The leucocytosis of exercise: a review and model. *Sports Med* 1988; 6: 333-363.
- McConnell GK, Costill DL, Widrick JJ, et al. Reduced training volume and intensity maintain aerobic capacity but not performance in distance runners. *Int J Sports Med* 1993; 14: 33-37.
- McNeely E, Sandler D. Tapering for endurance athletes. *Strength Cond J* 2007; 29: 18-24.
- Millard M, Zauner C, Cade R, et al. Serum CPK levels in male and female world class swimmers during a season of training. *J Swimming Research* 1985; 1: 12-16.
- Millet GP, Gros Lambert A, Barbier B, et al. Modeling the relationships between training, anxiety, and fatigue in elite athletes. *Int J Sports Med* 2005; 26: 492-498.
- Minors DS, Waterhouse J. Anchor sleep as a synchroniser of rhythms in abnormal routines. *Int J Chronobiol* 1981; 7: 165-188.
- Mondin GW, Morgan WP, Piering PN, et al. Psychological consequences of exercise deprivation in habitual exercisers. *Med Sci Sports Exerc* 1996; 28: 1199-1203.
- Morgan WP, Brown DR, Raglin JS, et al. Psychological monitoring of overtraining and staleness. *Br J Sports Med* 1987; 21: 107-114.
- Morton DP, Gustin PB. Effect of high intensity board training on upper body anaerobic capacity and short-lasting exercise performance. *Aust J Sci Med Sport* 1997; 29: 17-21.
- Morton RH. The quantitative periodization of athletic training: a model study. *Sports Med Training Rehabil*. 1991; 3: 19-28.
- Morton RH, Fitz-Clarke JR, Banister EW. Modeling human performance in running. *J Appl Physiol* 1990; 69: 1171-1177.
- Mujika I. Challenges of team sport research. *Int J Sports Physiol Perf* 2007a; 2: 221-222.
- Mujika I. The influence of training characteristics and tapering on the adaptation in highly trained individuals: a review. *Int J Sports Med* 1998; 19: 439-446.
- Mujika I. Thoughts and considerations for team-sport peaking. *Olympic Coach* 2007b; 18: 9-11.
- Mujika I, Busso T, Lacoste L, et al. Modeled responses to training and taper in competitive swimmers. *Med Sci Sports Exerc* 1996a; 28: 251-258.
- Mujika I, Chatard JC, Busso T, et al. Effects of training on performance in competitive swimming. *Can J Appl Physiol* 1995; 20: 395-406.

- Mujika I, Chatard JC, Busso T, et al. Use of swim-training profiles and performance data to enhance training effectiveness. *J Swimming Research* 1996b; 11: 23-29.
- Mujika I, Chatard J-C, Geyssant A. Effects of training and taper on blood leucocyte populations in competitive swimmers: relationships with cortisol and performance. *Int J Sports Med* 1996c; 17: 213-217.
- Mujika I, Chatard J-C, Padilla S, et al. Hormonal responses to training and its tapering off in competitive swimmers: relationships with performance. *Eur J Appl Physiol* 1996d; 74: 361-366.
- Mujika I, Goya A, Padilla S, et al. Physiological responses to a 6-day taper in middle-distance runners: influence of training intensity and volume. *Med Sci Sports Exerc* 2000; 32: 511-517.
- Mujika I, Goya A, Ruiz E, et al. Physiological and performance responses to a 6-day taper in middle-distance runners: influence of training frequency. *Int J Sports Med* 2002a; 23: 367-373.
- Mujika I, Padilla S. Detraining: loss of training-induced physiological and performance adaptations. Part I. Short-term insufficient training stimulus. *Sports Med* 2000; 30: 79-87.
- Mujika I, Padilla S. Cardiorespiratory and metabolic characteristics of detraining in humans. *Med Sci Sports Exerc* 2001; 33: 413-421.
- Mujika I, Padilla S. Scientific bases for precompetition tapering strategies. *Med Sci Sports Exerc* 2003a; 35: 1182-1187.
- Mujika I, Padilla S. Physiological and performance consequences of training cessation in athletes: detraining. In: *Rehabilitation of Sports Injuries: Scientific Basis*. WR Frontera, Ed. Malden, MA: Blackwell Science, 2003b: 117-143.
- Mujika I, Padilla S, Geyssant A, et al. Hematological responses to training and taper in competitive swimmers: relationships with performance. *Arch Physiol Biochem* 1997; 105: 379-385.
- Mujika I, Padilla S, Pyne D. Swimming performance changes during the final 3 weeks of training leading to the Sydney 2000 Olympic Games. *Int J Sports Med* 2002b; 23: 582-587.
- Mujika I, Padilla S, Pyne D, et al. Physiological changes associated with the pre-event taper in athletes. *Sports Med* 2004; 34: 891-927.
- Nearly JP, Bhambhani YN, McKenzie DC. Effects of different stepwise reduction taper protocols on cycling performance. *Can J Appl Physiol* 2003a; 28: 576-587.
- Nearly JP, Martin TP, Quinney HA. Effects of taper on endurance cycling capacity and single muscle fiber properties. *Med Sci Sports Exerc* 2003b; 35: 1875-1881.
- Nearly JP, Martin TP, Reid DC, et al. The effects of a reduced exercise duration taper programme on performance and muscle enzymes of endurance cyclists. *Eur J Appl Physiol* 1992; 65: 30-36.
- Nearly JP, McKenzie DC, Bhambhani YN. Muscle oxygenation trends after tapering in trained cyclists. *Dyn Med* 2005; 4: 4.
- Nehlsen-Cannarella SL, Nieman DC, Fagoaga OR, et al. Saliva immunoglobulins in elite women rowers. *Eur J Appl Physiol* 2000; 81: 222-228.
- Neufer PD. The effect of detraining and reduced training on the physiological adaptations to aerobic exercise training. *Sports Med* 1989; 8: 302-321.
- Nieman DC. Exercise and upper respiratory tract infection. *Sports Med Training Rehabil* 1993; 4: 1-14.
- Niess AM, Dickhuth HH, Northoff H, et al. Free radicals and oxidative stress in exercise—immunological aspects. *Exer Immunol Rev* 1999; 5: 22-56.
- Noakes TD. Physiological models to understand exercise fatigue and the adaptations that predict or enhance athletic performance. *Scand J Med Sci Sports* 2000; 10: 123-145.
- Noble BJ, Robertson RJ. *Perceived Exertion*. Champaign, IL: Human Kinetics, 2000.
- O'Connor PJ, Morgan WP, Raglin JS, et al. Mood state and salivary cortisol levels following overtraining in female swimmers. *Psychoneuroendocrinology* 1989; 14: 303-310.
- Ostrowski K, Rohde T, Asp S, et al. Pro- and anti-inflammatory cytokine balance in strenuous exercise in humans. *J Physiol* 1999; 515: 287-291.
- Papoti M, Martins LEB, Cunha SA, et al. Effects of taper on swimming force and swimmer performance after an experimental ten-week training program. *J Strength Cond Res* 2007; 21: 538-542.
- Peake JM. Exercise-induced alterations in neutrophil degranulation and respiratory burst activity: possible mechanisms of action. *Exer Immunol Rev* 2002; 8: 49-100.
- Pedlar C, Whyte G, Emegbo S, Stanley N, Hindmarsh I, Godfrey R. Acute sleep responses in a normobaric hypoxic tent. *Med Sci Sports Exerc* 2005; 37: 1075-1079.
- Pizza FX, Flynn MG, Boone JB, et al. Serum haptoglobin and ferritin during a competitive running and swimming season. *Int J Sports Med* 1997; 18: 233-237.
- Pizza FX, Mitchell JB, Davis BH, et al. Exercise-induced muscle damage: effect on circulating leukocyte and lymphocyte subsets. *Med Sci Sports Exer* 1995; 27: 363-370.
- Prins JH, Lally DA, Maes KE, et al. Changes in peak force and work in competitive swimmers during training and taper as tested on a bio-kinetic swimming bench. In: *Aquatic Sports*

- Medicine. JM Cameron, Ed. London: Farrand Press, 1991: 80-88.
- Pyne DB, Gleeson M, McDonald WA, et al. Training strategies to maintain immunocompetence in athletes. *Int J Sports Med* 2000; 21: S51-S60.
- Pyne D, Mujika I, Reilly T. Peaking for optimal performance: research limitations and future directions. *J Sports Sci* 2009; 27: 195-202.
- Raglin JS, Koceja DM, Stager JM. Mood, neuromuscular function, and performance during training in female swimmers. *Med Sci Sports Exerc* 1996; 28: 372-377.
- Raglin JS, Morgan WP, O'Connor PJ. Changes in mood states during training in female and male college swimmers. *Int J Sports Med* 1991; 12: 585-589.
- Reilly T, Atkinson G, Budgett R. Effects of low-dose temazepam on physiological variables and performance following a westerly flight across five time-zones. *Int J Sports Med* 2001; 22: 166-174.
- Reilly T, Atkinson G, Edwards B, et al. Coping with jet-lag: a position statement of the European College of Sport Science. *Eur J Sport Sci* 2007a; 7: 1-7.
- Reilly T, Edwards B. Altered sleep-wake cycles and performance in athletes. *Physiol Behav* 2007; 90: 274-284.
- Reilly T, Maskell P. Effects of altering the sleep-wake cycle in human circadian rhythms and motor performance. In: *Proceedings of the First IOC World Congress on Sport Science*. Colorado Springs, CO: U.S. Olympic Committee, 1989: 106.
- Reilly T, Waterhouse J, Burke LM, Alonso JM. Nutrition for travel. *J Sport Sci* 2007b 25: S125-S134.
- Reilly T, Waterhouse J, Edwards B. Jet lag and air travel: implications for performance. *Clin Sport Med* 2005; 24: 367-380.
- Rietjens GJWM, Keizer HA, Kuipers H, et al. A reduction in training volume and intensity for 21 days does not impair performance in cyclists. *Br J Sports Med* 2001; 35: 431-434.
- Rudzki SJ, Hazard H, Collinson D. Gastrointestinal blood loss in triathletes: its etiology and relationship to sports anaemia. *Aust J Sci Med Sport* 1995; 27: 3-8.
- Rushall BS, Busch JD. Hematological responses to training in elite swimmers. *Can J Appl Sports Sci* 1980; 5: 164-169.
- Rusko H, Tikkanen HO, Peltonen JE. Altitude and endurance training. *J Sport Sci* 2004; 22: 928-945.
- Sahlin K, Broberg S. Adenine nucleotide depletion in human muscle during exercise: causality and significance of AMP deamination. *Int J Sports Med* 1990; 11: S62-S67.
- Saltin B, Gollnick PD. Skeletal muscle adaptability: significance for metabolism and performance. In: *Handbook of Physiology: Skeletal Muscle*. Bethesda, MD: American Physiological Society, 1983: 555-631.
- Seiler D, Nahel D, Franz H, et al. Effects of long-distance running on iron metabolism and hematological parameters. *Int J Sports Med* 1989; 10: 357-362.
- Selby GB, Eichner ER. Endurance swimming, intravascular hemolysis, anemia, and iron depletion. *Am J Med* 1986; 81: 791-794.
- Shepley B, MacDougall JD, Cipriano N, et al. Physiological effects of tapering in highly trained athletes. *J Appl Physiol* 1992; 72: 706-711.
- Smith HK. Ergometer sprint performance and recovery with variations in training load in elite rowers. *Int J Sports Med* 2000; 21: 573-578.
- Smith LL. Overtraining, excessive exercise, and altered immunity: is this a T helper-1 versus T helper-2 lymphocyte response. *Sports Med* 2003; 33: 347-364.
- Smith JA, Pyne DB. Exercise, training and neutrophil function. *Exer Immunol Rev* 1997; 3: 96-117.
- Smith LL, Anwar A, Fragen M, et al. Cytokines and cell adhesion molecules associated with high-intensity eccentric exercise. *Eur J Appl Physiol* 2000; 82: 61-67.
- Snyder AC, Jeukendrup AE, Hesselink MKC, et al. A physiological/psychological indicator of overreaching during intensive training. *Int J Sports Med* 1993; 14: 29-32.
- Stein M, Keller SE, Schleifer SJ. Stress and immunomodulation: the role of depression and neuroendocrine function. *J Immunol* 1985; 135: 827-833.
- Steinacker JM, Lormes W, Kellmann M, et al. Training of junior rowers before world championships. Effects on performance, mood state and selected hormonal and metabolic responses. *J Sports Med Phys Fitness* 2000; 40: 327-335.
- Stewart AM, Hopkins WG. Seasonal training and performance in competitive swimmers. *Med Sci Sports Exerc* 2000; 32: 997-1001.
- Stone MH, Josey J, Hunter G, et al. Different taper lengths: effects on weightlifting performance. In: *Proceedings of the Overtraining and Overreaching in Sport International Conference 1996*; University of Memphis, Tennessee, p. 59.
- Suzuki K, Nakaji S, Yamada M, et al. Systemic inflammatory responses to exhaustive exercise: cytokine kinetics. *Exer Immunol Rev* 2002; 8: 7-48.
- Tabata I, Irisawa K, Kouzaki M, Nishimura K, Ogita F, Miyachi M. Metabolic profile of high intensity intermittent exercises. *Med Sci Sports Exerc* 1997; 29: 390-395.

- Taha T, Thomas SG. Systems modelling of the relationship between training and performance. *Sports Med* 2003; 33: 1061-1073.
- Tanaka H, Costill DL, Thomas R, et al. Dry-land resistance training for competitive swimming. *Med Sci Sports Exerc* 1993; 25: 952-959.
- Taylor SR, Rogers GG, Driver HS. Effects of training volume on sleep, psychological, and selected physiological profiles of elite female swimmers. *Med Sci Sports Exerc* 1997; 29: 688-693.
- Telford RD, Hahn AG, Catchpole EA, et al. Postcompetition blood lactate concentration in highly ranked Australian swimmers. In: *Swimming Science V*. Champaign, IL: Human Kinetics, 1988: 277-283.
- Tharp GD, Barnes MW. Reduction of saliva immunoglobulin levels by swim training. *Eur J Appl Physiol* 1990; 60: 61-64.
- Tharp G, Preuss T. Mitogenic response of T-lymphocytes to exercise training and stress. *J Appl Physiol* 1991; 70: 2535-2538.
- Thomas L, Busso T. A theoretical study of taper characteristics to optimise performance. *Med Sci Sports Exerc* 2005; 37: 1615-1621.
- Thomas L, Mujika I, Busso T. A model study of optimal training reduction during pre-event taper in elite swimmers. *J Sport Sci* 2008; 26: 643-652.
- Thomas L, Mujika I, Busso T. Computer simulations assessing the potential performance benefit of a final increase in training during pre-event taper. *J Strength Cond Res*; in press.
- Trappe S, Costill D, Thomas R. Effect of swim taper on whole muscle and single fiber contractile properties. *Med Sci Sports Exerc* 2001; 33: 48-56.
- Trinity JD, Pahnke MD, Resse EC, Coyle EF. Maximal mechanical power during a taper in elite swimmers. *Med Sci Sports Exerc* 2006; 38: 1643-1649.
- Tullson PC, Terjung RL. Adenine nucleotide metabolism in contracting skeletal muscle. *Exerc Sports Sci Rev* 1991; 19: 507-537.
- Van Handel PJ, Katz A, Troup JP, et al. Oxygen consumption and blood lactic acid response to training and taper. In: *Swimming Science V*. Champaign, IL: Human Kinetics, 1988: 269-275.
- Verde TJ, Thomas S, Shek P, et al. Responses of lymphocyte subsets, mitogen-stimulated cell proliferation, and immunoglobulin synthesis to vigorous exercise in well-trained athletes. *Clin J Sports Med* 1992; 2: 87-92.
- Viru A. Plasma hormones and physical exercise. *Int J Sports Med* 1992; 13: 201-209.
- Viru A, Viru M. *Biochemical Monitoring of Sport Training*. Champaign, IL: Human Kinetics, 2001.
- Vollaard NB, Cooper CE, Shearman JP. Exercise-induced oxidative stress in overload training and tapering. *Med Sci Sports Exerc* 2006; 38: 1335-1341.
- Wade CH, Claybaugh JR. Plasma renin activity, vasopressin concentration, and urinary excretory responses to exercise in men. *J Appl Physiol* 1980; 49: 930-936.
- Walker JL, Heigenhauser GJF, Hultman E, et al. Dietary carbohydrate, muscle glycogen content, and endurance performance in well-trained women. *J Appl Physiol* 2000; 88: 2151-2158.
- Warren BJ, Stone MH, Kearney JT, et al. Performance measures, blood lactate and plasma ammonia as indicators of overwork in elite junior weightlifters. *Int J Sports Med* 1992; 13: 372-376.
- Waterhouse J, Atkinson G, Edwards B, Reilly T. The role of a short post-lunch nap in improving cognitive, motor and sprint performance in participants with partial sleep deprivation. *Journal of Sports Sciences* 2007a; 25: 1557-1566.
- Waterhouse J, Nevill A, Edwards B, Godfrey R, Reilly T. The relationship between assessments of jet-lag and some of its symptoms. *Chronobiol Int* 2003; 20, 1061-1073.
- Waterhouse J, Reilly T, Atkinson G, Edwards B. Jet lag: trends and coping strategies. *Lancet* 2007b; 369: 1117-1129.
- Watt B, Grove R. Perceived exertion: antecedents and applications. *Sports Med* 1993; 15: 225-241.
- Weight LM. "Sports anaemia": does it exist? *Sports Med* 1993; 16: 1-4.
- Wenger HA, Bell GJ. The interactions of intensity, frequency and duration of exercise training in altering cardiorespiratory fitness. *Sports Med* 1986; 3: 346-356.
- Wilson M, Kreider R, Ratzlaff R, et al. Effects of a 3-week taper period following 22-weeks of intercollegiate swim training on fasting immune status. In: *Proceedings of the Overtraining and Overreaching in Sport International Conference 1996*; University of Memphis, Tennessee, p. 73.
- Yamamoto Y, Mutoh Y, Miyashita M. Hematological and biochemical indices during the tapering period of competitive swimmers. In: *Swimming Science V*. Champaign, IL: Human Kinetics, 1988: 269-275.
- Zarkadas PC, Carter JB, Banister EW. Modelling the effect of taper on performance, maximal oxygen uptake, and the anaerobic threshold in endurance triathletes. *Adv Exp Med Biol* 1995; 393: 179-186.