

References

Chapter 1

1. Anderson, JW, Konz, EC, Frederich, RC, and Wood, CL. Long-term weight-loss maintenance: A meta-analysis of U.S. studies. *Am J Clin Nutr* 75:579-584, 2001.
2. Antonio, J, Ellerbroek, A, Silver, T, Orris, S, Scheiner, M, Gonzalez, A, and Peacock, CA. A high protein diet (3.4 g/kg/d) combined with a heavy resistance training program improves body composition in healthy trained men and women—a follow-up investigation. *J Int Soc Sports Nutr* 12:39, 2015.
3. Areta, JL, Burke, LM, Camera, DM, West, DWD, Crawshay, S, Moore, DR, Stellingwerff, T, Phillips, S, Hawley, JA, and Coffey, VG. Reduced resting skeletal muscle protein synthesis is rescued by resistance exercise and protein ingestion following short-term energy deficit. *Am J Physiol—Endocrinol Metab* 306:989-997, 2014.
4. Ball, SD, Keller, KR, Moyer-Mileur, LJ, Ding, YW, Donaldson, D, and Jackson, W. Prolongation of satiety after low versus moderately high glycemic index meals in obese adolescents. *Pediatrics* 111:488-494, 2003.
5. Barkeling, B, Rossner, S, and Bjorvell, H. Effects of a high-protein meal (meat) and a high-carbohydrate meal (vegetarian) on satiety measured by automated computerized monitoring of subsequent food intake, motivation to eat and food preferences. *Int J Obes* 14:743-751, 1990.
6. Barrack, MT, Fredericson, M, Tenforde, AS, and Nattiv, A. Evidence of a cumulative effect for risk factors predicting low bone mass among male adolescent athletes. *Br J Sports Med* 51:200-205, 2017.
7. Borsheim, E, Tipton, KD, Wolf, SE, and Wolfe, RR. Essential amino acids and muscle protein recovery from resistance exercise. *Appl J Physiol* 283:E648-657, 2002.
8. Bouche, C, Rizkalla, SW, Luo, J, Vidal, H, Veronese, A, Pacher, N, Fouquet, C, Lang, V, and Slama, G. Five-week, low glycemic index diet increases total fat mass and improves plasma lipid profile in moderately overweight nondiabetic men. *Diabet Care* 25:822-828, 2002.
9. Bray, GA. Afferent signals regulating food intake. *Proceedings of the Nutrition Society*, 59(3):373-384, 2000.
10. Brehm, BJ and D'Alessio, DA. Benefits of high-protein weight loss diets: Enough evidence for practice? *Curr Opin Endocrinol Diabetes, Obes* 15:416-421, 2008.
11. Brown, AF, Welsh, T, Panton, LB, Moffatt, RJ, and Ormsbee, MJ. Higher protein intake improves body composition index in female collegiate dancers. *Appl Physiol Nutr Metab*, 45(5):547-554, 2020.
12. Brynes, AE, Adamson, J, Dornhorst, A, and Frost, GS. The beneficial effect of a diet with low glycaemic index on 24 h glucose profiles in healthy young people as assessed by continuous glucose monitoring. *Br J Nutr* 93:179-182, 2005.
13. Burke, LM, Close, GL, Lundy, B, Mooses, M, Morton, JP, and Tenforde, AS. Relative energy deficiency in sport in male athletes: A commentary on its presentation among selected groups of male athletes. *Int J Sport Nutr Exerc Metab* 28:364-374, 2018.
14. Campbell, BI, Aguilar, D, Conlin, L, Vargas, A, Schoenfeld, BJ, Corson, A, Gai, C, Best, S, Galvan, E, and Couvillion, K. Effects of high versus low protein intake on body composition and maximal strength in aspiring female physique athletes engaging in an 8-week resistance training program. *Int J Sport Nutr Exerc Metab* 28:580-585, 2018.

15. Campbell, BI, Aguilar, D, and Vargas, A. Effects of a high (2.4 g/kg) vs. low/moderate (1.2 g/kg) protein intake on body composition in aspiring female physique athletes engaging in an 8-week resistance training program. *J Int Soc Sport* 13(Suppl 1):P20, 2016.
16. Cook, CM and Haub, MD. Low Carbohydrate Diets and Performance. *Curr Sport Med Rep* 6:225-229, 2007.
17. Cox, KL, Burke, V, Morton, AR, Beilin, LJ, and Puddey, IB. The independent and combined effects of 16 weeks of vigorous exercise and energy restriction on body mass and composition in free-living overweight men—a randomized controlled trial. *Metabolism* 52:107-115, 2003.
18. Das, SK, Gilhooly, CH, Golden, JK, Pittas, AG, Fuss, PJ, Cheatham, RA, Tyler, S, Tsay, M, McCrory, MA, Lichtenstein, AH, Dallal, GE, Dutta, C, Bhapkar, MV, DeLany, JP, Saltzman, E, and Roberts, SB. Long-term effects of 2 energy-restricted diets differing in glycemic load on dietary adherence, body composition, and metabolism in CALERIE: A 1-y randomized controlled trial. *Am J Clin Nutr* 85:1023-1030, 2007.
19. Demling, RH and Desanti, L. Effect of a hypocaloric diet, increased protein intake and resistance training on lean mass gains and fat mass loss in overweight police officers. *Ann Nutr Metab* 44:21-29, 2000.
20. Dengel, DR, Hagberg, JM, Coon, PJ, Drinkwater, DT, and Goldberg, AP. Effects of weight loss by diet alone or combined with aerobic exercise on body composition in older obese men. *Metabolism* 43:867-871
21. Dengel, DR, Hagberg, JM, Coon, PJ, Drinkwater, DT, and Goldberg, AP. Comparable effects of diet and exercise on body composition and lipoproteins in older men. *Med Sci Sports Exerc* 26:1307-1315
22. DeSouza, MJ, Hontscharuk, R, Olmsted, M, Kerr, G, and Williams, NI. Drive for thinness score is a proxy indicator of energy deficiency in exercising women. *Appetite* 48:359-367, 2007.
23. DeSouza, MJ, Koltun, KJ, Strock, NC, and Williams, NI. Rethinking the concept of an energy availability threshold and its role in the female athlete triad. *Curr Opin Physiol* 10:35-42, 2019.
24. DeSouza, MJ, Williams, NI, Nattiv, A, Joy, E, Misra, M, Loucks, AB, Matheson, G, Olmsted, M, Barrack, M, Mallinson, RJ, Gibbs, JC, Goolsby, M, Nichols, JF, Drinkwater, B, Sanborn, C, Agostini, R, Otis, CL, Johnson, MD, Hoch, AZ, Alleyne, JMK, Wadsworth, LT, Koehler, K, VanHeest, J, Harvey, P, Kelly, AKW, Fredericson, M, Brooks, GA, O'Donnell, E, Callahan, LR, Putukian, M, Costello, L, Hecht, S, Rauh, MJ, and McComb, J. Misunderstanding the female athlete triad: Refuting the IOC consensus statement on relative energy deficiency in sport (RED-S). *Br J Sports Med* 48:1461-1465, 2014.
25. Drew, MK, Vlahovich, N, Hughes, D, Appaneal, R, Peterson, K, Burke, L, Lundy, B, Toomey, M, Watts, D, Lovell, G, Praet, S, Halson, S, Colbey, C, Manzanero, S, Welvaert, M, West, N, Pyne, DB, and Waddington, G. A multifactorial evaluation of illness risk factors in athletes preparing for the Summer Olympic Games. *J Sci Med Sport* 20:745-750, 2017.
26. Eston, RG, Shephard, S, Kreitzman, S, Coxon, A, Brodie, DA, Lamb, KL, and Baltzopoulos, V. Effect of very low calorie diet on body composition and exercise response in sedentary women. *Eur J Appl Physiol Occup Physiol* 65:452-458, 1992.
27. Forbes, GB. Body fat content influences the body. *Ann N Y Acad Sci* 904:359-365, 2000.
28. Frimel, TN, Sinacore, DR, and Villareal, DT. Exercise attenuates the weight-loss-induced reduction in muscle mass in frail obese older adults. *Med Sci Sports Exerc* 40:1213-1219, 2008.
29. Gordon, CM, Ackerman, KE, Berga, SL, Kaplan, JR, Mastorakos, G, Misra, M, Murad, H,

- Santoro, NF, and Warren, MP. Functional hypothalamic amenorrhea: An endocrine society clinical practice guideline. *J Clin Endocrinol Metab* 102:1413-1439, 2017.
30. Gornall, J and Villani, RG. Short-term changes in body composition and metabolism with severe dieting and resistance exercise. *Int J Sport Nutr* 6:285-294, 1996.
 31. Hackney, AC, Sinning, WE, and Bruot, BC. Reproductive hormonal profiles of endurance-trained and untrained males. *Med Sci Sport Exerc* 20:60-65, 1988.
 32. Halton, TL and Hu, FB. The effects of high protein diets on thermogenesis, satiety and weight loss: A critical review. *J Am Coll Nutr* 23:373-385, 2004.
 33. Holick, MF, Binkley, NC, Bischoff-Ferrari, HA, Gordon, CM, Hanley, DA, Heaney, RP, Murad, H, and Weaver, CM. Evaluation, treatment, and prevention of vitamin D deficiency: An endocrine society clinical practice guideline. *J Clin Endocrinol Metab* 96:1911-1930, 2011.
 34. Horswill, CA, Hickner, RC, Scott, JR, Costill, DL, and Gould, D. Weight loss, dietary carbohydrate modifications, and high intensity, physical performance. *Med Sci Sports Exerc* 22:470-476, 1990.
 35. Hunter, GR, Byrne, NM, Sirikul, B, Fernández, JR, Zuckerman, PA, Darnell, BE, and Gower, BA. Resistance training conserves lean body mass and resting energy expenditure following weight loss. *Obesity (Silver Spring)* 16:1045-1051, 2008.
 36. Jäger, R, Kerksick, CM, Campbell, BI, Cribb, PJ, Wells, SD, Skwiat, TM, Purpura, M, Ziegenfuss, TM, Ferrando, AA, Arent, SM, Smith-Ryan, A, Stout, JR, Arciero, PJ, Ormsbee, MJ, Taylor, LW, Wilborn, CD, Kalman, DS, Krieder, RB, Willoughby, DS, Hoffman, JR, Krzykowski, JL, and Antonio, J. International Society of Sports Nutrition Position Stand: Protein and exercise. *J Int Soc Sports Nutr* 14:1-25, 2017.
 37. Jeukendrup, A and Gleeson, M. *Sport Nutrition*, 3rd ed. Champaign, IL: Human Kinetics, 193-226, 2019.
 38. Johnston, CS, Day, CS, and Swan, PD. Postprandial thermogenesis is increased 100% on a high-protein, low-fat diet versus a high-carbohydrate, low-fat diet in healthy, young women. *J Am Coll Nutr* 21:55-61, 2002.
 39. Kraemer, WJ, Ratamess, NA, Volek, JS, Häkkinen, K, Rubin, MR, French, DN, Gomez, AL, McGuigan, MR, Scheett, TP, Newton, RU, Spiering, BA, Izquierdo, M, and Dioguardi, FS. The effects of amino acid supplementation on hormonal responses to resistance training overreaching. *Metabolism* 55:282-291, 2006.
 40. Kraemer, WJ, Volek, JS, Clark, KL, Gordon, SE, Incledon, T, Puhl, SM, Triplett-McBride, T, McBride, JM, Putukian, M, and Sebastianelli, WJ. Physiological adaptations to a weight-loss dietary regimen and exercise programs in women. *J Appl Physiol* 83:270-279, 1997.
 41. Krotkiewski, M, Landin, K, Mellstrom, D, and Tolli, J. Loss of total body potassium during rapid weight loss does not depend on the decrease of potassium concentration in muscles. Different methods to evaluate body composition during a low energy diet. *Int J Obes Relat Metab Disord* 24:101-107, 2000.
 42. Kushner, RF and Doerfler, B. Low-carbohydrate, high-protein diets revisited. *Curr Opin Gastroenterol* 24:198-203, 2008.
 43. Lambert, CP, Frank, LL, and Evan, WJ. Macronutrient consideration for the sport of bodybuilding. *Sport Med* 34:317-323, 2004.
 44. Latner, JD and Schwartz, M. The effects of a high-carbohydrate, high-protein or balanced lunch

- upon later food intake and hunger ratings. *Appetite* 33:119-128, 1999.
45. Layman, DK, Boileau, R a, Erickson, DJ, Painter, JE, Shiue, H, Sather, C, and Christou, DD. A reduced ratio of dietary carbohydrate to protein improves body composition and blood lipid profiles during weight loss in adult women. *J Nutr* 133:411-417, 2003.
 46. Leaf, A and Antonio, J. The effects of overfeeding on body composition: The role of macronutrient composition—a narrative review. *Int J Exerc Sci* 10:1275-1296, 2017.
 47. Livesey, G. A perspective on food energy standards for nutrition labelling. *Br J Nutr* 85:271-287, 2001.
 48. Loucks, AB and Thuma, JR. Luteinizing hormone pulsatility is disrupted at a threshold of energy availability in regularly menstruating women. *J Clin Endocrinol Metab* 88:297-311, 2003.
 49. McColl, EM, Wheeler, GD, Gomes, P, Bhambhani, Y, and Cumming, DC. The effects of acute exercise on pulsatile release LH release in high-mileage male runners. *Clin Endocrinol (Oxf)* 31:617-621, 1989.
 50. Moayyedi, P. The epidemiology of obesity and gastrointestinal and other diseases: An overview. *Dig Dis Sci* 53:2293-2299, 2008.
 51. Morton, RW, Murphy, KT, McKellar, SR, Schoenfeld, BJ, Henselmans, M, Helms, E, Aragon, AA, Devries, MC, Banfield, L, Krieger, JW, and Phillips, SM. A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *Br J Sports Med* 52:376-384, 2018.
 52. Mountjoy, M, Sundgot-Borgen, J, Burke, L, Ackerman, KE, Blauwet, C, Constantini, N, Lebrun, C, Lundy, B, Melin, A, Meyer, N, Sherman, R, Tenforde, AS, Torstveit, MK, and Budgett, R. International Olympic Committee (IOC) Consensus statement on relative energy deficiency in sport (RED-S): 2018 update. *Int J Sport Nutr Exerc Metab* 28:316-331, 2018.
 53. Mountjoy, M, Sundgot-Borgen, J, Burke, L, Carter, S, Constantini, N, Lebrun, C, Meyer, N, Sherman, R, Steffen, K, Budgett, R, and Ljungqvist, A. The IOC consensus statement: Beyond the female athlete triad--relative energy deficiency in sport (RED-S). *Br J Sports Med* 48:491-7, 2014.
 54. Mourier, A, Bigard, A, de Kerviler, E, Roger, B, Legrand, H, and Guezennec, C. Combined effects of caloric restriction and branched-chain amino acid supplementation on body composition and exercise performance in elite wrestlers. *Int J Sport Nutr* 18:47-55, 1997.
 55. Müller, W, Gröschl, W, Müller¹, R, and Sudi, K. Underweight in ski jumping: The solution of the problem. *Int J Sports Med* 27:926-934, 2006.
 56. National Task Force on the Prevention and Treatment of Obesity and National Institutes of Health. Very low-caloric diets. *J Am Med Assoc* 270:967-974, 1993.
 57. Nattiv, A, Loucks, AB, Manore, MM, Sanborn, CF, Sundgot-Borgen, J, and Warren, MP. American College of Sports Medicine position stand. The female athlete triad. *Med Sci Sport Exerc* 39:i-ix, 2007.
 58. Nieman, DC, Brock, DW, Butterworth, D, Utter, AC, and Nieman, CC. Reducing diet and/or exercise training decreases the lipid and lipoprotein risk factors of moderately obese women. *J Am Coll Nutr* 21:344-350, 2002.
 59. Noble, CA and Kushner, RF. An update on low-carbohydrate, high-protein diets. *Curr Opin Gastroenterol* 22:153-159, 2006.
 60. Norris, ML, Harrison, ME, Isserlin, L, Robinson, A, Feder, S, and Sampson, M. Gastrointestinal

- complications associated with anorexia nervosa: A systematic review. *Int J Eat Disord* 49:216-237, 2016.
61. Papageorgiou, M, Elliott-Sale, KJ, Parsons, A, Tang, JCY, Greeves, JP, Fraser, WD, and Sale, C. Effects of reduced energy availability on bone metabolism in women and men. *Bone* 105:191-199, 2017.
 62. Rasmussen, BB, Tipton, KD, Miller, SL, Wolf, SE, and Wolfe, RR. An oral essential amino acid-carbohydrate supplement enhances muscle protein anabolism after resistance exercise. *J Appl Physiol* 88:386-392, 2000.
 63. Reaven, GM. Insulin resistance: The link between obesity and cardiovascular disease. *Endocrinol Metab Clin North Am* 37:581-601, 2008.
 64. Redman, LM, Heilbronn, LK, Martin, CK, Alfonso, A, Smith, SR, and Ravussin, E. Effect of calorie restriction with or without exercise on body composition and fat distribution. *J Clin Endocrinol Metab* 92:865-872, 2007.
 65. Rennie, MJ and Tipton, KD. Protein and amino acid metabolism during and after exercise and the effects of nutrition. *Annu Rev Nutr* 20:457-483, 2006.
 66. Rickenlund, A, Eriksson, MJ, and Schenck-Gustafsson, K. and Hirschberg, AL. Amenorrhea in female athletes is associated with endothelial dysfunction and unfavorable lipid profile. *J Adolesc* 22:379-388, 2005.
 67. Rodriguez, NNR, Di Marco, N, Langley, S, and DiMarco, NM. American College of Sports Medicine, American Dietetic Association, and Dietitians of Canada joint position statement: Nutrition and athletic performance. *Med Sci Sports Exerc* 41:709-731, 2009.
 68. de Rougemont, A, Normand, S, Nazare, JA, Skilton, MR, Sothier, M, Vinoy, S, and Laville, M. Beneficial effects of a 5-week low-glycaemic index regimen on weight control and cardiovascular risk factors in overweight non-diabetic subjects. *Br J Nutr* 98:1288-1298, 2007.
 69. Saris, WH, Astrup, A, Prentice, AM, Zunft, HJ, Formiguera, X, Venne, WPV de, Raben, A, Poppitt, SD, Seppelt, B, Johnston, S, Vasilaras, TH, and Keogh, GF. Randomized controlled trial of changes in dietary carbohydrate/fat ratio and simple vs complex carbohydrates on body weight and blood lipids: The CARMEN study. The Carbohydrate Ratio Management in European National diets. *Int J Obes Relat Metab Disord* 24:1310-1318, 2000.
 70. Sichieri, R, Moura, AS, Genelhu, V, Hu, F, and Willett, WC. An 18-mo randomized trial of a low-glycemic-index diet and weight change in Brazilian women. *Am J Clin Nutr* 86:707-713, 2007.
 71. Skov, AR, Toubro, S, Rønn, B, Holm, L, and Astrup, A. Randomized trial on protein vs carbohydrate in ad libitum fat reduced diet for the treatment of obesity. *Int J Obes Relat Metab Disord* 23:528-536, 1999.
 72. Sloth, B, Krog-Mikkelsen, I, Flint, A, Tetens, I, Björck, I, Vinoy, S, Elmstahl, H, Astrup, A, Lang, and V, Raben, A. No difference in body weight decrease between a low-glycemic-index and a high-glycemic-index diet but reduced LDL cholesterol after 10-wk ad libitum intake of the low-glycemic-index diet. *Am J Clin Nutr* 80:337-347, 2004.
 73. Stevenson, E, Williams, C, Nute, M, Swaile, P, and Tsui, M. The effect of the glycemic index of an evening meal on the metabolic responses to standard high glycemic index breakfast and subsequent exercise in men. *Int J Sport Nutr Exerc Metab* 15:308-322, 2005.
 74. Stiegler, P and Cunliffe, A. The role of diet and exercise for the maintenance of lean body mass and resting metabolic rate during weight loss. *Sports Med* 36:239-262, 2006.

75. Strasser, B, Spreitzer, A, and Haber, P. Fat loss depends on energy deficit only, independently of the method for weight loss. *Ann Nutr Metab* 51:428-432, 2007.
76. Strychar, I. Diet in the management of weight loss. *CMAJ* 174:56-63, 2006.
77. Tappy, L. Thermic effect of food and sympathetic nervous system activity in humans. *Reprod Nutr Dev* 36:391-397, 1996.
78. Tarnopolsky, MA, Zawada, C, Richmond, LB, Carter, S, Shearer, J, Graham, T, and Phillips, SM. Gender differences in carbohydrate loading are related to energy intake. *J Appl Physiol* 91:225-230, 2001.
79. Tipton, KD, Borsheim, E, Wolf, SE, Sanford, AP, and Wolfe, RR. Acute response of net muscle protein balance reflects 24-h balance after exercise and amino acid ingestion. *Am J Physiol—Endocrinol Metab* 284:76-89, 2003.
80. Tipton, KD, Elliott, TA, Cree, MG, Aarsland, AA, Sanford, AP, and Wolfe, RR. Stimulation of net muscle protein synthesis by whey protein ingestion before and after exercise. *Am J Physiol Endocrinol Metab* 292: E71-E76, 2007.
81. Tipton, KD, Elliott, TA, Cree, MG, Wolf, SE, Sanford, AP, and Wolfe, RR. Ingestion of casein and whey proteins result in muscle anabolism after resistance exercise. *Med Sci Sports Exerc* 36:2073-2081, 2004.
82. Tipton, KD, Rasmussen, BB, Miller, SL, Wolf, SE, Owens-Stovall, SK, Petrini, BE, and Wolfe, RR. Timing of amino acid-carbohydrate ingestion alters anabolic response of muscle to resistance exercise. *Am J Physiol—Endocrinol Metab* 281:197-206, 2001.
83. Tsai, AG and Wadden, TA. The evolution of very-low-calorie diets: An update and meta-analysis. *Obesity (Silver Spring)* 14:1283-1293, 2006.
84. Valtuena, S, Blanch, S, Barenys, M, Sola, R, and Salas-Salvado, J. Changes in body composition and resting energy expenditure after rapid weight loss: Is there an energy-metabolism adaptation in obese patients? *Int J Obes Relat Metab Disord* 19:119-125, 1995.
85. Vgontzas, AN. Does obesity play a major role in the pathogenesis of sleep apnoea and its associated manifestations via inflammation, visceral adiposity, and insulin resistance? *Arch Physiol Biochem* 114:211-223, 2008.
86. Vogt, S, Heinrich, L, Schumacher YO, Grosshauser, M, Blum, A, Konig, D, Berg, A, and Schmid, A. Energy intake and energy expenditure of elite cyclists during preseason training. *Int J Sports Med* 26:701-706, 2005.
87. Wadden, TA and Frey, DL. A multicenter evaluation of a proprietary weight loss program for the treatment of marked obesity: A five-year follow-up. *Int J Eat Disord* 22:203-212, 1997.
88. Woods, AL, Garvican-Lewis, LA, Lundy, B, Rice, AJ, and Thompson, KG. New approaches to determine fatigue in elite athletes during intensified training: Resting metabolic rate and pacing profile. *PLoS One* 12:1-17, 2017.
89. World Health Organization. *Obesity: Preventing and managing the global epidemic*. Report of a WHO consultation, 2000.
90. Zahouani, A, Boulrier, A, and Hespel, JP. Short- and long-term evolution of body composition in 1,389 obese outpatients following a very low calorie diet (Pro'gram18 VLCD). *Acta Diabetol* 40:149-150, 2003.

Chapter 2

1. Ball, SD, and Altena, TS. Comparison of the BOD POD and dual energy x-ray absorptiometry in men. *Physiol Meas* 25:671-678, 2004.
2. Batsis, JA, Mackenzie, TA, Bartels, SJ, Sahakyan, KR, Somers, VK, and Lopez-Jimenez, F. Diagnostic accuracy of body mass index to identify obesity in older adults: NHANES 1999-2004. *Int J Obes (Lond)* 40:761-767, 2016.
3. Bazzocchi, A, Filonzi, G, Ponti, F, Albisinni, U, Guglielmi, G, and Battista, G. Ultrasound: Which role in body composition? *Eur J Radiol* 85:1469-1480, 2016.
4. Bentzur, KM, Kravitz, L, and Lockner, DW. Evaluation of the BOD POD for estimating percent body fat in collegiate track and field female athletes: A comparison of four methods. *J Strength Cond Res* 22:1985-1991, 2008.
5. Bera, TK. Bioelectrical impedance methods for noninvasive health monitoring: A review. *J Med Eng* 2014:381251, 2014.
6. Berrington de Gonzalez, A, Hartge, P, Cerhan, JR, Flint, AJ, Hannan, L, MacInnis, RJ, Moore, SC, Tobias, GS, Anton-Culver, H, Freeman, LB, Beeson, WL, Clipp, SL, English, DR, Folsom, AR, Freedman, DM, Giles, G, Hakansson, N, Henderson, KD, Hoffman-Bolton, J, Hoppin, JA, Koenig, KL, Lee, IM, Linet, MS, Park, Y, Pocobelli, G, Schatzkin, A, Sesso, HD, Weiderpass, E, Willcox, BJ, Wolk, A, Zeleniuch-Jacquotte, A, Willett, WC, and Thun, MJ. Body-mass index and mortality among 1.46 million white adults. *N Engl J Med* 363:2211-2219, 2010.
7. Bhutani, S, Kahn, E, Tasali, E, and Schoeller, DA. Composition of two-week change in body weight under unrestricted free-living conditions. *Physiol Rep* 5, 2017.
8. Blijdorp, K, van den Heuvel-Eibrink, MM, Pieters, R, Boot, AM, Delhanty, PJ, van der Lely, AJ, and Neggers, SJ. Obesity is underestimated using body mass index and waist-hip ratio in long-term adult survivors of childhood cancer. *PLoS One* 7:e43269, 2012.
9. Carter, MC, Burley, VJ, Nykjaer, C, and Cade, JE. 'My Meal Mate' (MMM): Validation of the diet measures captured on a smartphone application to facilitate weight loss. *Br J Nutr* 109:539-546, 2013.
10. Coughlin, SS, Whitehead, M, Sheats, JQ, Mastromonico, J, Hardy, D, and Smith, SA. Smartphone applications for promoting healthy diet and nutrition: A literature review. *Jacobs J Food Nutr* 2:021, 2015.
11. Ghesmaty Sangachin, M, Cavuoto, LA, and Wang, Y. Use of various obesity measurement and classification methods in occupational safety and health research: A systematic review of the literature. *BMC Obes* 5:28, 2018.
12. Heyward, V and Gibson, AL. *Advanced Fitness Assessment and Exercise Prescription*. Champaign, IL: Human Kinetics, 229-278, 2014.
13. Hollis, JF, Gullion, CM, Stevens, VJ, Brantley, PJ, Appel, LJ, Ard JD, Champagne, CM, Dalcin, A, Erlinger, TP, Funk, K, Laferriere, D, Lin, P, Loria, CM, Samuel-Hodge, C, Vollmer, WM, and Svetkey, LP. Weight loss during the intensive intervention phase of the weight-loss maintenance trial. *Arch Phys Med Rehab* 35:118-126, 2008.
14. Johansson, AG, Forslund, A, Sjodin, A, Mallmin, H, Hambraeus, L, and Ljunghall, S. Determination of body composition – A comparison of dual-energy X-ray absorptiometry and hydrodensitometry. *Am J Clin Nutr* 57:323-326, 1993.

15. Lee, SY and Gallagher, D. Assessment methods in human body composition. *Curr Opin Clin Nutr Metab Care* 11:566-572, 2008.
16. Levinson, CA, Fewell, L, and Brosorf, LC. My Fitness Pal calorie tracker usage in the eating disorders. *Eat Behav* 27:14-16, 2017.
17. Linardon, J and Messer, M. My fitness pal usage in men: Associations with eating disorder symptoms and psychosocial impairment. *Eat Behav* 33:13-17, 2019.
18. Lowry, DW and Tomiyama, AJ. Air displacement plethysmography versus dual-energy x-ray absorptiometry in underweight, normal-weight, and overweight/obese individuals. *PLoS One* 10:e0115086, 2015.
19. McArdle, WD, Katch, FI, and Katch, VL. *Essentials of Exercise Physiology*. Baltimore: Lippincott, 558-627, 2005.
20. Moon, JR, Tobkin, SE, Costa, PB, Smalls, M, Mieding, WK, O’Kroy, JA, Zoeller, RF, and Stout, JR. Validity of the BOD POD for assessing body composition in athletic high school boys. *J Strength Cond Res* 22:263-268, 2008.
21. Ortiz-Hernández, L, López Olmedo, NP, Genis Gómez, MT, Melchor López, DP, and Valdés Flores, J. Application of body mass index to schoolchildren of Mexico City. *Ann Nutr Metab* 53:205-214, 2008.
22. Pi-Sunyer, X. The medical risks of obesity. *Postgrad Med* 121:21-33, 2009.
23. Pineau, JC, Filliard, JR, and Bocquet, M. Ultrasound techniques applied to body fat measurement in male and female athletes. *Journal of athletic training* 44:142-147, 2009.
24. Romero-Corral, A, Somers, VK, Sierra-Johnson, J, Thomas, RJ, Collazo-Clavell, ML, Korinek J, Allison TG, Batsis JA, Sert-Kuniyoshi FH, and Lopez-Jimenez F. Accuracy of body mass index in diagnosing obesity in the adult general population. *Int J Obes* 32:959-966, 2008.
25. Sergi, G, De Rui, M, Stubbs, B, Veronese, N, and Manzato E. Measurement of lean body mass using bioelectrical impedance analysis: A consideration of the pros and cons. *Aging Clin Exp Res* 29:591-597, 2017.
26. Simpson, CC and Mazzeo, SE. Calorie counting and fitness tracking technology: Associations with eating disorder symptomatology. *Eat Behav* 26:89-92, 2017.
27. Sun, G, French, CR, Martin, GR, Younghusband, B, Green, RC, Xie, Y, Mathews, M, Barron, JR, Fitzpatrick, DG, Gulliver, W, and Zhang, H. Comparison of multifrequency bioelectrical impedance analysis with dual-energy X-ray absorptiometry for assessment of percentage body fat in a large, healthy population. *Am J Clin Nutr* 81:74-78, 2005.
28. Tollosa, DN, Van Camp, J, Huybrechts, I, Huybregts, L, Van Loco, J, De Smet, S, Sterck, E, Rabai, C, Van Hecke, T, Vanhaecke, L, Vossen, E, Peeters, M, and Lachat, C. Validity and reproducibility of a food frequency questionnaire for dietary factors related to colorectal cancer. *Nutrients* 9, 2017.
29. Utter, AC and Hager, ME. Evaluation of ultrasound in assessing body composition of high school wrestlers. *Med Sci Sports Exerc* 40:943-949, 2008.
30. Wagner, DR. Ultrasound as a tool to assess body fat. *J Obes* 2013:280713, 2013.
31. Witt, K and Bush, E. College athletes with an elevated body mass index often have a high upper arm muscle area, but not elevated triceps and subscapular skinfolds. *J Am Diet Assoc* 105:599-602, 2005.

Chapter 3

1. Ahlborg, BG, Bergström, J, Brohult, J, Ekelund, LG, Hultman, E, and Maschino, G. Human muscle glycogen content and capacity for prolonged exercise after different diets. *Foersvarsmedicin* 3:85-99, 1967.
2. Areta, JL and Hopkins, WG. Skeletal muscle glycogen content at rest and during endurance exercise in humans: A meta-analysis. *Sports Med* 48:2091-2102, 2018.
- 2a. Atkinson, F.S., K. Foster-Powell, and J.C. Brand-Miller. 2008. International table of glycolic index and glycolic load values: 2008. *Diab Care* 31 (12): 2281-2283.
3. Baar, K and McGee, SL. Optimizing training adaptation by manipulating glycogen. *Euro J Sport Sci* 8, 2008.
4. Balsom, PD, Gaitanos, GC, Soderlund, K, and Ekblom, B. High-intensity exercise and muscle glycogen availability in humans. *Acta Physiol Scand* 165:337-345, 1999.
5. Bartlett, JD, Hawley, JA, and Morton, JP. Carbohydrate availability and exercise training adaptation: Too much of a good thing? *Eur J Sport Sci* 15:3-12, 2015.
6. Bergström J, Hermansen, L, Hultman, E, and Saltin, B. Diet, muscle glycogen and physical performance. *Acta Physiol Scand* 71:140-150, 1967.
7. Biolo, G, Williams, BD, Fleming, RY, and Wolfe, RR. Insulin action on muscle protein kinetics and amino acid transport during recovery after resistance exercise. *Diabetes* 48:949-957, 1999.
8. Burke, LM, Collier, GR, and Hargreaves, M. Glycemic index—a new tool in sport nutrition? *Int J Sport Nutr* 8:401-415, 1998.
9. Burke, LM, Ross, ML, Garvican-Lewis, LA, Welvaert, M, Heikura, IA, Forbes, SG, Mirtschin, JG, Cato, LE, Strobel, N, Sharma, AP, and Hawley, JA. Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *J Physiol* 595:2785-2807, 2017.
10. Carter, JM, Jeukendrup, AE, and Jones, DA. The effect of carbohydrate mouth rinse on 1-h cycle time trial performance. *Med Sci Sports Exerc* 36:2107-2111, 2004.
11. Carter, JM, Jeukendrup, AE, Mann, CH, and Jones, DA. The effect of glucose infusion on glucose kinetics during a 1-h time trial. *Med Sci Sports Exerc* 36:1543-1550, 2004.
12. Casey, A, Short, AH, Curtis, S, and Greenhaff, PL. The effect of glycogen availability on power output and the metabolic response to repeated bouts of maximal, isokinetic exercise in man. *Eur J Appl Physiol Occup Physiol* 72:249-255, 1996.
13. Chambers, ES, Bridge, MW, and Jones, DA. Carbohydrate sensing in the human mouth: Effects on exercise performance and brain activity. *J Physiol* 587:1779-1794, 2009.
14. Coleman, E. Update on carbohydrate: Solid versus liquid. *Int J Sport Nutr* 4:80-88, 1994.
15. Conley, MS and Stone, MH. Carbohydrate ingestion/supplementation or resistance exercise and training. *Sports Med* 21:7-17, 1996.
16. Costill, DL. Carbohydrates for exercise: Dietary demands for optimal performance. *Int J Sports Med* 9:1-18, 1988.
17. Coyle, EF. Substrate utilization during exercise in active people. *Am J Clin Nutr* 61:968S-979S, 1995.
18. Coyle, EF, Coggan, AR, Hemmert, MK, and Ivy, JL. Muscle glycogen utilization during

- prolonged strenuous exercise when fed carbohydrate. *J Appl Physiol* 61:165-172, 1986.
19. Coyle, EF, Coggan, AR, Hemmert, MK, Lowe, RC, and Walters, TJ. Substrate usage during prolonged exercise following a preexercise meal. *J Appl Physiol* 59:429-433, 1985.
 20. Devaki, M, Nirupama, R, and Yajurvedi, HN. Chronic stress-induced oxidative damage and hyperlipidemia are accompanied by atherosclerotic development in rats. *Stress* 16:233-243, 2013.
 - 20a. Diogenes GI Database. 2010. www.diogenes-eu.org/GI-Database/Default.htm.
 21. Essen, B and Henriksson, J. Glycogen content of individual muscle fibres in man. *Acta Physiol Scand* 90:645-647, 1974.
 22. Fairchild, TJ, Dillon, P, Curtis, C, and Dempsey, AR. Glucose ingestion does not improve maximal isokinetic force. *J Strength Cond Res* 30:194-199, 2016.
 23. Foster, C, Costill, DL, and Fink, WJ. Effects of preexercise feedings on endurance performance. *Med Sci Sports* 11:1-5, 1979.
 24. Foster-Powell, K, Holt, SH, and Brand-Miller, JC. International table of glycemic index and glycemic load values: 2002. *Am J Clin Nutr* 76:5-56, 2002.
 25. Gollnick, PD, Piehl, K, and Saltin, B. Selective glycogen depletion pattern in human muscle fibres after exercise of varying intensity and at varying pedalling rates. *J Physiol* 241:45-57, 1974.
 26. Gordon, B, Kohn, LA, Levine, SA, Matton, M, Scriver, WM, and Whiting, WB. Sugar content of the blood following a marathon race with especial reference to the prevention of hypoglycemia: Further observations. *JAMA* 85: 508-509, 1925.
 27. Green, KJ, Croaker, SJ, and Rowbottom, DG. Carbohydrate supplementation and exercise-induced changes in T-lymphocyte function. *J Appl Physiol* 95:1216-1223, 2003.
 28. Haff, GG, Koch, AJ, Potteiger, JA, Kuphal, KE, Magee, LM, Green, SB, and Jakicic, JJ. Carbohydrate supplementation attenuates muscle glycogen loss during acute bouts of resistance exercise. *Int J Sport Nutr Exerc Metab* 10:326-339, 2000.
 29. Haff, GG, Lehmkuhl, MJ, McCoy, LB, and Stone, MH. Carbohydrate supplementation and resistance training. *J Strength Cond Res* 17:187-196, 2003.
 30. Haff, GG, Schroeder, CA, Koch, AJ, Kuphal, KE, Comeau, MJ, and Potteiger, JA. The effects of supplemental carbohydrate ingestion on intermittent isokinetic leg exercise. *J Sports Med Phys Fitness* 41:216-222, 2001.
 31. Hargreaves, M. Carbohydrate replacement during exercise. In *Nutrition in Sport*. R Maughan, ed. Oxford: Blackwell Science, 112-118, 2000.
 32. Hawley, JA, Burke, LM, Phillips, SM, and Spriet, LL. Nutritional modulation of training—induced skeletal muscle adaptations. *J Appl Physiol* 110:834-845, 2011.
 33. Hawley, JA, Schabort, EJ, Noakes, TD, and Dennis, SC. Carbohydrate-loading and exercise performance. An update. *Sports Med* 24:73-81, 1997.
 - 33a. Henry, C.J.K., H.J. Lightowler, C.M. Stirk, H. Renton, and S. Hails. 2005. Glycaemic index and glycaemic load values of commercially available products in the UK. *Br J Nutr* 94:922-930.
 - 33b. Herda, T.J., and Cramer, J.T. “Bioenergetics of exercise and training” in *Essentials of strength training and conditioning*, 4th ed. Champaign, IL: Human Kinetics 47; 2016.
 34. Hultman, E. Studies on muscle metabolism of glycogen and active phosphate in man with special reference to exercise and diet. *Scand J Clin Lab Invest Suppl* 94:1-63, 1967.

35. Ihalainen, JK, Vuorimaa, T, Puurtinen, R, Hamalainen, I, and Mero, AA. Effects of carbohydrate ingestion on acute leukocyte, cortisol, and interleukin-6 response in high-intensity long-distance running. *J Strength Cond Res* 28:2786-2792, 2014.
36. Institute of Medicine (U.S.). Panel on Macronutrients. and Institute of Medicine (U.S.). Standing Committee on the Scientific Evaluation of Dietary Reference Intakes. *Dietary Reference Intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein, and amino acids*. Washington, DC: National Academies Press, 2005.
37. Ivy, JL. Dietary strategies to promote glycogen synthesis after exercise. *Can J Appl Physiol* 26 Suppl:S236-245, 2001.
38. Jenkins, DJ, Wolever, TM, Taylor, RH, Barker, H, Fielden, H, Baldwin, JM, Bowling, AC, Newman, HC, Jenkins, AL, and Goff, DV. Glycemic index of foods: A physiological basis for carbohydrate exchange. *Am J Clin Nutr* 34:362-366, 1981.
39. Jentjens, RL, Moseley, L, Waring, RH, Harding, LK, and Jeukendrup, AE. Oxidation of combined ingestion of glucose and fructose during exercise. *J Appl Physiol* 96:1277-1284, 2004.
40. Jentjens, RL, Venables, MC, and Jeukendrup, AE. Oxidation of exogenous glucose, sucrose, and maltose during prolonged cycling exercise. *J Appl Physiol* 96:1285-1291, 2004.
41. Jeukendrup, AE. Carbohydrate intake during exercise and performance. *Nutrition* 20: 669-677, 2004.
- 41a. Jeukendrup, A. and Gleeson, M. *Sport Nutrition*, 3rd ed. Champaign, IL: Human Kinetics; 2019.
42. Jeukendrup, AE and Jentjens, R. Oxidation of carbohydrate feedings during prolonged exercise: Current thoughts, guidelines and directions for future research. *Sports Med* 29: 407-424, 2000.
43. Kjaer, M. Hepatic glucose production during exercise. *Adv Exp Med Biol* 441:117-127, 1998.
44. Koh, A, De Vadder, F, Kovatcheva-Datchary, P, and Backhed, F. From dietary fiber to host physiology: Short-chain fatty acids as key bacterial metabolites. *Cell* 165:1332-1345, 2016.
45. Krings, BM, Rountree, JA, McAllister, MJ, Cummings, PM, Peterson, TJ, Fountain, BJ, and Smith, JW. Effects of acute carbohydrate ingestion on anaerobic exercise performance. *J Int Soc Sports Nutr* 13:40, 2016.
46. Kulik, JR, Touchberry, CD, Kawamori, N, Blumert, PA, Crum, AJ, and Haff, GG. Supplemental carbohydrate ingestion does not improve performance of high-intensity resistance exercise. *J Strength Cond Res* 22:1101-1107, 2008.
47. Kumari, M, Grahame-Clarke, C, Shanks, N, Marmot, M, Lightman, S, and Vallance, P. Chronic stress accelerates atherosclerosis in the apolipoprotein E deficient mouse. *Stress* 6:297-299, 2003.
48. Leloir, LF. Two decades of research on the biosynthesis of saccharides. *Science* 172: 1299-1303, 1971.
49. Levine, SA, Gordon, B, and Derick, CL. Some changes in the chemical constituents of the blood following a marathon race with special reference to the development of hypoglycemia. *JAMA* 82:1778-1779, 1924.
50. Long, JE. High fructose corn syrup. In *Alternative Sweeteners*. Nabors, LO, Gelardi RC, eds. New York: Marcel Dekker, 247-258, 1991.
51. Makki, K, Deehan, EC, Walter, J, and Backhed, F. The impact of dietary fiber on gut microbiota in host health and disease. *Cell Host Microbe* 23:705-715, 2018.
52. Marlett, JA, McBurney, MI, Slavin, JL, and American Dietetic A. Position of the American Dietetic Association: Health implications of dietary fiber. *J Am Diet Assoc* 102:993-1000, 2002.

53. Marmy-Conus, N, Fabris, S, Proietto, J, and Hargreaves, M. Preexercise glucose ingestion and glucose kinetics during exercise. *J Appl Physiol* 81:853-857, 1996.
54. Maughan, RJ, Greenhaff, PL, Leiper, JB, Ball, D, Lambert, CP, and Gleeson, M. Diet composition and the performance of high-intensity exercise. *J Sports Sci* 15:265-275, 1997.
55. McAnulty, SR, McAnulty, LS, Nieman, DC, Morrow, JD, Utter, AC, Henson, DA, Dumke, CL, and Vinci, DM. Influence of carbohydrate ingestion on oxidative stress and plasma antioxidant potential following a 3-h run. *Free Radic Res* 37:835-840, 2003.
56. McArdle, WD, Katch, FI, and Katch, VL. *Sports and Exercise Nutrition*. Philadelphia: Lippincott, Williams & Wilkens, 238-241, 2019.
57. Nardone, A, Romano, C, and Schieppati, M. Selective recruitment of high-threshold human motor units during voluntary isotonic lengthening of active muscles. *J Physiol* 409:451-471, 1989.
58. Nehlsen-Cannarella, SL, Fagoaga, OR, Nieman, DC, Henson, DA, Butterworth, DE, Schmitt, RL, Bailey, EM, Warren, BJ, Utter, A, and Davis, JM. Carbohydrate and the cytokine response to 2.5 h of running. *J Appl Physiol* 82:1662-1667, 1997.
59. Randell, RK, Rollo, I, Roberts, TJ, Dalrymple, KJ, Jeukendrup, AE, and Carter, JM. Maximal fat oxidation rates in an athletic population. *Med Sci Sports Exerc* 49:133-140, 2017.
60. Rauch, HG, St Clair Gibson, A, Lambert, EV, and Noakes, TD. A signalling role for muscle glycogen in the regulation of pace during prolonged exercise. *Br J Sports Med* 39:34-38, 2005.
61. Robergs, RA, Pearson, DR, Costill, DL, Fink, WJ, Pascoe, DD, Benedict, MA, Lambert, CP, and Zachwieja, JJ. Muscle glycogenolysis during differing intensities of weight-resistance exercise. *J Appl Physiol* 70:1700-1706, 1991.
62. Rockwell, MS, Rankin, JW, and Dixon, H. Effects of muscle glycogen on performance of repeated sprints and mechanisms of fatigue. *Int J Sport Nutr Exerc Metab* 13:1-14, 2003.
63. Roediger, WE. Utilization of nutrients by isolated epithelial cells of the rat colon. *Gastroenterology* 83:424-429, 1982.
64. Shulman, RG and Rothman, DL. The "glycogen shunt" in exercising muscle: A role for glycogen in muscle energetics and fatigue. *Proc Natl Acad Sci USA* 98:457-461, 2001.
65. Smith, JW, Krings, BM, Shepherd, BD, Waldman, HS, Basham, SA, and McAllister, MJ. Effects of carbohydrate and branched-chain amino acid beverage ingestion during acute upper body resistance exercise on performance and postexercise hormone response. *Appl Physiol Nutr Metab* 43:504-509, 2018.
66. Smith, JW, Pascoe, DD, Passe, DH, Ruby, BC, Stewart, LK, Baker, LB, and Zachwieja, JJ. Curvilinear dose-response relationship of carbohydrate (0-120 g.h(-1)) and performance. *Med Sci Sports Exerc* 45:336-341, 2013.
67. Smith, JW, Zachwieja, JJ, Peronnet, F, Passe, DH, Massicotte, D, Lavoie, C, and Pascoe, DD. Fuel selection and cycling endurance performance with ingestion of [13C]glucose: Evidence for a carbohydrate dose response. *J Appl Physiol* 108:1520-1529, 2010.
68. Spriet, LL. Regulation of fat/carbohydrate interaction in human skeletal muscle during exercise. *Adv Exp Med Biol* 441:249-261, 1998.
69. Tesch, PA, Colliander, EB, and Kaiser, P. Muscle metabolism during intense, heavy-resistance exercise. *Eur J Appl Physiol Occup Physiol* 55:362-366, 1986.
70. Tesch, PA, Ploutz-Snyder, LL, Yström, L, Castro, MJ, and Dudley, GA. Skeletal muscle

- glycogen loss evoked by resistance exercise. *J Strength Cond Res* 12:67-73, 1998.
71. Thomas, DT, Erdman, KA, and Burke, LM. American College of Sports Medicine Joint Position Statement. Nutrition and athletic performance. *Med Sci Sports Exerc* 48:543-568, 2016.
 72. Tipton, KD, Rasmussen, BB, Miller, SL, Wolf, SE, Owens-Stovall, SK, Petrini, BE, and Wolfe, RR. Timing of amino acid-carbohydrate ingestion alters anabolic response of muscle to resistance exercise. *Am J Physiol Endoc Metab* 281: E197-206, 2001.
 73. U.S. Department of Agriculture ARS, Beltsville Human Nutrition Research Center, Food Surveys Research Group (Beltsville, MD) and U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics (Hyattsville, MD). *What we eat in America, NHANES 2015-2016*, individuals 2 years and over (excluding breast-fed children), day 1. www.ars.usda.gov/nea/bhnrc/fsrg, 2016.
 74. Van Hall, G. Lactate as a fuel for mitochondrial respiration. *Acta Physiol Scand* 168:643-656, 2000.
 75. Wax, B, Brown, SP, Webb, HE, and Kavazis, AN. Effects of carbohydrate supplementation on force output and time to exhaustion during static leg contractions superimposed with electromyostimulation. *J Strength Cond Res* 26:1717-1723, 2012.
 76. Wax, B, Kavazis, AN, and Brown, SP. Effects of supplemental carbohydrate ingestion during superimposed electromyostimulation exercise in elite weightlifters. *J Strength Cond Res* 27:3084-3090, 2013.
 77. White, JS. Sucrose, HFCS, and fructose: History, manufacture, composition, applications, and production. In *Fructose, High Fructose Corn Syrup, Sucrose and Health*. Rippe, JM, ed. New York: Springer Science+Business Media, 13-34, 2014.
 78. Widrick, JJ, Costill, DL, Fink, WJ, Hickey, MS, McConell, GK, and Tanaka, H. Carbohydrate feedings and exercise performance: Effect of initial muscle glycogen concentration. *J Appl Physiol* 74:2998-3005, 1993.

Chapter 4

1. Areta, JL, Burke, LM, Ross, ML, Camera, DM, West, DW, Broad, EM, Jeacocke, NA, Moore, DR, Stellingwerff, T, Phillips, SM, Hawley, JA, and Coffey, VG. Timing and distribution of protein ingestion during prolonged recovery from resistance exercise alters myofibrillar protein synthesis. *J Physiol* 591:2319-2331, 2013.
2. Atherton, PJ, Etheridge, T, Watt, PW, Wilkinson, D, Selby, A, Rankin, D, Smith, K, and Rennie, MJ. Muscle full effect after oral protein: Time-dependent concordance and discordance between human muscle protein synthesis and mTORC1 signaling. *Am J Clin Nutr* 92(5):1080-1088, 2010.
3. Barr, D. *The Anabolic Index: Optimized Nutrition and Supplementation Manual*. Montreal: Lepine, 45-48, 2008.
4. Burd, NA, West, DW, Moore, DR, Atherton, PJ, Staples, AW, Prior, T, Tang, JE, Rennie, MJ, Baker, SK, and Phillips, SM. Enhanced amino acid sensitivity of myofibrillar protein synthesis persists for up to 24 h after resistance exercise in young men. *J Nutr* 141(4):568-573, 2011.
5. Castro, LH, S de Araújo, FH, Olimpio, MY, de B Primo R, Pereira, T, Lopes, LA, S de M Trindade, E, Fernandes, R, and Oesterreich, S. A Comparative meta-analysis of the effect of concentrated, hydrolyzed, and isolated whey protein supplementation on body composition of physical activity practitioners. *Nutrients* 11(9):E2047, 2019.
6. Churchward-Venne, TA, Breen, L, Di Donato, DM, Hector, AJ, Mitchell, CJ, Moore, DR, Stellingwerff, T, Breuille, D, Offord, EA, Baker, SK, and Phillips, SM. Leucine supplementation of a low-protein mixed macronutrient beverage enhances myofibrillar protein synthesis in young men: A double-blind, randomized trial. *Am J Clin Nutr* 99(2):276-286, 2014.
7. Cotter, JA and Barr, D. Dietary protein efficacy: Dose and peri-exercise timing. In *Dietary Protein and Resistance Exercise*. Lowery, JM, Antonio, J, eds. Boca Raton: CRC Press 69-94, 2012.
8. Elliot, TA, Cree, MG, Sanford, AP, Wolfe, RR, and Tipton, KD. Milk ingestion stimulates net muscle protein synthesis following resistance exercise. *Med Sci Sports Exerc* 38:667-674, 2006.
9. Farup, J, Rahbek, SK, Storm, AC, Klitgaard, S, Jørgensen, H, Bibby, BM, Serena, A, and Vissing, K. Effect of degree of hydrolysis of whey protein on in vivo plasma amino acid appearance in humans. *Springerplus* 5:382, 2016.
10. Fürst, P and Stehle, P. What are the essential elements needed for the determination of amino acid requirements in humans? *J Nutr* 134(6 Suppl):1558S-1565S, 2004.
11. Hamilton-Reeves, JM, Vazquez, G, Duval, SJ, Phipps, WR, Kurzer, MS, and Messina, MJ. Clinical studies show no effects of soy protein or isoflavones on reproductive hormones in men: Results of a meta-analysis. *Fertil Steril* 94(3):997-1007, 2010.
12. Hulmi JJ, Lockwood CM, and Stout JR. Effect of protein/essential amino acids and resistance training on skeletal muscle hypertrophy: A case for whey protein. *Nutr Metab (Lond)* 7:51, 2010.
13. Jäger, R, Kerksick, CM, Campbell, BI, Cribb, PJ, Wells, SD, Skwiat, TM, Purpura, M, Ziegenfuss, TN, Ferrando, AA, Arent, SM, Smith-Ryan, AE, Stout, JR, Arciero, PJ, Ormsbee, MJ, Taylor, LW, Wilborn, CD, Kalman, DS, Kreider, RB, and Willoughby, DS, Hoffman, JR, Krzykowski, JL, and Antonio, J. International Society of Sports Nutrition Position Stand: Protein and exercise. *J Int Soc Sports Nutr* 14:20, 2017.
14. Kerksick, CM, Arent, S, Schoenfeld, BJ, Stout, JR, Campbell, B, Wilborn, CD, Taylor, L,

- Kalman, D, Smith-Ryan, AE, Kreider, RB, Willoughby, D, Arciero, PJ, VanDusseldorp, TA, Ormsbee, MJ, Wildman, R, Greenwood, M, Ziegenfuss, TN, Aragon, AA, and Antonio, J. International society of sports nutrition position stand: Nutrient timing. *J Int Soc Sports Nutr* 14:33, 2017.
15. Lemon, PW, Tarnopolsky, MA, MacDougall, JD, and Atkinson, SA. Protein requirements and muscle mass/strength changes during intensive training in novice bodybuilders. *J Appl Physiol* (1985) 73(2):767-775, 1992.
 16. Lockwood, CM, Roberts, MD, Dalbo, VJ, Smith-Ryan, AE, Kendall, KL, Moon, JR, and Stout, JR. Effects of hydrolyzed whey versus other whey protein supplements on the physiological response to 8 weeks of resistance exercise in college-aged males. *J Am Coll Nutr* 36:16-27, 2017.
 17. Lugo, JP, Saiyed, ZM, Lau, FC, Molina, JP, Pakdaman, MN, Shamie, AN, and Udani, JK. Undenatured type II collagen (UC-II®) for joint support: A randomized, double-blind, placebo-controlled study in healthy volunteers. *J Int Soc Sports Nutr* 10(1):48, 2013.
 18. Marinangeli, C and House, JD. Potential impact of the digestible indispensable amino acid score as a measure of protein quality on dietary regulations and health. *Nutr Rev* 75(8):658-667, 2017.
 19. Marsh, KA, Munn, EA, and Baines, SK. Protein and vegetarian diets. *Med J Aust* 199(S4):S7-S10, 2013.
 20. Messina, M, Lynch, H, Dickinson, JM, and Reed, KE. No difference between the effects of supplementing with soy protein versus animal protein on gains in muscle mass and strength in response to resistance exercise. *Int J Sport Nutr Exerc Metab* 28(6):674-685, 2018.
 21. Mettler, S, Mitchell, N, and Tipton, KD. Increased protein intake reduces lean body mass loss during weight loss in athletes. *Med Sci Sports Exerc* 42(2):326-337, 2010.
 22. Moore, DR, Tang, JE, Burd, NA, Rerечich, T, Tarnopolsky, MA, and Phillips, SM. Differential stimulation of myofibrillar and sarcoplasmic protein synthesis with protein ingestion at rest and after resistance exercise. *J Physiol* 587(Pt 4):897-904, 2009.
 23. Moore, DR, Robinson, MJ, Fry, JL, Tang, JE, Glover, EI, Wilkinson, SB, Prior, T, Tarnopolsky, MA, and Phillips, SM. Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. *Am J Clin Nutr* 89(1):161-168, 2009.
 24. Moore DR. Maximizing post-exercise anabolism: The case for relative protein intakes. *Front Nutr* 6:147, 2019.
 25. Morifuji, M, Ishizaka, M, Baba, S, Fukuda, K, Matsumoto, H, Koga, J, Kanegae, M, and Higuchi, M. Comparison of different sources and degrees of hydrolysis of dietary protein: Effect on plasma amino acids, dipeptides, and insulin responses in human subjects. *J Agric Food Chem* 58:8788-8797, 2010.
 26. Morton, RW, Murphy, KT, McKellar, SR, Schoenfeld, BJ, Henselmans, M, Helms, E, Aragon, AA, Devries, MC, Banfield, L, Krieger, JW, and Phillips, SM. A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *Br J Sports Med* 52:376-384, 2018.
 27. Murphy, CH, Hector, AJ, and Phillips, SM. Considerations for protein intake in managing weight loss in athletes. *Eur J Sport Sci* 15:21-28, 2015.
 28. Res, PT, Groen, B, Pennings, B, Beelen, M, Wallis, GA, Gijzen, AP, Senden, JM, and Van Loon, LJ. Protein ingestion before sleep improves postexercise overnight recovery. *Med Sci Sports Exerc* 44(8):1560-1569, 2012.

29. Shimomura, Y, Yamamoto, Y, Bajotto, G, Sato, J, Murakami, T, Shimomura, N, Kobayashi, H, and Mawatari, K. Nutraceutical effects of branched-chain amino acids on skeletal muscle. *J Nutr* 136(2):529S-532S, 2006.
30. Snijders, T, Res, PT, Smeets, JS, van Vliet, S, van Kranenburg, J, Maase, K, Kies, AK, Verdijk, LB, and van Loon, LJ. Protein ingestion before sleep increases muscle mass and strength gains during prolonged resistance-type exercise training in healthy young men. *J Nutr* 145:1178-1184, 2015.
31. Spano, M, Basic nutrition factors in health. In *Essentials of Strength Training and Conditioning*. 4th ed. Haff, GG, Triplett, TN, eds. Champaign, IL: Human Kinetics, 175-199, 2016.
32. Thomas, DT, Erdman, KA, and Burke, LM. American College of Sports Medicine joint position statement. Nutrition and athletic performance. *Med Sci Sports Exerc* 48(3):543-568, 2016.
33. Trommelen, J, Holwerda, AM, Kouw, IW, Langer, H, Halson, SL, Rollo, I, Verdijk, LB, and Van Loon, LJ. Resistance exercise augments postprandial overnight muscle protein synthesis rates. *Med Sci Sports Exerc* 48:2517-2525, 2016.
34. Trommelen, J, and van Loon, LJ. Pre-sleep protein ingestion to improve the skeletal muscle adaptive response to exercise training. *Nutrients* 8(12):E763, 2016.
35. Trumbo, P, Schlicker, S, Yates, AA, and Poos, M. Food and Nutrition Board of the Institute of Medicine, National Academies. Dietary Reference Intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein and amino acids. *J Am Diet Assoc* 102(11):1621-1630, 2002.
36. Van Huis, A, Klunder, H, Itterbeek, JV, Mertens, E, Halloran, A, Muir, G, and Vantomme, P. *Edible Insects: Future Prospects for Food and Feed Security*. Food and Agriculture Organization of the United Nations: Rome, Italy, 2013.
37. van Vliet, S, Shy, EL, Abou Sawan, S, Beals, JW, West, DW, Skinner, SK, Ulanov, AV, Li, Z, Paluska, SA, Parsons, CM, Moore, DR, and Burd, NA. Consumption of whole eggs promotes greater stimulation of postexercise muscle protein synthesis than consumption of isonitrogenous amounts of egg whites in young men. *Am J Clin Nutr* 106(6):1401-1412, 2017.
38. van Vliet, SV, Beals, JW, Martinez, IG, Skinner, SK, and Burd, NA. Achieving optimal post-exercise muscle protein remodeling in physically active adults through whole food consumption. *Nutrients* 10(2): E224, 2018.
39. Vangsoe, MT, Joergensen, MS, Heckmann, LL, and Hansen, M. Effects of insect protein supplementation during resistance training on changes in muscle mass and strength in young men. *Nutrients* 10(3)E335, 2018.
40. Vangsoe, MT, Thogersen, R, Bertram, HC, Heckmann, LL, and Hansen, M. Ingestion of insect protein isolate enhances blood amino acid concentrations similar to soy protein in a human trial. *Nutrients* 10(10): E1357, 2018.
41. Witard, OC, Jackman, SR, Breen, L, Smith, K, Selby, A, and Tipton, KD. Myofibrillar muscle protein synthesis rates subsequent to a meal in response to increasing doses of whey protein at rest and after resistance exercise. *Am J Clin Nutr* 99(1):86-95, 2014.
42. Wolfe, RR, Cifelli, AM, Kostas, G, and Kim, IY. Optimizing protein intake in adults: Interpretation and application of the recommended dietary allowance compared with the acceptable macronutrient distribution range. *Adv Nutr* 8(2):266-275, 2017.
43. Yetley, EA, MacFarlane, AJ, Greene-Finestone, LS, Garza, C, Ard, JD, Atkinson, SA, Bier, DM, Carriquiry, AL, Harlan, WR, Hattis, D, King, JC, Krewski, D, O'Connor, DL, Prentice, RL, Rodricks, JV, and Wells, GA. Options for basing dietary reference intakes (DRIs) on chronic

disease endpoints: Report from a joint US-Canadian-sponsored working group. *Am J Clin Nutr* 105(1):249S-285S, 2017.

44. Yi, L, Lakemond, CMM, Sagis, LMC, Eisner-Schadler, V, van Huis, A, and van Boekel, MAJS. Extraction and characterisation of protein fractions from five insect species. *Food Chem* 141:3341-3348, 2013.

Chapter 5

1. Ahrén, B, Mari, A, Fyfe, CL, Tsofliou, F, Sneddon, AA, Wahle, KW, Winzell, MS, Pacini G, and Williams, L. Effects of conjugated linoleic acid plus n-3 polyunsaturated fatty acids on insulin secretion and estimated insulin sensitivity in men. *Eur J Clin Nutr* 63(6):778-786, 2009.
2. Andersson, A, Sjodin, A, Hedman, A, Olsson, R, and Vessby, B. Fatty acid profile of skeletal muscle phospholipids in trained and untrained young men. *Am J Physiol Endocrinol Metab* 279(4):E744-E751, 2000.
3. Aoyama, T, Nosaka, N, and Kasai, M. Research on the nutritional characteristics of medium-chain fatty acids. *J Med Investig* 54(3-4):385-388, 2007.
4. Archer, S, Green, D, Chamberlain, M, Dyer, A, and Liu, K. Association of dietary fish and n-3 fatty acid intake with hemostatic factors in the coronary artery risk development in young adults (CARDIA) study. *Arterioscler, Thromb Vasc Biol* 18:1119-1123, 1998.
5. Arterburn, LM, Hall, EB, and Oken, H. Distribution, interconversion, and dose response of n-3 fatty acids in humans. *Am J Clin Nutr* 83(6 Suppl):1467S-1476S, 2006.
6. Bastard, J, Maachi, M, Lagathu, C, Kim, M, Caron, M, Vidal, H, Capeau, J, and Feve, B. Recent advances in the relationship between obesity, inflammation, and insulin resistance. *Eur Cytokine Network* 17(1):4-12, 2006.
7. Boudreau, MD, Chanmugam, PS, Hart, SB, Lee, SH, and Hwang, DH. Lack of dose response by dietary n-3 fatty acids at a constant ratio of n-3 to n-6 fatty acids in suppressing eicosanoid biosynthesis from arachidonic acid. *Am J Clin Nutr* 54(1):111-117, 1991.
8. Breslow, J. n-3 fatty acids and cardiovascular disease. *Am J Clin Nutr* 83(6 Suppl): 1477S-1482S, 2006.
9. Brooks, GA. Importance of the “crossover” concept in exercise metabolism. *Clin Exper Pharm Physiol* 24(11):889-895, 1997.
10. Browning, L. n-3 Polyunsaturated fatty acids, inflammation and obesity-related disease. *Proc Nutr Soc* 62(2):447-453, 2003.
11. Bueno, NB, de Melo, IS, de Oliveira, SL, and da Rocha Ataíde, T. Very-low carbohydrate ketogenic diet v. Low-fat diet for long-term weight loss: A meta-analysis of randomised controlled trials. *Brit J Nutr* 110(07):1178-1187, 2013.
12. Burke, L. Re-examining high-fat diets for sports performance: Did we call the ‘nail in the coffin’ too soon? *Sports Med* 45 Suppl 1:S33-49, 2015.
13. Burke, L, Ross, M, Garvican-Lewis, L, Welavaert, M, Heikura, I, Forbes, S, Mirtschin, J, Cato, L, Strobel, N, Sharma, A, and Hawley, J. Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *J Physiol* 595(9):2785-2807, 2017.
14. Calabrese, C, Myer, S, Munson, S, Turet, P, and Birdsall, T. A cross-over study of the effect of a single oral feeding of medium chain triglyceride oil vs. canola oil on post-ingestion plasma triglyceride levels in healthy men. *Alt Med Rev* 4(1): 23-28, 1999.
15. Calder, P. n-3 polyunsaturated fatty acids, inflammation, and inflammatory diseases. *Am J Clin Nutr* 83(6 Suppl):1505S-1519S, 2006.
16. Cannon, J, Fiatarone, M, Meydani, M, Gong, J, Scott, L, Blumberg, J, and Evans, W. Aging and dietary modulation of elastase and interleukin-1 beta secretion. *Am J Physiol* 268(1 Pt 2):R208-

213, 1995.

17. Childs, C, Romeu-Nadal, M, Burdge, G, and Calder, P. Gender differences in the n-3 fatty acid content of tissues. *Proc Nutr Soc* 67(1):19-27, 2008.
18. Curtis, C, Hughes, C, Flannery, C, Little, C, Harwood, J, and Caterson, B. n-3 fatty acids specifically modulate catabolic factors involved in articular cartilage degradation. *J Biol Chem* 275(2):721-724, 2000.
19. Delarue, J, Matzinger, O, Binnert, C, Schneiter, P, Chiolero, R, and Tappy L. Fish oil prevents the adrenal activation elicited by mental stress in healthy men. *Diab Metab* 29(3):289-295, 2003.
20. Dorgan, J, Judd, J, Longcope, C, Brown, C, Schatzkin, A, Clevidence, B, Campbell, W, Nair, P, Franz, C, Kahle, L, and Taylor, P. Effects of dietary fat and fiber on plasma and urine androgens and estrogens in men: A controlled feeding study. *Am J Clin Nutr* 64(6): 850-855, 1996.
21. Dowden, A. Bulletproof coffee: Plenty of bull. And fat too. New York: American Council on Science and Health, acsh.org/news/2019/06//08/bulletproof-coffee-plenty-bull-and-fat-too-14079. Accessed November 20, 2019.
22. Ehringer, W, Belcher, D, Wassall, S, and Stillwell, W. A comparison of the effects of linolenic (18:3 omega 3) and docosahexaenoic (22:6 omega 3) acids on phospholipid bilayers. *Chem Physics Lipids* 54(2):79-88, 1990.
23. Endres, S, Ghorbani, R, Kelley, V, Georgilis, K, Lonnemann, G, van der Meer, J, Cannon, J, Rogers, T, Klempner, M, and Weber, P. The effect of dietary supplementation with n-3 polyunsaturated fatty acids on the synthesis of interleukin-1 and tumor necrosis factor by mononuclear cells. *New Eng J Med* 320(5):265-271, 1989.
24. Fernandes, G, Lawrence, R, and Sun, D. Protective role of n-3 lipids and soy protein in osteoporosis. *Prostaglandins, Leukot Essent Fatty Acids* 68(6):361-372, 2003.
25. Fleming, J, Sharman, M, Avery, N, Love, D, Gomez, A, Scheett, T, Kraemer, W, and Volek, J. Endurance capacity and high-intensity exercise performance responses to a high fat diet. *Int J Sport NutrExerc Metab* 13(4):466-478, 2003.
26. Flickinger, B, and Matsuo, N. Nutritional characteristics of DAG oil. *Lipids* 38(2):129-132, 2003.
27. Graham, T, Hibbett, E, and Sathasivam, P. Metabolic and exercise endurance effects of coffee and caffeine ingestion. *J Appl Physiol* 85(3):883-889, 1998.
28. Greene, D, Varley, B, Hartwig, T, Chapman, P, and Rigney, M. A low-carbohydrate ketogenic diet reduces body mass without compromising performance in powerlifting and Olympic weightlifting athletes. *J Str Cond Res* 32(12):3373-3382, 2018.
29. Hamalainen, E, Adlercreutz, H, Puska, P, and Pietinen, P. Decrease of serum total and free testosterone during a low-fat high-fibre diet. *J Steroid Biochem* 18(3):369-370, 1983.
30. Hargreaves, M, Hawley, J, and Jeukendrup, A. Pre-exercise carbohydrate and fat ingestion: Effects on metabolism and performance. *J Sports Sci Med* 22:31-38, 2004.
31. Harris, M, Putman, R, Ruffner, K, Slack, G, Vansickle, A, Mendel, R, and Lowery, L. The effects of gender on psychometric and epinephrine responses to pre-exercise coffee. Proceedings of the Sixteenth International Society of Sports Nutrition (ISSN) Conference and Expo, Las Vegas, Nevada. *J Int Soc Sports Nutr* 16. In press, 2019.
32. Harvey, C, Schofield, G, and Williden, M. The use of nutritional supplements to induce ketosis and reduce symptoms associated with keto-induction: A narrative review. *PeerJ* 6: e4488, 2018.

33. Haveman L, West, S, Goedecke, J, MacDonald, I, Saint Clair Gibson, A, Noakes, T, and Lambert. E. Fat adaptation followed by carbohydrate loading compromises high-intensity sprint performance. *J Appl Physiol (1985)*. 100(1):194-202, 2006.
34. Hawley, J, Dennis, S, Lindsay, F, and Noakes, T. Nutritional practices of athletes: Are they sub-optimal? *J Sports Sci Med* 13:S75-S81, 1995.
35. Helge, J, Wu, B, Willer, M, Dugaard, J, Storlien, L, and Kiens, B. Training affects muscle phospholipid fatty acid composition in humans. *J Appl Physiol* 90(2):670-677, 2001.
36. Hoffman, D, Theuer, R, Castañeda, Y, Wheaton, D, Bosworth, R, O'Connor, A, Morale, S, Wiedemann, L, and Birch, E. Maturation of visual acuity is accelerated in breast-fed term infants fed baby food containing DHA-enriched egg yolk. *J Nutr* 134(9):2307-2313, 2004.
37. Horowitz, J, Mora-Rodriguez, R, Byerley, L, and Coyle, E. Pre-exercise medium-chain triglyceride ingestion does not alter muscle glycogen use during exercise. *J Appl Physiol* 88(1):219-225, 2000.
38. Horvath, P, Eagen, C, Fisher, N, Leddy, J, and Pendergast, D. The effects of varying dietary fat on performance and metabolism in trained male and female runners. *J Am Coll Nutr* 19(1):52-60, 2000.
39. Innis, S. Dietary omega 3 fatty acids and the developing brain. *Brain Research* 1237:35-43, 2008.
40. Hultin, G. Coconut oil controversy: Updates in research. *Today's Dietitian* 17(2).
41. Institute of Medicine. *Dietary Reference Intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein, and amino acids*. Washington, DC: National Academies Press, 2005 (Update 2018).
42. Jeukendrup, A. Periodized nutrition for athletes. *Sports Med* 47 (Suppl) 10:51-63, 2017.
43. Jeukendrup, A, Thielen, J, Wagenmakers, A, Brouns, F, and Saris, W. Effect of medium-chain triacylglycerol and carbohydrate ingestion during exercise on substrate utilization and subsequent cycling performance. *Am J Clinical Nutr* 67(3):397-404, 1998.
44. Kapoor, R, and Huang Y. Gamma linolenic acid: An anti-inflammatory omega-6 fatty acid. *Curr Pharm Biotech* 7(6):531-534, 2006.
45. Klein, S, Coyle, E, and Wolfe, R. Fat metabolism during low-intensity exercise in endurance-trained and untrained men. *Am J Physiol* 267(6) Pt 1:E934-940, 1994.
46. Kremer, J, Jubiz, W, Michalek, A, Rynes, R, Bartholomew, L, Bigaouette, J, Timchalk, M, Beeler, D, and Lininger, L. Fish-oil fatty acid supplementation in active rheumatoid arthritis: A double-blinded, controlled, crossover study. *Ann Int Med* 106:497-503, 1987.
47. Lenn, J, Uhl, T, Mattacola, C, Boissonneault, G, Yates, J, Ibrahim, W, and Bruckner, G. The effects of fish oil and isoflavones on delayed onset muscle soreness. *Med Sci Sports Exerc* 34(10):1605-1613, 2002.
48. Lindgren, B, Ruokonen, E, Magnusson-Borg, K, and Takala, J. Nitrogen sparing effect of structured triglycerides containing both medium-and long-chain fatty acids in critically ill patients; a double blind randomized controlled trial. *Clin Nutr* 20(1):43-48. 2001.
49. Logan, A. Neurobehavioral aspects of omega-3 fatty acids: Possible mechanisms and therapeutic value in major depression. *Alt Med Review* 8(4):410-425, 2003.
50. Lowery, L. Effects of conjugated linoleic acid on body composition and strength in novice male bodybuilders. In *International Conference on Weight Lifting and Strength Training Conference*

- Book. Hakkinen, K, ed. Lahti, Finland: Gummerus, 241-242. 1999.
51. Lowery, L. Dietary fat and sports nutrition: A primer. *J Sports Sci Med* 3:106-117, 2004.
 52. Mann, N, Johnson, L, Warrick, G, and Sinclair, A. The arachidonic acid content of the Australian diet is lower than previously estimated. *J Nutr* 125(10):2528-2535, 1995.
 53. Ma, S and Suzuki, K. Keto-adaptation and endurance exercise capacity, fatigue recovery, and exercise-induced muscle and organ damage prevention: A narrative review. *Sports (Basel)* 13:7(2), 2019.
 54. Mathews, E, and Wagner, D. Prevalence of overweight and obesity in collegiate American football players, by position. *J Am Coll Health* 57(1):33-38, 2008.
 55. McDonald, B. The Canadian experience: Why Canada decided against an upper limit for cholesterol. *J Am Coll Nutr* 23(6 Suppl):616S-620S, 2004.
 56. McSwiney, F, Wardrop, B, Hyde, P, LaFountain, R, Volek, J, and Doyle, L. Keto-adaptation enhances exercise performance and body composition responses to training in endurance athletes. *Metabolism* 81:25-34, 2018.
 57. Mensink, R. Effects of stearic acid on plasma lipid and lipoproteins in humans. *Lipids* 40(12):1201-1205, 2005.
 58. Meyer, B, Mann, N, Lewis, J, Milligan, G, Sinclair, A, and Howe, P. Dietary intakes and food sources of omega-6 and omega-3 polyunsaturated fatty acids. *Lipids* 38(4):391-398, 2003.
 59. Mickleborough, T, Murray, R, Ionescu, A, and Lindley, M. Fish oil supplementation reduces severity of exercise-induced bronchoconstriction in elite athletes. *Am J Respir Crit Care Med* 168(10):1181-1189, 2003.
 60. Morcos, N and Camilo K. Acute and chronic toxicity study of fish oil and garlic combination. *Int J Vit Nutr Res* 71(5):306-312, 2001.
 61. Muskiet, F, Fokkema, M, Schaafsma, A, Boersma, E, and Crawford, M. Is docosahexaenoic acid (DHA) essential? Lessons from DHA status regulation, our ancient diet, epidemiology and randomized controlled trials. *J Nutr* 134(1):183-186, 2004.
 62. Paoli, A. Ketogenic diet for obesity: Friend or foe? *Int J Envir Res Public Health* 11(2):2092-107, 2014.
 63. Pariza, M, Park, Y, and Cook, M. The biologically active isomers of conjugated linoleic acid. *Prog Lipid Res* 40:283-298, 2001.
 64. Park, Y, Albright, K, Liu, W, Storkson, J, Cook, M, and Pariza M. Effect of conjugated linoleic acid on body composition in mice. *Lipids* 32(8):853-858, 1997.
 65. Perez-Jimenez, F, Lopez-Miranda, J, and Mata, P. Protective effect of dietary monounsaturated fat on arteriosclerosis: Beyond cholesterol. *Atheroscler* 163(2):385-398, 2002.
 66. Phillips, T, Childs, A, Dreon, D, Phinney, S, and Leeuwenburgh, C. A dietary supplement attenuates IL-6 and CRP after eccentric exercise in untrained males. *Med Sci Sports Exerc* 35(12):2032-2037, 2003.
 67. Piper, S, Röhm, K, Boldt, J, Odermatt, B, Maleck, W, and Suttner, S. Hepatocellular integrity in patients requiring parenteral nutrition: Comparison of structured MCT/LCT vs. a standard MCT/LCT emulsion and a LCT emulsion. *Eur J Anaesthesiol* 25(7):557-565, 2008.
 68. Powers, M, Goggin, C, Kirk, S, Smith, R, Slotta, A, Betro, A, Santana, K, Hubbell, A, Cox, A, Dreger, K, and Lowery, L. Via® instant coffee enhances explosive bench press performance. *Ann Nutr Metab* 63(Suppl 1):566, 2013.

69. Raatz, S, Bibus, D, Thomas, W, and Kris-Etherton, P. Total fat intake modifies plasma fatty acid composition in humans. *J Nutr* 131(2):231-234, 2001.
70. Rasmussen, O, Thomsen, C, Hansen, K, Vesterlund, M, Winther, E, and Hermansen, K. Favourable effect of olive oil in patients with non-insulin-dependent diabetes. The effect on blood pressure, blood glucose and lipid levels of a high-fat diet rich in monounsaturated fat compared with a carbohydrate-rich diet. *Ugeskr Laeger* 157(8): 1028-1032, 1995.
71. Rawson, E, Branch, J, and Stephenson T. *Nutrition for Health, Fitness and Sport*. New York: McGraw-Hill, 177-185, 2020.
72. Reed, M, Cheng, R, Simmonds, M, Richmond, W, and James, V. Dietary lipids: An additional regulator of plasma levels of sex hormone binding globulin. *J Clin Endocrinol Metab* 64(5):1083-1085, 1987.
73. Richter, W. Long-chain omega-3 fatty acids from fish reduce sudden cardiac death in patients with coronary heart disease. *Eur J Med Res* 8(8):332-336, 2003.
74. Riechman, S, Andrews, R, Maclean, D, and Sheather, S. Statins and dietary and serum cholesterol are associated with increased lean mass following resistance training. *J Gerontol: Biol Sci Med Sci* 62(10):1164-1171, 2007.
75. Sidossis, L, Gastaldelli, A, Klein, S, and Wolfe R. Regulation of plasma fatty acid oxidation during low- and high-intensity exercise. *Am J Physiol* 272(6) Pt 1:E1065-1070, 1997.
76. Sidossis L and Wolfe, R. Glucose and insulin-induced inhibition of fatty acid oxidation: The glucose-fatty acid cycle reversed. *Am J Physiol* 270(4 Pt 1):E733-8, 1996.
77. Simopoulos, A. The importance of the ratio of omega-6/omega-3 essential fatty acids. *Biomed Pharmacother* 56(8):365-379, 2002.
78. Simopoulos, A. Omega-3 fatty acids and athletics. *Curr Sports Med Rep* 6(4):230-236, 2007.
79. Smith, B, Feucht, A, Slack, G, Rogers, J, LaRock, F, Mendel R, and Lowery, L. Coffee but not anticipation of coffee alters the outcome of explosive bench pressing. *FASEB J* 30:898.10, 2016.
80. Stellingwerff T, Spriet, L, Watt, M, Kimber, N, Hargreaves, M, Hawley J, and Burke, L. Decreased PDH activation and glycogenolysis during exercise following fat adaptation with carbohydrate restoration. *Am J Physiol Endocrinol Metab* 290(2):E380-8, 2006.
81. Stepto, N. Effect of short-term fat adaptation on high intensity training. *Med Sci Sports Exerc* 34:449-455, 2002.
82. Strzelczyk A. Intravenous initiation and maintenance of ketogenic diet: Proof of concept in super-refractory status epilepticus. *Seizure* 22(7):581-3, 2013.
83. Stubbs, B, Koutnik, A, Poff, A, Ford, K, and D'Agostino, D. Commentary: Ketone diester ingestion impairs time-trial performance in professional cyclists. *Front Physiol* 9:279, 2018.
84. Su, H, Bernardo, L, Mirmiran, M, Ma, X, Nathanielsz, P, and Brenna, J. Dietary 18:3n-3 and 22:6n-3 as sources of 22:6n-3 accretion in neonatal baboon brain and associated organs. *Lipids* 34 Suppl: S347-S350, 1999.
85. Su, K, Huang, S, Chiu, C, and Shen, W. Omega-3 fatty acids in major depressive disorder. A preliminary double-blind, placebo-controlled trial. *Eur Neuropsychopharmacol* 13(4):267-271, 2003.
86. Takeuchi, H, Sekine, S, Kojima, K, and Aoyama, T. The application of medium-chain fatty acids: Edible oil with a suppressing effect on body fat accumulation. *Asia Pacif J Clin Nutr* 17 Suppl 1:320-323, 2008.

87. Terpstra, A. Effect of conjugated linoleic acid on body composition and plasma lipids in humans: An overview of the literature. *Am J Clin Nutr* 79(3):352-361, 2004.
88. Thomsen, C, Rasmussen, O, Hansen, K, Vesterlund, M, and Hermansen, K. Comparison of the effects on the diurnal blood pressure, glucose, and lipid levels of a diet rich in monounsaturated fatty acids with a diet rich in polyunsaturated fatty acids in type 2 diabetic subjects. *Diab Med* 12(7):600-606, 1995.
89. U.S. Department of Health and Human Services and U.S. Department of Agriculture. *Dietary Guidelines for Americans*. Washington, DC: U.S. Government Printing Office, 2017.
90. van Loon, L, Koopman, R, Manders, R, van der Weegen, W, van Kranenburg, G, and Keizer, H. Intramyocellular lipid content in type 2 diabetes patients compared with overweight sedentary men and highly trained endurance athletes. *Am J Physiol: Endocrinol Metab* 287(3):E558-E565, 2004.
91. Van Zant, R, Conway, J, and Seale, J. A moderate carbohydrate and fat diet does not impair strength performance in moderately trained males. *J Sports Med Phys Fit* 42(1): 31-37, 2002.
92. Vargas, S, Romance, R, Petro, J, Bonilla, D, Galancho, I, Espinar, S, Kreider, R, and Benitez-Porres, J. Efficacy of ketogenic diet on body composition during resistance training in trained men: A randomized controlled trial. *J Int Soc Sports Nutr* 15(1):31, 2018.
93. Venkatraman, J, Leddy, J, and Pendergast, D. Dietary fats and immune status in athletes: Clinical implications. *Med Sci Sports Exerc* 32(7 Suppl):S389-S395, 2000.
94. Venkatraman, J, Feng, X, and Pendergast, D. Effects of dietary fat and endurance exercise on plasma cortisol, prostaglandin E2, interferon-gamma and lipid peroxides in runners. *J Am Coll Nutr* 20(5) (Oct):529-536, 2001.
95. Vistisen, B, Nybo, L, Xu, X, Høy, C, and Kiens, B. Minor amounts of plasma medium-chain fatty acids and no improved time trial performance after consuming lipids. *J Appl Physiol* 95(6):2434-2443, 2003.
96. Vogt, M, Puntschart, A, Howald, H, Mueller, B, Mannhart, C, Gfeller-Tuescher, L, Mullis, P, and Hoppeler, H. Effects of dietary fat on muscle substrates, metabolism, and performance in athletes. *Med Sci Sports Exerc* 35(6):952-960, 2003.
97. Wang, Y and Jones, P. Conjugated linoleic acid and obesity control: Efficacy and mechanisms. *Int J Obes Rel Metab Disord* 28(8):941-955, 2004.
98. Weisinger, H, Vingrys, A, and Sinclair, A. The effect of docosahexaenoic acid on the electroretinogram of the guinea pig. *Lipids* 31(1):65-70, 1996.
99. Whigham, L, Watras, A, and Schoeller, D. Efficacy of conjugated linoleic acid for reducing fat mass: A meta-analysis in humans. *Am J Clin Nutr* 85(5):1203-1211, 2007.
100. Zderic, T, Davidson, C, Schenk, S, Byerley, L, and Coyle E. High-fat diet elevates resting intramuscular triglyceride concentration and whole body lipolysis during exercise. *Am J Physiol: Endocrinol Metab* 286(2):E217-E225, 2004.

Chapter 6

1. Almond, CS, Shin, AY, Fortescue, EB, Mannix, RC, Wypij, D, Binstadt, BA, Duncan, CN, Olson, DP, Salerno, AE, Newburger, JW, and Greenes, DS. Hyponatremia among runners in the Boston Marathon. *N Engl J Med* 352:1550-1556, 2005.
2. American College of Sports Medicine, Sawka, MN, Burke, LM, Eichner, ER, Maughan, RJ, Montain, SJ, and Stachenfeld, NS. American College of Sports Medicine position stand. Exercise and fluid replacement. *Med Sci Sports Exerc* 39:377-390, 2007.
3. Armstrong, LE, Maresh, CM, Castellani, JW, Bergeron, MF, Kenefick, RW, LaGasse, KE, and Riebe, D. Urinary indices of hydration status. *Int J Sport Nutr* 4:265-279, 1994.
4. Beetham, R. Biochemical investigation of suspected rhabdomyolysis. *Ann Clin Biochem* 37 (Pt 5):581-587, 2000.
5. Bergeron, MF, McKeag, DB, Casa, DJ, Clarkson, PM, Dick, RW, Eichner, ER, Horswill, CA, Luke, AC, Mueller, F, Munce, TA, Roberts, WO, and Rowland, TW. Youth football: Heat stress and injury risk. *Med Sci Sports Exerc* 37:1421-1430, 2005.
6. Blatteis, CM. Age-dependent changes in temperature regulation—a mini review. *Gerontology* 58:289-295, 2012.
7. Cairns, RS and Hew-Butler, T. Proof of concept: Hypovolemic hyponatremia may precede and augment creatine kinase elevations during an ultramarathon. *Eur J Appl Physiol* 116:647-655, 2016.
8. Campbell, WW and Geik, RA. Nutritional considerations for the older athlete. *Nutrition* 20:603-608, 2004.
9. Chevront, SN, Carter, R,3rd, Montain, SJ, and Sawka, MN. Daily body mass variability and stability in active men undergoing exercise-heat stress. *Int J Sport Nutr Exerc Metab* 14:532-540, 2004.
10. Committee on Military Nutrition Research, Food and Nutrition Board. *Fluid replacement and heat stress*. Institute of Medicine, Washington, DC. 1994.
11. Council on Sports Medicine and Fitness and Council on School Health, Bergeron, MF, Devore, C, Rice, SG, and American Academy of Pediatrics. Policy statement—climatic heat stress and exercising children and adolescents. *Pediatrics* 128:e741-7, 2011.
12. Darrow, DC and Yannet, H. The changes in the distribution of body water accompanying increase and decrease in extracellular electrolyte. *J Clin Invest* 14:266-275, 1935.
13. Devlin, LH, Fraser, SF, Barras, NS, and Hawley, JA. Moderate levels of hypohydration impairs bowling accuracy but not bowling velocity in skilled cricket players. *J Sci Med Sport* 4:179-187, 2001.
- 13a. Dunford, M. *Fundamentals of Sport and Exercise Nutrition*. Champaign, IL: Human Kinetics, 114, 2010.
- 13b. Dunford, M. *Exercise Nutrition*, 2nd Ed. Champaign, IL: Human Kinetics, 33, 2009.
14. Dunford, M, and Doyle, JA. *Nutrition for Sport and Exercise*. Belmont, CA; Thompson Higher Education, 240-276, 2008.
15. Edwards, AM, Mann, ME, Marfell-Jones, MJ, Rankin, DM, Noakes, TD, and Shillington, DP. Influence of moderate dehydration on soccer performance: Physiological responses to 45 min of

- outdoor match-play and the immediate subsequent performance of sport-specific and mental concentration tests. *Br J Sports Med* 41:385-391, 2007.
16. Epstein, M, and Hollenberg, NK. Age as a determinant of renal sodium conservation in normal man. *J Lab Clin Med* 87:411-417, 1976.
 17. Evetovich, TK, Boyd, JC, Drake, SM, Eschbach, LC, Magal, M, Soukup, JT, Webster, MJ, Whitehead, MT, and Weir, JP. Effect of moderate dehydration on torque, electromyography, and mechanomyography. *Muscle Nerve* 26:225-231, 2002.
 18. Falk, B, Bar-Or, O, and MacDougall, JD. Thermoregulatory responses of pre-, mid-, and late-pubertal boys to exercise in dry heat. *Med Sci Sports Exerc* 24:688-694, 1992.
 19. Fortney, SM, Wenger, CB, Bove, JR, and Nadel, ER. Effect of hyperosmolality on control of blood flow and sweating. *J Appl Physiol Respir Environ Exerc Physiol* 57:1688-1695, 1984.
 20. Frontera-Cantero, JE, Rivera-Brown, AM, Cabrera-Dávila, Y, Berríos, LE, González, J, and Ramírez-Marrero, F. Fluid and sweat electrolyte loss in heat-acclimatized pre and post menarcheal girl athletes. *Med Sci Sports Exerc* 38:S111-S112, 2006.
 21. Ganio, MS, Wingo, JE, Carroll, CE, Thomas, MK, and Cureton, KJ. Fluid ingestion attenuates the decline in V. O₂peak associated with cardiovascular drift. *Med Sci Sports Exerc* 38:901-909, 2006.
 22. Godek, SF, Bartolozzi, AR, Burkholder, R, Sugarman, E, and Peduzzi, C. Sweat rates and fluid turnover in professional football players: A comparison of National Football League linemen and backs. *J Athl Train* 43:184-189, 2008.
 23. Goulet, EDB and Hoffman, MD. Impact of ad libitum versus programmed drinking on endurance performance: A systematic review with meta-analysis. *Sports Med* 49:221-232, 2019.
 24. Gowans, EM and Fraser, CG. Despite correlation, random spot and 24-h urine specimens are not interchangeable. *Clin Chem* 33:1080-1081, 1987.
 25. Hayes, LD and Morse, CI. The effects of progressive dehydration on strength and power: Is there a dose response? *Eur J Appl Physiol* 108:701-707, 2010.
 26. Hew-Butler, T, Almond, C, Ayus, JC, Dugas, J, Meeuwisse, W, Noakes, T, Reid, S, Siegel, A, Speedy, D, Stuempfle, K, Verbalis, J, and Weschler, L. Consensus statement of the 1st International Exercise-Associated Hyponatremia Consensus Development Conference. *Clin J Sport Med* 15:208-13, 2005.
 27. Hew-Butler, T, Dugas, JP, Noakes, TD, and Verbalis, JG. Changes in plasma arginine vasopressin concentrations in cyclists participating in a 109-km cycle race. *Br J Sports Med* 44:594-597, 2010.
 28. Hew-Butler, T, Loi, V, Pani, A, and Rosner, MH. Exercise-associated hyponatremia: 2017 update. *Front Med (Lausanne)* 4:21, 2017.
 29. Horswill, CA, Passe, DH, Stofan, JR, Horn, MK, and Murray, R. Adequacy of fluid ingestion in adolescents and adults during moderate-intensity exercise. *Pedi Exerc Sci* 17:41-50, 2005.
 30. Inbar, O, Morris, N, Epstein, Y, and Gass, G. Comparison of thermoregulatory responses to exercise in dry heat among prepubertal boys, young adults and older males. *Exp Physiol* 89:691-700, 2004.
 31. Institute of Medicine, Food and Nutrition Board. *Dietary reference intakes for water, potassium, chloride, and sodium*. 2005.
 32. Jeukendrup, AE, Jentjens, RL, and Moseley, L. Nutritional considerations in triathlon. *Sports*

Med 35:163-181, 2005.

33. Judelson, DA, Maresh, CM, Anderson, JM, Armstrong, LE, Casa, DJ, Kraemer, WJ, and Volek, JS. Hydration and muscular performance: Does fluid balance affect strength, power and high-intensity endurance? *Sports Med* 37:907-921, 2007.
34. Judelson, DA, Maresh, CM, Farrell, MJ, Yamamoto, LM, Armstrong, LE, Kraemer, WJ, Volek, JS, Spiering, BA, Casa, DJ, and Anderson, JM. Effect of hydration state on strength, power, and resistance exercise performance. *Med Sci Sports Exerc* 39:1817-1824, 2007.
35. Judelson, DA, Maresh, CM, Yamamoto, LM, Farrell, MJ, Armstrong, LE, Kraemer, WJ, Volek, JS, Spiering, BA, Casa, DJ, and Anderson, JM. Effect of hydration state on resistance exercise-induced endocrine markers of anabolism, catabolism, and metabolism. *J Appl Physiol* 105:816-824, 2008.
36. Katch, VL, McArdle, WD, Katch, FI, and McArdle, WD. *Essentials of Exercise Physiology*. Philadelphia: Wolters Kluwer/Lippincott Williams & Wilkins Health, 513-520, 2011.
37. Kenney, WL, Tankersley, CG, Newswanger, DL, Hyde, DE, Puhl, SM, and Turner, NL. Age and hypohydration independently influence the peripheral vascular response to heat stress. *J Appl Physiol* 68:1902-1908, 1990.
38. Kiningham, RB and Gorenflo, DW. Weight loss methods of high school wrestlers. *Med Sci Sports Exerc* 33:810-813, 2001.
39. Kirchengast, S and Gartner, M. Changes in fat distribution (WHR) and body weight across the menstrual cycle. *Coll Antropol* 26 Suppl:47-57, 2002.
40. Laursen, PB, Suriano, R, Quod, MJ, Lee, H, Abbiss, CR, Nosaka, K, Martin, DT, and Bishop, D. Core temperature and hydration status during an Ironman triathlon. *Br J Sports Med* 40:320-5, 2006.
41. Maughan, RJ and Noakes, TD. Fluid replacement and exercise stress. A brief review of studies on fluid replacement and some guidelines for the athlete. *Sports Med* 12:16-31, 1991.
42. Maughan, RJ and Shirreffs, SM. Development of individual hydration strategies for athletes. *Int J Sport Nutr Exerc Metab* 18:457-472, 2008.
43. Maughan, RJ, Watson, P, Cordery, PAA, Walsh, NP, Oliver, SJ, Dolci, A, Rodriguez-Sanchez, N, and Galloway, SDR. Sucrose and sodium but not caffeine content influence the retention of beverages in humans under euhydrated conditions. *Int J Sport Nutr Exerc Metab* 29:51-60, 2019.
44. Meyer, F, and Bar-Or, O. Fluid and electrolyte loss during exercise. The paediatric angle. *Sports Med* 18:4-9, 1994.
45. Montain, S. Strategies to prevent hyponatremia during prolonged exercise. *Current Sports Med Rep* 7:S28-S35, 2008.
46. Morley, JE. Dehydration, hypernatremia, and hyponatremia. *Clin Geriatr Med* 31:389-399, 2015.
47. Munoz, CX, McKenzie, AL, and Armstrong, LE. Optimal hydration biomarkers: Consideration of daily activities. *Obes Facts* 7 Suppl 2:13-18, 2014.
48. Noakes, T and IMMDA. Fluid replacement during marathon running. *Clin J Sport Med* 13:309-318, 2003.
49. Noonan, B, Mack, G, and Stachenfeld, N. The effects of hockey protective equipment on high-intensity intermittent exercise. *Med Sci Sports Exerc* 39:1327-1335, 2007.
50. Nuccio, RP, Barnes, KA, Carter, JM, and Baker, LB. Fluid balance in team sport athletes and the effect of hypohydration on cognitive, technical, and physical performance. *Sports Med* 47:1951-

- 1982, 2017.
51. Olsson, KE and Saltin, B. Variation in total body water with muscle glycogen changes in man. *Acta Physiol Scand* 80:11-18, 1970.
 52. Petrie, HJ, Stover, EA, and Horswill, CA. Nutritional concerns for the child and adolescent competitor. *Nutrition* 20:620-631, 2004.
 53. Ray, ML, Bryan, MW, Ruden, TM, Baier, SM, Sharp, RL, and King, DS. Effect of sodium in a rehydration beverage when consumed as a fluid or meal. *J Appl Physiol* 85:1329-1336, 1998.
 54. Reaburn, P. Nutrition and the ageing athlete. In *Clinical Sports Nutrition*. Burke, L, Deakin, V, eds. Melbourne: McGraw-Hill, 602-639, 2000.
 55. Riddell, MC, Bar-Or, O, Wilk, B, Parolin, ML, and Heigenhauser, GJ. Substrate utilization during exercise with glucose and glucose plus fructose ingestion in boys ages 10-14 yr. *J Appl Physiol* 90:903-911, 2001.
 56. Rivera-Brown, AM, Rowland, TW, Ramirez-Marrero, FA, Santacana, G, and Vann, A. Exercise tolerance in a hot and humid climate in heat-acclimatized girls and women. *Int J Sports Med* 27:943-950, 2006.
 57. Rolls, BJ, and Phillips, PA. Aging and disturbances of thirst and fluid balance. *Nutr Rev* 48:137-144, 1990.
 58. Rosenbloom, CA, and Dunaway, A. Nutrition recommendations for masters athletes. *Clin Sports Med* 26:91-100, 2007.
 59. Rosenfeld, R, Livne, D, Nevo, O, Dayan, L, Milloul, V, Lavi, S, and Jacob, G. Hormonal and volume dysregulation in women with premenstrual syndrome. *Hypertension* 51:1225-1230, 2008.
 60. Rowland, T. Thermoregulation during exercise in the heat in children: Old concepts revisited. *J Appl Physiol* 105:718-724, 2008.
 61. Rowland, T, Hagenbuch, S, Pober, D, and Garrison, A. Exercise tolerance and thermoregulatory responses during cycling in boys and men. *Med Sci Sports Exerc* 40:282-287, 2008.
 62. Rowland, T. Fluid replacement requirements for child athletes. *Sports Med* 41:279-288, 2011.
 63. Sawka, MN, Wenger, CB, and Pandolf, KB. Thermoregulatory responses to acute exercise-heat stress and heat acclimation. In *Handbook of Physiology*, section 4: Environmental Physiology. Blatteis, CM, Fregly, MJ, eds. New York: Oxford University Press for the American Physiological Society, 94-114, 1996.
 64. Seifert, J, Harmon, J, and DeClercq, P. Protein added to a sports drink improves fluid retention. *Int J Sport Nutr Exerc Metab* 16:420-429, 2006.
 65. Siegel, AJ, Verbalis, JG, Clement, S, Mendelson, JH, Mello, NK, Adner, M, Shirey, T, Glowacki, J, Lee-Lewandrowski, E, and Lewandrowski, KB. Hyponatremia in marathon runners due to inappropriate arginine vasopressin secretion. *Am J Med* 120:461.e11-461.e17, 2007.
 66. Soto-Quijano, DA. The competitive senior athlete. *Phys Med Rehabil Clin N Am* 28:767-776, 2017.
 67. Speedy, DB, Noakes, TD, and Schneider, C. Exercise-associated hyponatremia: A review. *Emerg Med (Fremantle)* 13:17-27, 2001.
 68. Tarnopolsky, MA. Nutritional consideration in the aging athlete. *Clin J Sport Med* 18:531-538, 2008.
 69. White, M, Berning, JR, and Kendig, A. *Nutrition guide*. United States Anti-Doping Association,

2019.

70. Wilk, B, Yuxiu, H, and Bar-Or, O. Effect of body hypohydration on aerobic performance of boys who exercise in the heat. *Med Sci Sports Exerc* 34:5, 2002.
71. Wilk, B, Rivera-Brown, AM, and Bar-Or, O. Voluntary drinking and hydration in non-acclimatized girls exercising in the heat. *Eur J Appl Physiol* 101:727-734, 2007.
72. Yamamoto, LM, Judelson, DA, Farrell, MJ, Lee, EC, Armstrong, LE, Casa, DJ, Kraemer, WJ, Volek, JS, and Maresh, CM. Effects of hydration state and resistance exercise on markers of muscle damage. *J Strength Cond Res* 22:1387-1393, 2008.
73. Yoshida, T, Takanishi, T, Nakai, S, Yorimoto, A, and Morimoto, T. The critical level of water deficit causing a decrease in human exercise performance: A practical field study. *Eur J Appl Physiol* 87:529-534, 2002.

Chapter 7

1. Aguilo, A, Tauler, P, Sureda, A, Cases, N, Tur, J, and Pons, A. Antioxidant diet supplementation enhances aerobic performance in amateur sportsmen. *J Sports Sci* 25:1203-1210, 2007.
2. Antoniak, AE, and Greig CA. The effect of combined resistance exercise training and vitamin D₃ supplementation on musculoskeletal health and function in older adults: A systematic review and meta-analysis. *BMJ Open* 7(7):e014619, 2017.
3. Backx, E, van der Avoort, C, Tieland, M, Maase, K, Kies, A, van Loon, L, de Groot, L, and Mensink, M. Seasonal variation in vitamin D status in elite athletes: A longitudinal study. *Int J Sport Nutr Exerc Metab* 27:6-10, 2017.
4. Bailey, DM, Lawrenson, L, McEneny, J, Young, IS, James, PE, Jackson, SK, Henry, RR, Mathieu-Costello, O, McCord, JM, and Richardson, RS. Electron paramagnetic spectroscopic evidence of exercise-induced free radical accumulation in human skeletal muscle. *Free Radic Res* 41:182-190, 2007.
5. Bailey, DM, Williams, C, Betts, JA, Thompson, D, and Hurst TL. Oxidative stress, inflammation and recovery of muscle function after damaging exercise: Effect of 6-week mixed antioxidant supplementation. *Eur J Appl Physiol* 111:925-936, 2011.
6. Barker, T, Henriksen, VT, Martins, TB, Hill, HR, Kjeldsberg, CR, Schneider, ED, Dixon, BM, and Weaver, LK. Higher serum 25-hydroxyvitamin D concentrations associate with a faster recovery of skeletal muscle strength after muscular injury. *Nutrients* 5:1253-1275, 2013.
7. Barker, T, Schneider, ED, Dixon, BM, Henriksen, VT, and Weaver, LK. Supplemental vitamin D enhances the recovery in peak isometric force shortly after intense exercise. *Nutr Metab (Lond)* 10(1):69, 2013.
8. Beals, KA and Manore, MM. Nutritional status of female athletes with subclinical eating disorders. *J Am Diet Assoc* 98:419-425, 1998.
9. Belko, AZ, Obarzanek, E, Roach, R, Rotter, M, Urban, G, Weinberg, S, and Roe, DA. Effects of aerobic exercise and weight loss on riboflavin requirements of moderately obese, marginally deficient young women. *Am J Clin Nutr* 40:553-561, 1984.
10. Belko, AZ, Meredith, MP, Kalkwarf, HJ, Obarzanek, E, Weinberg, S, Roach, R, McKeon, G, and Roe, DA. Effects of exercise on riboflavin requirements: Biological validation in weight reducing women. *Am J Clin Nutr* 41:270-277, 1985.
11. Benson, J, Gillen, DM, Bourdet, K, and Loosli, AR. Inadequate nutrition and chronic calorie restriction in adolescent ballerinas. *Phys Sports Med* 13:79-90, 1985.
12. Beshgetoor, D, and Nichols, JF. Dietary intake and supplement use in female master cyclists and runners. *Int J Sport Nutr Exerc Metab* 13:166-172, 2003.
13. Bischoff-Ferrari, HA, Dietrich, T, Orav, EJ, Hu, FB, Zhang, Y, Karlson, EW, and Dawson-Hughes, B. Higher 25-hydroxyvitamin D concentrations are associated with better lower-extremity function in both active and inactive persons aged > or =60 y. *Am J Clin Nutr* 80:752-758, 2004.
14. Bjørnsen, T, Salvesen, S, Berntsen, S, Hetlelid, KJ, Stea, TH, Lohne-Seiler, H, Rohde, G, Haraldstad, K, Raastad, T, Kjøpp, U, Haugeberg, G, Mansoor, MA, Bastani, NE, Blomhoff, R, Stølevik, SB, Seynnes, OR, and Paulsen, G. Vitamin C and E supplementation blunts increases in total lean body mass in elderly men after strength training. *Scand J Med Sci Sports* 26:755-763,

2016.

15. Brady, PS, Brady, LJ, and Ullrey, DE. Selenium, vitamin E and the response to swimming stress in the rat. *J Nutr* 109:1103-1109, 1979.
16. Bredle, DL, Stager, JM, Brechue, WF, and Farber, MO. Phosphate supplementation, cardiovascular function, and exercise performance in humans. *J Appl Physiol* 65:1821-1826, 1988.
17. Brilla, LR and Haley, TF. Effect of magnesium supplementation on strength training in humans. *J Am Coll Nutr* 11:326-329, 1992.
18. Brownlie, T, 4th, Utermohlen, V, Hinton, PS, and Haas, JD. Tissue iron deficiency without anemia impairs adaptation in endurance capacity after aerobic training in previously untrained women. *Am J Clin Nutr* 79:437-443, 2004.
19. Brun, JF, Dieu-Cambrezy, C, Charpiat, A, Fons, C, Fedou, C, Micallef, JP, Fussellier, M, Bardet, L, and Orsetti, A. Serum zinc in highly trained adolescent gymnasts. *Biol Trace Elem Res* 47:273-278, 1995.
20. Brutsaert, TD, Hernandez-Cordero, S, Rivera, J, Viola, T, Hughes, G, and Haas, JD. Iron supplementation improves progressive fatigue resistance during dynamic knee extensor exercise in iron-depleted, nonanemic women. *Am J Clin Nutr* 77:441-448, 2003.
21. Bryant, RJ, Ryder, J, Martino, P, Kim, J, and Craig, BW. Effects of vitamin E and C supplementation either alone or in combination on exercise-induced lipid peroxidation in trained cyclists. *J Strength Cond Res* 17:792-800, 2003.
22. Cannell, JJ, Hollis, BW, Sorenson, MB, Taft, TN, and Anderson, JJ. Athletic performance and vitamin D. *Med Sci Sports Exerc* 41:1102-1110, 2009.
23. Ceglia, L, Niramitmahapanya, S, da Silva Morais, M, Rivas, DA, Harris, SS, Bischoff-Ferrari, H, Fielding, RA, and Dawson-Hughes, B. A randomized study on the effect of vitamin D₃ supplementation on skeletal muscle morphology and vitamin D receptor concentration in older women. *J Clin Endocrinol Metab* 98:E1927-1935, 2013.
24. Ciocoiu, M, Badescu, M, and Paduraru, I. Protecting antioxidative effects of vitamins E and C in experimental physical stress. *J Physiol Biochem* 63:187-194, 2007.
25. Clénin, G, Cordes, M, Huber, A, Schumacher, YO, Noack, P, Scales, J, and Kriemler, S. Iron deficiency in sports—definition, influence on performance and therapy. *Swiss Med Wkly* 145:w14196, 2015.
26. Close, GL, Ashton, T, Cable, T, Doran, D, Holloway, C, McArdle, F, and MacLaren, DP. Ascorbic acid supplementation does not attenuate post-exercise muscle soreness following muscle-damaging exercise but may delay the recovery process. *Br J Nutr* 95:976-981, 2006.
27. Close, GL, Leckey, J, Patterson, M, Bradley, W, Owens, DJ, Fraser, WD, and Morton, JP. The effects of vitamin D(3) supplementation on serum total 25[OH]D concentration and physical performance: A randomised dose-response study. *Br J Sports Med* 47:692-696, 2013.
28. Close, GL and Jackson, MJ. Antioxidants and exercise: A tale of the complexities of relating signalling processes to physiological function? *J Physiol* 592:1721-1722, 2014.
29. Cohen, JL, Potosnak, L, Frank, O, and Baker, H. A nutritional and hematological assessment of elite ballet dancers. *Phys Sports Med* 13:43-54, 1985.
30. Collings, R, Harvey, LJ, Hooper, L, Hurst, R, Brown, TJ, Ansett, J, King, M, and Fairweather-Tait, SJ. The absorption of iron from whole diets: A systematic review. *Am J Clin Nutr* 98:65-81,

2013.

31. Deuster, PA, Kyle, SB, Moser, PB, Vigersky, RA, Singh, A, and Schoomaker, EB. Nutritional survey of highly trained women runners. *Am J Clin Nutr* 44:954-962, 1986.
32. Deuster, PA, Dolev, E, Kyle, SB, Anderson, RA, and Schoomaker, EB. Magnesium homeostasis during high-intensity anaerobic exercise in men. *J Appl Physiol* 62:545-550, 1987.
33. Deuster, PA, and Cooper, JA. Choline. In *Sports Nutrition: Vitamins and Minerals*. 2nd ed. Driskell, JA, Wolinsky, I, eds. Boca Raton, FL: CRC Press, 139-162, 2006.
34. Dillard, CJ, Litov, RE, Savin, WM, Dumelin, EE, and Tappel, AL. Effects of exercise, vitamin E, and ozone on pulmonary function and lipid peroxidation. *J Appl Physiol Respir Environ Exerc Physiol* 45:927-932, 1978.
35. Donato, AJ, Uberoi, A, Bailey, DM, Wray, DW, and Richardson, RS. Exercise-induced brachial artery vasodilation: Effects of antioxidants and exercise training in elderly men. *Am J Physiol Heart Circ Physiol* 298:H671-H678, 2010.
36. Doyle, MR, Webster, MJ, and Erdmann, LD. Allithiamine ingestion does not enhance isokinetic parameters of muscle performance. *Int J Sport Nutr* 7:39-47, 1997.
37. Dressendorfer, RH, and Sockolov, R. Hypozincemia in runners. *Phys Sports Med* 8:97-100, 1980.
38. Dutra, MT, Alex, S, Silva, AF, Brown, LE, and Bottaro, M. Antioxidant supplementation impairs changes in body composition induced by strength training in young women. *Int J Exerc Sci* 12:287-296, 2019.
39. Economos, CD, Bortz, SS, and Nelson, ME. Nutritional practices of elite athletes. Practical recommendations. *Sports Med (Auckland, NZ)* 16:381-399, 1993.
40. Edgerton, VR, Ohira, Y, Hettiarachchi, J, Senewiratne, B, Gardner, GW, and Barnard, RJ. Elevation of hemoglobin and work tolerance in iron-deficient subjects. *J Nutr Sci Vitaminol* 27:77-86, 1981.
41. EFSA Panel on Dietetic Products, Nutrition and Allergies. Scientific opinion paper on tolerable upper limit level of vitamin D. *EFSA J* 10:2813, 2012.
42. EFSA Panel on Dietetic Products, Nutrition and Allergies. Scientific opinion paper on dietary reference values for vitamin D. *EFSA J* 14:4547, 2016.
43. Evans, GW. The effect of chromium picolinate on insulin-controlled parameters in humans. *Int J Biosci Med Res* 11:163-180, 1989.
44. Faber, M and Benade, AJ. Mineral and vitamin intake in field athletes (discus-, hammer-, javelin-throwers and shot-putters). *Int J Sports Med* 12:324-327, 1991.
45. Farrokhyar, F, Sivakumar, G, Savage, K, Koziarz, A, Jamshidi, S, Ayeni, OR, Peterson, D, and Bhandari, M. Effects of vitamin D supplementation on serum 25-hydroxyvitamin D concentrations and physical performance in athletes: A systematic review and meta-analysis of randomized controlled trials. *Sports Med* 47:2323-2339, 2017.
46. Filaire, E and Lac, G. Nutritional status and body composition of juvenile elite female gymnasts. *J Sports Med Phys Fitness* 42:65-70, 2002.
47. Fischer, CP, Hiscock, NJ, Basu, S, Vessby, B, Kallner, A, Sjöberg, LB, Febbraio, MA, and Pedersen BK. Vitamin E isoform-specific inhibition of the exercise-induced heat shock protein 72 expression in humans. *J Appl Physiol* 100:1679-1687, 2006.
48. Fletcher, RH and Fairfield, KM. Vitamins for chronic disease prevention in adults. Clinical

- applications. *J Am Med Assoc* 287:3127-3129, 2002.
49. Fogelholm, GM, Himberg, JJ, Alopaeus, K, Gref, GC, Laakso, JT, Lehto, JJ, and Mussalo-Rauhamaa, H. Dietary and biochemical indices of nutritional status in male athletes and controls. *J Am Coll Nutr* 11:181-191, 1992.
 50. Fogelholm, M, Ruokonen, I, Laakso, JT, Vuorimaa, T, and Himberg JJ. Lack of association between indices of vitamin B₁, B₂, and B₆ status and exercise-induced blood lactate in young adults. *Int J Sport Nutr* 3:165-176, 1993.
 51. Gaeini, AA, Rahnema, N, and Hamedinia MR. Effects of vitamin E supplementation on oxidative stress at rest and after exercise to exhaustion in athletic students. *J Sports Med Phys Fitness* 46:458-461, 2006.
 52. Galbo, H, Holst, JJ, Christensen, NJ, and Hilsted, J. Glucagon and plasma catecholamines during beta-receptor blockade in exercising man. *J Appl Physiol* 40:855-863, 1976.
 53. Gallagher, JC. Vitamin D and falls—the dosage conundrum. *Nat Rev Endocrinol* 12:680-684, 2016.
 54. Gardner, GW, Edgerton, VR, Senewiratne, B, Barnard, RJ, and Ohira, Y. Physical work capacity and metabolic stress in subjects with iron deficiency anemia. *Am J Clin Nutr* 30: 910-917, 1997.
 55. Garthe, I and Maughan, RJ. Athletes and supplements: Prevalence and perspectives. *Int J Sport Nutr Exerc Metab* 28:126-138, 2018.
 56. Gey, GO, Cooper, KH, and Bottenberg, RA. Effect of ascorbic acid on endurance performance and athletic injury. *JAMA* 211:105, 1970.
 57. Girgis, CM, Clifton-Bligh, RJ, Hamrick, MW, Holick, MF, and Gunton JE. The roles of vitamin D in skeletal muscle: Form, function, and metabolism. *Endocr Rev* 34:33-83, 2013.
 58. Girgis, CM, Clifton-Bligh, RJ, Turner, N, Lau, SL, and Gunton, JE. Effects of vitamin D in skeletal muscle: Falls, strength, athletic performance and insulin sensitivity. *Clin Endocrinol* 80:169-181, 2014.
 59. Golf, SW, Bohmer, D, and Nowacki, PE. Is magnesium a limiting factor in competitive exercise? A summary of relevant scientific data. In *Magnesium*. Golf, S, Dralle, D, and Vecchiet, L, eds. London: John Libbey, 209-220, 1993.
 60. Gomez-Cabrera, MC, Domenech, E, Romagnoli, M, Arduini, A, Borrás, C, Pallardo, FV, Sastre, J, and Viña, J. Oral administration of vitamin C decreases muscle mitochondrial biogenesis and hampers training-induced adaptations in endurance performance. *Am J Clin Nutr* 87:142-149, 2008.
 61. Guillard, JC, Penaranda, T, Gallet, C, Boggio, V, Fuchs, F, and Klepping, J. Vitamin status of young athletes including the effects of supplementation. *Med Science Sports Exerc* 21:441-449, 1989.
 62. Haas, JD and Brownlie 4th, T. Iron deficiency and reduced work capacity: A critical review of the research to determine a causal relationship. *J Nutr* 131:676S, 688S; discussion 688S-690S, 2001.
 63. Haub, MD, Loest, HB, and Hubach, KL. Assessment of vitamin status of athletes. In *Nutritional Status of Athletes*. 2nd ed. Driskell, JA, Wolinsky, I, eds. Boca Raton, FL: CRC Press, 290-310, 2011.
 64. Haymes, EM. Iron. In *Sports Nutrition*. 2nd ed. Driskell, JA, Wolinsky, I, eds. Boca Raton, FL: CRC Press, 203-216, 2006.

65. Heath, EM. Niacin. In *Sports Nutrition*. 2nd ed. Driskell, JA, Wolinsky, I, eds. Boca Raton, FL: CRC Press, 69-80, 2006.
66. Herrmann, M, Obeid, R, Scharhag, J, Kindermann, W, and Herrmann, W. Altered vitamin B₁₂ status in recreational endurance athletes. *Int J Sport Nutr Exerc Metabol* 15:433-441, 2005.
67. Hickson, JF, Jr., Schrader, J, and Trischler, LC. Dietary intakes of female basketball and gymnastics athletes. *J Am Diet Assoc* 86:251-253, 1986.
68. Hinton, PS, Giordano, C, Brownlie, T, and Haas JD. Iron supplementation improves endurance after training in iron-depleted, nonanemic women. *J Appl Physiol* 88:1103-1111, 2000.
69. Hinton, PS and Sinclair, LM. Iron supplementation maintains ventilatory threshold and improves energetic efficiency in iron-deficient nonanemic athletes. *Eur J Clin Nutr* 61:30-39, 2007.
70. Holick, MF, Binkley, NC, Bischoff-Ferrari, HA, Gordon, CM, Hanley, DA, Heaney, RP, Murad, MH, and Weaver, CM; Endocrine Society. Evaluation, treatment, and prevention of vitamin D deficiency: An Endocrine Society clinical practice guideline. *J Clin Endocrinol Metab* 96:1911-1930, 2011.
71. Holick, MF. The vitamin D deficiency pandemic: Approaches for diagnosis, treatment and prevention. *Rev Endocr Metab Disor* 18:153-165, 2017.
72. Hoogendijk, WJ, Lips, P, Dik, MG, Deeg, DJ, Beekman, AT, and Penninx, BW. Depression is associated with decreased 25-hydroxyvitamin D and increased parathyroid hormone levels in older adults. *Arch Gen Psychiatry* 65:508-512, 2008.
73. Institute of Medicine, Food and Nutrition Board. *Dietary Reference Intakes for calcium, phosphorus, magnesium, vitamin D, and fluoride*. Washington, DC: National Academies Press, 1997.
74. Institute of Medicine, Food and Nutrition Board. *Dietary Reference Intakes for thiamin, riboflavin, niacin, vitamin B₁₂, folate, pantothenic acid, biotin, and choline*. Washington, DC: National Academies Press, 1998.
75. Institute of Medicine, Food and Nutrition Board. *Dietary Reference Intakes for vitamin C, vitamin E, selenium, and carotenoids*. Washington, DC: National Academies Press, 2000.
76. Institute of Medicine, Food and Nutrition Board. *Dietary Reference Intakes for vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc*. Washington, DC: National Academies Press, 2001.
77. Institute of Medicine, Food and Nutrition Board. *Dietary Reference Intakes: Applications in dietary planning*. Washington, DC: National Academies Press, 2003.
78. Institute of Medicine. *Dietary Reference Intakes: The essential guide to nutrient requirements*. Washington, DC: National Academies Press, 2006.
79. Institute of Medicine, Food and Nutrition Board. *Dietary Reference Intakes for calcium and vitamin D*. Washington, DC: National Academies Press, 2011.
80. Isaacson, A, and Sandow, A. Effects of zinc on responses of skeletal muscle. *J Gen Physiol* 46:655-677, 1963.
81. Johnston, CS, Swan, PD, and Corte, C. Substrate utilization and work efficiency during submaximal exercise in vitamin C depleted-repleted adults. *Int J Vitamin Nutr Res* 69:41-44, 1999.
82. Keith, RE, O'Keeffe, KA, Alt, LA, and Young, KL. Dietary status of trained female cyclists. *J Am Diet Assoc* 89:1620-1623, 1989.

83. Keith, RE and Alt, LA. Riboflavin status of female athletes consuming normal diets. *Nutr Res* 11:727-734, 1991.
84. Keith, RE. Ascorbic acid. In *Sports Nutrition*. 2nd ed. Driskell, JA, Wolinsky, I, eds. Boca Raton, FL: CRC Press, 29-46, 2006.
85. Keys, A, Henschel, AF, Michelsen, O, and Brozek, JM. The performance of normal young men on controlled thiamin intakes. *J Nutr* 26:399-415, 1943.
86. Keren, G and Epstein, Y. The effect of high dosage vitamin C intake on aerobic and anaerobic capacity. *J Sports Med Phys Fitness* 20:145-148, 1980.
87. Khaled, S, Brun, JF, Micallel, JP, Bardet, L, Cassanas, G, Monnier, JF, and Orsetti, A. Serum zinc and blood rheology in sportsmen (football players). *Clin Hemorheol Microcirc* 17:47-58, 1997.
88. Khaled, S, Brun, JF, Cassanas, G, Bardet, L, and Orsetti, A. Effects of zinc supplementation on blood rheology during exercise. *Clin Hemorheol Microcirc* 20:1-10, 1999.
89. Khassaf, M, McArdle, A, Esanu, C, Vasilaki, A, McArdle, F, Griffiths, RD, Brodie, DA, and Jackson, MJ. Effect of vitamin C supplements on antioxidant defence and stress proteins in human lymphocytes and skeletal muscle. *J Physiol* 549:645-652, 2003.
90. Kirchner, EM, Lewis, RD, and O'Connor, PJ. Bone mineral density and dietary intake of female college gymnasts. *Med Sci Sports Exerc* 27:543-549, 1995.
91. Knez, WL, Jenkins, DG, and Coombes, JS. Oxidative stress in half and full Ironman triathletes. *Med Sci Sports Exerc* 39:283-288, 2007.
92. Kreider, RB, Miller, GW, Williams, MH, Somma, CT, and Nasser, TA. Effects of phosphate loading on oxygen uptake, ventilatory anaerobic threshold, and run performance. *Med Sci Sports Exerc* 22:250-256, 1990.
93. Krotkiewski, M, Gudmundsson, M, Backstrom, P, and Mandroukas, K. Zinc and muscle strength and endurance. *Acta Physiol Scand* 116:309-311, 1982.
94. Książek A, Zagrodna A, and Słowińska-Lisowska M. Vitamin D, skeletal muscle function and athletic performance in athletes—a narrative review. *Nutrients* 11(8):1800, 2019.
95. Lamprecht, M, Hofmann, P, Greilberger, JF, and Schwaberg, G. Increased lipid peroxidation in trained men after 2 weeks of antioxidant supplementation. *Int J Sport Nutr Exerc Metab* 19:385-399, 2009.
96. Larson-Meyer, DE, Woolf, K, and Burke, L. Assessment of nutrient status in athletes and the need for supplementation. *Int J Sport Nutr Exerc Metab* 28:139-158, 2018.
97. Lawrence, JD, Bower, RC, Riehl, WP, and Smith, JL. Effects of alpha-tocopherol acetate on the swimming endurance of trained swimmers. *Am J Clin Nutr* 28:205-208, 1975.
98. Leklem, JE. Vitamin B₆: A status report. *J Nutr* 120(Suppl 11):1503-1507, 1990.
99. Lemmel, G. Vitamin C deficiency and general capacity for work. *Munchener Medizinische Wochenschrift* 85:1381, 1938.
100. Loosli, AR, Benson, Gillen, DM, and Bourdet, K. Nutritional habits and knowledge in competitive adolescent female gymnasts. *Phys Sports Med* 14:118-121, 1986.
101. Loosli, AR and Benson, J. Nutritional intake in adolescent athletes. *Pediatr Clin N Am* 37:1143-1152, 1990.
102. Lukaski, HC, Hoverson, BS, Gallagher, SK, and Bolonchuk, WW. Physical training and copper,

- iron, and zinc status of swimmers. *Am J Clin Nutr* 51:1093-1099, 1990.
103. Lukaski, HC, Hall, CB, and Siders, WA. Altered metabolic response of iron-deficient women during graded, maximal exercise. *Eur J Appl Physiol Occup Physiol* 63:140-145, 1991.
 104. Lukaski, H. Chromium as a supplement. *Ann Rev Nutr* 19:279-302, 1999.
 105. Lukaski, HC and Nielsen, FH. Dietary magnesium depletion affects metabolic responses during submaximal exercise in postmenopausal women. *J Nutr* 132:930-935, 2002.
 106. Lukaski, H. Vitamin and mineral status: Effects on physical performance. *Nutrition* 20: 632-644, 2004.
 107. Lukaski, HC. Low dietary zinc decreases erythrocyte carbonic anhydrase activities and impairs cardiorespiratory function in men during exercise. *Am J Clin Nutr* 81:1045-1051, 2005.
 108. Lukaski, HC. Zinc. In *Sports Nutrition*. 2nd ed. Driskell, JA, Wolinsky, I, eds. Boca Raton, FL: CRC Press, 217-234, 2006.
 109. Lukaski, HC and Scrimgeour, AG. Assessment of mineral status in athletes. In *Nutritional Assessment of Athletes*. 2nd ed. Driskell, JA, Wolinsky, I, eds. Boca Raton, FL: CRC Press, 311-340, 2011.
 110. Lukaski, HC. Effects of chromium(III) as a nutritional supplement. In *The Nutritional Biochemistry of Chromium(III)*. 2nd ed. Vincent, JB, ed. Amsterdam: Elsevier, 61-78, 2019.
 111. Magkos, F and Yannakoulis, M. Methodology of dietary assessment in athletes: Concepts and pitfalls. *Curr Opin Clin Nutr Metabol Care* 6:539-549, 2003.
 112. Manore, MM. Effect of physical activity on thiamine, riboflavin, and vitamin B₆ requirements. *Am J Clin Nutr* 72(2 Suppl): 598S-606S, 2000.
 113. Matter, M, Stittfall, T, Graves, J, Myburgh, K, Adams, B, Jacobs, P, and Noakes, TD. The effect of iron and folate therapy on maximal exercise performance in female marathon runners with iron and folate deficiency. *Clin Sci* 72:415-422, 1987.
 114. Maughan, RJ and Burke LM. *Nutrition for Athletes—a Practical Guide for Eating for Health and Performance*. Lausanne, Switzerland: IOC Medical Commission on Sports Nutrition, 2012.
 115. McClung, J.P. Marchitelli, LJ, Friedl, KE, and Young, AJ. Prevalence of iron deficiency and iron deficiency anemia among three populations of female military personnel in the US army. *J Am Coll Nutr* 25:64-69, 2006.
 116. Montoye, HJ, Spata, PJ, Pinckney, V, and Barron, L. Effects of vitamin B₁₂ supplementation on physical fitness and growth of young boys. *J Appl Physiol* 7:589-592, 1955.
 117. Moreira-Pfrimer, LD, Pedrosa, MA, Teixeira, L, and Lazaretti-Castro, M. Treatment of vitamin D deficiency increases lower limb muscle strength in institutionalized older people independently of regular physical activity: A randomized double-blind controlled trial. *Ann Nutr Metab* 54:291-300, 2009.
 118. Morrison, D, Hughes, J, Della Gatta, PA, Mason, S, Lamon, S, Russell, AP, and Wadley GD. Vitamin C and E supplementation prevents some of the cellular adaptations to endurance-training in humans. *Free Radic Biol Med* 89:852-862, 2015.
 119. Murray, R, Bartoli, WP, Eddy, DE, and Horn, MK. Physiological and performance responses to nicotinic-acid ingestion during exercise. *Med Sci Sports Exerc* 27:1057-1062, 1995.
 120. National Academies of Science, Engineering and Medicine. *Dietary Reference Intakes for sodium and potassium*. Washington, DC: National Academies Press, 2019.

121. Niekamp, RA and Baer, JT. In-season dietary adequacy of trained male cross-country runners. *Int J Sport Nutr* 5:45-55, 1995.
122. Nielsen, FH and Lukaski, HC. Update on the relationship between magnesium and exercise. *Mag Res* 19:180-189, 2006.
123. Nieman, DC, Henson, DA, McAnulty, SR, McAnulty, LS, Morrow, JD, Ahmed, A, and Heward, CB. Vitamin E and immunity after the Kona Triathlon World Championship. *Med Sci Sports Exerc* 36:1328-1335, 2004.
124. Owens, DJ, Sharples, AP, Polydorou, I, Alwan, N, Donovan, T, Tang, J, Fraser, WD, Cooper, RG, Morton, JP, Stewart, C, and Close, GL. A systems-based investigation into vitamin D and skeletal muscle repair, regeneration, and hypertrophy. *Am J Physiol Endocrinol Metab* 309:E1019-E1031, 2015.
125. Owens, DJ, Tang, JC, Bradley, WJ, Sparks, AS, Fraser, WD, Morton, JP, and Close GL. Efficacy of high-dose vitamin D supplements for elite athletes. *Med Sci Sports Exerc* 49:349-356, 2017.
126. Owens, DJ, Allison, R, and Close, GL. Vitamin D and the athlete: Current perspectives and new challenges. *Sports Med* 48(Suppl 1):3-16, 2018.
127. Paschalis, V, Theodorou, AA, Kyparos, A, Dipla, K, Zafeiridis, A, Panayiotou, G, Vrabas, IS, and Nikolaidis, MG. Low vitamin C values are linked with decreased physical performance and increased oxidative stress: Reversal by vitamin C supplementation. *Eur J Nutr* 55:45-53, 2016.
128. Pasricha, SR, Low, M, Thompson, J, Farrell, A, and De-Regil, LM. Iron supplementation benefits physical performance in women of reproductive age: A systematic review and meta-analysis. *J Nutr* 144:906-914, 2014.
129. Paulsen, G, Cumming, KT, Holden, G, Hallén, J, Rønnestad, BR, Sveen, O, Skaug, A, Paur, I, Bastani, NE, Østgaard, HN, Buer, C, Midttun, M, Freuchen, F, Wiig, H, Ulseth, ET, Garthe, I, Blomhoff, R, Benestad, HB, and Raastad, T. Vitamin C and E supplementation hampers cellular adaptation to endurance training in humans: A double-blind, randomised, controlled trial. *J Physiol* 592:1887-1901, 2014.
130. Paulsen, G, Hamarstrand, H, Cumming, KT, Johansen, RE, Hulmi, JJ, Børsheim, E, Wiig, H, Garthe, I, and Raastad T. Vitamin C and E supplementation alters protein signalling after a strength training session, but not muscle growth during 10 weeks of training. *J Physiol* 592:5391-5408, 2014.
131. Peeling, P, Dawson, B, Goodman, C, Landers, G, and Trinder, D. Athletic induced iron deficiency: New insights into the role of inflammation, cytokines and hormones. *Eur J Appl Physiol* 103:381-391, 2008.
132. Peeling, P, Dawson, B, Goodman, C, Landers, G, Wiegerinck, ET, Swinkels, DW, and Trinder, D. Effects of exercise on hepcidin response and iron metabolism during recovery. *Int J Sport Nutr Exerc Metab* 19:583-597, 2009.
133. Pernow, B and Saltin, B. Availability of substrates and capacity for prolonged heavy exercise in man. *J Appl Physiol* 31:416-422, 1971.
134. Peternelj, TT and Coombes, JS. Antioxidant supplementation during exercise training: Beneficial or detrimental? *Sports Med* 41:1043-1069, 2011.
135. Peters, AJ, Dressendorfer, RH, Rimar, J, and Keen, CL. Diet of endurance runners competing in a 20-day road race. *Phys Sports Med* 14:63-70, 1986.
136. Pfeifer, M, Begerow, B, and Minne, HW. Vitamin D and muscle function. *Osteoporosis Int*

- 13:187-194, 2002.
137. Pfeiffer, CM and Looker, AC. Laboratory methodologies for indicators of iron status: Strengths, limitations, and analytical challenges. *Am J Clin Nutr* 106(Suppl 6):1606S-1614S, 2017.
 138. Plotnikoff, GA and Quigley, JM. Prevalence of severe hypovitaminosis D in patients with persistent, nonspecific musculoskeletal pain. *Mayo Clinic Proc* 78:1463-1470, 2003.
 139. Pompano, LM and Haas, JD. Increasing iron status through dietary supplementation in iron-depleted, sedentary women increases endurance performance at both near-maximal and submaximal exercise intensities. *J Nutr* 149:231-239, 2019.
 140. Radak, Z, Zhao, Z, Koltai, E, Ohno, H, and Atalay, M. Oxygen consumption and usage during physical exercise: The balance between oxidative stress and ROS-dependent adaptive signaling. *Antioxid. Redox Signal* 18:1208-1246, 2013.
 141. Read, MH and McGuffin, SL. The effect of B-complex supplementation on endurance performance. *J Sports Med Phys Fitness* 23:178-184, 1983.
 142. Richardson, JH and Drake PD. The effects of zinc on fatigue of striated muscle. *J Sports Med Phys Fitness* 19:133-134, 1979.
 143. Richardson, RS, Donato, AJ, Uberoi, A, Wray, DW, Lawrenson, L, Nishiyama, S, and Bailey, DM. Exercise-induced brachial artery vasodilation: Role of free radicals. *Am J Physiol Heart Circ Physiol* 292:H1516-H522, 2007.
 144. Ristow, M, Zarse, K, Oberbach, A, Klötting, N, Birringer, M, Kiehntopf, M, Stumvoll, M, Kahn, CR, and Blüher, M. Antioxidants prevent health-promoting effects of physical exercise in humans. *Proc Natl Acad Sci USA* 106:8665-8670, 2009.
 145. Rokitzki, L, Logemann, E, Huber, G, Keck, E, and Keul, J. Alpha-tocopherol supplementation in racing cyclists during extreme endurance training. *Int J Sport Nutr* 4:253-264, 1994.
 146. Rowland, TW, Deisroth, MB, Green, GM, and Kelleher, GF. The effect of iron therapy on the exercise capacity of nonanemic iron-deficient adolescent runners. *Am J Dis Child* 142:165-169, 1988.
 147. Sanders, KM, Stuart, AL, Williamson, EJ, Simpson, JA, Kotowicz, MA, Young, D, and Nicholson, GC. Annual high-dose oral vitamin D and falls and fractures in older women: A randomized controlled trial. *JAMA* 303:1815-1822, 2010.
 148. Schoene, RB, Escourrou, P, Robertson, HT, Nilson, KL, Parsons, JL, and Smith, NJ. Iron repletion decreases maximal exercise lactate concentrations in female athletes with minimal iron-deficiency anemia. *J Lab Clin Med* 102:306-312, 1983.
 149. Sharman, IM, Down, MG, and Sen, RN. The effects of vitamin E and training on physiological function and athletic performance in adolescent swimmers. *Brit J Nutr* 26:265-276, 1971.
 150. Sharman, IM, Down, MG, and Norgan, NG. The effects of vitamin E on physiological function and athletic performance of trained swimmers. *J Sports Med Phys Fitness* 16:215-225, 1976.
 151. Shephard, RJ, Campbell, R, Pimm, R, Stuart, D, and Wright, GR. Vitamin E, exercise, and the recovery from physical activity. *Eur J Appl Physiol Occup Physiol* 33:119-126, 1974.
 152. Short, SH and Short, WR. Four-year study of university athletes' dietary intake. *J Am Dietet Assoc* 82:632-645, 1983.
 153. Sim, M, Garvican-Lewis, LA, Cox, GR, Govus, A, McKay, AKA, Stellingwerff, T, and Peeling, P. Iron considerations for the athlete: A narrative review. *Eur J Appl Physiol* 119:1463-1478, 2019.

154. Simon-Schnass, I and Pabst, H. Influence of vitamin E on physical performance. *Int J Vitamin Nutr Res* 58: 49-54, 1988.
155. Singh, A, Deuster, PA, and Moser, PB. Zinc and copper status in women by physical activity and menstrual status. *J Sports Med Phys Fitness* 30:29-36, 1990.
156. Singh, A, Moses, FM, and Deuster, PA. Chronic multivitamin-mineral supplementation does not enhance physical performance. *Med Sci Sports Exerc* 24:726-732, 1992.
157. Smith, LM, Gallagher, JC, and Suiter C. Medium doses of daily vitamin D decrease falls and higher doses of daily vitamin D3 increase falls: A randomized clinical trial. *J Steroid Biochem Mol Biol* 173:317-322, 2017.
158. Soric, M, Misigoj-Durakovic, M, and Pedisic, Z. Dietary intake and body composition of prepubescent female aesthetic athletes. *Int J Sport Nutr Exerc Metab* 18:343-354, 2008.
159. Speich, M, Pineau, A, and Ballereau, F. Minerals, trace elements and related biological variables in athletes and during physical activity. *Clin Chim Acta* 312:1-11, 2001.
160. Stacewicz-Sapuntzakis, M and Borthakur, G. Vitamin A. In *Sports Nutrition*. 2nd ed. Driskell, JA, Wolinsky, I, eds. Boca Raton, FL: CRC Press, 163-174, 2006.
161. Steen, SN and McKinney, S. Nutritional assessment of college wrestlers. *Phys Sports Med* 14:101-116, 1986.
162. Steen, SN, Mayer, K, Brownell, KD, and Wadden, TA. Dietary intake of female collegiate heavyweight rowers. *Int J Sport Nutr* 5:225-231, 1995.
163. Stofan, JR, Zachwieja, JJ, Horswill, CA, Murray, R, Anderson, SA, and Eichner, ER. Sweat and sodium losses in NCAA football players: A precursor to heat cramps? *Int J Sport Nutr Exerc Metabol* 15:641-652, 2005.
164. Suboticanec, K, Stavljenic, A, Schalch, W, and Buzina, R. Effects of pyridoxine and riboflavin supplementation on physical fitness in young adolescents. *Int J Vitamin Nutr Res* 60:81-88, 1990.
165. Telford, RD, Catchpole, EA, Deakin, V, Hahn, AG, and Plank, AW. The effect of 7 to 8 months of vitamin/mineral supplementation on athletic performance. *Int J Sport Nutr* 2:135-153, 1992.
166. Teixeira, VH, Valente, HF, Casal, SI, Marques, AF, and Moreira PA. Antioxidants do not prevent postexercise peroxidation and may delay muscle recovery. *Med Sci Sports Exerc* 41:1752-1760, 2009.
167. Thomas, DT, Erdman, KA, and Burke, LM. American College of Sports Medicine Joint Position Statement. Nutrition and Athletic Performance. *Med Sci Sports Exerc* 48:543-568, 2016.
168. Tin-May-Tham, Ma-Win-May, Khin-Sann-Aung, and M. Mya-Tu. The effect of vitamin B₁₂ on physical performance capacity. *Br J Nutr* 40:269-273, 1978.
169. van der Beek, EJ, van Dokkum, W, Schrijver, J, Wesstra, A, Kistemaker, C, and Hermus, RJ. Controlled vitamin C restriction and physical performance in volunteers. *J Am Coll Nutr* 9:332-339, 1990.
170. van der Beek, EJ, van Dokkum, W, Wedel, M, Schrijver, J, and van den Berg, H. Thiamin, riboflavin and vitamin B₆: Impact of restricted intake on physical performance in man. *J Am Coll Nutr* 13:629-640, 1994.
171. Van Loan, MD., Sutherland, B, Lowe, NM, Turnlund, JR, and King, JC. The effects of zinc depletion on peak force and total work of knee and shoulder extensor and flexor muscles. *Int J Sport Nutr* 9:125-135, 1999.

172. Vincent, JB. The potential value and toxicity of chromium picolinate as a nutritional supplement, weight loss agent and muscle development agent. *Sports Med* 33:213-30, 2003.
173. Virk, RS, Dunton, NJ, Young, JC, and Leklem, JE. Effect of vitamin B₆ supplementation on fuels, catecholamines, and amino acids during exercise in men. *Med Sci Sports Exerc* 31:400-408, 1999.
174. Volek, JS, Silvestre, R, Kirwan, JP, Sharman, MJ, Judelson, DA, Spiering, BA, Vingren, JL, Maresh, CM, Vanheest, JL, and Kraemer, WJ. Effects of chromium supplementation on glycogen synthesis after high-intensity exercise. *Med Sci Sports Exerc* 38:2102-2109, 2006.
175. Volpe, SL. Micronutrient requirements for athletes. *Clin Sports Med* 26:119-130, 2007.
176. Wald, G, Brougha, L, and Johnson, R. Experimental human vitamin A deficiency and ability to perform muscular exercise. *Am J Physiol* 137:551-554, 1942.
177. Watt, T, Romet, TT, McFarlane, I, McGuey, D, Allen, C, and Goode, RC. Letter: Vitamin E and oxygen consumption. *Lancet* 2(7876): 354-355, 1974.
178. Webster, MJ. Physiological and performance responses to supplementation with thiamin and pantothenic acid derivatives. *Eur J Appl Physiol Occup Physiol* 77:486-491, 1998.
179. Weight, LM, Myburgh, KH, and Noakes, TD. Vitamin and mineral supplementation: Effect on the running performance of trained athletes. *Am J Clin Nutr* 47:192-195, 1998.
180. Welch, PK, Zager, KA, Endres, J, and Poon, SW. Nutrition education, body composition and dietary intake of female college athletes. *Phys Sports Med* 15:63-74, 1987.
181. Williams, MH. Dietary supplements and sports performance: Introduction and vitamins. *J Int Soc Sports Nutr* 1:1-6, 2004.
182. Williams, MH. Dietary supplements and sports performance: Minerals. *J Int Soc Sports Nutr* 2:43-49, 2005.
183. Wood, B, Gijbbers, A, Goode, A, Davis, S, Mulholland, J, and Breen, K. 1980. A study of partial thiamin restriction in human volunteers. *Am J Clin Nutr* 33:848-861, 1980.
184. Woolf, K and Manore, MM. B-vitamins and exercise: Does exercise alter requirements? *Int J Sport Nutr Exerc Metab* 16:453-484, 2006.
185. Wray, DW, Nishiyama, SK, Harris, RA, Zhao, J, McDaniel, J, Fjeldstad, AS, Witman, MA, Ives, SJ, Barrett-O'Keefe, Z, and Richardson, RS. Acute reversal of endothelial dysfunction in the elderly after antioxidant consumption. *Hypertension* 59:818-824, 2012.
186. Zhu, K, Austin, N, Devine, A, Bruce, D, and Prince, RL. A randomized controlled trial of the effects of vitamin D on muscle strength and mobility in older women with vitamin D insufficiency. *J Am Geriatr Soc* 58:2063-2068, 2010.
187. Ziegler, PJ, Nelson, JA, and Jonnalagadda, SS. Nutritional and physiological status of U.S. national figure skaters. *Int J Sport Nutr* 9:345-360, 1999.
188. Zürcher, SJ, Quadri, A, Huber, A, Thomas, L, Close, GL, Brunner, S, Noack, P, Gojanovic, B, and Kriemler, S. Predictive factors for vitamin D concentrations in Swiss athletes: A cross-sectional study. *Sports Med Int Open* 2:E148-E156, 2018.

Chapter 8

1. Balsom, PD, Soderlund, K, and Ekblom, B. Creatine in humans with special reference to creatine supplementation. *Sports Med* 18(4):268-280, 1994.
2. Besset, A, Bonardet, A, Rondouin, G, Descomps, B, and Passouant, P. Increase in sleep related GH and Prl secretion after chronic arginine aspartate administration in man. *Acta Endocrinologica (Copenhagen)* 99:18-23, 1982.
3. Biolo, G, Maggi, SP, Williams, BD, Tipton, KD, and Wolfe, RR. Increased rates of muscle protein turnover and amino acid transport after resistance exercise in humans. *Am J Physiol* 268(3Pt1):E514-E20, 1995.
4. Biolo, G, Tipton, KD, Klein, S, and Wolfe, RR. An abundant supply of amino acids enhances the metabolic effect of exercise on muscle protein. *Am J Physiol* 273(1Pt1):E122-E129, 1997.
5. Boirie, Y, Dangin, M, Gachon, P, Vasson, MP, Maubois, JL, and Beaufrere, B. Slow and fast dietary proteins differently modulate postprandial protein accretion. *P Natl Acad Sci USA* 94(26):14930-14935, 1997.
6. Branch, JD. Effect of creatine supplementation on body composition and performance: A meta-analysis. *Int J Sport Nutr Exe* 13(2):198-226, 2003.
7. Brose, A, Parise, G, and Tarnopolsky, MA. Creatine supplementation enhances isometric strength and body composition improvements following strength exercise training in older adults. *J Gerontol A Biol Sci Med Sci* 58(1):B11-B19, 2003.
8. Brown, GA, Vukovich, MD, Martini, ER, Kohut, ML, Franke, WD, Jackson, DA, and King, DS. Endocrine responses to chronic androstenedione intake in 30- to 56-year-old men. *J Clin Endocrinol Metab* 85: 4074-4080, 2000.
9. Brown, GA, Vukovich, MD, Sharp, RL, Reifenrath, TA, Parsons, KA, and King, DS. Effect of oral DHEA on serum testosterone and adaptations to resistance training in young men. *J Appl Physiol* 87:2274-2283, 1999.
10. Buford, TW, Kreider, RB, Stout, JR, Greenwood, M, Campbell, B, Spano, M, Ziegenfuss T, Lopez, H, Landis, J, Antonio, J. International society of sports nutrition position stand: Creatine supplementation and exercise. *J Int Soc Sports Nutr* 4:6, 2007.
11. Campbell, B, Kreider, RB, Ziegenfuss, T, La Bounty, P, Roberts, M, Burke, D, Landis, J, Lopez, H, and Antonio, J. International society of sports nutrition position stand: Protein and exercise. *J Int Soc Sports Nutr* 4:8, 2007.
12. Campbell, B, Roberts, M., Kerksick, C, Wilborn, C, Marcello, B, Taylor, L, Nassar, E, Leutholtz, B, Bowden, R, Rasmussen, C, Greenwood, M, and Kreider, R. Pharmacokinetics, safety, and effects on exercise performance of l-arginine alpha-ketoglutarate in trained adult men. *Nutrition* 22:872-881, 2006.
13. Candow, DG, Chilibeck, PD, Burke, DG, Davison, KS, and Smith-Palmer, T. Effect of glutamine supplementation combined with resistance training in young adults. *Eur J Appl Physiol* 86:142-149, 2001.
14. Castell, LM and Newsholme, EA. The effects of oral glutamine supplementation on athletes after prolonged, exhaustive exercise. *Nutrition* 13(7-8):738-742, 1997.
15. Chrusch, MJ, Chilibeck, PD, Chad, KE, Davison, KS, and Burke, DG. Creatine supplementation combined with resistance training in older men. *Med Sci Sports Exerc* 33(12):2111-2117, 2001.

16. Clarkson, PM. Nutritional ergogenic aids: Caffeine. *Int J Sport Nutr* 3:103-111, 1993.
17. Costill, DL, Dalsky, GP, and Fink, WJ. Effects of caffeine ingestion on metabolism and exercise performance. *Med Sci Sports* 10:155-158, 1978.
18. Cribb, PJ, Williams, AD, Carey, MF, and Hayes, A. The effect of whey isolate and resistance training on strength, body composition, and plasma glutamine. *Int J Sport Nutr Exerc Metab* 16(5):494-509, 2006.
19. Dangin, M, Boirie, Y, Garcia-Rodenas, C, Gachon, P, Fauquant, J, Callier, P, Balleve, O, and Beaufriere, B. The digestion rate of protein is an independent regulating factor of postprandial protein retention. *Am J Physiol Endocrinol Metab* 280(2):E340-348, 2001.
20. Demling, RH and DeSanti, L. Effect of a hypocaloric diet, increased protein intake and resistance training on lean mass gains and fat mass loss in overweight police officers. *Ann Nutr Metab* 44(1):21-29, 2000.
21. Driskell, J and Wolinsky, I. *Energy-Yielding Macronutrients and Energy Metabolism in Sports Nutrition*. Boca Raton, FL: CRC Press, 201, 2000.
22. Dunnett, M and Harris, RC. Influence of oral beta-alanine and L-histidine supplementation on the carnosine content of the gluteus medius. *Equine Vet J* 30:499-504, 1999.
23. Earnest, CP, Snell, PG, Rodriguez, R, Almada, AL, and Mitchell, TL. The effect of creatine monohydrate ingestion on anaerobic power indices, muscular strength and body composition. *Acta Physiol Scand* 153(2):207-209, 1995.
24. Eckerson, JM, Stout, JR, Moore, GA, Stone, NJ, Nishimura, K, and Tamura, K. Effect of two and five days of creatine loading on anaerobic working capacity in women. *J Strength Cond Res* 18:168-173, 2004.
25. Elam, RP, Hardin, DH, Sutton, RA, and Hagen, L. Effects of arginine and ornithine on strength, lean body mass and urinary hydroxyproline in adult males. *J Sport Med Phys Fit* 29:52-56, 1989.
26. Esmarck, B, Andersen, JL, Olsen, S, Richter, EA, Mizuno, M, and Kjaer, M. Timing of postexercise protein intake is important for muscle hypertrophy with resistance training in elderly humans. *J Physiol* 535(Pt1):301-311, 2001.
27. Falkoll, P, Sharp, R, Baier, S, Levenhagen, D, Carr, C, and Nissen, S. Effect of beta-hydroxy-beta-methylbutyrate, arginine, and lysine supplementation on strength, functionality, body composition, and protein metabolism in elderly women. *Nutrition* 20(5):445-451, 2004.
28. Forslund, AH, El-Khoury, AE, Olsson, RM, Sjodin, AM, Hambraeus, L, and Young, VR. Effect of protein intake and physical activity on 24-h pattern and rate of macronutrient utilization. *Am J Physiol Endocrinol Metab* 276(5Pt1):E964-E976, 1999.
29. Friedman, JE and Lemon, PW. Effect of chronic endurance exercise on retention of dietary protein. *Int J Sports Med* 10(2):118-123, 1989.
30. Gallagher, PM, Carrithers, JA, Godard, MP, Schulze, KE, and Trappe, SW. Beta-hydroxy-beta-methylbutyrate ingestion, part I: Effects on strength and fat free mass. *Med Sci Sports Exerc* 32(12):2109-2115, 2000a.
31. Gallagher, PM, Carrithers, JA, Godard, MP, Schulze, KE, and Trappe, SW. Beta-hydroxy-beta-methylbutyrate ingestion, part II: Effects on hematology, hepatic and renal function. *Med Sci Sports Exerc* 32(12):2116-2119, 2000b.
32. Gonzalez, AM, Walsh, AL, Ratamess, NA, Kang, J, and Hoffman, JR. Effect of a pre-workout energy supplement on acute multi-joint resistance exercise. *J Sport Sci Med* 10: 261-266, 2011.

33. Graham, TE and Spriet, LL. Performance and metabolic responses to a high caffeine dose during prolonged exercise. *J Appl Physiol* 71:2292-2298, 1991.
34. Greenwood, M, Farris, J, Kreider, R, Greenwood, L, and Byars, A. Creatine supplementation patterns and perceived effects in select Division I collegiate athletes. *Clin J Sport Med* 10(3):191-194, 2000.
35. Greenwood, M, Kalman, DS, and Antonio, J. *Nutritional Supplements in Sports and Exercise*. New York: Humana Press, 201, 2008.
36. Greenwood, M, Kreider, RB, Melton, C, Rasmussen, C, Lancaster, S, Cantler, E, Milnor, P, and Almada, A. Creatine supplementation during college football training does not increase the incidence of cramping or injury. *Mol Cell Biochem* 244:83-88, 2003.
37. Harris, RC, Hill, CA, Kim, HJ, Boobis, L, Sale, C., Harris, DB, and Wise, JA. Beta-alanine supplementation for 10 weeks significantly increased muscle carnosine levels. *FASEB J* 19:A1125, 2005.
38. Harris, RC, Tallon, MJ, Dunnett, M, Boobis, L, Coakley, J, Kim, HJ, Fallowfield, JL, Hill, CA, Sale, C, and Wise, JA. The absorption of orally supplied β -alanine and its effect on muscle carnosine synthesis in human vastus lateralis. *Amino Acids* 30(3):279-289, 2006.
39. Heymsfield, SB, Arteaga, C, McManus, C, Smith, J, and Moffitt, S. Measurement of muscle mass in humans: Validity of the 24-hour urinary creatinine method. *Am J Clin Nutr* 37(3):478-494, 1983.
40. Hirvonen, J, Rehunen, S, Rusko, H, and Harkonen, M. Breakdown of high-energy phosphate compounds and lactate accumulation during short supramaximal exercise. *Eur J Appl Physiol* 56(3):253-259, 1987.
41. Hoffman, JR, Cooper, J, Wendell, M, Im, J, and Kang, J. Effects of b-hydroxy-b-methylbutyrate on power performance and indices of muscle damage and stress during high intensity training. *J Strength Cond Res* 18(94):745-752, 2004.
42. Hoffman, JR, Ratamess, NA, Faigenbaum, AD, Ross, R, Kang, J, Stout, JR, and Wise, JA. Short duration beta-alanine supplementation increases training volume and reduces subject feelings of fatigue in college football players. *Nutr Res* 28(1):31-35, 2008a.
43. Hoffman, J, Ratamess, N, Kang, J, Mangine, G, Faigenbaum, A, and Stout, J. Effect of creatine and beta-alanine supplementation on performance and endocrine responses in strength/power athletes. *Int J Sport Nutr Exerc Metab* 16(4):430-446, 2006.
44. Hoffman, J, Ratamess, NA, Ross, R, Kang, J, Magrelli, J, Neese, K, Faigenbaum, AD, and Wise, JA. Beta-alanine and the hormonal response to exercise. *Int J Sports Med* 29(12):952-958, 2008b.
45. Hoffman, JR, and Stout, JR. Performance enhancing supplements. In *Essentials of Strength Training and Conditioning*. Baechle, TR, Earle, RW, eds. Champaign, IL: Human Kinetics, 180, 2008.
46. Jackman, SR, Wiltard, OC, Philp, A, Wallis, GA, Baar, K, and Tipton, KD. Branched-chain amino acid ingestion stimulates muscle myofibrillar protein synthesis following resistance exercise in humans. *Front Physiol* 8:390, 2017.
47. Jagim, AR, Harty, PS, and Camic, CL. Common Ingredient Profiles of Multi-Ingredient Pre-Workout Supplements. *Nutrients* 11(2):E254, 2019.
48. Jones, AM, Atter, T, and Georg, KP. Oral creatine supplementation improves multiple sprint

- performance in elite ice-hockey players. *J Sport Med Phys Fit* 39(3):189-196, 1999.
49. Joyner, MJ. Over-the-counter supplements and strength training. *Exerc Sport Sci Rev* 28:2-3, 2000.
 50. Kendrick, IP, Harris, RC, Kim, HJ, Kim, CK, Dang, VH, Lam, TQ, Bui, TT, Smith, M, and Wise, JA. The effects of 10 weeks of resistance training combined with beta-alanine supplementation on whole body strength, force production, muscular endurance and body composition. *Amino Acids* 34(4):547-554, 2008.
 51. Kendall, KL, Moon, JR, Fairman, CM, Spradley, BD, Tai, CY, Falcone, PH, Carson, LR, Mosman, MM, Joy, JM, Kim, MP, Serrano, ER, and Esposito, EN. Ingesting a preworkout supplement containing caffeine, creatine, beta-alanine, amino acids, and B vitamins for 28 days is both safe and efficacious in recreationally active men. *Nutr Res* 34:442-449, 2014.
 52. Kerkick, CM, Rasmussen, CJ, Lancaster, SL, Magu, B, Smith, P, Melton, C, Greenwood, M, Almada, AL, Earnest, CP, and Kreider, RB. The effects of protein and amino acid supplementation on performance and training adaptations during ten weeks of resistance training. *J Strength Cond Res* 20(3):643-653, 2006.
 53. King, DS, Sharp, RL, Vukovich, MD, Brown, GA, Reifenrath, TA, Uhl, NL, and Parsons, KA. Effect of oral androstenedione on serum testosterone and adaptations to resistance training in young men: A randomized controlled trial. *JAMA* 281:2020-2028, 1999.
 54. Kirksey, KB, Stone, MH, Warren, BJ, Johnson, RL, Stone, M, Haff, GG, Williams, FE, and Proulx, C. The effects of 6 weeks of creatine monohydrate supplementation on performance measures and body composition in collegiate track and field athletes. *J Strength Cond Res* 13:148, 1999.
 55. Knitter, AE, Panton, L, Rathmacher, JA, Petersen, A, and Sharp, R. Effects of beta-hydroxy-beta-methylbutyrate on muscle damage after a prolonged run. *J Appl Physiol* 89(4):1340-1344, 2000.
 56. Kouw, IW, Holwerda, AM, Trommelen, J, Kramer, IF, Bastiaanse, J, Halson, SL, Wodzig, WK, Verdijk, LB, and van Loon, LJ. Protein ingestion before sleep increases overnight muscle protein synthesis rates in healthy older men: A randomized controlled trial. *J Nutr* 147(12):2252-2261, 2017.
 57. Kreider, RB. Effects of creatine supplementation on performance and training adaptations. *Mol Cell Biochem* 244(1-2):89-94, 2003a.
 58. Kreider, RB. Species-specific responses to creatine supplementation. *Am J Physiol* 285(4):R725-R726, 2003b.
 59. Kreider, RB, Ferreira, M, Wilson, M, and Almada, AL. Effects of calcium beta-hydroxy-beta-methylbutyrate (HMB) supplementation during resistance-training on markers of catabolism, body composition and strength. *Int J Sports Med* 20(8):503-9, 1999.
 60. Kreider, RB, Ferreira, M, Wilson, M, Grindstaff, P, Plisk, S, Reinardy, J, Cantler, E, and Almada, AL. Effects of creatine supplementation on body composition, strength, and sprint performance. *Med Sci Sports Exerc* 30(1):73-82, 1998.
 61. Kreider, RB, Klesges, R, Harmon, K, Grindstaff, P, Ramsey, L, Bullen, D, Wood, L, Li Y, and Almada, A. Effects of ingesting supplements designed to promote lean tissue accretion on body composition during resistance training. *Int J Sport Nutr* 6(3):234-246, 1996.
 62. Kreider, RB, Leutholtz, BC, and Greenwood, M. Creatine. In *Nutritional Ergogenic Aids*. Wolinsky, I, Driskel, J, eds. Boca Raton, FL: CRC Press, 81-104, 2004.

63. Kreider, RB, Melton, C, Rasmussen, CJ, Greenwood, M, Lancaster, S, Cantler, EC, Milnor, P, and Almada, AL. Long-term creatine supplementation does not significantly affect clinical markers of health in athletes. *Mol Cell Biochem* 244:95-104, 2003.
64. Lamont, LS, Patel, DG, and Kalhan, SC. Leucine kinetics in endurance-trained humans. *J Appl Physiol* 69(1):1-6, 1990.
65. Lemon, PW. Protein and amino acid needs of the strength athlete. *Int J Sport Nutr* 1(2):127-145, 1991.
66. Lemon, PW. Effects of exercise on dietary protein requirements. *Int J Sport Nutr* 8(4):426-447, 1998.
67. Lemon, PW, Tarnopolsky, MA, MacDougall, JD, and Atkinson, SA. Protein requirements and muscle mass/strength changes during intensive training in novice bodybuilders. *J Appl Physiol* 73(2):767-775, 1992.
68. Meredith, CN, Zackin MJ, Frontera WR, and Evans WJ. Dietary protein requirements and body protein metabolism in endurance-trained men. *J Appl Physiol* 66(6):2850-2856, 1989.
69. Mero, AA, Keskinen, KL, Malvela, MT, and Sallinen, JM. Combined creatine and sodium bicarbonate supplementation enhances interval swimming. *J Strength Cond Res* 18(2):306-310, 2004.
70. Mujika, I, Padilla, S, Ibanez, J, Izquierdo, M, and Gorostiaga, E. 2000. Creatine supplementation and sprint performance in soccer players. *Med Sci Sports Exerc* 32(2):518-525, 2000.
71. Nissen, S, Faidley, TD, Zimmerman, DR, Izard, R, and Fisher, CT. Colostral milk fat percentage and pig performance are enhanced by feeding the leucine metabolite beta-hydroxy-beta-methyl butyrate to sows. *J Anim Sci* 72(9):2331-2337, 1994.
72. Nissen, SL and Sharp, RL. Effect of dietary supplements on lean mass and strength gains with resistance exercise: A meta-analysis. *J Appl Physiol* 94:651-659, 2003.
73. Nissen, S, Sharp, R, Ray, M, Rathmacher, JA, Rice, D, Fuller, Jr. JC, Connelly, AS, and Abumrad, N. Effect of leucine metabolite beta-hydroxy-beta-methylbutyrate on muscle metabolism during resistance-exercise training. *J Appl Physiol* 81(5):2095-2104, 1996.
74. Noonan, D, Berg, K, Latin, RW, Wagner, JC, and Reimers, K. Effects of varying dosages of oral creatine relative to fat free body mass on strength and body composition. *J Strength Cond Res* 12:104, 1998.
75. O'Connor, DM, and Crowe, MJ. Effects of beta-hydroxy-beta-methylbutyrate and creatine monohydrate supplementation on the aerobic and anaerobic capacity of highly trained athletes. *J Sport Med Phys Fit* 43:64-68, 2003.
76. Ormsbee, MJ, Mandler, WK, Thomas, DD, Ward, EG, Kinsey, AW, Simonavice, E, Pantoni, LB, and Kim, JS. The effects of six weeks of supplementation with multi-ingredient performance supplements and resistance training on anabolic hormones, body composition, strength, and power in resistance-trained men. *J Int Soc Sports Nutr* 9:49, 2012.
77. Ormsbee, MJ, Thomas, DD, Mandler, WK, Ward, EG, Kinsey, AW, Pantoni, LB, Scheett, TP, Hooshmand, S, Simonavice, E, and Kim, JS. The effects of pre- and post-exercise consumption of multi-ingredient performance supplements on cardiovascular health and body fat in trained men after six weeks of resistance training: A stratified, randomized, double-blind study. *Nutr Metab* 10:39, 2013.
78. Ostojic, SM. Creatine supplementation in young soccer players. *Int J Sport Nutr Exerc Metab*

- 14(1):95-103, 2004.
79. Peeters, B, Lantz, C, and Mayhew, J. Effects of oral creatine monohydrate and creatine phosphate supplementation on maximal strength indices, body composition, and blood pressure. *J Strength Cond Res* 13:3, 1999.
 80. Peterson, AL, Qureshi, MA, Ferket, PR, and Fuller, Jr. JC. Enhancement of cellular and humoral immunity in young broilers by the dietary supplementation of beta-hydroxy-beta-methylbutyrate. *Immunopharmacol Immunotoxicol* 21(2):307-330, 1999a.
 81. Peterson, AL, Qureshi MA, Ferket PR, and Fuller Jr. JC. In vitro exposure with beta-hydroxy-beta-methylbutyrate enhances chicken macrophage growth and function. *Vet Immunol Immunopathol* 67(1):67-78, 1999b.
 82. Phillips, SM, Atkinson, SA, Tarnopolsky, MA, and MacDougall, JD. Gender differences in leucine kinetics and nitrogen balance in endurance athletes. *J Appl Physiol* 75(5):2134-2141, 1993.
 83. Phillips, SM, Tipton, KD, Aarsland, A, Wolf, SE, and Wolfe, RR. Mixed muscle protein synthesis and breakdown after resistance exercise in humans. *Am J Physiol* 273(1Pt1):E99-E107, 1997.
 84. Phillips, S, Tipton, K, Ferrando, A, and Wolfe, R. Resistance training reduces the acute exercise-induced increase in muscle protein turnover. *Am J Physiol* 276(1Pt1):E118-E124, 1999.
 85. Preen, D, Dawson, B, Goodman, C, Lawrence, S, Beilby, J, and Ching, S. Effect of creatine loading on long-term sprint exercise performance and metabolism. *Med Sci Sports Exerc* 33(5):814-821, 2001.
 86. Rasmussen, BB, Volpi, E, Gore, DC, and Wolfe, RR. Androstenedione does not stimulate muscle protein anabolism in young healthy men. *J Clin Endocrinol Metab* 85:55-59, 2000.
 87. Rawson, E and Persky, AM. Mechanisms of muscular adaptations to creatine supplementation: Review article. *Int J Sports Med* 8(2):43-53, 2007.
 88. Rennie, MJ, Wackerhage, H, Spangenburg, EE, and Booth, FW. Control of the size of the human muscle mass. *Annu Rev Physiol* 66:799-828, 2004.
 89. Rohle, D, Wilborn, C, Taylor, L, Mulligan, C, Kreider, R, and Willoughby, D. Effects of eight weeks of an alleged aromatase inhibiting nutritional supplement 6-OXO (androst-4-ene-3,6,17-trione) on serum hormone profiles and clinical safety markers in resistance-trained, eugonadal males. *J Int Soc Sports Nutr* 19(4):13, 2007.
 90. Sale, C, Hill, CA, Ponte, J, and Harris, RC. B-alanine supplementation improves isometric endurance of the knee extensor muscles. *J Int Soc Sports Nutr* 9:26, 2012.
 91. Shimomura, Y, Inaguma, A, Watanabe, S, Yamamoto, Y, Muramatsu, Y, Bajotto, G, Sato, J, Shimomura, N, Kobayashi, H, and Mawatari, K. Branched-chain amino acid supplementation before squat exercise and delayed-onset muscle soreness. *Int J Sport Nutr Exerc Metab* 20(3):236-244, 2010.
 92. Skare, OC, Skadberg, and Wisnes, AR. 2001. Creatine supplementation improves sprint performance in male sprinters. *Scand J Med Sci Sports* 11(2):96-102.
 93. Slater, G, Jenkins, D, Logan, P, Lee, H, Vukovich, M, Rathmacher, JA, and Hahn, AG. Beta-hydroxy-beta-methylbutyrate (HMB) supplementation does not affect changes in strength or body composition during resistance training in trained men. *Int J Sport Nutr Exerc Metab* 11(3):384-396, 2001.

94. Smith, AE, Fukuda, DH, Kendall, KL, and Stout, JR. The effects of a pre-workout supplement containing caffeine, creatine, and amino acids during three weeks of high-intensity exercise on aerobic and anaerobic performance. *J Int Soc Sports Nutr* 7:10, 2010.
95. Spillane, M, Schwarz, N, Leddy, S, Correa, T, Minter, M, Longoria, V, and Willoughby DS. Effects of 28 days of resistance exercise while consuming commercially available pre- and post-workout supplements, NO-Shotgun(R) and NO-Synthesize(R) on body composition, muscle strength and mass, markers of protein synthesis, and clinical safety markers in males. *Nutr Metab* 8:78, 2011.
96. Spradley, BD, Crowley, KR, Tai, CY, Kendall, KL, Fukuda, DH, Esposito, EN, Moon, SE, and Moon, JR. Ingesting a pre-workout supplement containing caffeine, B-vitamins, amino acids, creatine, and beta-alanine before exercise delays fatigue while improving reaction time and muscular endurance. *Nutr Metab* 9:28, 2012.
97. Stone, MH, Sanborn, K., Smith, LL, O'Bryant, HS, Hoke, T, Utter, AC, Johnson, RL, Boros, R, Hruby, J, Pierce KC, Stone, ME, and Garner, B. Effects of in-season (5 weeks) creatine and pyruvate supplementation on anaerobic performance and body composition in American football players. *Int J Sport Nutr* 9(2):146-165, 1999.
98. Stout, JR, Cramer, JT, Mielke, M, O'Kroy, J, Torok, DJ, and Zoeller, RF. Effects of twenty-eight days of beta-alanine and creatine monohydrate supplementation on the physical working capacity at neuromuscular fatigue threshold. *J Strength Cond Res* 20(4):928-931, 2006.
99. Stout, J, Eckerson, J, Ebersole, K, Moore, G, Perry, S, Housh, T, Bull, A, Cramer, J, and Batheja, A. Effect of creatine loading on neuromuscular fatigue threshold. *J Appl Physiol* 88(1):109-112, 2000.
100. Stout, JR, Eckerson, J, and Noonan, D. Effects of 8 weeks of creatine supplementation on exercise performance and fat-free weight in football players during training. *Nutr Res* 19:217, 1999.
101. Stout, JR, Graves, BS, Smith, AE, Hartman, MJ, Cramer, JT, Beck, TW, and Harris, RC. The effect of beta-alanine supplementation on neuromuscular fatigue in elderly (55-92 years): A double-blind randomized study. *J Int Soc Sports Nutr* 5:21, 2008.
102. Tarnopolsky, M. Protein requirements for endurance athletes. *Nutrition* 20(78):662-668, 2004.
103. Tarnopolsky, MA, Atkinson, SA, MacDougall, JD, Chesley, A, Phillips, S, and Schwarcz, HP. Evaluation of protein requirements for trained strength athletes. *J Appl Physiol* 73(5):1986-1995, 1992.
104. Tarnopolsky, MA. and MacLennan DP. Creatine monohydrate supplementation enhances high-intensity exercise performance in males and females. *Int J Sport Nutr Exerc Metab* 10(4):452-463, 2000.
105. Teixeira, FJ, Matias, CN, Monteiro, CP, Valamatos, MJ, Reis, JF, Tavares, F, Batista, A, Domingos, C, Alves, F, Sardinha, LB, and Phillips, SM. Leucine metabolites do not enhance training-induced performance or muscle thickness. *Med Sci Sports Exerc* 51(1):56-64, 2019.
106. Theodorou, AS, Cooke, CB, King, RF, Hood, C, Denison, T, Wainwright, B, and Havenetidis, K. The effect of longer-term creatine supplementation on elite swimming performance after an acute creatine loading. *J Sports Sci* 17(11):853-859, 1999.
107. Tipton, KD, Elliot, TA, Cree, MG, Wolf, SE, Sanford, AP, and Wolf, RR. Ingestion of casein and whey proteins result in muscle anabolism after resistance exercise. *Med Sci Sports Exerc* 36(12):2073-2081, 2004.

108. Tipton, KD, Ferrando AA, Phillips SM, Doyle, Jr. D, and Wolfe, RR. Postexercise net protein synthesis in human muscle from orally administered amino acids. *Am J Physiol* 276(4Pt1):E628-E634, 1999.
109. Vandenberghe, K, Goris, M, Van Hecke, P, Van Leemputte, M, Vangerven, L, and Hespel, P. Long-term creatine intake is beneficial to muscle performance during resistance training. *J Appl Physiol* 83(6):2055-2063, 1997.
110. van Gammeren, D, Falk, D, and Antonio, J. Effects of norandrostenedione and norandrostenediol in resistance-trained men. *Nutrition* 18:734-737, 2002.
111. Van Koevering, MT, Dolezal, HG, Gill, DR, Owens, FN, Strasia, CA, Buchanan, DS, Lake, R, and Nissen, S. Effects of beta-hydroxy-beta-methyl butyrate on performance and carcass quality of feedlot steers. *J Anim Sci* 72(8):1927-1935, 1994.
112. van Loon, LJ, Oosterlaar, AM, Hartgens, F, Hesselink, MK, Snow, RJ, and Wagenmakers, AJ. Effects of creatine loading and prolonged creatine supplementation on body composition, fuel selection, sprint and endurance performance in humans. *Clin Sci* 104(2):153-162, 2003.
113. van Someren, KA, Edwards, AJ, and Howatson, G. The effects of HMB supplementation on indices of exercise induced muscle damage in man. *Med Sci Sports Exerc* 35(5):270, 2003.
114. van Someren, KA, Edwards, AJ, and Howatson, G. Supplementation with beta-hydroxy-beta-methylbutyrate (HMB) and alpha-ketoisocaproic acid (KIC) reduces signs and symptoms of exercise-induced muscle damage in man. *Int J Sport Nutr Exerc Metab* 15(4):413-424, 2005.
115. Villareal, DT, and Holloszy, JO. DHEA enhances effects of weight training on muscle mass and strength in elderly women and men. *Am J Physiol Endocrinol Metab* 291:E1003-1008, 2006.
116. Volek, JS, Duncan, ND, Mazzetti, SA, Staron, RS, Putukian, M, Gomez, AL, Pearson, DR, Fink, WJ, and Kraemer, WJ. Performance and muscle fiber adaptations to creatine supplementation and heavy resistance training. *Med Sci Sports Exerc* 3(8):1147-1156, 1999.
117. Volek, JS, Kraemer, WJ, Bush, JA, Boetes, M, Incledon, T, Clark, KL, and Lynch, JM. Creatine supplementation enhances muscular performance during high-intensity resistance exercise. *J Am Diet Assoc* 97(7):765-770, 1997.
118. Vukovich, MD, Stubbs, NB, and Bohlken, RM. Body composition in 70-year-old adults responds to dietary beta-hydroxy-beta-methylbutyrate similarly to that of young adults. *J Nutr* 131(7):2049-2052, 2001.
119. Wagenmakers, AJ. Tracers to investigate protein and amino acid metabolism in human subjects. *P Nutr Soc* 58(4):987-1000, 1999.
120. Wallace, MB, Lim, J, Cutler, A, and Bucci, L. Effects of dehydroepiandrosterone vs androstenedione supplementation in men. *Med Sci Sports Exerc* 31:1788-1792, 1999.
121. Walsh, AL, Gonzalez, AM, Ratamess, NA, Kang, J, and Hoffman, JR. Improved time to exhaustion following ingestion of the energy drink Amino Impact. *J Int Soc Sports Nutr* 7:14, 2010.
122. Wang, CC, Yang, MT, Lu, KH, and Chan, KH. The effects of creatine supplementation on explosive performance and optimal individual postactivation potentiation time. *Nutrients* 8(3):143, 2016.
123. Wang, CC, Lin, SC, Hsu, SC, Yang, MT, and Chan, KH. The effects of creatine supplementation on muscle strength and optimal individual post-activation potentiation time of the upper body in canoeists. *Nutrients* 9(11):1169, 2017.

124. Welbourne, TC. Increased plasma bicarbonate and growth hormone after an oral glutamine load. *Am J Clin Nutr* 61:1058-1061, 1995.
125. Willoughby, DS, and Rosene, J. Effects of oral creatine and resistance training on myosin heavy chain expression. *Med Sci Sports Exerc* 33(10):1674-1681, 2001.
126. Willoughby, DS, Stout, JR, and Wilborn, CD. Effects of resistance training and protein plus amino acid supplementation on muscle anabolism, mass, and strength. *Amino Acids* 32(4):467-477, 2007.
127. Willoughby, DS, Wilborn, C., Taylor, L., and Campbell, B. Eight weeks of aromatase inhibition using the nutritional supplement Novedex XT: Effects in young, eugonadal men. *Int J Sport Nutr Exerc Metab* 17:92-108, 2007.
128. Wiroth, JB, Bermon, S, Andrei, S, Dalloz, E, Hebuterne, X, and Dolisi, C. Effects of oral creatine supplementation on maximal pedalling performance in older adults. *Eur J Appl Physiol* 84(6):533-539, 2001.
129. Zoeller, RF, Stout, JR, O'Kroy, JA, Torok, DJ, and Mielke, M. Effects of 28 days of beta-alanine and creatine monohydrate supplementation on aerobic power, ventilatory and lactate thresholds, and time to exhaustion. *Amino Acids* 33(3):505-510, 2007.

Chapter 9

1. American College of Sports Medicine, American Dietetic Association, and Dietitians of Canada. Joint position statement: Nutrition and athletic performance. *Med Sci Sports Exerc* 48(3):543-568, 2016.
2. Astorino, TA and Roberson, DW. Efficacy of acute caffeine ingestion for short-term high-intensity exercise performance: A systematic review. *J Strength Cond Res* 24(1):257-265, 2010.
3. Aulin, KP, Soderlund, K, and Hultman, F. Muscle glycogen resynthesis rate in humans after supplementation of drinks containing carbohydrates with low and high molecular masses. *Eur J of Appl Physiol* 81:346-351, 2000.
4. Baker, LB, Munce, TA, and Kenney, WL. Sex differences in voluntary fluid intake by older adults during exercise. *Med Sci Sports Exerc* 37:789-796, 2005.
5. Banister, EW, Allen, ME, Mekjavic, IB, Singh, AK, Legge, B, and Mutch, BJC. The time course of ammonia and lactate accumulation in blood during bicycle exercise. *Eur J Appl Physiol* 51:195-202, 1983.
6. Bassit, RA, Sawada, LA, Bacarau, RFP, Navarro, F, and Costa Rosa, LFBP. The effect of BCAA supplementation upon the immune response of triathletes. *Med Sci Sports Exerc* 32:1214-1219, 2000.
7. Bell, DG and McLellan, TM. Effect of repeated caffeine ingestion on repeated exhaustive exercise aerobic endurance. *Med Sci Sports Exerc* 35(8):1348-1354, 2003.
8. Berardi, JM, Price, TB, Noreen, EE, Lemon, PW. Postexercise muscle glycogen recovery enhanced with a carbohydrate-protein supplement. *Med Sci Sports Exerc* 38(60):1106-1113, 2006.
9. Bernadot, D. *Advanced Sports Nutrition*. Champaign, IL: Human Kinetics, 1-341, 2006.
10. Betts, JA, Williams, C, Boobis, L, and Tsintzas, K. Increased carbohydrate oxidation after ingesting carbohydrate with added protein. *Med Sci Sports Exerc* 40(5):903-912, 2008.
11. Blomstrand, E, Celsing, E, and Newsholme, EA. Changes in plasma concentrations of aromatic and branched-chain amino acids during sustained exercise in man and their possible role in fatigue. *Acta Physiol* 133(1):115-121, 1988.
12. Blomstrand, E, Hassmen, P, Ek, S, Ekblom, B, and Newsholme, EA. Influence of ingesting a solution of branched-chain amino acids on perceived exertion during exercise. *Acta Physiol* 159(1):41-49, 1997.
13. Blomstrand, E, Hassmen, P, Ekblom, B, and Newsholme, EA. Administration of branched-chain amino acids during sustained exercise; effect on performance and on plasma concentration of some amino acids. *Eur J Appl Physiol* 63:83-88, 1991.
14. Brouns, F. Heat-sweat-dehydration-rehydration: A praxis oriented approach. *J Sports Sci* 9:143-152, 1991.
15. Burke, L. Caffeine and sports performance. *Appl Physiol Nutr Metab* 33(6):1319-34, 2008.
16. Butterfield, GE and Calloway, DH. Physical activity improves protein utilization in young men. *Brit J Nutr* 51:171-184, 1984.
17. Carr, AJ, Hopkins WG, and Gore, CJ. Effects of acute alkalosis and acidosis on performance: A meta-analysis. *Sports Med* 41(10):801-814, 2011.

18. Carli, G, Bonifazi, M, Lodi, L, Lupo, C, Martelli, G, and Viti, A. Changes in the exercise-induced hormone response to branched chain amino acid administration. *Eur J Appl Physiol Occup Physiol* 64:272-277, 1992.
19. Castell, LM. Glutamine supplementation in vitro and vivo, in exercise and in immunodepression. *Sports Med* 33:323-345, 2003.
20. Costill, DL, Dalsky, GP, and Fink, WJ. Effects of caffeine ingestion on metabolism and exercise performance. *Med Sci Sports* 10:155-158, 1978.
21. Coombes, JS and McNaughton, LR. Effects of branched-chain amino acid supplementation on serum creatine kinase and lactate dehydrogenase after prolonged exercise. *J Sport Med Phys Fit* 40:240-246, 2000.
22. Cureton, KJ, Warren, GL, Millard-Stafford, ML, Wingo, JE, Trilk, J, and Buyckx, J. Caffeinated sports drink: Ergogenic effects and possible mechanisms. *Int J Sport Nutr Exerc Metab* 17:35-55, 2007.
23. Currell, K and Jeukendrup, AE. Superior aerobic endurance performance with ingestion of multiple transportable carbohydrates. *Med Sci Sports Exerc* 40(2):275-281, 2008.
24. Demura, S, Yamada, T, and Terasawa, N. Effect of coffee ingestion on physiological responses and ratings of perceived exertion during submaximal aerobic endurance exercise. *Percept Mot Ski* 105(3 Pt 2):1109-1116, 2007.
25. Doherty, M and Smith, PM. Effects of caffeine ingestion on exercise testing: A meta-analysis. *Int J Sport Nutr Exerc Metab* 14(6):626-646, 2004.
26. Dunford, M. *Sports Nutrition: A Practice Manual for Professionals*. 4th ed. American Dietetic Association. Chicago, IL, 445-459, 2006.
27. Fredholm, B, Battig, K, Holmen, J, Nehlig, A, and Zwartau, EE. Actions of caffeine in the brain with special reference to factors that contribute to its widespread use. *Pharmacol Rev* 51(1):83-133, 1999.
28. Gleeson, M. Interrelationship between physical activity and branched-chain amino acids. *J Nutr* 135:1591S-1595S, 2005.
29. Gleeson, M. Dosing and efficacy of glutamine supplementation in human exercise and sport training. *J Nutr* 138:2045-2049, 2008.
30. Goodpaster, BH, Costill, DL, Fink, WJ, Trappe, TA, Jozi, AC, Starling, RD, and Trappe, SW. The effects of pre-exercise starch ingestion on aerobic endurance performance. *Int J Sports Med* 17(5):366-372, 1996.
31. Graham, TE. Caffeine and exercise: Metabolism, aerobic endurance and performance. *Sports Med* 31:785-807, 2001
32. Graham, TE and Spriet, LL. Caffeine and exercise performance. *Gatorade Sports Science Exchange* 9(1):1-5, 1996.
33. Green, MS, Corona, BT, Doyle, JA, and Ingalls, CP. Carbohydrate-protein drinks do not enhance recovery from exercise-induced muscle injury. *Int J Sport Nutr Exerc Metab* 18: 1-18, 2008.
34. Greer, BK, Woodard, JL, White, JP, Arguello, EM, and Haymes, EM. Branched-chain amino acid supplementation and indicators of muscle damage after aerobic endurance exercise. *Int J Sport Nutr Exerc Metab* 17:595-607, 2007.
35. Halton, TL and Hu, FB. The effects of high protein diets on thermogenesis, satiety and weight loss: A critical review. *J Am Coll Nutr* 23(5):373-385, 2004.

36. Hargreaves, M. Muscle glycogen and metabolic regulation. *P Nutr Soc* 63(2):217-220, 2004.
37. Hassmen, P, Blomstrand, E, Ekblom, B, and Newsholme, EA. Branched-chain amino acid supplementation during 30-km competitive run: Mood and cognitive performance. *Nutr J* 10(5):405-410, 1994.
38. Hawley, JA and Reilly, T. Fatigue revisited. *J Sports Sci* 15:245-246, 1997.
39. Hearn, MA, Hammond, KM, Fell, JM, and Morton, JP. Regulation of muscle glycogen metabolism during exercise: Implications for endurance performance and training adaptations. *Nutrients* 10(3):298, 2018.
40. Heibel, AB, Perim, PHL, Oliveira, LF, McNaughton, LR, and Saunders, B. Time to optimize supplementation: Modifying factors influencing the individual responses to extracellular buffering agents. *Front Nutr* 5:35, 2018.
41. Hobson, RM, Harris, RC, Martin, D, Smith, P, Macklin, B, Elliot-Sale, KJ, and Sale, C. Effect of sodium bicarbonate supplementation on 2000-m rowing performance. *Int J Sports Physiol Perform* 9:139-144, 2014.
42. Hoffman, JR, Kang, J, Ratamess, NA, Jennings, PF, Mangine, GT, and Faigenbaum, AD. Effect of nutritionally enriched coffee consumption on aerobic and anaerobic exercise performance. *J Strength Cond Res* 21(2):456-459, 2007.
43. Jafari, H, Barrett, R, and Emhoff, CW. Effects of branched-chain amino acid supplementation on exercise performance and recovery in highly endurance-trained athletes. *FASEB J* 30:1 lb683, 2016.
44. Jentjens, RL, Achten, J, and Jeukendrup, AE. High oxidation rates from combined carbohydrates ingested during exercise. *Med Sci Sports Exerc* 36:1551-1558, 2004.
45. Jeukendrup, A and Gleeson, M. *Sports Nutrition: An Introduction to Energy Production and Performance*. Champaign, IL: Human Kinetics, 204-205, 2004.
46. Johannsen, NM and Sharp, RL. Effect of preexercise ingestion of modified cornstarch on substrate oxidation during aerobic endurance exercise. *Int J Sport Nutr Exerc Metab* 17(3):232-243, 2007.
47. Jozsi, AC, Trappe, TA, Starling, RD, Goodpaster, BH, Trappe, SW, Fink, WJ, and Costill, DL. The influence of starch structure on glycogen resynthesis and subsequent cycling performance. *Int J Sports Med* 17(5):373-378, 1996.
48. Kiens, B, Raben, AB, Valeur, AK, and Richter, EA. Benefit of dietary simple carbohydrates on the early post-exercise muscle glycogen repletion in male athletes. *Med Sci Sports Exerc* 22:S88, 1990.
49. Killer, SC, Blannin, AK, and Jeukendrup, AE. No evidence of dehydration with moderate daily coffee intake: A counterbalanced cross-over study in a free-living population. *PLoS One* 9(1):e84154, 2014.
50. Knuiman P, Hopman, MTE, Verbruggen, C, and Mensink, M. Protein and the adaptive response with endurance training: Wishful thinking or a competitive edge? *Front Physiol* 2018;9:598, 2018.
51. Koopman, R, Pannemans, DLE, Jeukendrup, AE, Gijsen, AP, Senden, JMG, Halliday, D, Saris, WH, van Loon, LJ, and Wagenmakers, AJ. Combined ingestion of protein and carbohydrate improves protein balance during ultra-aerobic endurance exercise. *Am J Physiol Endoc M* 287:E712-E720, 2004.

52. Lamont, LS, McCullough, AJ, and Kalhan, SC. Comparison of leucine kinetics in aerobic endurance-trained and sedentary humans. *J Appl Physiol* 86:320-325, 1999.
53. Latner, JD and Schwartz, M. The effects of a high-carbohydrate, high-protein or balanced lunch upon later food intake and hunger ratings. *Appetite* 33(1):119-128, 1999.
54. Leiper, JB, Aulin, KP, and Soderlund, K. Improved gastric emptying rate in humans of a unique glucose polymer with gel-forming properties. *Scand J Gastroenterol* 35:1143-1149, 2000.
55. Lemon, PW. Effects of exercise on dietary protein requirements. *Int J Sport Nutr* 8:426-447, 1998.
56. Lemon, PW and Proctor, DN. Protein intake and athletic performance. *Sports Med* 12: 313-325, 1991.
57. Luden, ND, Saunders, MJ, and Todd, MK. Postexercise carbohydrate-protein-antioxidant ingestion decreases plasma creatine kinase and muscle soreness. *Int J Sport Nutr Exerc Metab* 17:109-123, 2007.
58. Maughan, RJ. Fluid and electrolyte loss and replacement in exercise. *J Sports Sci* 9:117-142, 1991.
59. Maughan, RJ and Murray, R. Gastric emptying and intestinal absorption of fluids, carbohydrates, and electrolytes. In *Sports Drinks: Basic Science and Practical Aspects*. New York: CRC Press, 1-279, 2001.
60. McLellan, TM, Bell, GD, and Kamimori, GH. Caffeine improves physical performance during 24 h of active wakefulness. *Aerosp Med Hum Perform* 75(8):666-672, 2004.
61. McNaughton, LR, Siegler, J, and Midgley, A. Ergogenic effects of sodium bicarbonate. *Curr Sports Med Rep* 7:230-236, 2008.
62. Millard-Stafford, ML, Cureton, KJ, Wingo, JE, Trilk, J, Warren, GJ, and Buyckx, M. Hydration during exercise in warm, humid conditions: Effect of a caffeinated sports drink. *Int J Sport Nutr Exerc Metab* 17:163-177, 2007.
63. Morgan, RM, Patterson, MJ, and Nimmo, MA. Acute effects of dehydration on sweat composition in men during prolonged exercise in the heat. *Acta Physiol* 182(1):37-43, 2004.
64. Murray, R and Kenney, WL. Sodium balance and exercise. *Curr Sport Med Rep* 7(4):S1-S2, 2008.
65. National Collegiate Athletic Association. *2009-10 NCAA banned drugs*. June 10, 2009.
66. Newell, ML, Wallis, GA, Hunter, AM, Tipton, KD, and Galloway, SDR. Metabolic responses to carbohydrate ingestion during exercise: Associations between carbohydrate dose and endurance performance. *Nutrients* 10(1):37, 2018.
67. Newsholme, EA and Blomstrand, E. Branched-chain amino acids and central fatigue. *J Nutr* 136:1 274S-276S, 2006.
68. Nieman, DC. Influence of carbohydrate on the immune response to intensive, prolonged exercise. *Exerc Immunol Rev* 4:64-76, 1998.
69. Noakes, TD. Fluid replacement during exercise. In *Exercise and Sport Sciences Reviews*. Holloszy, JO, ed. Baltimore: Williams & Wilkins, 297-330, 1993.
70. Ohtani, M, Sugita, M, and Maryuma, K. Amino acid mixture improves training efficiency in athletes. *J Nutr* 136:538S-543S, 2006.
71. Otukonyong, EE and Oyebola, DD. Electrolyte loss during exercise in apparently healthy

- Nigerians. *Cent Afr J Med* 40(3):74-77, 1994.
72. Paddon-Jones, D, Sheffield-Moore, M, Zhang, XJ, Volpi, E, Wolf, SE, Aarsland, A, Ferrando, AA, and Wolfe, RR. Amino acid ingestion improves protein synthesis in the young and elderly. *Am J Physiol Endocrinol Metab* 286:E321-E328, 2004.
 73. Paik, IY, Jeong, MH, Jin, HE, Kim, YI, Suh, AR, Cho, SY, Roh, HT, Jin, CH, and Suh, SH. Fluid replacement following dehydration reduces oxidative stress during recovery. *Biochem Biophys Res Commun* 383(1):103-7, 2009.
 74. Pederson, DL, Lessard, SJ, Coffey, VG, Churchley, EG, Wootton, AM, Ng, T, Watt, MH, and Hawley, JA. High rates of muscle glycogen resynthesis after exhaustive exercise when carbohydrate is coingested with caffeine. *J Appl Physiol* 105(1):7-13, 2008.
 75. Rehrer, NJ. Fluid and electrolyte balance in ultra-aerobic endurance sport. *Sports Med* 31(10):701-715, 2001.
 76. Requena, B, Zabala, M, Padial, P, and Ferliche, B. Sodium bicarbonate and sodium citrate: Ergogenic aids? *J Strength Cond Res* 19(1):213-224, 2005.
 77. Roberts, M, Lockwood, C, Dalbo, VJ, Tucker, P, Frye, A, Polk, R, Volek, J, and Kerksick, C. Ingestion of a high molecular weight modified waxy maize starch alters metabolic responses to prolonged exercise in trained cyclists. *FASEB* 23:1S, 2009.
 78. Rosset, R, Egli, L, and Lecoultre, V. Glucose-fructose ingestion and exercise performance: The gastrointestinal tract and beyond. *Eur J Sport Sci* 17:7, 874-884, 2017.
 79. Rowlands, DS, Thorp, RM, Rossler, K, Graham, DF, and Rockell, MJ. Effect of protein-rich feeding on recovery after intense exercise. *Int J Sport Nutr Exerc Metab* 17:521-543, 2007.
 80. Sanders, B, Noakes, TD, and Dennis, SC. Water and electrolyte shifts with partial fluid replacement during exercise. *Eur J Appl Physiol* 80:318-323, 1999.
 81. Sawka, MN, Burke, LM, Eichner, RE, Maughan, RJ, Montain, SJ, and Stachenfeld, NS. American College of Sports Medicine position stand: Exercise and fluid replacement. *Med Sci Sports Exerc* 39:377-390, 2007.
 82. Seifert, J, Harmon, J, and DeClercq, P. Protein added to a sports drink improves fluid retention. *Int J Sport Nutr Exerc Metab* 16(4):420-429, 2006.
 83. Shirreffs, SM, Aragon-Vargas, LF, Keil, M, Love, TD, and Phillips, S. Rehydration after exercise in the heat: A comparison of 4 commonly used drinks. *Int J Sport Nutr Exerc Metab* 17:244-258, 2007.
 84. Shirreffs, SM and Maughan, RJ. Volume repletion after exercise-induced volume depletion in humans: Replacement of water and sodium losses. *Am J Physiol* 274:F868-F875, 1998.
 85. Smith, A, Kendrick, A, Maben, A, and Salmon, J. Effects of breakfast and caffeine on cognitive performance, mood and cardiovascular functioning. *Appetite* 22(1):39-55, 1994.
 86. Struder, HK, Hollman, W, Platen, P, Wöstmann, R, Ferrauti, A, and Weber, K. Effect of exercise intensity on free tryptophan to branched-chain amino acids ratio and plasma prolactin during aerobic endurance exercise. *Appl Physiol Nutr Metab* 22(3):280-291, 1997.
 87. Tarnopolsky MA. Caffeine and creatine use in sport. *Ann Nutr Metab* 57(Suppl 2):1-8, 2010.
 88. Tipton, KD and Wolfe, RR. Exercise-induced changes in protein metabolism. *Acta Physiol* 162:377-387, 1998.
 89. Tipton, KD and Wolfe, RR. Protein and amino acids for athletes. *J Sports Sci* 22:65-79, 2004.

90. Turinsky, J and Long, CL. Free amino acids in muscle: Effect of muscle fiber population and denervation. *Am J Physiol* 258:E485-E491, 1990.
91. U.S. Anti-Doping Agency. n.d. DRO drug reference online. www.usada.org/dro/search/search.aspx.
92. Van Hall, G, Raaymakers, JS, Saris, WH, and Wagenmakers, AJ. Ingestion of branched-chain amino acids and tryptophan during sustained exercise in man: Failure to affect performance. *J Physiol* 486(Pt 3):789-94, 1995.
93. Van Hall, G, Shirreffs, SM, and Calbet, JA. Muscle glycogen resynthesis during recovery from cycle exercise: No effect of additional protein ingestion. *J Appl Physiol* 88(5): 1631-1636, 2000.
94. Van Nieuwenhoven, MA, Brummer, RB, and Brouns, F. Gastrointestinal function during exercise: Comparison of water, sports drink, and sports drink with caffeine. *J Appl Physiol* 89:1079-1085, 2000.
95. Vist, GE and Maughan, RJ. Gastric emptying of ingested solutions in man: Effect of beverage glucose concentration. *Med Sci Sports Exerc* 10:1269-1273, 1994.
96. Witard, OC, Turner, JE, Jackman, SR, Kies, AK, Juekendrup, AE, Bosch, JA, and Tipton, KD. High dietary protein restores overreaching induced impairments in leukocyte trafficking and reduces the incidence of upper respiratory tract infection in elite cyclists. *Brain Behav Immun* 39:211-219, 2014.
97. Wolfe, RR. Branched-chain amino acids and muscle protein synthesis in humans: Myth or reality? *J Int Soc Sports Nut* 14:30, 2017.
98. Wolfe, RR, Wolfe, MH, Nadel, ER, and Shaw, JH. Isotopic determination of amino acid-urea interactions in exercise in humans. *J Appl Physiol* 56:221-229, 1984.
99. Yeo, SE, Jentjens, RL, Wallis, GA, and Jeukendrup, AE. Caffeine increases exogenous carbohydrate oxidation during exercise. *J Appl Physiol* 99:844-850, 2005.

Chapter 10

1. Andersen, LL, Tufekovic, G, Zebis, MK, Cramer, RM, Verlaan, G, Kjaer, M, Suetta, C, Magnusson, P, and Aagaard, P. The effect of resistance training combined with timed ingestion of protein on muscle fiber size and muscle strength. *Metabolism: Clinical and Experimental* 54:151-156, 2005.
2. Aragon, AA and Schoenfeld, BJ. Nutrient timing revisited: Is there a post-exercise anabolic window? *J Int Soc Sports Nutr* 10:5, 2013.
3. Baty, JJ, Hwang, H, Ding, Z, Bernard, JR, Wang, B, Kwon, B, and Ivy, JL. The effect of a carbohydrate and protein supplement on resistance exercise performance, hormonal response, and muscle damage. *J Strength Cond Res* 21:321-329, 2007.
4. Beelen, M, Koopman, R, Gijzen, AP, Vandereyck, H, Kies, AK, Kuipers, H, Saris, WH, and van Loon, LJ. Protein coingestion stimulates muscle protein synthesis during resistance-type exercise. *Am J Physiol Endocrinol Metab* 295:E70-77, 2008.
5. Berardi, JM, Noreen, EE, and Lemon, PW. Recovery from a cycling time trial is enhanced with carbohydrate-protein supplementation vs. isoenergetic carbohydrate supplementation. *J Int Soc Sports Nutr* 5:24, 2008.
6. Berardi, JM, Price, TB, Noreen, EE, and Lemon, PW. Postexercise muscle glycogen recovery enhanced with a carbohydrate-protein supplement. *Med Sci Sports Exerc* 38: 1106-1113, 2006.
7. Bergstrom, J, Hermansen, L, Hultman, E, and Saltin, B. Diet, muscle glycogen and physical performance. *Acta Physiologica Scandinavica* 71:140-150, 1967.
8. Bergstrom, J and Hultman, E. Muscle glycogen synthesis after exercise: An enhancing factor localized to the muscle cells in man. *Nature* 210:309-310, 1966.
9. Biolo, G, Tipton, KD, Klein, S, and Wolfe, RR. An abundant supply of amino acids enhances the metabolic effect of exercise on muscle protein. *Am J Physiol* 273:E122-129, 1997.
10. Bird, SP, Tarpinning, KM, and Marino, FE. Effects of liquid carbohydrate/essential amino acid ingestion on acute hormonal response during a single bout of resistance exercise in untrained men. *Nutrition* 22:367-375, 2006.
11. Bird, SP, Tarpinning, KM, and Marino, FE. Independent and combined effects of liquid carbohydrate/essential amino acid ingestion on hormonal and muscular adaptations following resistance training in untrained men. *Eur J Appl Physiol* 97:225-238, 2006.
12. Bird, SP, Tarpinning, KM, and Marino, FE. Liquid carbohydrate/essential amino acid ingestion during a short-term bout of resistance exercise suppresses myofibrillar protein degradation. *Metabolism: Clinical and experimental* 55:570-577, 2006.
13. Boirie, Y, Dangin, M, Gachon, P, Vasson, MP, Maubois, JL, and Beaufrere, B. Slow and fast dietary proteins differently modulate postprandial protein accretion. *Proc Natl Acad Sci U S A* 94:14930-14935, 1997.
14. Borsheim, E, Cree, MG, Tipton, KD, Elliott, TA, Aarsland, A, and Wolfe, RR. Effect of carbohydrate intake on net muscle protein synthesis during recovery from resistance exercise. *J Appl Physiol* 96:674-678, 2004.
15. Borsheim, E, Tipton, KD, Wolf, SE, and Wolfe, RR. Essential amino acids and muscle protein recovery from resistance exercise. *Am J Physiol Endocrinol Metab* 283:E648-657, 2002.
16. Bosch, AN, Dennis, SC, and Noakes, TD. Influence of carbohydrate loading on fuel substrate

- turnover and oxidation during prolonged exercise. *J Appl Physiol* 74:1921-1927, 1993.
17. Bucci, L and Unlu, L. Proteins and amino acid supplements in exercise and sport. In *Energy-Yield Macronutrients and Energy Metabolism in Sports Nutrition*. Driskell, J, Wolinsky, I, eds. Boca Raton, FL: CRC Press, 191-212, 2000.
 18. Burke, LM, Cox, GR, Culmings, NK, and Desbrow, B. Guidelines for daily carbohydrate intake: Do athletes achieve them? *Sports Med* 31:267-299, 2001.
 19. Burke, LM, Loucks, AB, and Broad, N. Energy and carbohydrate for training and recovery. *J Sports Sci* 24: 675-685, 2006.
 20. Bussau, VA, Fairchild, TJ, Rao, A, Steele, P, and Fournier, PA. Carbohydrate loading in human muscle: An improved 1 day protocol. *Eur J Appl Physiol* 87:290-295, 2002.
 21. Candow, DG, Burke, NC, Smith-Palmer, T, and Burke, DG. Effect of whey and soy protein supplementation combined with resistance training in young adults. *Int J Sport Nutr Exerc Metab* 16:233-244, 2006.
 22. Candow, DG, Forbes, SC, Chilibeck, PD, Cornish, SM, Antonio, J, and Kreider, RB. Variables Influencing the Effectiveness of Creatine Supplementation as a Therapeutic Intervention for Sarcopenia. *Front Nutr* 6:124, 2019.
 23. Coburn, JW, Housh, DJ, Housh, TJ, Malek, MH, Beck, TW, Cramer, JT, Johnson, GO, and Donlin, PE. Effects of leucine and whey protein supplementation during eight weeks of unilateral resistance training. *J Strength Cond Res* 20:284-291, 2006.
 24. Conlee, RK, Lawler, RM, and Ross, PE. Effects of glucose or fructose feeding on glycogen repletion in muscle and liver after exercise or fasting. *Annals of nutrition & metabolism* 31:126-132, 1987.
 25. Coyle, EF, Coggan, AR, Hemmert, MK, and Ivy, JL. Muscle glycogen utilization during prolonged strenuous exercise when fed carbohydrate. *J Appl Physiol* 61:165-172, 1986.
 26. Coyle, EF, Coggan, AR, Hemmert, MK, Lowe, RC, and Walters, TJ. Substrate usage during prolonged exercise following a preexercise meal. *J Appl Physiol* 59:429-433, 1985.
 27. Cribb, PJ and Hayes, A. Effects of supplement timing and resistance exercise on skeletal muscle hypertrophy. *Med Sci Sports Exerc* 38:1918-1925, 2006.
 28. Cribb, PJ, Williams, AD, and Hayes, A. A creatine-protein-carbohydrate supplement enhances responses to resistance training. *Med Sci Sports Exerc* 39:1960-1968, 2007.
 29. Cribb, PJ, Williams, AD, Stathis, CG, Carey, MF, and Hayes, A. Effects of whey isolate, creatine, and resistance training on muscle hypertrophy. *Med Sci Sports Exerc* 39:298-307, 2007.
 30. Currell, K and Jeukendrup, AE. Superior endurance performance with ingestion of multiple transportable carbohydrates. *Med Sci Sports Exerc* 40:275-281, 2008.
 31. Dalton, RA, Rankin, JW, Sebolt, D, and Gwazdauskas, F. Acute carbohydrate consumption does not influence resistance exercise performance during energy restriction. *Int J Sport Nutr* 9:319-332, 1999.
 32. Danguin, M, Boirie, Y, Garcia-Rodenas, C, Gachon, P, Fauquant, J, Callier, P, Balleve, O, and Beaufriere, B. The digestion rate of protein is an independent regulating factor of postprandial protein retention. *Am J Physiol Endocrinol Metab* 280:E340-348, 2001.
 33. Dennis, SC, Noakes, TD, and Hawley, JA. Nutritional strategies to minimize fatigue during prolonged exercise: Fluid, electrolyte and energy replacement. *J Sports Sciences* 15:305-313, 1997.

34. Earnest, CP, Lancaster, SL, Rasmussen, CJ, Kerksick, CM, Lucia, A, Greenwood, MC, Almada, AL, Cowan, PA, and Kreider, RB. Low vs. high glycemic index carbohydrate gel ingestion during simulated 64-km cycling time trial performance. *J Strength Cond Res* 18:466-472, 2004.
35. Erickson, MA, Schwarzkopf, RJ, and McKenzie, RD. Effects of caffeine, fructose, and glucose ingestion on muscle glycogen utilization during exercise. *Med Sci Sports Exerc* 19:579-583, 1987.
36. Esmarck, B, Andersen, JL, Olsen, S, Richter, EA, Mizuno, M, and Kjaer, M. Timing of postexercise protein intake is important for muscle hypertrophy with resistance training in elderly humans. *J Physiol* 535:301-311, 2001.
37. Febbraio, MA, Chiu, A, Angus, DJ, Arkinstall, MJ, and Hawley, JA. Effects of carbohydrate ingestion before and during exercise on glucose kinetics and performance. *J Appl Physiol* 89:2220-2226, 2000.
38. Febbraio, MA, Keenan, J, Angus, DJ, Campbell, SE, and Garnham, AP. Preexercise carbohydrate ingestion, glucose kinetics, and muscle glycogen use: Effect of the glycemic index. *J Appl Physiol* 89:1845-1851, 2000.
39. Febbraio, MA and Stewart, KL. CHO feeding before prolonged exercise: Effect of glycemic index on muscle glycogenolysis and exercise performance. *J Appl Physiol* 81: 1115-1120, 1996.
40. Fielding, RA, Costill, DL, Fink, WJ, King, DS, Hargreaves, M, and Kovaleski, JE. Effect of carbohydrate feeding frequencies and dosage on muscle glycogen use during exercise. *Med Sci Sports Exerc* 17:472-476, 1985.
41. Foster, C, Costill, DL, and Fink, WJ. Effects of preexercise feedings on endurance performance. *Med Sci Sports Exerc* 11:1-5, 1979.
42. Fujita, S, Dreyer, HC, Drummond, MJ, Glynn, EL, Volpi, E, and Rasmussen, BB. Essential amino acid and carbohydrate ingestion before resistance exercise does not enhance postexercise muscle protein synthesis. *J Appl Physiol* 106:1730-1739, 2009.
43. Gleeson, M, Nieman, DC, and Pedersen, BK. Exercise, nutrition and immune function. *J Sports Sci* 22:115-125, 2004.
44. Goforth, HW, Laurent, D, Prusaczyk, WK, Schneider, KE, Petersen, KF, and Shulman, GI. Effects of depletion exercise and light training on muscle glycogen supercompensation in men. *Am J Physiol Endocrinol Metab* 285:1304-1311, 2003.
45. Haff, GG, Koch, AJ, Potteiger, JA, Kuphal, KE, Magee, LM, Green, SB, and Jakicic, JJ. Carbohydrate supplementation attenuates muscle glycogen loss during acute bouts of resistance exercise. *Int J Sport Nutr Exerc Metab* 10:326-339, 2000.
46. Hargreaves, M, Costill, DL, Coggan, A, Fink, WJ, and Nishibata, I. Effect of carbohydrate feedings on muscle glycogen utilization and exercise performance. *Med Sci Sports Exerc* 16:219-222, 1984.
47. Hartman, JW, Tang, JE, Wilkinson, SB, Tarnopolsky, MA, Lawrence, RL, Fullerton, AV, and Phillips, SM. Consumption of fat-free fluid milk after resistance exercise promotes greater lean mass accretion than does consumption of soy or carbohydrate in young, novice, male weightlifters. *Am J Clin Nutr* 86:373-381, 2007.
48. Harty, PS, Zabriskie, HA, Erickson, JL, Molling, PE, Kerksick, CM, and Jagim, AR. Multi-ingredient pre-workout supplements, safety implications, and performance outcomes: A brief review. *J Int Soc Sports Nutr* 15:41, 2018.

49. Hawley, JA, Bosch, AN, Weltan, SM, Dennis, SC, and Noakes, TD. Glucose kinetics during prolonged exercise in euglycaemic and hyperglycaemic subjects. *Pflugers Arch* 426:378-386, 1994.
50. Hawley, JA and Burke, LM. Effect of meal frequency and timing on physical performance. *Br J Nutr* 77 Suppl 1:S91-103, 1997.
51. Hawley, JA, Schabort, EJ, Noakes, TD, and Dennis, SC. Carbohydrate-loading and exercise performance. An update. *Sports Med* 24:73-81, 1997.
52. Hoffman, JR, Ratamess, NA, Tranchina, CP, Rashti, SL, Kang, J, and Faigenbaum, AD. Effect of protein-supplement timing on strength, power, and body-composition changes in resistance-trained men. *Int J Sport Nutr Exerc Metab* 19:172-185, 2009.
53. Impey, SG, Hearnis, MA, Hammond, KM, Bartlett, JD, Louis, J, Close, GL, and Morton, JP. Fuel for the work required: A theoretical framework for carbohydrate periodization and the glycogen threshold hypothesis. *Sports Med* 48:1031-1048, 2018.
54. Ivy, JL. Glycogen resynthesis after exercise: Effect of carbohydrate intake. *Int J Sports Med* 19 Suppl 2: S142-145, 1998.
55. Ivy, JL, Goforth, HW, Jr., Damon, BM, McCauley, TR, Parsons, EC, and Price, TB. Early postexercise muscle glycogen recovery is enhanced with a carbohydrate-protein supplement. *Journal of applied physiology* (Bethesda, MD: 1985) 93:1337-1344, 2002.
56. Ivy, JL, Res, PT, Sprague, RC, and Widzer, MO. Effect of a carbohydrate-protein supplement on endurance performance during exercise of varying intensity. *Int J Sport Nutr Exerc Metab* 13:382-395, 2003.
57. Jentjens, R and Jeukendrup, A. Determinants of post-exercise glycogen synthesis during short-term recovery. *Sports Med* 33:117-144, 2003.
58. Jentjens, R and Jeukendrup, AE. High exogenous carbohydrate oxidation rates from a mixture of glucose and fructose ingested during prolonged cycling exercise. *Brit J Nutr* 93:485-492, 2005.
59. Jentjens, R, Shaw, C, Birtles, T, Waring, RH, Harding, LK, and Jeukendrup, AE. Oxidation of combined ingestion of glucose and sucrose during exercise. *Metab Clin and Experimental* 54:610-618, 2005.
60. Jentjens, R, van Loon, L, Mann, CH, Wagenmakers, AJM, and Jeukendrup, AE. Addition of protein and amino acids to carbohydrates does not enhance postexercise muscle glycogen synthesis. *J Appl Physiol* 91:839-846, 2001.
61. Jentjens, R, Venables, MC, and Jeukendrup, AE. Oxidation of exogenous glucose, sucrose, and maltose during prolonged cycling exercise. *J Appl Physiol* 96:1285-1291, 2004.
62. Jentjens, RL and Jeukendrup, AE. High rates of exogenous carbohydrate oxidation from a mixture of glucose and fructose ingested during prolonged cycling exercise. *Br J Nutr* 93:485-492, 2005.
63. Jentjens, RL, Moseley, L, Waring, RH, Harding, LK, and Jeukendrup, AE. Oxidation of combined ingestion of glucose and fructose during exercise. *J Appl Physiol* 96:1277-1284, 2004.
64. Jeukendrup, AE. Carbohydrate intake during exercise and performance. *Nutrition* 20: 669-677, 2004.
65. Jeukendrup, AE and Jentjens, R. Oxidation of carbohydrate feedings during prolonged exercise: Current thoughts, guidelines and directions for future research. *Sports Med* 29: 407-424, 2000.
66. Jeukendrup, AE, Jentjens, RL, and Moseley, L. Nutritional considerations in triathlon. *Sports*

- Med* 35:163-181, 2005.
67. Karlsson, J and Saltin, B. Diet, muscle glycogen, and endurance performance. *J Appl Physiol* 31:203-206, 1971.
 68. Kavouras, SA, Troup, JP, and Berning, JR. The influence of low versus high carbohydrate diet on a 45-min strenuous cycling exercise. *Int J Sport Nutr Exerc Metab* 14:62-72, 2004.
 69. Keizer, H, Kuipers, H, and van Kranenburg, G. Influence of liquid and solid meals on muscle glycogen resynthesis, plasma fuel hormone response, and maximal physical working capacity. *Int J Sports Med* 8:99-104, 1987.
 70. Kerksick, C, Harvey, T, Stout, J, Campbell, B, Wilborn, C, Kreider, R, Kalman, D, Ziegenfuss, T, Lopez, H, Landis, J, Ivy, JL, and Antonio, J. International Society of Sports Nutrition position stand: Nutrient timing. *J Int Soc Sports Nutr* 5:17, 2008.
 71. Kerksick, CM, Arent, S, Schoenfeld, BJ, Stout, JR, Campbell, B, Wilborn, CD, Taylor, L, Kalman, D, Smith-Ryan, AE, Kreider, RB, Willoughby, D, Arciero, PJ, VanDusseldorp, TA, Ormsbee, MJ, Wildman, R, Greenwood, M, Ziegenfuss, TN, Aragon, AA, and Antonio, J. International society of sports nutrition position stand: Nutrient timing. *J Int Soc Sports Nutr* 14:33, 2017.
 72. Kerksick, CM, Rasmussen, C, Lancaster, S, Starks, M, Smith, P, Melton, C, Greenwood, M, Almada, A, and Kreider, R. Impact of differing protein sources and a creatine containing nutritional formula after 12 weeks of resistance training. *Nutrition* 23:647-656, 2007.
 73. Kerksick, CM, Rasmussen, CJ, Lancaster, SL, Magu, B, Smith, P, Melton, C, Greenwood, M, Almada, AL, Earnest, CP, and Kreider, RB. The effects of protein and amino acid supplementation on performance and training adaptations during ten weeks of resistance training. *J Strength Cond Res* 20:643-653, 2006.
 74. Koopman, R, Pannemans, DL, Jeukendrup, AE, Gijsen, AP, Senden, JM, Halliday, D, Saris, WH, van Loon, LJ, and Wagenmakers, AJ. Combined ingestion of protein and carbohydrate improves protein balance during ultra-endurance exercise. *Am J Physiol Endocrinol Metab* 287:E712-720, 2004.
 75. Kraemer, WJ, Hatfield, DL, Spiering, BA, Vingren, JL, Fragala, MS, Ho, JY, Volek, JS, Anderson, JM, and Maresh, CM. Effects of a multi-nutrient supplement on exercise performance and hormonal responses to resistance exercise. *Eur J Appl Physiol* 101:637-646, 2007.
 76. Kreider, RB. Effects of creatine supplementation on performance and training adaptations. *Mol Cell Biochem* 244:89-94, 2003.
 77. Kreider, RB, Kalman, DS, Antonio, J, Ziegenfuss, TN, Wildman, R, Collins, R, Candow, DG, Kleiner, SM, Almada, AL, and Lopez, HL. International Society of Sports Nutrition position stand: Safety and efficacy of creatine supplementation in exercise, sport, and medicine. *J Int Soc Sports Nutr* 14:18, 2017.
 78. Kulik, JR, Touchberry, CD, Kawamori, N, Blumert, PA, Crum, AJ, and Haff, GG. Supplemental carbohydrate ingestion does not improve performance of high-intensity resistance exercise. *J Strength Cond Res* 22:1101-1107, 2008.
 79. McConell, G, Snow, RJ, Proietto, J, and Hargreaves, M. Muscle metabolism during prolonged exercise in humans: Influence of carbohydrate availability. *J Appl Physiol* 87: 1083-1086, 1999.
 80. Miller, SL, Tipton, KD, Chinkes, DL, Wolf, SE, and Wolfe, RR. Independent and combined effects of amino acids and glucose after resistance exercise. *Med Sci Sports Exerc* 35:449-455, 2003.

81. Moseley, L, Lancaster, GI, and Jeukendrup, AE. Effects of timing of pre-exercise ingestion of carbohydrate on subsequent metabolism and cycling performance. *Eur J Appl Physiol* 88:453-458, 2003.
82. Neuffer, PD, Costill, DL, Flynn, MG, Kirwan, JP, Mitchell, JB, and Houmard, J. Improvements in exercise performance: Effects of carbohydrate feedings and diet. *J Appl Physiol* 62:983-988, 1987.
83. Nicholas, CW, Green, PA, and Hawkins, RD. Carbohydrate intake and recovery of intermittent running capacity. *Int J Sport Nutr* 7:251-260, 1997.
84. Nicholas, CW, Williams, C, Lakomy, HK, Phillips, G, and Nowitz, A. Influence of ingesting a carbohydrate-electrolyte solution on endurance capacity during intermittent, high-intensity shuttle running. *J Sports Sci* 13:283-290, 1995.
85. Pascoe, DD, Costill, DL, Fink, WJ, Robergs, RA, and Zachwieja, JJ. Glycogen resynthesis in skeletal muscle following resistive exercise. *Med Sci Sports Exerc* 25:349-354, 1993.
86. Patterson, SD and Gray, SC. Carbohydrate-gel supplementation and endurance performance during intermittent high-intensity shuttle running. *Int J Sport Nutr Exerc Metab* 17:445-455, 2007.
87. Paul, GL. The rationale for consuming protein blends in sports nutrition. *J Am Coll Nutr* 28 Suppl:464S-472S, 2009.
88. Phillips, SM, Tipton, KD, Ferrando, AA, and Wolfe, RR. Resistance training reduces the acute exercise-induced increase in muscle protein turnover. *Am J Physiol* 276:E118-124, 1999.
89. Pitkanen, HT, Nykanen, T, Knuutinen, J, Lahti, K, Keinanen, O, Alen, M, Komi, PV, and Mero, AA. Free amino acid pool and muscle protein balance after resistance exercise. *Med Sci Sports Exerc* 35:784-792, 2003.
90. Rasmussen, BB, Tipton, KD, Miller, SL, Wolf, SE, and Wolfe, RR. An oral essential amino acid-carbohydrate supplement enhances muscle protein anabolism after resistance exercise. *J Appl Physiol* 88:386-392, 2000.
91. Reed, MJ, Brozinick, JT, Jr., Lee, MC, and Ivy, JL. Muscle glycogen storage postexercise: Effect of mode of carbohydrate administration. *J Appl Physiol* 66:720-726, 1989.
92. Robergs, RA, Pearson, DR, Costill, DL, Fink, WJ, Pascoe, DD, Benedict, MA, Lambert, CP, and Zachwieja, JJ. Muscle glycogenolysis during differing intensities of weight-resistance exercise. *J Appl Physiol* 70:1700-1706, 1991.
93. Rodriguez, NR, Di Marco, NM, and Langley, S. American College of Sports Medicine position stand. Nutrition and athletic performance. *Med Sci Sports Exerc* 41:709-731, 2009.
94. Saunders, MJ, Kane, MD, and Todd, MK. Effects of a carbohydrate-protein beverage on cycling endurance and muscle damage. *Med Sci Sports Exerc* 36:1233-1238, 2004.
95. Saunders, MJ, Luden, ND, and Herrick, JE. Consumption of an oral carbohydrate-protein gel improves cycling endurance and prevents postexercise muscle damage. *J Strength Cond Res* 21:678-684, 2007.
96. Schoenfeld, BJ, Aragon, A, Wilborn, C, Urbina, SL, Hayward, SE, and Krieger, J. Pre- versus post-exercise protein intake has similar effects on muscular adaptations. *PeerJ* 5: e2825, 2017.
97. Schoenfeld, BJ, Aragon, AA, and Krieger, JW. The effect of protein timing on muscle strength and hypertrophy: A meta-analysis. *J Int Soc Sports Nutr* 10:53, 2013.
98. Sherman, WM, Brodowicz, G, Wright, DA, Allen, WK, Simonsen, J, and Dernbach, A. Effects

- of 4 h preexercise carbohydrate feedings on cycling performance. *Med Sci Sports Exerc* 21:598-604, 1989.
99. Sherman, WM, Costill, DL, Fink, WJ, Hagerman, FC, Armstrong, LE, and Murray, TF. Effect of a 42.2-km footrace and subsequent rest or exercise on muscle glycogen and enzymes. *J Appl Physiol* 55:1219-1224, 1983.
 100. Sherman, WM, Costill, DL, Fink, WJ, and Miller, JM. Effect of exercise-diet manipulation on muscle glycogen and its subsequent utilization during performance. *Int J Sports Med* 2:114-118, 1981.
 101. Staples, AW, Burd, NA, West, DW, Currie, KD, Atherton, PJ, Moore, DR, Rennie, MJ, Macdonald, MJ, Baker, SK, and Phillips, SM. Carbohydrate does not augment exercise-induced protein accretion versus protein alone. *Med Sci Sports Exerc* 43:1154-1161, 2011.
 102. Stecker, RA, Harty, PS, Jagim, AR, Candow, DG, and Kerksick, CM. Timing of ergogenic aids and micronutrients on muscle and exercise performance. *J Int Soc Sports Nutr* 16:37, 2019.
 103. Tang, JE, Moore, DR, Kujbida, GW, Tarnopolsky, MA, and Phillips, SM. Ingestion of whey hydrolysate, casein, or soy protein isolate: Effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *J Appl Physiol* 107: 987-992, 2009.
 104. Tarnopolsky, MA, Bosman, M, Macdonald, JR, Vandeputte, D, Martin, J, and Roy, BD. Postexercise protein-carbohydrate and carbohydrate supplements increase muscle glycogen in men and women. *J Appl Physiol* 83:1877-1883, 1997.
 105. Tarnopolsky, MA, Gibala, M, Jeukendrup, AE, and Phillips, SM. Nutritional needs of elite endurance athletes. Part I: Carbohydrate and fluid requirements. *Eur J Sport Sci* 5: 3-14, 2005.
 106. Tarnopolsky, MA, Parise, G, Yardley, NJ, Ballantyne, CS, Olatinji, S, and Phillips, SM. Creatine-dextrose and protein-dextrose induce similar strength gains during training. *Med Sci Sports Exerc* 33:2044-2052, 2001.
 107. Tipton, KD, Elliott, TA, Cree, MG, Aarsland, AA, Sanford, AP, and Wolfe, RR. Stimulation of net muscle protein synthesis by whey protein ingestion before and after exercise. *Am J Physiol Endocrinol Metab* 292:E71-76, 2007.
 108. Tipton, KD, Elliott, TA, Cree, MG, Wolf, SE, Sanford, AP, and Wolfe, RR. Ingestion of casein and whey proteins result in muscle anabolism after resistance exercise. *Med Sci Sports Exerc* 36:2073-2081, 2004.
 109. Tipton, KD, Ferrando, AA, Phillips, SM, Doyle, D, Jr., and Wolfe, RR. Postexercise net protein synthesis in human muscle from orally administered amino acids. *Am J Physiol* 276:E628-634, 1999.
 110. Tipton, KD, Rasmussen, BB, Miller, SL, Wolf, SE, Owens-Stovall, SK, Petrini, BE, and Wolfe, RR. Timing of amino acid-carbohydrate ingestion alters anabolic response of muscle to resistance exercise. *Am J Physiol Endocrinol Metab* 281:E197-206, 2001.
 111. Tipton, KD and Wolfe, RR. Exercise, protein metabolism, and muscle growth. *Int J Sport Nutr Exerc Metab* 11:109-132, 2001.
 112. van Loon, LJ, Saris, WH, Kruijshoop, M, and Wagenmakers, AJ. Maximizing postexercise muscle glycogen synthesis: Carbohydrate supplementation and the application of amino acid or protein hydrolysate mixtures. *Am J Clin Nutr* 72:106-111, 2000.
 113. Wallis, GA, Rowlands, DS, Shaw, C, Jentjens, R, and Jeukendrup, AE. Oxidation of combined ingestion of maltodextrins and fructose during exercise. *Med Sci Sports Exerc* 37:426-432, 2005.

114. White, JP, Wilson, JM, Austin, KG, Greer, BK, St John, N, and Panton, LB. Effect of carbohydrate-protein supplement timing on acute exercise-induced muscle damage. *J Int Soc Sports Nutr* 5:5, 2008.
115. Widrick, JJ, Costill, DL, Fink, WJ, Hickey, MS, McConell, GK, and Tanaka, H. Carbohydrate feedings and exercise performance: Effect of initial muscle glycogen concentration. *J Appl Physiol* 74:2998-3005, 1993.
116. Wilkinson, SB, Tarnopolsky, MA, Macdonald, MJ, Macdonald, JR, Armstrong, D, and Phillips, SM. Consumption of fluid skim milk promotes greater muscle protein accretion after resistance exercise than does consumption of an isonitrogenous and isoenergetic soy-protein beverage. *Am J Clin Nutr* 85:1031-1040, 2007.
117. Willoughby, DS, Stout, JR, and Wilborn, CD. Effects of resistance training and protein plus amino acid supplementation on muscle anabolism, mass, and strength. *Amino Acids* 32:467-477, 2007.
118. Wright, DA, Sherman, WM, and Dernbach, AR. Carbohydrate feedings before, during, or in combination improve cycling endurance performance. *J Appl Physiol* 71:1082-1088, 1991.
119. Yaspelkis, BB, Patterson, JG, Anderla, PA, Ding, Z, and Ivy, JL. Carbohydrate supplementation spares muscle glycogen during variable-intensity exercise. *J Appl Physiol* 75:1477-1485, 1993.
120. Zawadzki, KM, Yaspelkis, BB, 3rd, and Ivy, JL. Carbohydrate-protein complex increases the rate of muscle glycogen storage after exercise. *J Appl Physiol* 72:1854-1859, 1992.

Chapter 11

1. Amabile, TM. Motivational synergy: Toward new conceptualizations of intrinsic and extrinsic motivation in the workplace. *Hum Resour Manag Rev* 3:185-201, 1993.
2. Antonio, J, Gann, M, Kalman, D, Katch, F, Kleiner, S, Kreider, R, and Willoughby, D. ISSN roundtable: FAQs about the ISSN. *JISSN* 2:1-3, 2005.
3. Aschbacher, K, Rodriguez-Fernandez, M, van Wietmarschen, H, Tomiyama, AJ, Jain, S, Epel, E, Doyle III, FJ, and van der Greef, J. The hypothalamic-pituitary-adrenal-leptin axis and metabolic health: A systems approach to resilience, robustness and control. *Interface Focus* 4:20140020, 2014.
4. Bandura, A. Self-efficacy mechanism in human agency. *Am Psychol* 37:122, 1982.
5. Bandura, A. *Social Foundations of Thought and Action*. Englewood Cliffs, NJ, 1-617, 1986.
6. Baum, A. Eating disorders in the male athlete. *Sports Med* 36:1-6, 2006.
7. Becker, CB, Bull, S, Schaumberg, K, Cauble, A, and Franco, A. Effectiveness of peer-led eating disorders prevention: A replication trial. *J Consult Clin Psychol* 76:347, 2008.
8. Bonci, CM, Bonci, LJ, Granger, LR, Johnson, CL, Malina, RM, Milne, LW, Ryan, RR, and Vanderbunt, EM. National Athletic Trainers' Association position statement: Preventing, detecting, and managing disordered eating in athletes. *J Athl Train* 43:80-108, 2008.
9. Britt, TW and Jex, SM. *Thriving Under Stress: Harnessing Demands in the Workplace*. New York: Oxford University Press, 1-240, 2015.
10. Dionne, MM and Yeudall, F. Monitoring of weight in weight loss programs: A double-edged sword? *JNEB* 37:315-318, 2005.
11. Duckworth, A. *Grit: The Power of Passion and Perseverance*. New York: Scribner, 1-352, 2016.
12. Duckworth, AL, Peterson, C, Matthews, MD, and Kelly, DR. Grit: Perseverance and passion for long-term goals. *J Pers Soc Psychol* 92:1087, 2007.
13. Gagné, M and Deci, EL. Self-determination theory and work motivation. *J Organ Behav* 26:331-362, 2005.
14. Galli, N and Vealey, RS. "Bouncing back" from adversity: Athletes' experiences of resilience. *J Sport Exerc Psychol* 22:316-335, 2008.
15. Glazer, JL. Eating disorders among male athletes. *CSMR* 7:332-337, 2008.
16. Holladay, CL and Quinones, MA. Practice variability and transfer of training: The role of self-efficacy generality. *J Appl Soc Psychol* 88:1094, 2003.
17. Lacey, K and Pritchett, E. Nutrition care process and model: ADA adopts road map to quality care and outcomes management. *J Acad Nutr Diet* 103:1061-1072, 2003.
18. Linke, J, Kirsch, P, King, AV, Gass, A, Hennerici, MG, Bongers, A, and Wessa, M. Motivational orientation modulates the neural response to reward. *Neuroimage* 49: 2618-2625, 2010.
- 18a. Louisiana Board of Examiners in Dietetics and Nutrition. 2019. Rules and regulations title 46, professional and occupational standards part LXIX: Registered dietitians/ nutritionists. www.lbedn.org/assets/docs/RULES.Finalwithcover.3.2019.pdf.
19. Mageau, GA and Vallerand, RJ. The coach-athlete relationship: A motivational model. *J Sports Sci* 21:883-904, 2003.

20. McArdle, WD, Katch, FI, and Katch, VL. *Exercise physiology: Nutrition, Energy, and Human Performance*. Baltimore: Lippincott Williams & Wilkins, 765-786, 2010.
21. Mountjoy, M, Sundgot-Borgen, J, Burke, L, Carter, S, Constantini, N, Lebrun, C, Meyer, N, Sherman, R, Steffen, K, and Budgett, R. The IOC consensus statement: Beyond the female athlete triad—Relative Energy Deficiency in Sport (RED-S). *Br J Sports Med* 48: 491-497, 2014.
22. Pekmezi, D, Barbera, B, and Marcus, BH. Using the transtheoretical model to promote physical activity. *ACSMs Health Fit J* 14:8-13, 2010.
23. Prochaska, J, Norcross, J, and DiClemente, C. *Changing for Good: A Revolutionary Six-Stage Program for Overcoming Bad Habits and Moving Your Life Positively Forward*. New York: Morrow, 1-304, 1994.
24. Rosenbloom, C. Sports nutrition: Applying ADA's nutrition care process and model to achieve quality care and outcomes for athletes. *SCAN Pulse* 24:10-17, 2005.
25. Russell, E. *Restoring Resilience: Discovering Your Clients' Capacity for Healing*. New York: Norton, 1-384, 2015.
26. Ryan, RM and Deci, EL. Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. *Am Psychol* 55:68, 2000.
27. Sandoval, WM, Heller, KE, Wiese, WH, and Childs, DA. Stages of change: A model for nutrition counseling. *Top Clin Nutr* 9:64-69, 1994.
28. Sundgot-Borgen, J and Torstveit, MK. Prevalence of eating disorders in elite athletes is higher than in the general population. *Clin J Sport Med* 14:25-32, 2004.
29. Thiel, A, Gottfried, H, and Hesse, F. Subclinical eating disorders in male athletes: A study of the low weight category in rowers and wrestlers. *Acta Psychiatrica Scandinavica* 88: 259-265, 1993.
30. Thirlaway, K and Upton, D. *The Psychology of Lifestyle: Promoting Healthy Behaviour*. New York: Routledge, 1-336, 2009.
31. Thomas, DT, Erdman, KA, and Burke, LM. Position of the Academy of Nutrition and Dietetics, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and athletic performance. *J Acad Nutr Diet* 116:501-528, 2016.
32. Uher, R and Rutter, M. Classification of feeding and eating disorders: Review of evidence and proposals for ICD-11. *World Psychiatry* 11:80-92, 2012.
33. Zawila, LG, Steib, C-SM, and Hoogenboom, B. The female collegiate cross-country runner: Nutritional knowledge and attitudes. *J Athl Train* 38:67, 2003.