

Aagaard P. Making muscles “stronger”: Exercise, nutrition, drugs. *JMusculoskel Neuron Interact* 2004; 4(2):165-174.
Achten J, Gleeson M, Jeukendrup AE. Determination of the exercise intensity that elicits maximal fat oxidation. *Med Sci Sports Exerc*, 2002 34, (1):92-97.

Achten J, Halson SL, Moseley L, Rayson MP, Casey A, Jeukendrup AE. Higher dietary carbohydrate content during Intensified running training results in better maintenance of performance and mood state. *J Appl Physiol* 2004; 96: 1331-1340.

Ainsworth B, Haskell A, Jacobs J, Montoye H, Sallis J, Paffenbarger R. Compendium of physical activities: classification of energy costs of human physical activities. *Med Sci Sports Exerc* 1993;25(1): 71-80.

Allen NE, Appleby PN, Davey GK, Kaaks R, Sabina Rinaldi S, Timothy J. Key T. The associations of diet with serum insulin-like growth factor and its main binding proteins in 292 women meat-eaters, vegetarians, and vegans. *Cancer Epidemiology, Biomarkers & Prevention* 2002;(11)1441-1448.

American College of Sports Medicine Roundtable on the physiological and health effects of oral creatine supplementation. *Med. Sci. Sports Exerc* 2000; 32(3): 706-717, 2000.

American Dietetic Association. 2006. *Sports nutrition: A practice manual for professionals*. 4th ed. Chicago: American Dietetic Association.

American Dietetic Association; Dietitians of Canada; American College of Sports medicine, Rodriguez NR, Di Marco NM, Langley S. American College of Sports Medicine position stand. Nutrition and athletic performance. *Med Sci Sports Exer* 2009 Mar; 41(3):709-31.

Anastasiou CA, Kavouras SA, Arnaoutis G, Gioxari A, Kollia M, Botoula E, Sidossis LS, Sodium replacement and plasma sodium drop during exercise in the heat when fluid intake matches fluid loss. *Journal of Athletic Training* 2009; 44(2):117-123.

Armstrong LE, Maresh CM, Gabaree CV, Hoffman JR, Kavouras SA, Kenefick RW, Castellani JW, Ahlquist LE. Thermal and circulatory responses during exercise: Effects of hypohydration, dehydration, and water intake. *J Appl Physiol* 1997; 82(6): 2028-2035.

Aoi W, Naito Y, Yoshikawa T. Exercise and functional foods. *Nutrition Journal* 2006, 5:15.

Azevedo JL Jr, Tietz E, Two-Feathers T, Paull J, Chapman K. Lactate, fructose and glucose oxidation profiles in sports drinks and the effect on exercise performance. *PLoS One* 2007;2(9): e927.

Beelen M, Koopman R, Gijsen AP, Vandereydt H, Kies AK, Kuipers H, Saris WH, van Loon LJ. Protein coingestion stimulates muscle protein synthesis during resistance-type exercise. *Am J Physiol Endocrinol Metab* 2008; 295: E70-E77.

Beelen M, Tieland M, Gijsen A, Vandereydt H, Kies A, Kuipers H, Saris W, Koopman R, vanLoon L. Coingestion of carbohydrate and protein hydrolysate stimulates muscle protein during exercise in young men with no further increase in overnight recovery. *J of Nutrition*; Nov 2008; 138 (11) 2198-2204.

Beltrami FG, Hew-Butler T, Noakes TD. Drinking policies and exercise-associated hyponatremia: Is anyone still promoting overdrinking? *Br J Sports Med* 2008;42;796-801;

Berardi JM, Price TB, Noreen EE, Lemon PW. Postexercise muscle glycogen recovery enhanced with a carbohydrate-protein supplement. *Med Sci Sports Exerc* 2006; (38) 6: 1106-1113.

Bergeron MF. Muscle cramps during exercise: Is it fatigue or electrolyte deficit? *Curr Sports Med Rep* 2008;(7) 4:S50-S55. Bergeron M. Dehydration and thermal strain in junior tennis. *Amer J Lifestyle Med Lifestyle Medicine* 2009; 3(4): 320-325. Berneis K, Ninnis R, Haussinger D, Keller U. Effects of hyper- and hypoosmolality on whole body protein and glucose kinetics in humans. *Am J Physiol* 276 (Endocrinol Metab 1999; (39): E188-E195.

Berning J. The role of medium-chain triglycerides in exercise. *Intl J Sports Nutr* 1996; (6): 121-133.

Betts JA, Stevenson E, Williams C, Sheppard C, Grey E, Griffin J. Recovery of endurance running capacity: Effect of carbohydrate-protein mixtures. *IJSNEM* 2005; (15): 590-609.

Billsborough S, Mann N. A review of issues of dietary protein intake in humans. *Intl Sport Nutr and Exer Metab* 2006, 16, 129-152. Binnert C, Pachiaudi C, Beylot M, Croset M, Cohen R, Riou JP, Laville M. Metabolic fate of an oral long-chain triglyceride load in humans. *Am J Physiol* 270 (Endocrinol. Metab. 33): E445-E450, 1996.

Biolo G, Williams BD, Fleming RYD, Wolfe RR. Insulin action on muscle protein kinetics and amino acid transport during recovery after resistance exercise. *Diabetes* 1999;48:949-957.

Bird SP, Tarpenning KM, Marino FE. Liquid carbohydrate/essential amino acid ingestion during a short-term bout of resistance exercise suppresses myofibrillar protein degradation. *Metabolsim* 2006; 55(5):570-7.

Bjelakovic G, Nikolova D, Gluud LL, Simonetti RG, Gluud C. Mortality in randomized trials of antioxidant supplements for primary and secondary prevention systematic review and meta-analysis. *JAMA* 2007;297(8):842-857.

Bjorclø I, Granfeldt Y, Liljeberg H, Tovar J, Asp NG. Food properties affecting the digestion and absorption of carbohydrates. *Amer J Clin Nutr* 1994; 59 (suppl) 699S-705S.

Bloom SR, Johnson RH, Park DM, Rennie MJ, Sulaiman WR. Differences in the metabolic and hormonal response to exercise between racing cyclists and untrained individuals *J Physiol* 1976; 258: 1-18.

Blomstrand E, Eliasson J, Kariszon HKR, Kohnke R. Branched-chain amino acids activate key enzymes in protein synthesis after physical exercise. *J Nutr* 2006;136: 269S-273S.

Boirie Y, Dangin M, Gachon P, Vasson MP, Maubois JL, Beaufre B. Slow and fast dietary proteins differently modulate postprandial protein accretion. *Proc Natl Acad Sci USA* 1997;(94): 14930-14935.

Bolster DR, Picosky MA, Game PC, Martin W, Wolfe RR, Tipton KD, Maclean D, Maresh CM, Rodriguez NR. Dietary protein intake impacts human skeletal muscle protein fractional synthetic rates after endurance exercise. *Am J Physiol Endocrinol Metab* 2005;(289): E678-E683.

Børsheim E, Aarsland A, Wolfe RR. Effect of an amino acid, protein, and carbohydrate mixture on net muscle protein balance after resistance exercise. *Intl J of Sport Nutr and Exer Metab* 2004;(14):249-265.

Bos C, Metges CC, Gaudichon C, Petzke KJ, Pueyo ME, Morens C, Everwand I, Benamouzig R, Tome D. Postprandial kinetics of dietary amino acids are the main determinant of their metabolism after soy or milk protein ingestion in humans. *J Nutr* 2006;(133): 1308-1315.

Bradley NS, Heigenhauser GJ, Roy BD, Staples EM, Inglis JG, Lefflanc PJ, Peters SI. The acute effects of differential dietary fatty acids on human skeletal muscle pyruvate dehydrogenase activity. *J Appl Physiol* 2008;(104): 1-9.

Branch JD. Effect of creatine supplementation on body composition and performance: A meta-analysis. *Intnl J Sp Nutr Exerc Metab* 2003; (13):198-226.

Brown EC, DiSilvestro RA, Babaknia A, Devor ST. Soy versus whey protein bars: Effects on exercise training impact on lean body mass and antioxidant status. *Nutrition Journal* 2004; (3):22.

Buford TW, Kreider RB, Stout JR, Greenwood M, Campbell B, Spano M, Ziegenfuss T, Lopez H, Landis J, Antonio i. International Society of Sports Nutrition position stand: Creatine supplementation and exercise. *Journal of the International Society of Sports Nutrition* 2007;4:6.

Burd NA, Tang JE, Moore DR, Phillips SM. Exercise training and protein metabolism: influences of contraction, protein intake, sex-based differences. *J Appl Physiol* 2009;106: 1692-1701.

Burke LM. Caffeine and sports performance. *Appl Physiol Nutr Metab* 2008;(33): 1319-1334.

Burke LM, Kiens B. "Fat adaptation" for athletic performance: the nail in the coffin? *J Appl Physiol* 2006 (100): 7-8.

Burke LM, Angus Di, Cox GR, Cummings NK, Febbraio MA, Gawthorn K, Hawley JA, Minehan M, Martin DT, Hargreaves M. Effect of fat adaptation and carbohydrate repletion on metabolism and performance during prolonged cycling. *J Appl Physiol* 2000;(89): 2413-2421.

Burke LM, Hawley JA. Effects of short-term fat adaptation on metabolism and performance of prolonged exercise. *Med. Sci. Sports Exerc* 2002;(34) 9: 1492-1498.

Burke LM, Kiens B, Ivy JL. Carbohydrates and fat for training and recovery. *Journal of Sports Sciences* 2004;(22): 1:15-30.

Burke LM, Loucks AB, Broad N. Energy and carbohydrate for training and recovery. *Journal of Sports Sciences* 2006;(24):7:675- 685.

Cameron-Smith D, Burke LM, Angus Di, Tunstall RJ, Cox GR, Bonen A, Hawley iA, Hargreaves M. A short-term, high-fat diet up-regulates lipid metabolism and gene expression in human skeletal muscle. *Am J Clin Nutr* 2003;77:313-8.

Candow DG, Burke NC, Smith-Palmer T, Burke DG. Effect of whey and soy protein supplementation combined with resistance training in young adults. *Intl J Sport Nutr and Exer Metab* 2006; (16): 233-244.

Carey AL, Staudacher HM, Cummings NK, Stepto NK, Vasilis Nikolopoulos V, Burke LM, Hawley JA. Effects of fat adaptation and carbohydrate repletion on prolonged endurance exercise. *J Appl Physiol* 2001;(91): 115-122.

Casa DJ, Armstrong LE, Hillman SK, Montain Si, Reiff RV Rich BSE, Roberts WO, Stone iA. National Athletic Trainers' Association position statement: Fluid replacement for athletes. *Journal of Athletic Training* 2000;35(2):212-224.

Casey A, Mann R, Banister K, Fox i, Morris PG, Macdonald IA, Greenhaff PL. Effect of carbohydrate ingestion on glycogen resynthesis in human liver and skeletal muscle, measured by ¹³C MRS. *Am J Physiol Endocrinol Metab* 2000;(278): E65-E75.

Casey A, Short AH, Hultman E, Greenhaff PL. Glycogen resynthesis in human muscle fibre types following exercise-induced glycogen depletion. *Journal of Physiology* 1995; 483(1): 265-271

Chandra R. Nutrition and the immune system: an introduction. *Amer J Clin Nutr* 1997: (66)460s-03S.

Chen Y, Wong HS, Wong C, LaM CW, Huang Y, Siu MP. The effect of pre-exercise carbohydrate meal on immune responses to an endurance performance run *British Journal of Nutrition* 2008; (100): 1260-1268.

Christ ER, Zehnder M, Boesch C, Trepp R, Mullis PE, Diem P, D&combaz J. The effect of increased lipid intake on hormonal responses during aerobic exercise in endurance-trained men. *European Journal of Endocrinology* 2006;154(3) 397-403.

Civitares AE, Hesselink MKC, Russell AP, Ravussin E, Schrauwen P. Glucose ingestion during exercise blunts exercise-induced gene expression of skeletal muscle fat oxidative genes. *Am J Physiol Endocrinol Metab* 2005;289: E1023-E1029.

Chambers E, Bridge M, Jones D. Carbohydrate sensing in the human mouth: Effects on exercise performance and brain activity. *J Physiol* 2009;587(8): 1779-1794.

Cheuvront SN, Sawka MN. Hydration assessment of athletes *Sports Science Exchange* Gatorade Sports Science Institute. 2005;(18) 2.

Christ ER, Zehnder M, Boesch C, Trepp R, Mullis FE, Diem P and D&combaz J. The effect of increased lipid intake on hormonal responses during aerobic exercise in endurance-trained men. *European Journal of Endocrinology* 2006; (154) 397-403.

Clark N. *Nancy Clark's food guide for marathoners*. 2007. Oxford: Meyer & Meyer.

Clark N. *Nancy Clark's food guide for new runners*. 2007. Maidenhead: Meyer & Myer.

Clarkson F, Thompson H. Antioxidants: What role do they play in physical activity and health? *Am J Clin Nutr* 2000;72(suppl):637S-46S.

Clarkson PM, Haymes EM. Exercise and mineral status of athletes: Calcium, magnesium, phosphorous and iron. *Med Sci Sport Exer* 1995; 27(6) 831-43.

Clarkson PM, Haymes EM. Trace mineral requirements for Athletes. *IJSN* 1994;4:104-1 19.

Collier G, McLean A, O'Dea K. Effect of co-ingestion of fat on the metabolic responses to slowly and rapidly absorbed carbohydrates. *Diabetologia* 1984; 26: 50-54.

Connolly DA, McHugh MP, Padilla-Zakour OI. Efficacy of a tart cherry juice blend in preventing the symptoms of muscle damage. *Br J Sports Med* 2006; 40:679-83.

Cooke MB, Rybalk E, Andrew D, Williams AD, Cribb Pi, Hayes A. Creatine supplementation enhances muscle force recovery after eccentrically-induced muscle damage in healthy individuals. *J Internl Soci of Sports Nutri* 2009; 6:13.

Costa RJS, Oliver Si, Laing Si, Walters R, Bilzon JU, Nel P, Walsh NP. Influence of timing of postexercise carbohydrate-protein ingestion on selected immune indices. *Intl J of Sport Nutri and Exer Metab* 2009; (19): 366-384.

Costill DL, Bowers R, Branam G, Sparks K. Muscle glycogen utilization during prolonged exercise on successive days. *J Appl Physiol* 1971;31(6): 834-838.

Costill DL, Sherman WM, Fink Wi, Maresh C, Witten M, Miller iM. The role of dietary carbohydrates in muscle glycogen resynthesis after strenuous running. *Ameri Clin Nutri* 1981;34: 1831-1836.

Cox GR, Desbrow B, Montgomery PG, Anderson ME, Bruce CR, Macrides TA, Martin DT, Moquin A, Roberts A, Hawley iA, Burke LM. Effect of different protocols of caffeine intake on metabolism and endurance performance. *J Appl Physiol* 2002;(93): 990-999.

Coyle EF. Substrate utilization during exercise in active people *Amer J Clin Nutr* 1995; 61 (Suppl) 968-79.

Coyle EF. Fat oxidation during whole body exercise appears to be a good example of regulation by the interaction of physiological systems. *J Physiol* 2007;581(3): 886

Coyle EF Physical activity as a metabolic stressor *Am J Clin Nutr* 2000;72(suppl):512S-20S.

Coyle EF. Fluid and fuel intake during exercise. *JSports Sci* 2004; 22, 39-55.

Cribb PJ, Hayes A. Effects of supplement timing and resistance exercise on skeletal muscle hypertrophy. *Med Sci Sports Exerc* 2006; 38(11): 1918-1925.

Cribb PJ, Williams AD, Carey MF, Hayes A. The effect of whey isolate and resistance training on strength, body composition, plasma glutamine. *Intern JSportNutr and Exer Metab* 2006;16:494-509.

Cribb PJ, Williams AD, Stathis CG, Carey MF, Hayes A. Effects of whey isolate, creatine, resistance training on muscle hypertrophy. *Med Sci Sports Exerc* 2007; 39 (2): 298-307.

Crozier PG, Cordain L, Sampson DA. Exercise induced changes in plasma vitamin 8-6 concentrations do not vary with exercise intensity. *AmerJ Clin Nutr* 1994;60:552-8.

Dangin M, Boirie Y, Guillet C, Beaufre B. Influence of the protein digestion rate on protein turnover in young and elderly subjects. *JNutr* 2002;(132):3228S-3233S.

Dangin M, Boirie Y, Garcia-Rodenas C, Gachon P, Fauquant J, Callier P, Ballvre O, Beaufre B. The digestion rate of protein is an independent regulating factor of postprandial protein retention. *Am JPhysiol EndocrinolMetab* 200 1;280: E340-E348, 2001.

Davidson G, Gleeson M, Phillips S. Antioxidant Supplementation and Immunoendocrine Responses to Prolonged Exercise *Med Sci Sports kser* 2007; 39(4): 645-652.

De Bock K, Derave W, Eijnde BO, Hesselink MK, Koninckx E, Rose AJ, Schrauwen P, Bonen A, Richter EA, Hespel P. Effect of training in the fasted state on metabolic responses during exercise with carbohydrate intake. *JAppl Physiol* 2008;104: 1045-1055.

De Bock K, Derave W, Ramaekers M, Richter EA, Hespel P. Fiber type-specific muscle glycogen sparing due to carbohydrate intake before and during exercise. *JAppl Physiol* 2007;102: 183-188.

DeMarco H, Sucher K, Cisar C, Butterfield, G. Pre-exercise carbohydrate meals: Application of glycemic index. *Med Sd Sports Exerc* 1999;31(1):164-170.

Dorgan JF, Judd iT, Longcope C, Brown C, Schatzkin A, Clevidence BA, Campbell WS, Nair PP, Franz C, Kahie L, Taylor PR. Effects of dietary fat and fiber on plasma and urine androgens and estrogens in men: A controlled feeding study. *Am J Clin Nutr* 1996;64:850-54.

Dougherty KA, Baker LB, Chow M, Kenney WL. Two percent dehydration impairs and six percent carbohydrate drink improves boys basketball skills. *Med Sd Sports Exerc* 2006; 38, (9):1650-1658.

Eberle SG. *Endurance Sports Nutrition* 2nd ed. 2007. Champaign, IL: Human Kinetics.

Erlensbusch M, Haub M, Munoz K, MacConnie, S, Stillwell B. Effect of high-fat or high-carbohydrate diets on endurance exercise: A meta-analysis. *Intl Journal Sport Nutrition and Exercise Metabolism* 2005; 15, 1-14.

Falk B, Bar-Or O, MacDougall JD. Thermoregulatory responses of pre-, mid-, and late pubertal boys to exercise in dry heat. *Med Sd Sports Exerc* 1992; 24(6): 688-694.

Febbraio MA, Stewart KL. CHO feeding before prolonged exercise: effect of glycemic index on muscle glycogenolysis and exercise performance. *JAppl Physiol* 1996;81(3): 1115-1120.

Fink HH, Burgoon LA, Mikesky AE. 2009. *Practical applications in sports nutrition*. 2nd ed. Sudbury, M Jones and Bartlett, 359.

Fitchett MA. Predictability of V02 max from submaximal cycle ergometer and bench stepping tests. *Br J Sports Med* 1985; 19;85-88.

Fontana L, Klein S, Holloszy JO. Long-term low-protein, low-calorie diet and endurance exercise modulate metabolic factors associated with cancer risk *Am J Clin Nutr* 2006;84: 1456-62.

Foss ME and Keteyian Si. 2005. *Fox's physiological basis for exercise and sport*. 6th ed. New York: McGraw-Hill.

Fujita S, Dreyer HC, Drummond Mi, Glynn EL, Volpi E, Rasmussen BB. Essential amino acid and carbohydrate ingestion before resistance exercise does not enhance postexercise muscle protein synthesis. *JAppl Physiol* 2009; 106: 1730-1739.

Game PC, Picosky MA, Bolster DR, Martin WF, Maresh CM, Rodriguez NR. Postexercise whole-body protein turnover response to three levels of protein intake. *MedSci Sports Exerc* 2007; 39(3):480-486, 2007.

Galbo H. The hormonal response to exercise. *Proceedings of the Nutrition Society* 1985; 44: 257-266.

Gallagher PM, Carrithers JA, Godard MP, Schuize KE, Trappe SW. -hydroxy- α -methylbutyrate ingestion, part I: Effects of strength and fat free mass. *Med Sc. Sports Exerc* 2000; 32(12): 2109-2115.

Ganio MS, Casa Di, Armstrong LE, Maresh C. Evidence-based approach to lingering hydration questions. *Clin Sports Med* 2007;26: 1-16.

Garlick P. Assessment of the safety of glutamine and other amino acids. *JNutr*2001;131: 2556S-2561S.

Gellish RL, Goslin BR, Olson RE, McDonald A, Russi GD, Moudgil VK. Longitudinal modeling of the relationship between age and maximal heart rate. *Med Sd Sports Exerc* 2007;39(5): 822-829.

Gibala M. Protein metabolism and endurance exercise. *Sports Med* 2007;37 (4-5): 337-340.

Gibala M. Regulation of skeletal muscle amino acid metabolism during exercise. *IJSNEM* 2001;1 1: 87-108.

Gisolfi CV, Duchman SM. Guidelines for optimal replacement beverages for different athletic events. *Med Sd Sports Exerc* 1992;24(6); 679-687.

Glance BW, Murphy CA, McHugh MR Food intake and electrolyte status of ultramarathoners competing in extreme heat. *J Amer Coil Nutr*; 2002;21(6): 553-559.

Gleeson M. Immune function in sport and exercise. *JAppl Physiol* 2007;103:693-699.

Gleeson M. Interrelationship between physical activity and branched-chain amino acids *JNutr* 2005;35:1591S-1595S.

Gleeson M, Nieman DC, Pedersen, BK. Exercise, nutrition and immune function. *J Sport Sci* 2004;22(1): 115-125.

Goedecke JH, Elmer-English R, Dennis SC, Schloss I, Noakes TD, Lambert EV. Effects of medium-chain triacylglycerol ingested with carbohydrate on metabolism and exercise performance. *Intl JSports Nutr* 1999 (9) 35-47.

Gomez-Cabrera MC, Domenech E, Romagnoli M, Arduini A, Borrás C, Pallardo FV, Juan Sañte, Vina J. Oral administration of vitamin C decreases muscle mitochondrial biogenesis and hampers training-induced adaptations in endurance performance *Am J Clin Nutr* 2008;87:142-9.

Graham T, Battram D, Dela F, El-Sohehy A, Thong F. Does caffeine alter muscle fat and carbohydrate metabolism during exercise? *Appl Phys Nutr Metab* 2008;33: 1311-18.

Greenleaf JE. Problem: Thirst, drinking behavior, and involuntary dehydration. *Med Sci Sports Exerc* 1992; 24(6): 645-656. Greenwood M, Kreider RB, Greenwood L, Byars A. Cramping and injury incidence in collegiate football players are reduced by creatine supplementation. *Journal of Athletic Training* 2003;38(3):216-219.

Greer BK, Woodard JL, White JP, Arguello EM, Haymes EM. Branched-chain amino acid supplementation and indicators of muscle damage after endurance exercise. *IntlJSport Nutr and ExerMetab* 2007; (s17): 595-607.

Gropper SS, Smith JL, Groff JL. *Advanced Nutrition and Human Metabolism* 5th ed. 2009. Belmont, CA: Wadsworth.

Half G, Koch A, Pottenger J, Kuphal K, Magee I, Green S, Jakicic J. Carbohydrate supplement attenuates muscle glycogen loss during acute bouts of resistance exercise. *IntlJSports NutrExerMetab* 2000; (10): 326-339.

Halsom SL, Lancaster GI, Achten J, Gleeson M, Jeukendrup AE. Effects of carbohydrate supplementation on performance and carbohydrate oxidation after intensified cycling training. *JApplPhysiol* 2004;97: 1245-1253.

Hansen KC, Zhang Z, Gomez T, Adams AK, Schoeller DA. Exercise increases the proportion of fat utilization during short-term consumption of a high-fat diet. *Am J Clin Nutr* 2007;85:109 -16.

Harkey MR, Henderson GL, Gershwin ME, Stern JS, Hackman RM. Variability in commercial ginseng products: an analysis of 25 preparations. *Am J Clin Nutr* 2001;73: 1101-6.

Hargreaves M, Costill D, Katz A, Fink W Effect of fructose ingestion on muscle glycogen usage during exercise. *Med Sci. Sports Exerc* 1985;17(3): 360-363.

Hargreaves M, Costill D, Fink W, King D, Fielding R. Effect of pre-exercise carbohydrate feedings on endurance cycling performance. *Med Sci. Sports Exerc* 1987;19(1): 33-36.

Hargreaves M, Snow R. Amino acids and endurance exercise. *Intl JSports Nutr & Exer Metab* 2001 (1 1): 133-145.

Harrison M, Gorman DJ, McCaffrey N, Hamilton MT, Zderic TV(Carson BP, Moyna NM. Influence of acute exercise with and without carbohydrate replacement on postprandial lipid metabolism *JAppl Physiol* 2009; 106(3):943-9.

Hartman J, Tang J, Wilkinson S, Tarnopolsky M, Lawrence R, Fullerton A, Phillips S. Consumption of fat-free fluid milk after resistance exercise promotes greater lean mass accretion than does consumption of soy or carbohydrate in young, novice, male weightlifters. *Am J Clin Nutr* 2007;86:373- 81.

Havemann L, West SJ, Goedecke JH, Macdonald IA, St Clair Gibson A, Noakes TD, Lambert EV. Fat adaptation followed by carbohydrate loading compromised high-intensity sprint performance. *JAppl Physiol* 2006; 100: 194-202.

Hawley JA. Effect of increased fat availability on metabolism and exercise capacity. *Med. Sci. Sports Exerc* 2002; 34(9): 1485-1491. Hawley J, Dennis S, Noakes T. Carbohydrate, fluid, electrolyte requirements of the soccer player: A review. *IntlSports Nutr ExerMetab* 1994;(4): 221-236.

Heaney RP. Vitamin D in health and disease. *Clin JAm Soc Nephrol* 2008; 1535-1541.

Heath EM, Wilcox AR, Quinn CM. Effects of nicotinic acid on respiratory exchange ratio and substrate levels during exercise. *Med Sci Sports Exerc* 1993; 25(9):1018-1023.

Helge JW Long-term fat diet adaptation effects on performance, training capacity, and fat utilization. *Med Sci Sports Exerc* 2002; 34(9): 1499-1504.

Helge JW, Stallknecht B, Richter EA, Galbo H, Bente, Kien B. Muscle metabolism during graded quadriceps exercise in man *JPhysiol* 2007;581(3): 1247-1258.

Hellsten Y, Skadhauge L, Bangsbo J. Effect of ribose supplementation on resynthesis of adenine nucleotides after intense intermittent training in humans. *Am JPhysiol Regul Integr Comp Physiol* 2004;286: R182-R188.

Hew-Butler T, Almond CJ, Ayus C, Dugas J, Meeuwisse W, Noakes T, Reid S, Siegel A, Speedy D, Stuenkel K, Verbalis J, Weschler L. Consensus statement of the 1st International Exercise-Associated Hyponatremia Consensus Development Conference, Cape Town, South Africa 2005 *Clin J Sport Med* 2005; 15(4):208-213.

Hew-Butler T, Verbalis JG, Noakes TO. Updated fluid recommendation: Position statement from the International Marathon Medical Directors Association (IMMDA). *Clin JSport Med* 2006;16:283-292.

Hill AM, Worthley C, Murphy KJ, Buckley JD, Ferrante A, Howe PR. n-3 Fatty acid supplementation and regular moderate exercise: differential effects of a combined intervention on neutrophil function. *BrJNutr.* 2007; 98(2):300-9.

Hoffman JR, Falvo MJ. Protein: Which is best? *Journal of Sports Science and Medicine* 2004;(3): 118-130.

Hoffman JR, Ratamess NA, Kang J, Falvo MJ, Faigenbaum AD. Effect of protein intake on strength, body composition and endocrine changes in strength/power athletes. *Journal of the International Society of Sports Nutrition* 2006;3(2): 12-18.

Hoffman JR, Ratamess NA, Kang J, Falvo MJ and Faigenbaum AD. Effects of protein supplementation on muscular performance and resting hormonal changes in college football players. *J of Sports Sci and Med* 2007;(6): 85-92

Hoffman JR, Ratamess NA, Tranchina CP, Stefanie L. Rashti SL Kang J, Faigenbaum AD. Effect of protein supplement timing on strength, power and body compositional changes in resistance-trained men. *JSNEM*2009;19(2):172-185.

Horton TJ, Grunwald GK, Lavelly J, Donahoo WT. Glucose kinetics differ between women and men, during and after exercise. *JAppl Physiol* 2006;100: 1883-1894.

Horowitz JF, Coyle EF Metabolic responses to pre exercise meals containing various carbohydrates and fat. *Amer J Clin Nutr* 1993; (58): 235-41.

Horowitz JF, Klein S. Lipid metabolism during endurance exercise *Am J Clin Nutr* 2000;72(suppl):558S-63S.

Horowitz JF, Mora-Rodriguez R, Byerley LO, Coyle EF. Substrate metabolism when subjects are fed carbohydrate during exercise. *Am JPhysiol* 1999; 276 (Endocrinol. Metab. 39): E828-E835.

Horvath PJ, Eagen CK, Ryer-Calvin SD, B. Pendergast DR. The effects of varying dietary fat on the nutrient intake in male and female runners. *Journal of the American College of Nutrition* 2000; 19(1): 42-51.

Horvath PJ, Eagen CK, Fisher NM, Leddy JJ, Pendergast DR. The effects of varying dietary fat on performance and metabolism in

trained male and female runners. *Journal of the American College of Nutrition* 2000; 19(1):52-60.

Howarth KR, Moreau NA, Phillips SM, Gibala MJ. Co-ingestion of protein with carbohydrate during recovery from endurance exercise stimulates skeletal muscle protein synthesis in humans *J Appl Physiol* Apr 2009; 106: 1394-1402.

Howlett K, Febbraio M, Hargreaves M. Glucose production during strenuous exercise in humans: role of epinephrine. *Am J Physiol* 1999;276 (Endocrinol Metab 39): E1130-E1135.

Hulston CJ, Jeukendrup AE. Substrate metabolism and exercise performance with caffeine and carbohydrate intake. *Med. Sci. Sports Exerc* 2008; 40(12): 2096-2104.

Institute of Medicine of the National Academies. (Eds Otten II, Heliwig JP, Meyers LD). *Dietary reference intakes: The essential guide to nutrient requirements*. 2006. Washington, DC: National Academies Press.

International Ski Federation. The role of adequate nutrition for performance and health for female cross-country skiers. 2006-2007. www.fis-ski.com.

Isley W, Underwood L, Clemmons D. Dietary components that regulate serum somatomedin-C concentrations in humans. *J Clin Invest* 1983; 71 February 175-182.

Ivy JL, Portman R. *Nutrient timing*. 2004. Laguna Beach, CA: Basic Health.

Ivy JL, Res PT, Sprague RC, Widzer MO. Effect of a carbohydrate-protein supplement on endurance performance during exercise of varying intensity. *Int J Sport Nutr and Exer Metab* 2003;(13): 382-395.

Jacobs KA, Paul DR, Geor RI, Hinchcliff, KW, Sherman WM. Dietary composition influences short-term endurance training-induced adaptations of substrate partitioning during exercise. *Int J of Sport Nutr and Exer Metab*, 2004;(14): 38-61.

Jacobson BH, Weber MD, Claypool L, Hunt LE. Effect of caffeine on maximal strength and power in elite male athletes. *Br J Sports Med* 1992;26:276-280.

Jeukendrup AE. Lipids and insulin resistance: The role of fatty acid metabolism and fuel partitioning: Part vi. skeletal muscle lipid metabolism at rest and during exercise. *Annals of The New York Academy of Sciences* 2002;967: 217-235.

Jeukendrup AE, Thielen J, Wagenmakers, A, Brouns F, Saris W. Effect of medium-chain triacylglycerol and carbohydrate ingestion during exercise on substrate utilization and subsequent cycling performance. *Am J Clin Nutr* 1998;67:397-404.

Jenkins DG, Hutchins CA, Spillman D. The influence of dietary carbohydrate and pre-exercise glucose consumption on supramaximal intermittent exercise performance. *Br J Sp Med* 1994; 28(3):171-6.

Jentjens RLPG., Achten J, Jeukendrup AE. High oxidation rates from combined carbohydrates ingested during exercise. *Med Sci Sports Exerc* 2004; 36(9): 1551-1558.

Jentjens R LPG, Moseley L, Waring RH, Harding LK, Jeukendrup AE. Oxidation of combined ingestion of glucose and fructose during exercise. *J Appl Physiol* 2004;96: 1277-1284.

Jentjens RLPG., Venables MC, Jeukendrup AE. Oxidation of exogenous glucose, sucrose, and maltose during prolonged cycling exercise. *J Appl Physiol* 2004;96: 1285-1291.

Jentjens RL PG, Underwood K, Achten J, Currell K, Mann CH, Asker E. Jeukendrup AE. Exogenous carbohydrate oxidation rates are elevated after combined ingestion of glucose and fructose during exercise in the heat. *J Appl Physiol* 2006; 100: 807-816.

Judelson DA, Maresh CM, Farrell MJ, Yajnamoto LM, Armstrong LE, Kraemer WJ, Volek JS, Spiering BA, Casa DJ, Anderson JM. Effect of hydration state on strength, power, and resistance exercise performance. *Med Sci Sports Exerc* 2007; 39(10): 1817-1824.

Judelson DA, Maresh CM, Yamamoto LM, Farrell MJ, Armstrong LE, Kraemer WJ, Volek JS, Spiering BA, Casa DJ, Anderson JM. Effect of hydration state on resistance exercise induced endocrine markers of anabolism, catabolism, and metabolism. *J Appl Physiol* 2008;105: 816-824.

Jurczak MJ, Danos AM, Rehrmann VR, Allison MB, Greenberg CC, Brady MJ. Transgenic overexpression of protein targeting to glycogen markedly increases adipocytic glycogen storage in mice. *Am J Physiol Endocrinol Metab* 2007;292: E952-E963.

Juzwiak CR, Paschoal VCP, Lopez FA. Nutrition and physical activity *J Pediatr (Rio J)*. 2000; 76 (Supl.3): S349-S358. Kaminogawa S, Nanno M. Modulation of immune functions by foods. *eCAM* 2004;1(3)241-250.

Kannisto K, Chibalin A, Glinghammar B, Zierath JR, Hamsten A, Ehrenborg E. Differential expression of peroxisomal proliferator activated receptors. and % in skeletal muscle in response to changes in diet and exercise. *Interl J Molecular Med* 2006;17: 45-52, 2006.

Kerksick C, Harvey T, Stout J, Campbell B, Wilborn C, Kreider R, Kalman D, Ziegenfuss T, Lopez H, Landis J, Ivy JL and Antonio J. International Society of Sports Nutrition position stand: Nutrient timing. *Journal of the International Society of Sports Nutrition* 2008, 5:17.

Kerksick CM and Leutholtz, B. Nutrient Administration and Resistance Training. *Journal of the International Society of Sports Nutrition*. 2005;2(1):50-67.

Kerksick C, Rasmussen C, Bowden R, Leutholtz B., Harvey T, Earnest C, Greenwood M, Almada A, Kreider R. Effects of ribose supplementation prior to and during intense exercise on anaerobic capacity and metabolic markers. *International J Sport Nutr Exer Metab*, 2005; 15: 653-664.

Kew S, Mesa MD, Tricon S, Buckley R, Minihane AM, Yaqoob P. Effects of oils rich in eicosapentaenoic and docosahexaenoic acids on immune cell composition and function in healthy humans. *Am J Clin Nutr* 2004;79:674-81.

King RFGJ, Cooke C, Carroll S, O'Hara J. Estimating changes in hydration status from changes in body mass: Considerations regarding metabolic water and glycogen storage. *Journal of Sports Sciences* 2008;26(12):1361-1363.

Kirkendall DT. Effects of nutrition on performance in soccer. *Med Sci Sports Exerc* 1993;25(12):1370-74.

Kirwan JP, O'Gorman DJ, Cyr-Campbell D, Campbell WW, Yarasheski KE, Evans WJ. Effects of a moderate glycemic meal on exercise duration and substrate utilization. *Med Sci Sports Exerc*, 2001; 33(9): 1517-1523.

Koopman R, Beelen M, Steffingwerff T, Pennings B, Saris WHM, Kies AK, Kuipers H, van Loon LJC. Coingestion of carbohydrate with protein does not further augment postexercise muscle protein synthesis. *Am J Physiol Endocrinol Metab* 2007;293: E833-E842.

Koopman R, Pannemans DLE, Jeukendrup AE, Gijzen AP, Senden JMG, Halliday D, Saris WHM, van Loon LJC, Wagenmakers MM. Combined ingestion of protein and carbohydrate improves protein balance during ultra-endurance exercise. *Am J Physiol Endocrinol Metab* 2004;287: E712-E720.

Kotze HF, van der Walt WH, Rogers GG, Strydom NB. Effects of plasma ascorbic acid levels on heat acclimatization in man. *J Appl Physiol* 1977; 42(5): 71 1-716.

Kraemer Wi. Endocrine responses to resistance exercise. *Med Sci Sport Exerc* 1988;20(5) S152-7.

Kraemer Wi, Fry AC, Rubin MR, Triplett-Mcbride T, Gordon SE, Koziris LP, Lynch JM, Volek JS, Meuffels DE, Newton RU, Fleck SJ. Physiological and performance responses to tournament wrestling. *Med Sci Sports Exerc*, 200133(8): 1367-1378.

Kraemer Wi, Hatfield DL, Volek iS, Fragala MS, Vingren JL, Anderson JM, Spiering BA, Thomas GA, Ho j'5ç Quann EE, Izquierdo M, Hakkinen K, Maresh CM. Effects of amino acids supplement on physiological adaptations to resistance training. *Med Sci Sports Exerc* 2009; 41(5): 1111-1121.

Kraemer Wi, Volek iS, Bush JA, Putukian M, Sebastianelli WJ. Hormonal responses to consecutive days of heavy-resistance exercise with or without nutritional supplementation. *J Appl Physiol* 1998;85(4):1544-1555.

Kreider RB, Earnest CP, Lundberg i, Rasmussen C, Greenwood M, Cowan P, Almada AL. Effects of ingesting protein with various forms of carbohydrate following resistance-exercise on substrate availability and markers of anabolism, catabolism, and immunity. *Journal of the International Society Sports Nutr* 2007, 4:18

Kreider RB, Melton C, Greenwood M, Rasmussen C, Lundberg J, Earnest C, Almada A. Effects of oral D-ribose supplementation on anaerobic capacity and selected metabolic markers in healthy males. *IJSNEM* 2003 13, 76-86

Kreisman SH, Manzon A, Nessim Si, Morais JA, Gougeon R, Fisher Si, Vranic M, Marliss EB. Glucoregulatory responses to intense exercise performed in the post prandial state. *Am J Physiol Endocrinol Metab* 2000;278: E786-E793.

Lagranha Ci, Levada-Pires AC, Sellitti DF, Procopio J, Curl R, Pithon-Curi TC. The effect of glutamine supplementation and physical exercise on neutrophil function. *Amino Acids* 2008; 34: 337-346.

Lambert EV, Goedecke JH, van Zyl C, Murphy K., Hawley JA., Dennis SC, Noakes TD. High-Fat Diet Versus Habitual Diet Prior to Carbohydrate Loading: Effects on Exercise Metabolism and Cycling Performance *IntlJSports NutrMetab* 2001; 11: 209-225.

Lancaster GI, Khan Q, Drysdale PT, Wallace F, Jeukendrup AE, Drayson MT, Gleeson M. Effect of prolonged exercise and carbohydrate ingestion on type 1 and type 2 T lymphocyte distribution and intracellular cytokine production in humans. *J Appl Physiol* 2005;98: 565-571.

Laursen PB, Suriano R, Quod MJ, Lee H, Abbiss CR, Nosaka K, Martin DT, Bishop D. Core temperature and hydration status during an Ironman Triathlon. *BriSports Med* 2006;40:320-325.

Lavienja AJ, Braam LM, Knapen MHJ, Geusens P, Brouns F Vermeer C. Factors affecting bone loss in female endurance athletes. *Am JSports Med* 2003 31: 889.

Lehmann M, Foster C, Keul J. Overtraining in endurance athletes; a brief review. *Med Sci Sports Exerc* 1993; 25 (7):854-862. Lee JKW, Shirreffs SM, Maughan RI. Cold drink ingestion improves exercise endurance capacity in the heat. *Med Sci Sports Exerc* 2008;40(9): 1637-1644.

Lemon P. Protein and amino acid needs of the strength athlete. *IntlSports Nutr* 1991, 1, 127-145.

Lemon P. Effects of exercise on protein requirements. *IntlSports Nutr* 1998 (8) 426-447.

Levenhagen DK, Carr C, Carison MG, Maron DJ, Borel MJ, Flakoll Pi. Postexercise protein intake enhances whole-body and leg protein accretion in humans. *Med Sci Sports Exerc*, 2002; 34(5): 828-837.

Lopez RM, Casa Di, McDermott BP, Ganio MS, Armstrong LE, Maresh CM. Does creatine supplementation hinder exercise heat tolerance or hydration status? A systematic review with meta-analyses. *J Athletic Training* 2009;44(2):215-223.

Lounana J, Champion F, Noakes TD, Medelli i. Relationship between %HRmax, %HR reserve, %VO2max, and %V02 reserve in elite cyclists. *Med Sci Sports Exerc* 2007;39(2): 350-357.

Lukaski H. Magnesium, zinc, and chromium nutriture and physical activity. *Am J Clin Nutr* 2000;72(suppl):585S-93S.

Lukaski H. Vitamin and mineral status: Effects on physical performance. *Nutrition* 2004;20:632-644.

Maresh CM, Whittlesey MJ, Armstrong LE, Yamamoto LM, Judelson DA, Fish KE, Casa Di, Kavouras SA, Castracane VD. Effect of hydration state on testosterone and cortisol responses to training-intensity in collegiate runners. *IntlJSports Med* 2006 Oct 27 (10) 765-70.

Marliss EB, Stuart H. Kreisman SH, Manzon A, Halter JB, Vranic M, Nessim SJ. Gender differences in glucoregulatory responses to intense exercise. *J Appl Physiol* 2000; 88: 457-466.

Maistorakos G, Pavlatou M, Diamanti-Kandarakis E, Chrousos GP. Exercise and the stress system. Hormones. *IntlJEnd and Metab* 2005 4(2):73-89.

Maughan RI, Leiper JB McGaw BA. Effects of exercise intensity on absorption of ingested fluids in man. *Experimental Physiology* 1990; 75: 419-421.

Maughan Ri, Shirreffs SM. Development of individual hydration strategies for athletes. *IntlSport NutrExerMetab* 2008;18: 457-472.

McArdle WD, Katch FI, Katch VL. 2007. *Exercise physiology: Energy, nutrition, & human performance*. 6th ed. Baltimore: Lippincott, Williams and Wilkins.

McArdle WD, Katch FI, Katch VL. 2008. *Sports and Exercise Nutrition* 3rd ed. Philadelphia: Lippincott Williams & Wilkins.

McConnell GK, Canny BJ, Daddo MC, Nance MJ, Snow RI. Effect of carbohydrate ingestion on glucose kinetics and muscle metabolism during intense endurance exercise. *J Appl Physiol* 2000;89: 1690-1698.

McDowall JA. Supplement use by young athletes. *JSports Sci Med* 2007; (6): 337-342.

McFarlin BK, Flynn MG, Stewart LK, Timmerman KL. Carbohydrate intake during endurance exercise increases natural killer cell responsiveness to IL-2. *J Appl Physiol* 2004; 96:27 1-275.

Meyer NL, Parker-Simmons S, Erbacher JM, n.d. *The role of adequate nutrition for performance and health for female cross-country skiers, 2006-07*. Thunersee, Switzerland: International Ski Federation.

Millard-Stafford M, Warren GL, Thomas LM, J. Doyle A, Snow T, Hitchcock K. Recovery from run training: Efficacy of a carbohydrate-protein beverage? *IntlSportNutrExerMetab*, 2005; 15, 610-624.

Miller SL, P. Game C, Maresh CM, Armstrong LE. Ebbeling CB, Lamont IS, Rodriguez NR. The effects of nutritional supplementation throughout an endurance run on leucine kinetics during recovery. *IJSNEM* 2007, 17, 456-467.

Mitchell JB, Pizza FX, Paquet A, Davis BJ, Forrest MB, Braun WA. Influence of carbohydrate status on immune responses before and after endurance exercise. *J Appl Physiol* 1998;84(6): 1917-1925.

- Monro J. Redefining the glycemic index for dietary management of postprandial glycemia. *J Nutr* 2003;133: 4256-4258.
- Monro J, Shaw M. Glycemic impact, glycemic glucose equivalents, glycemic index, and glycemic load: definitions, distinct ions, and implications. *Am J Clin Nutr* 2008 87(suppl) 237S-43S.
- Mora-Roelriguez R, Coyle EF. Effects of plasma epinephrine on fat metabolism during exercise: Interactions with exercise intensity. *Am J Physiol Endocrinol Metab* 2000;278: 669-E676.
- Montain Si. Hydration recommendations for sport. *Curr. Sports Med Rep* 2008; 7(4): 187-192.
- Montain SJ, Cheuvront SN, Sawka MN. Exercise associated hyponatraemia: Quantitative analysis to understand the aetiology. *BriSports Med* 2006;40:98-106.
- Moore DR, Robinson Mi, Fry JL, Tang JE, Glover EI, Wilkinson SB, Prior T, Tarnopolsky MA, Phillips SM. Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. *Am J Clin Nutr* 2009;89: 16 1-168.
- Morens C, Bos C., Pueyo ME, Benamouzig R, Gausserre SN, Luengo C, Tome D, Gaudichon C. Increasing habitual protein intake accentuates differences in postprandial dietary nitrogen utilization between protein sources in humans. *J Nutr* 2003;133: 2733-2740.
- Muckle DS. Glucose syrup ingestion and team performance in soccer. *BrJSports Med* 1973; 7: 340-343.
- Mündel T, King J, Collacott E, Jones DA. Drink temperature influences fluid intake and endurance capacity in men during exercise in a hot, dry environment. *Exp Physiol* 2006;91(5), 925-933.
- Murray B. Hydration and physical performance. *JAm Coll Nutr* 2007 Oct; 26 (5 Suppl): 542S-548S.
- Murray R, Bartoli WP, Eddy DE, Horn MK. Physiological and performance responses to nicotinic-acid ingestion during exercise. *Med Sci Sports Exerc.* 1995. 27(7) 1057-62.
- Murray R, Paul GL, Seifert JG, Eddy DE. Responses to varying rates of carbohydrate ingestion during exercise. *Med Sd. Sports Exerc.*, 1991;23(6) 713-8.
- Nedergaard J, Bengtsson T, Cannon B. Unexpected evidence for active brown adipose tissue in adult humans. *Am J Physiol Endocrinol Metab*, 2007;293: E444-E452.
- Nichols C, Green F, Hawkins R, Williams C. Carbohydrate intake and recovery of intermittent running capacity. *IntlJSport Nutr.* 1997; (7): 251-260.
- Nieman D. Upper respiratory tract infections and exercise. *Thorax* 1995;50: 1229-1231.
- Nieman DC. Immune response to heavy exertion. *JAppl Physiol* 1997;82(5): 1385-1394.
- Nieman D. Immunonutrition support for athletes *Nutrition Reviews* 2008;66(6):310-320.
- Nieman DC, Davis JM, Brown VA, Henson DA, Dumke CL, Utter AC, Vinci DM, Downs MF, Smith JC, Carson J, Brown A, McAnulty SR, McAnulty LS. Influence of carbohydrate ingestion on immune changes after 2 h of intensive resistance training. *JAppl Physiol* 2004;96: 1292-1298.
- Nieman DC, Henson DA, Gross Si, Jenkins DP, Davis JM, Murphy EA, Carmichael MD, Dumke CL, Utter AC, McAnulty SR, McCaAnulty IS, Mayer EP. Quercetin reduces illness but not immune perturbations after intensive exercise. *Med. Sd. Sports Exerc* 2007;39(9):1561-1569.
- Nieman DC, Henson DA, Maxwell KR, Williams AS, McAnulty SR, Jin F, Shanely RA, Lines TC. Effects of quercetin and EGCG on mitochondrial biogenesis and immunity. *Med Sd Sports Exerc* 2009; 41(7): 1467-1475.
- Nieman DC, Henson DA, Mcanulty SR, Mcanulty LS, Morrow JD, Ahmed A, Heward CB. Vitamin E and immunity after the Kona Triathlon World Championship. *Med Sci Sports Exerc* 2004; 36(8): 1328-1335.
- Nissen SL, Sharp RL. Effect of dietary supplements on lean mass and strength gains with resistance exercise: A mets-analysis. *JAppl Physiol* 2003;94: 651-659.
- Nissen S, Sharp R, Ray M, Rathmacher JA, Rice D, Fuller JC, Connelly AS, Abumrad N. Effect of leucine metabolite b-hydroxy-b-methylbutyrate on muscle metabolism during resistance-exercise training. *JAppl Physiol* 1996;81(5): 2095-2 104.
- Noakes TD, Rehrer NJ, Maughan RI. The importance of volume in regulation gastric emptying. *Med Sd Sports Exerc* 1991; 23(3): 307-313.
- Op 't Eijnde B, Van Leemputte M, Brouns F, Van der Vusse GJ, Labarque V, Ramaekers M, Van Schuylenberg R, Verbessem P, Wijnen H, Hespel P. No effects of oral ribose supplementation on repeated maximal exercise and de novo ATP resynthesis. *JAppl Physiol* 2001;91: 2275-2281.
- Panel on Dietary Antioxidants and Related Compounds; Subcommittees on Upper Reference Levels of Nutrients and Interpretation and Uses of DRIs; Standing Committee on the Scientific Evaluation of Dietary Reference Intakes; Food and Nutrition Board; Institute of Medicine. *Dietary reference intakes for vitamin C, vitamin E, selenium, and carotenoids*. National Academies Press, 2000. www.nap.edu.
- Panel on Dietary Reference Intakes for Electrolytes and Water; Standing Committee on the Scientific Evaluation of Dietary Reference Intakes. *Dietary reference intakes for water, potassium, sodium, chloride, and sulfate*. National Academies Press, 2005. www.nap.edu.
- Panel on Micronutrients; Subcommittees on Upper Reference Levels of Nutrients and of Interpretation and Use of Dietary Reference Intakes; Standing Committee on the Scientific Evaluation of Dietary Reference Intakes. *Dietary reference intakes for vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc*. National Academies Press, 2000. www.nap.edu.
- Pascoe D, Costill D, Fink W, Robergs R, Zachweija J. Glycogen resynthesis in skeletal muscle following resistive exercise *Med Sci Sports Exerc* 1993; 25(2):349-354.
- Passe D, Horn M, Stofan J, Horswill C, Murray R. Voluntary dehydration in runners despite favorable conditions for fluid intake. *IJS-NEM* 2007; 17, 284-295.
- Paul D, Jacobs KA, Gear RJ, Hinchcliff KW No effect of pre-exercise meal on substrate metabolism and time trial performance during intense endurance exercise. *IntlJSports NutrMetab* 2003; (13): 489-503.
- Peake JM. Vitamin C: Effects of exercise and requirements with training. *IJSNEM*, 2003; 13: 125-151.
- Pedersen BK, Steensberg A, Schjerling P. Muscle-derived interleukin-6: possible biological effects *Journal of Physiology* 2001;

Pedersen DJ, Lessard Si, Coffey VG, Churchley EG, Wootton AM, Ng T, Watt MJ, Hawley JA. High rates of muscle glycogen resynthesis after exhaustive exercise when carbohydrate is coingested with caffeine. *J Appl Physiol* 2008; 105: 7-13.

Pedersen BK, Akerstrom TC, Nielsen AR, Fischer CP. Role of myokines in exercise and metabolism. *J Appl Physiol* 2007; 103: 1093-1098.

Peters EM, Goetzsche JM, Grobbelaar B, Noakes TD. Vitamin C supplementation reduces the incidence of post-race symptoms of upper respiratory tract infections in ultra-marathon runners. *Amer J Clin Nutr* 1993; 57:170-4.

Phillips T, Childs AC, Dreon DM, Phinney S, Leeuwenburgh C. A dietary supplement attenuates IL-6 and CRP after eccentric exercise in untrained males. *Med Sci Sports Exerc* 2003; 35(12): 2032-2037.

Phillips SM, Hartman JW, Wilkinson SB. Dietary protein to support anabolism with resistance exercise in young men. *J the Amer Coll Nutr*; 2005; 24(2): 134S-139S.

Pikosky MA, Smith TJ, Grediagin A, Castaneda-Sceppa C, Byerley L, Glickman EL, Young AJ. Increased protein maintains nitrogen balance during exercise-induced energy deficit. *Med Sci Sports Exerc* 2008; 40(3):505-512.

Raben A, Kiens B, Richter EA, Rasmussen LB, Sørensen B, Micic S, Bennett P. Serum sex hormones and endurance performance after a lacto-ovo vegetarian and a mixed diet. *Med Sci Sports Exerc.*; 1992; 24(11): 1290-97.

Rasmussen BB, Tipton KD, Miller SL, Wolf SE, Wolfe RR. An oral essential amino acid-carbohydrate supplement enhances muscle protein anabolism after resistance exercise *J Appl Physiol* 2000; 88:386-392.

Ratamess NA, Hoffman JR, Ross R, Shanklin M, Faigenbaum AD, Kang J. Effects of an amino acid/creatine energy supplement on the acute hormonal response to resistance exercise. *IJSNEM* 2007; 17:608-623.

Ristow M, Zarse K, Oberbach A, Kloting N, Birringer M, Kiehntopf M, Stumvoll M, Kahne CR, Bluher M. Antioxidants prevent health-promoting effects of physical exercise in humans. *Proc of Natl Acad Sci.* May 26, 2009; 106 (21): 8665-8670.

Rohde T, MacLean DA, Pedersen BK. Effect of glutamine supplementation on changes in the immune system induced by repeated exercise. *Med Sci Sports Exerc* 1998; 30(6): 856-862.

Romano-Ely BC, Todd MK, Saunders MJ, St. Laurent T. Effect of an isocaloric carbohydrate-protein antioxidant drink on cycling performance. *Med Sci Sports Exerc* 2006; 38(9): 1608-1616.

Romijn JA, Coyle EF, Sidossis LS, Gastaldello A, Horowitz IF, Endert E, Wolfe RR. Regulation of endogenous fat and carbohydrate metabolism in relation to exercise intensity and duration. *Am J Physiol* 1993; 265 (Endocrinol Metab. 28): E380-E391.

Romijn JA, Coyle EF, Sidossis LS, Rosenblatt J, Wolfe RR. Substrate metabolism during different exercise intensities in endurance-trained women. *J Appl Physiol* 2000;88: 1707-1714.

Rosenbloom CA. 2000. *Sports nutrition: A guide for the professional working with active people*. Chicago: American Dietetic Association.

Rowlands DS, Thomson JS. Effects of -hydroxy-8-methylbutyrate supplementation during resistance training on strength, body composition and muscle damage in trained and untrained young men: A meta-analysis. *J Strength Cond Res* 2009 May; 23(3):836-46.

Rowlands DS, Thorp RM, Rossler K, Graham DF, Rockell MJ. Effect of protein-rich feeding on recovery after intense exercise. *Intl J Sport Nutr and Exer Metab*, 2007, 17, 521-543.

Roy BD, Fowles JR, Hill R, Tarnopolsky MA. Macronutrient intake and whole body protein metabolism following resistance exercise. *Med Sci Sports Exerc* 2000; 32(8):1412-1418.

Roy LPG, Jentjens, van Loon LJC, Mann CH, Wagenmakers MM and Jeukendrup AE. Addition of protein and amino acids to carbohydrates does not enhance postexercise muscle glycogen synthesis *J Appl Physiol* 2001;91:839-846.

Roy BD, Tarnopolsky MA. Influence of differing macronutrient intakes on muscle glycogen resynthesis after resistance exercise. *J Appl Physiol* 1998; 84(3): 890-896.

Satabin P, Portero P, Defer G, Bricout J, Guezennec CY. Metabolic and hormonal responses to lipid and carbohydrate diets during exercise in man. *Med Sci Sports Exerc* 1987; 19(3):218-223.

Saunders MJ, Kane MD, Todd MK. Effects of a carbohydrate-protein beverage on cycling endurance and muscle damage. *Med Sci Sports Exerc* 2004; 36(7): 1233-1238.

Sawka MN. Physiological consequences of hypohydration: exercise performance and thermoregulation. *Med Sci Sports Exerc.*; 1992; 24(6):657-670.

Sawka MN, Burke LM, Eichner RE, Maughan RJ, Montain SJ, Neri S. Position stand of the American College of Sports Medicine: Exercise and fluid replacement. *Med Sci Sports Exerc.* 2007 Feb; 39(2):377-90.

Sawka MN, Noakes TD. Does dehydration impair exercise performance? *Med Sci Sports Exerc.* 2007; 39(8): 1209-17.

SCAN. *Sports nutrition: A practice manual for professionals*, ed. M. Dunford. 2006. Chicago: American Dietetic Association.

SCAN. *Sports nutrition.- A guide for the professional working with active people*. ed. C. Rosenbloom. 2000. Chicago: American Dietetic Association.

Schaafsma G. The protein digestibility-corrected amino acid score. *J Nutr* 2000; 130:1865S-1867S.

Schedi HP, Maughan RJ, Gisolfi CV. Intestinal absorption during rest and exercise: Implications for formulating an oral rehydration solution (ORS). *Med Sci Sports Exerc* 1994; 26 (3): 267-280.

Schumm SR, Triplett NT, McBride JM, Dumke CL. Hormonal response to carbohydrate supplementation at rest and after resistance exercise *IJSNEM* 2008; 18: 260-280.

Schwenk TL, Costley CD. When food becomes a drug: Nonanabolic nutritional supplement use in athletes. *Am J Sports Med* 2002; 30(6): 907-16.

Sharp R. Role of whole foods in promoting hydration after exercise in humans. *J Am Coll Nutr* 2007 Oct; 26(5 Suppl): 592S-596S.

Sharp RL. Role of sodium in fluid homeostasis with exercise. *J Am Coll of Nutr*; 2006; 25(3), 231S-239S.

Shimomura Y, Yamamoto Y, Bajotto G, Sato J, Murakami T, Shimomura N, Kobayashi H, Kazunori Mawatari K. Nutritional effects of branched-chain amino acids on skeletal muscle. *J Nutr* 2006;136: 529S-532S.

Shirreffs S. Conference on multidisciplinary approaches to nutritional problems. Symposium on performance, exercise and health. Hydration, fluids and performance. *Proceedings of the Nutrition Society* 2009; 68: 17-22.

Simopoulos AP. Omega-3 fatty acids and athletics. *Current Sports Medicine Reports* 2007; 6:230-236.

Simopoulos At' (ed). Nutrition and fitness: Cultural, genetic and metabolic aspects. *World Rev NutrDiet.* 2008; 98:23-50.

Siu PM, Wong SHS, Morris JG, Lam CW, Chung PK, Chiung S. Effect of frequency of carbohydrate feedings on recovery and subsequent endurance run. *Med Sci Sports Exerc* 2004; 36(2): 315-323.

Slavin JL, Martini MC, Jacobs DR, Marquart L. Plausible mechanisms for the protectiveness of whole grains. *Am J COn Nub'* 1999; 70(suppl):4595-63S.

Smith TJ, Mountain Si, Anderson D, Young AJ. Plasma amino acid responses after consumption of beverages with varying protein type. *International J of Sport Nub' and Exer Met,* 2009; 19: 1-17.

Sparks Mi, Selig SS, Febbraio MA. Pre-exercise carbohydrate ingestion: Effect of the glycemic index on endurance exercise performance. *Med. Sci. Sports Exerc.* 1998; Vol. 30, No. 6, 844-849.

Spriet LL. Regulation of skeletal muscle fat oxidation during exercise in humans. *Med. Sci. Sports Eze,t.* 2002; 34(9): 1477-1484.

Standing Committee on the Scientific Evaluation of Dietary Reference Intakes and its Panel on Folate, Other B Vitamins, and Choline; Subcommittee on Upper Reference Levels of Nutrients; Food and Nutrition Board; Institute of Medicine. *Dietary reference intakes for thiamin, riboflavin, niacin, vitamin B6, folate, vitamin B12, pantothenic acid, biotin, and choline.* National Academies Press, 1998. www.nap.edu.

Standing Committee on the Scientific Evaluation of Dietary Reference Intakes; Food and Nutrition Board; Institute of Medicine. *Dietary reference intakes for calcium, phosphorus, magnesium, vitamin D, and fluonde.* National Academies Press, 1997. www.nap.edu.

Stellingwerff T, Spriet LL, Watt Mi, Kimber NE, Hargreaves, M, Hawley JA, Burke, LM. Decreased PDH activation and glyc ogenesis during exercise following fat adaptation with carbohydrate restoration. *Am J Physiol Endocrinol Metab.* 2006; 290: E380-E388.

Stephens B, Braun B. Impact of nutrient intake timing on the metabolic response to exercise. *Nutrition Reviews* 2008; 66(8):473-476.

Stepsto NK, Martin DT, Fallon KE, Hawley iA. Metabolic demands of intense aerobic interval training in competitive cyclists. *Med. Sci. Sports Exerc.* 2001; 33(2): 303-310.

Stover EA, Petrie HJ, Passe D, Horswill CA, Murray B, Wildman R. Urine specific gravity in exercisers prior to physical training. *Appi Physiol Nub' Metab.* 2006 iun;31(3):320-7.

Sullo A, Brizzi G, Maffulli N. Triiodothyronine deiodinating activity in brown adipose tissue after short cold stimulation test in trained and untrained rats. *Physiol. Res.* 2004; 53: 69-75.

Tamura Y, Watadaa H, Igarashia Y, Nomiymaa T, Onishib T, Takahashib K, Doib 5, Katamotob 5, Hirosea T, Tanakaa Y, Kawamoria R. Short-term effects of dietary fat on intramyocellular lipid in sprinters and endurance runners. *Metabolism Clinical and Experimental* 2008; 57:373-379.

Tang JE, Perco iG, Moore DR, Wilkinson SB, Phillips SM. Resistance training alters the response of fed state mixed muscle protein synthesis in young men. *Am J Physiol Regul Integr Comp Physiol* 2008; 294: Ri 72-Ri 78.

Tang iE, Phillips SM. Maximizing muscle protein anabolism: The role of protein quality. *Curr Opin Clin Nub' Metab Care* 2009; 12: 66-71.

Tarnopolsky M. A. Sex differences in exercise metabolism and the role of 17-beta estradiol. *Med Sci Sports Exerc* 2008; 40(4):648- 654.

Teixeira VH, Valente HF, Casal SI, Marques AF, Moreira PA. Antioxidants do not prevent postexercise peroxidation and may delay muscle recovery. *Med Sci Sports Exerc* 2009; 41(9): 1752-1760.

Timmons B, Bar-Or 0, Riddell M. Influence of age and pubertal status on substrate utilization during exercise with and without carbohydrate intake in healthy boys. *JApp Phys Nub' Metab* 2007; 32:416-425.

Thorburn MS Višisen B, Thorp RM, Rockell MJ, ieuwendrup AE, Xu X, Rowlands DS. Attenuated gastric distress but no benefit to performance with adaptation to octanoate-rich esterified oils in well-trained male cyclists. *J Appi Physiol* 2006; 101: 1733-1743.

Tipton KD, Elliott TA, Cree MG, Wolf SE, Sanford AP, Wolfe RR. Ingestion of casein and whey proteins result in muscle anabolism after resistance exercise. *Med Sci Sports Exerc* 2004; 36(12): 2073-2081.

Tipton KD, Elliott TA, Cree MG, Aarsland AA, Sanford AP, Wolfe RR. Stimulation of net muscle protein synthesis by whey- protein ingestion before and after exercise. *Am JPhysiol Endocrinol Metab* 2007; 292: E7i-E76.

Tipton KD, Ferrando AA. Improving muscle mass: Response of muscle metabolism to exercise, nutrition and anabolic agents. *Essays Biochem* 2008; 44:85-98.

Tipton KD, Ferrando AA, Phillips SM, Doyle D, Wolfe RR. Postexercise net protein synthesis in human muscle from orally administered amino acids. *Am JPhysiol* 1999; 276 (Endocrinol. Metab.39): E628-E634.

Tipton KD, Rasmussen BB, Miller SL, Wolf SE, Owens-Stovall SK, Petrini BE, Wolfe RR. Timing of amino acid-carbohydrate ingestion alters anabolic response of muscle to resistance exercise. *Am JPhysiol Endocrinol Metab* 2001; 281 :E197-E206.

Tipton KD, Wolfe RR. Exercise protein metabolism and muscle growth. *IJSNEM.* 2001; (11):109-132.

Tomakidis SP, Karamanolis IA. Effects of carbohydrate ingestion 15 mm. before exercise on endurance running capacity. *App! Physiol NutrMetab.* 2008; 33(3): 44 1-9.

Tsintzas OK, Williams C, Boobis L, Greenhaif P. Carbohydrate ingestion and glycogen utilization in different muscle fibre types in man. *JofPhys* 1995; 489(1):243-250.

Tsintzas K, Williams C, Constantin-Teodosiu D, Hultman E, Boobis L, Clarys P, Greenhaff P. Phosphocreatine degradation in type I and type II muscle fibres during submaximal exercise in man: Effect of carbohydrate ingestion. *Journal of Physiolo,* 2001; 537(1): 305-311.

Valentine RI, Saunders Mi, Todd MK, St. Laurent TG. Influence of carbohydrate-protein beverage on cycling endurance and indices of muscle disruption. *IJSNEM,* 2008; 18: 363-378.

Van Essen M, Gibala Mi. Failure of protein to improve time trial performance when added to a sports drink. *Med Sci Sports Exerc* 2006; 38(8): 1476-1483.

Van Loon LIC. Use of intramuscular triacylglycerol as a substrate source during exercise in humans. *JAppI Physiol* 2004; 97: 1170-1187.

Van Loon LI, Greenhaff PL, Constantin-Teodosiu D, Saris WH, Wagenmakers AJ. The effects of increasing exercise intensity on muscle

fuel utilisation in humans. *JofPhys* 2001; 536(1):295-.304.

Van Loon LIC, Saris WHM, Kruijshoop M, Wagenmakers MM. Maximizing postexercise muscle glycogen synthesis: Carbohydrate supplementation and the application of amino acid or protein hydrolysate mixtures. *Am J Clin Nutr* 2000; 72:106-11.

Vandenbergh K, Gillis N, Van Leemputte M, Van Hecke P, Vanstapel F, Hespel P. Caffeine counteracts the ergogenic action of muscle creatine loading. *J Appl Physiol* 1996; 80(2): 452-457.

Venkatraman JT, Leddy J, Pendergast D. Dietary fats and immune status in athletes: Clinical implications. *Med Sci Sports Exerc* 2000; 32(7): Suppl. S389-S395.

Virk RS, Dunton NJ, Young JC, Leklem JE. Effect of vitamin B-6 supplementation on fuels, catecholamines and amino acids during exercise in men. *Med Sci Sports Exerc* 1999; 31(3): 400-408.

Vogt M, Puntschart A, Howald H, Mueller B, Mannhart CH, Gfeller-Tuescher L, Mullis P, Hoppeler H. Effects of dietary fat on muscle substrates, metabolism, and performance in athletes. *Med. Sci. Sports Exerc* 2003; 35(6): 952-960.

Volek J. Influence of nutrition on responses to resistance training. *Med Sci Sport Exerc* 2004; 36(4): 689-696.

Volek J. Strength nutrition. *Corr Sports Med Rep* 2003; 2:189-193.

Wajlis GA, Dawson R, Achten J, Webber J, Jeukendrup AE. Metabolic response to carbohydrate ingestion during exercise in males and females. *Am J Physiol Endocrinol Metab* 2006; 290: E708-E715.

Walsh NP, Blannin AK, Bishop NC, Robson PJ, Gleeson MI. Effect of oral glutamine supplementation on human neutrophil lipopolysaccharide-stimulated degranulation following prolonged exercise. *IJSNEM* 2000; (10): 39-50.

Wee SL, Williams C, Gray S, Horabin J. Influence of high and low glycemic index meals on endurance running capacity. *Med Sci Sports Exerc* 1999; 31(3): 393-399.

Wee SL, Williams C, Tsintzas K, Boobis L. Ingestion of a high-glycemic index meal increases muscle glycogen storage at rest but augments its utilization during subsequent exercise. *J Appl Physiol* 2005; 99: 707-714.

Whitley HA, Humphreys SM, Campbell IT, Keegan MA, Jayanetti TD, Sperry DA, MacLaren DP, Reilly T, Frayn KN. Metabolic and performance responses during endurance exercise after high fat and high-carbohydrate meals. *J Appl Physiol* 1998; 85(2): 418-424.

Wiles J, Woodward R, Bird SR. Effect of pre-exercise protein ingestion upon $\dot{V}O_2$ and perceived exertion during treadmill running. *Br J Sports Med* 1991; 25:26-30.

Wilkinson SB, Tarnopolsky MA, MacDonald MJ, MacDonald JR, Armstrong O, Phillips SM. Consumption of fluid skim milk promotes greater muscle protein accretion after resistance exercise than does consumption of an isonitrogenous and isoenergetic soy-protein beverage. *Am J Clin Nutr* 2007; 85:1031-40.

Williams MH. 2005. *Nutrition for health, fitness and sport*. 7th ed. New York: McGraw-Hill.

Williams MR. 2007. *Nutrition for health, fitness, & sport*. 8th ed. New York: McGraw Hill.

Williams MH, Branch JD. Creatine supplementation and exercise performance: An update. *Journal of the American College of Nutrition* 1998; 17(3): 216-234.

Wilson JM, Kim J, Lee SR, Rathmacher JA, Dalmau B, Kingsley JO, Koch H, Manninen AR, Saadat R, Panton LB. Acute and timing effects of beta-hydroxy-beta-methylbutyrate (1-1MB) on indirect markers of skeletal muscle damage. *Nutrition & Metabolism* 2009; 6:6.

Wilson GJ, Wilson JM, Manninen AR. Effects of beta-hydroxy-beta-methylbutyrate (HMB) on exercise performance and body composition across varying levels of age, sex, and training experience: A review. *Nutrition & Metabolism* 2008; 5:1.

Woolf K, Manore MM. B-vitamins and exercise: Does exercise alter requirements? *International Journal of Sport Nutrition and Exercise Metabolism* 2006; 16, 453-484.

Yeo WK, Lessard SJ, Chen ZP, Garnham AP, Burke LM, Rivas DA, Kemp BE, Hawley JA. Fat adaptation followed by carbohydrate restoration increases AMPK activity in skeletal muscle from trained humans. *J Appl Physiol* 2008; 105: 1519-1526.

Yeo SE, Jentjens R, Wallis GA, Jeukendrup AE. Caffeine increases exogenous carbohydrate oxidation during exercise. *J Appl Physiol* 2005; 99: 844-850.

Zehnder M, Christ AR, Ith M, Acheson I, Pouteau E, Kreis R, Trepp R, Diem P, Boesch C, Decombaz J. Intramyocellular lipid stores increase markedly in athletes after 1.5 days lipid supplementation and are utilized during exercise in proportion to their content. *Eur J Appl Physiol* 2006; 98:341-354.