

## REFERENCES

- Abreu R, Lopes A, Sousa A, Pereira S, Castro MP. Force irradiation effects during upper limb diagonal exercises on contralateral muscle activation. *Journal of Electromyography and Kinesiology* Volume 25, Issue 2, April 2015, Pages 292–297
- Ainsworth R. Physiotherapy rehabilitation in patients with massive rotator cuff tears. *Musculoskeletal Care*. 2006 Sep; 4(3): 140-51
- Alizadehkhayat O, Fisher AC, Kemp GJ, Vishwanathan K, Frostick SP. Shoulder muscle activation and fatigue during a controlled forceful hand grip task. *J Electromyogr Kinesiol*. 2011 Jun;21(3):478-82.
- Antony NT, Keir PJ. Effects of posture, movement and hand load on shoulder muscle activity. *J Electromyogr Kinesiol*. 2010 Apr; 20(2): 191-8
- Andersen LL, Andersen CH, Mortensen OS. Muscle activation and perceived loading during rehabilitation exercises: comparison of dumbbells and elastic resistance. *Physical Therapy* 2010;90(4):538–549.
- Andersen CH, Zebis MK, Saervoll C, Sundstrup E, Jakobsen MD, Sjøgaard G, Andersen LL. Scapular muscle activity from selected strengthening exercises performed at low and high intensities. *J Strength Cond Res*. 2012 Sep;26(9):2408-16.
- Andrade R, Araújo RC, Tucci HT, Martins J, Oliveira AS. Coactivation of the shoulder and arm muscles during closed kinetic chain exercises on an unstable surface. *Singapore Med J* 2011;52(1):35–41.
- Arlotta M, LoVasco G, McLena L. Selective recruitment of the lower fibres of trapezius. *Journal of Electromyography and Kinesiology*. 2011; 403-410
- Bitter NL, Clisby EF, Jones MA, Magarey ME, Jaberzadeh S, Sandow MJ. Relative contributions of infraspinatus and deltoid during external rotation in healthy shoulders. *J Shoulder Elbow Surg*. 2007;16:563-568.
- Boettcher CE, Ginn KA, Cathers I. Which is the optimal exercise to strengthen supraspinatus? *Med Sci Sports Exerc*. 2009 Nov;41(11):1979-83.
- Boudreau SN, Dwyer MK, Mattacola CG, Lattermann C, Uhl TL, McKeon JM. Hip-muscle activation during the lunge, single-leg squat, and step-up-and-over exercises. *J Sport Rehabil*. 2009 Feb;18(1):91-103.
- Carriere B. *The Swiss ball : Theory, Basic Exercises & Clinical Application*. 1998. Springer, New York.
- Carroll TJ, Herbert RD, Munn J, Lee M, Gandevia SC. Contralateral effects of unilateral strength training: evidence and possible mechanisms. *J Appl Physiol* 2006;101:1514–22.
- Carter AB, Kaminski TW, Douex AT Jr, Knight CA, Richards JG. Effects of high volume upper extremity plyometric training on throwing velocity and functional strength ratios of the shoulder rotators in collegiate baseball players. *J Strength Cond Res*. 2007 Feb;21(1):208-15.
- Castelein B, Cools A, Parlevliet T, Cagnie B. Modifying the shoulder joint position during shrugging and retraction exercises alters the activation of the medial scapular muscles. *Manual Therapy*. 2016a 21:250-255
- Castelein B, Cagnie B, Parlevliet T, Cools A. Serratus anterior or pectoralis minor: Which muscle has the upper hand during protraction exercises? *Manual Therapy* 2016 22:158-164
- Castelein B, Cagnie B, Parlevliet T, Cools A. Superficial and deep scapulothoracic muscle electromyographic activity during elevation exercises in the scapula plane. *Journal of Orthopaedic & Sports Physical Therapy*. 2016 March;46; 184-193
- Cook G. *Movement: Functional movement systems: Screening, assessment and strategies for correction*. Lotus Publishing 2010, Berkeley, California
- Cools AM, Dewitte V, Lanszweert F, Notebaert D, Roets A, Soetens B, Cagnie B, Witvrouw EE. Rehabilitation of scapular muscle balance: which exercises to prescribe? *Am J Sports Med*. 2007 Oct;35(10):1744-51.
- Cricchio M, Frazer C. Scapulothoracic and scapulohumeral exercises: a narrative review of electromyographic studies. *J Hand Ther*. 2011 Oct-Dec;24(4):322-33
- de Araújo RC, de Andrade R, Tucci HT, Martins J, de Oliveira AS. Shoulder muscular activity during isometric three-point kneeling exercise on stable and unstable surfaces. *J Appl Biomech*. 2011 Aug;27(3):192-6.
- Decker MJ, Hintermeister RA, Faber KJ, Hawkins RJ. Serratus anterior muscle activity during selected rehabilitation exercises. *Am J Sports Med*. 1999 Nov- Dec;27(6):784-91.
- Decker MJ, Tokish JM, Ellis HB, Torry MR, Hawkins RJ. Subscapularis muscle activity during selected rehabilitation exercises. *Am J Sports Med*. 2003 Jan- Feb;31(1):126-34. z
- De Mey K, Danneels L, Cagnie B, Borms D, Jonck Z, Van Damme E, et al. Shoulder muscle activation levels during four closed kinetic chain exercises with and without Redcord slings. *J Strength Con Res* 2013
- De Mey K, Danneels L, Cagnie B, Van den Bosch L, Flier J, Cools AM. Kinetic chain influences on upper and lower trapezius muscle activation during eight variations of a scapular retraction exercise in overhead athletes. *J Sci Med Sport*. 2013 Jan;16(1):65-70.
- De Mey K, Cagnie B, Danneels LA, Cools AM, Van de Velde A. Trapezius muscle timing during selected shoulder rehabilitation exercises. *J Orthop Sports Phys Ther*. 2009 Oct;39(10):743-52.
- De Mey K, Danneels LA, Cagnie B, Huyghe L, Seyns E, Cools AM. Conscious correction of scapular orientation in overhead athletes performing selected shoulder rehabilitation exercises: the effect on trapezius muscle activation measured by surface electromyography. *J Orthop Sports Phys Ther*. 2013 Jan;43(1):3-10
- Dark A, Ginn KA, Halaki M. Shoulder muscle recruitment patterns during commonly used rotator cuff exercises: an electromyographic study. *Phys Ther*. 2007 Aug;87(8):1039-46.
- Dockery ML, Wright TW, LaStayo PC. Electromyography of the shoulder: an analysis of passive modes of exercise. *Orthopedics*. 1998 Nov;21(11):1181-4.

de Oliveira AS, de Morais Carvalho M, de Brum DP. Activation of the shoulder and arm muscles during axial load exercises on a stable base of support and on a medicine ball. *J Electromyogr Kinesiol.* 2008 Jun;18(3):472-9.

Ekstrom RA, Donatelli RA, Carp KC. Electromyographic analysis of core trunk, hip, and thigh muscles during 9 rehabilitation exercises. *J Orthop Sports Phys Ther.* 2007 Dec; 37(12):754-62.

Ellenbecker, TS and Davies, GJ. The kinetic link principle. In: *Closed Kinetic Chain Exercise.* Champaign, IL: Human Kinetics, 2001. pp. 19-24.

Ellenbecker TS, Sueyoshi T, Bailie DS. Muscular activation during plyometric exercises in 90° of glenohumeral joint abduction. *Sports Health.* 2015 Jan;7(1):75-9.

Ellsworth AA, Mullaney M, Tyler TF, McHugh M, Nicholas S. Electromyography of Selected Shoulder Musculature During Un-weighted and Weighted Pendulum Exercises. *N Am J Sports Phys Ther.* 2006 May;1(2):73-9.

Elphinston J. *Stability, sport and performance movement. Practical biomechanics and systematic traing for movement efficacy and injury prevention.* 2nd Edition . 2013.Lotus Publishing, Chichester, UK.

Escamilla RF, Lewis C, Bell D, Bramblet G, Daffron J, Lambert S, Pecson A, Imamura R, Paulos L, Andrews JR. Core muscle activation during Swiss ball and traditional abdominal exercises. *J Orthop Sports Phys Ther.* 2010 May;40(5):265-76.

Escamilla RF, Yamashiro K, Paulos L, Andrews JR. Shoulder muscle activity and function in common shoulder rehabilitation exercises. *Sports Med.* 2009;39(8):663-85.

Farthing JP1, Krentz JR, Magnus CR, Barss TS, Lanovaz JL, Cummine J, Esopenko C, Sarty GE, Borowsky R. Changes in functional magnetic resonance imaging cortical activation with cross education to an immobilized limb. *Med Sci Sports Exerc.* 2011 Aug;43(8):1394-405.

Ferreira MI, Büll ML, Vitti M. Participation of the deltoid (anterior portion) and pectoralis major (clavicular portion) muscles in different modalities of supine and frontal elevation exercises with different grips. *Electromyogr Clin Neurophysiol.* 2003 Apr-May;43(3):131-40

Ganderton C, Pizzari T. A systematic literature review of the resistance exercises that promote maximal muscle activity of the rotator cuff in normal shoulders. *Shoulder Elbow.* 2013;5:120- 135.

Guido JA Jr, Stemm J. Reactive Neuromuscular Training: A Multi-level Approach to Rehabilitation of the Unstable Shoulder. *N Am J Sports Phys Ther.* 2007 May;2(2):97-103.

Ha SM, Kwon OY, Cynn HS, Lee WH, Kim SJ, Park KN. Selective activation of the infraspinatus muscle. *J Athl Train.* 2013 May-Jun;48(3):346-52.

Hardwick DH, Beebe JA, McDonnell MK, Lang CE. A comparison of serratus anterior muscle activation during a wall slide exercise and other traditional exercises. *J Orthop Sports Phys Ther.* 2006 Dec;36(12):903-10.

Hendy AM, Spittle M, Kidgell DJ. Cross education and immobilisation: mechanisms and

implications for injury rehabilitation. *J Sci Med Sport* 2012;15:94-101.

Herrington L, Waterman R, Smith L. Electromyographic analysis of shoulder muscles during press-up variations and progressions. *Journal of Electromyography and Kinesiology.* 2015; 25:100-106

Hindle KB, Whitcomb TJ, Briggs WO, Hong J. Proprioceptive Neuromuscular Facilitation (PNF): Its Mechanisms and Effects on Range of Motion and Muscular Function. *J Hum Kinetics.* 2012 Mar;31:105-13.

Hintermeister RA, Lange GW, Schultheis JM, Bey MJ, Hawkins RJ. Electromyographic activity and applied load during shoulder rehabilitation exercises using elastic resistance. *Am J Sports Med.* 1998 Mar-Apr;26(2):210-20.

Janwantanaku P. The effect of body orientation on shoulder proprioception. *Physical Therapy In Sport.* 2003;4:67-73

Jung MC, Kim SJ, Rhee JJ, Lee DH. Electromyographic activities of the subscapularis, supraspinatus and infraspinatus muscles during passive shoulder and active elbow exercises. *Knee Surg Sports Traumatol Arthrosc.* 2015

Kalantari KK, Ardestani SB. The effect of base of support stability on shoulder muscle activation during closed kinematic chain exercises. *Journal of Bodywork & Movement Therapies.* 2014 18:233-238

Kang MH, Oh JS, Jang JH. Differences in Muscle Activities of the Infraspinatus and Posterior Deltoid during Shoulder External Rotation in Open Kinetic Chain and Closed Kinetic Chain Exercises. *J Phys Ther Sci.* 2014 Jun;26(6):895-

Kang MH, Jang JH, Kim Th, Oh JS. Effects of shoulder flexion loaded by an elastic tubing band on EMG activity of the gluteal muscles during squat exercises. *J Phys Ther Sci.* 2014; 26: 1787-1789

Kaur N, Bhanot K, Brody LT, Bridges J, Berry DC, Ode JJ. Effects of lower extremity and trunk muscles recruitment on serratus anterior muscle activation in healthy male adults. *Int J Sports Phys Ther.* 2014 Dec;9(7):924-37.

Kebaetse M, McClure P, Pratt NA. Thoracic position effect on shoulder range of motion, strength and three-dimensional scapular kinematics. *Arch Phys Med Rehabil.* 1999;80(8): 945-50

Khademi Kalantari K, Berenji Ardestani S. The effect of base of support stability on shoulder muscle activity during closed kinematic chain exercises. *J Bodyw Mov Ther.* 2014 Apr;18(2):233-8.

Kibler WB, Sciascia AD, Uhl TL, Tambay N, Cunningham T. Electromyographic analysis of specific exercises for scapular control in early phases of shoulder rehabilitation. *Am J Sports Med.* 2008 Sep;36(9):1789-98.

Kibler WB, Kuhn JE, Wil K, Sciascia A, Moore S, Laudner K, Ellenbecker T, Thigpen C, Uhl T. The Disabled Throwing Shoulder: Spectrum of Pathology- 10-year Update. *Arthroscopy.* 2013, 29(1): 141-161

Kibler WB, Livingston B. Closed-chain rehabilitation for upper and lower extremities. *J Am Acad Orthop Surg*. 2001;9:412-421.

Kim S, Kwon O, Kim S, Park K, Choung S, Weon J. Serratus anterior muscle activation during knee push-up plus exercise performed on static stable, static unstable, and oscillating unstable surfaces in healthy subjects. 2014, *Physical Therapy in Sport* 15

Kohler JM, Flanagan SP, Whiting WC. Muscle activation patterns while lifting stable and unstable loads on stable and unstable surfaces. *J Strength Cond Res* 2010;24(2):313-21.

Lee ST, Moon J, Lee SH, Cho KH, Im SH, Kim M, Min K. Changes in activation of serratus anterior, trapezius and latissimus dorsi with slouched posture. *Ann Rehabil. Med* 2016 April 40(2): 318-25

Lee S, Park J, Lee D. The effects of cervical stabilization exercises on the electromyographic activity of shoulder stabilizers. *J Phys Ther Sci*. 2013 Dec;25(12):1557-60.

Lehman GJ, Gilas D, Patel U. An unstable support surface does not increase scapulothoracic stabilizing muscle activity during push up and push up plus exercises. *Man Ther*. 2008 Dec;13(6):500-6.

Lehman, G. J., MacMillan, B., MacIntyre, I., Chivers, M., & Flutter, M. (2006). Shoulder muscle EMG activity during push up variations on and off a Swiss ball. *Dynamic Medicine*, 5, 7.

Lephart SM, Henry T. The physiological basis for open- and closed-kinetic-chain rehabilitation for the upper extremity *J Sport Rehabil*, 5 (1995), pp. 71-87

Lephart SM, Fu FH.(Eds) *Proprioception and Neuromuscular Control in Joint Stability*. 2000. Human Kinetics, USA

Levy O, Mullett H, Rogers S, Copeland S. The role of anterior deltoid reeducation in patients with massive irreparable degenerative rotator cuff tears. *Journal of Shoulder & Elbow Surgery*. 2008 17(6): 863-870

Lister JL, Del Rossi G, Ma F, Stoutenberg M, Adams JB, Tobkin S, Signorile JF. Scapular stabilizer activity during Bodyblade, cuff weights, and Thera-Band use. *J Sport Rehabil*. 2007 Feb;16(1):50-67

Long JL, Ruberte Thiele RA, Skendzel JG, Jeon J, Hughes RE, Miller BS, Carpenter JE. Activation of the shoulder musculature during pendulum exercises and light activities. *J Orthop Sports Phys Ther*. 2010 Apr;40(4):230-7.

Ludewig PM, Hoff MS, Osowski EE, Meschke SA, Rundquist PJ. Relative balance of serratus anterior and upper trapezius muscle activity during push-up exercises. *Am J Sports Med*. 2004 Mar;32(2):484-93.

Ludewig PM, Reynolds JF The association of scapular kinematics and glenohumeral joint pathologies. *J Orthop Sports Phys Ther*. 2009 Feb;39(2):90-104

Lunden JB, Braman JP, LaPrade RF, Ludewig PM. Shoulder kinematics during the wall pup plus exercise. *Journal of Shoulder and Elbow Surgery*, Volume 19, Issue 2, March 2010, Pages 216-223

Magarey ME, Jones MA. Dynamic Evaluation and early management of altered motor control around the shoulder complex. *Manual Therapy*. 2003; 8 (4):195-206.

McCann PD, Wootten ME, Kadaba MP, Bigliani LU. A kinematic and electromyographic study of shoulder rehabilitation exercises. *Clin Orthop Relat Res*. 1993 Mar;(288):179-88.

McMullen J, Uhl TL. A kinetic chain approach for shoulder rehabilitation. *J Athl Train*. 2000 Jul;35(3):329-37.

Maenhout A, Benzoor M, Werin M, Cools A. Scapular muscle activity in a variety of plyometric exercises. *Journal Electromyography & Kinesiology*. 2016 27:39-45

Maenhout A, Van Praet K, Pizzi L, Van Herzeele M, Cools A. Electromyographic analysis of knee push up plus variations: what is the influence of the kinetic chain on scapular muscle activity? *Br J Sports Med*. 2010 Nov;44(14):1010-5.

Marshall PW, Murphy BA: Core stability exercises on and off a Swiss ball. *Arch Phys Med Rehabil*, 2005, 86: 242-249.

Marshall, P., & Murphy, B. (2006). Changes in muscle activity and perceived exertion during exercises performed on a swiss ball. *Applied Physiology, Nutrition and Metabolism*, 31

Martins J, Tucci HT, Andrade R, Araújo RC, Bevilaqua-Grossi D, Oliveira AS. Electromyographic amplitude ratio of serratus anterior and upper trapezius muscles during modified push-ups and bench press exercises. *J Strength Cond Res*. 2008 Mar;22(2):477-84.

McMullen J, Uhl TL. A kinetic chain approach for shoulder rehabilitation. *J Athl Train*. 2000 Jul;35(3):329-37.

Maenhout A1, Van Eessel V, Van Dyck L, Vanraes A, Cools A. Quantifying acromioclavicular distance in overhead athletes with glenohumeral internal rotation loss and the influence of a stretching program. *Am J Sports Med*. 2012 Sep;40(9):2105-12.

Maenhout A, Van Praet K, Pizzi L, Van Herzeele M, Cools A. Electromyographic analysis of knee push up plus variations: what is the influence of the kinetic chain on scapular muscle activity? *Br J Sports Med*. 2010 Nov;44(14):1010-5.

Malmstrom EM, Olsson J, Baldetorp J, Fransson PA. A slouched body posture decreases arm mobility and changes muscles recruitment in the neck and shoulder region. *Eur J Appl Physiol*. 2015 115(12): 2491-503

Misamore GW, Ziegler D, Higginbotham G. Passive range of motion exercises of the shoulder: an EMG analysis. *J Shoulder Elbow Surg* 1993;2(1)Part 2:S27.

Misra G (2014) Dose- response effect of isometric force production on the perception of pain. *PLoS ONE* 9(2)

Moeller CR, Bliven KC, Valier AR. Scapular muscle-activation ratios in patients with shoulder injuries during functional shoulder exercises. *J Athl Train*. 2014 Jun;49(3):345-55.

Mori A. Electromyographic activity of selected trunk muscles during stabilization exercises using a gym ball. *Electromyogr Clin Neurophysiol*. 2004 Jan- Feb;44(1):57-64.

Munn J, Herbert RD, Gandevia SC. Contralateral effects of unilateral resistance training: a meta-analysis. *J Appl Physiol* 2004;96:1861-6.

Munn J, Herbert RD, Hancock MJ, Gandevia SC. Training with unilateral resistance exercise increases contralateral strength. *J Appl Physiol* 2005;99:1880-4.

Murphy CA, McDermott WJ, Petersen RK, Johnson SE, Baxter SA. Electromyographic analysis of the rotator cuff in postoperative shoulder patients during passive rehabilitation exercises. *J Shoulder Elbow Surg*. 2013 Jan;22(1):102-7.

Myers JB, Pasquale MR, Laudner KG, et al. On-the-field resistance-tubing exercises for throwers: an electromyographic analysis. *Journal of Athletic Training* 2005;40(1):15-22.

Naugle KM, Naugle KE, Fillingim RB, Riley JL 3rd. Isometric exercise as a test of pain modulation: effects of experimental pain test, psychological variables, and sex. *Pain Med*. 2014 Apr;15(4):692-701

Naugle KM, Fillingim RB, Riley JL 3rd. A meta-analytic review of the hypoalgesic effects of exercise. *J Pain*. 2012 Dec;13(12):1139-50.

Oliver GD, Plummer HA, Gascon S. Electromyographic analysis of traditional and kinetic chain exercises for dynamic shoulder movements. *Journal of Strength and Conditioning Research*. 2016 Mar 1 (Epub ahead of print)

Oyama S, Myers JB, Wassinger CA, et al. Three-dimensional scapular and clavicular kinematics and scapular muscle activity during retraction exercises. *Journal of Orthopaedic and Sports Physical Therapy* 2010;40(3):169-179.

Panzer S, Schinowski D, Kohle D. Cross-education and contralateral irradiation. *J Hum Kinet* 2011;27:66-79.

Park KM, Cynn HS, Yi CH, Kwon OY. Effect of isometric horizontal abduction on pectoralis major and serratus anterior EMG activity during three exercises in subjects with scapular winging. *J Electromyogr Kinesiol*. 2013 Apr;23(2):462-8.

Park SY, Yoo WG, Kim MH, Oh JS, An DH. Differences in EMG activity during exercises targeting the scapulothoracic region: a preliminary study. *Man Ther*. 2013 Dec;18(6):512-8

Parle P, Riddiford-Harland DL, Howitt CD, Lewis JS. Acute rotator cuff tendinopathy: does ice, low load isometric exercise, or a combination of the two produce an analgesic effect? *BJ S M*. 2016 May 10

Pirauá AL, Pitangui AC, Silva JP, Dos Passos MH, de Oliveira VM, Batista LD, de Araújo RC. Electromyographic analysis of the serratus anterior and trapezius muscles during push-ups on stable and unstable bases in subjects with scapular dyskinesis. *J Electromyogr Kinesiol*. 2014 Jun 12. pii: S1050-6411[Epub ahead of print]

Pizzari T, Wickham J, Balster S, Ganderton C, Watson L. Modifying a shrug exercise can facilitate the upward rotator muscles of the scapula. *Clin Biomech (Bristol, Avon)*. 2014 Feb;29(2):201-5.

Reiman MP1, Bolgla LA, Loudon JK. A literature review of studies evaluating gluteus maximus and gluteus medius activation during rehabilitation exercises. *Physiother Theory Pract*. 2012 May;28(4):257-68.

Reinold MM, Escamilla RF, Wilk KE. Current concepts in the scientific and clinical rationale behind exercises for glenohumeral and scapulothoracic musculature. *J Orthop Sports Phys Ther*. 2009 Feb;39(2):105-17.

Reinold MM, Macrina LC, Wilk KE, Fleisig GS, Dun S, Barrentine SW, Ellerbusch MT, Andrews JR. Electromyographic analysis of the supraspinatus and deltoid muscles during 3 common rehabilitation exercises. *J Athl Train*. 2007 Oct-Dec;42(4):464-9. \*

Reinold MM, Wilk KE, Fleisig GS, Zheng N, Barrentine SW, Chmielewski T, Cody RC, Jameson GG, Andrews JR. Electromyographic analysis of the rotator cuff and deltoid musculature during common shoulder external rotation exercises. *J Orthop Sports Phys Ther*. 2004 Jul;34(7):385-94. \*

Chronic flexibility gains: effect of isometric contraction duration during proprioceptive neuromuscular facilitation stretching techniques. Rowlands AV1, Marginson VF, Lee J. *Res Q Exerc Sport*. 2003 Mar;74(1):47-51.

Røe C, Brox JI, Saugen E, Vøllestad NK. Muscle activation in the contralateral passive shoulder during isometric shoulder abduction in patients with unilateral shoulder pain. *J Electromyogr Kinesiol*. 2000 Apr;10(2):69-77.

Sakita K, Seeley MK, Myrer JW, Hopkins JT. Shoulder-muscle electromyography during shoulder external-rotation exercises with and without slight abduction. *J Sport Rehabil*. 2015 May;24(2):109-15.

Sandhu JS, Mahajan S, Shenoy S. An electromyographic analysis of shoulder muscle activation during push-up variations on stable and labile surfaces. *Int J Shoulder Surg*. 2008 Apr;2(2):30-5.

Sato H, Maruyama H. The effects of indirect treatment of proprioceptive neuromuscular facilitation. *J Phys Ther Sci* 2009;21:189-93.

Sciasia A, Cromwell R. Kinetic chain rehabilitation: a theoretical framework. *Rehabilitation Research and Practice*, 2012:1-9.

Sciascia A, Kuschinsky N, Nitz AJ, Mair SD, Uhl TL. Electromyographical comparison of four common shoulder exercises in unstable and stable shoulders. *Rehabil Res Pract*. 2012;2012:783824.

Schachter AK, McHugh MP, Tyler TF, Kreminic JJ, Orishimo KF, Johnson C, Ben-Avi S, Nicholas SJ. Electromyographic activity of selected scapular stabilizers during glenohumeral internal and external rotation contractions. *J Shoulder Elbow Surg*. 2010 Sep;19(6):884-90.

Schoenfeld B, Sonmez RG, Kolber MJ, Contreras B, Harris R, Ozen S. Effect of hand position on EMG activity of the posterior shoulder musculature during a horizontal abduction exercise. *J Strength Cond Res*. 2013 Oct;27(10):2644-9

Seo S-H, Jeon I-H, Cho Y-H, Lee H-G, Hwang Y-T, Jang J-H. Surface EMG during the push-up plus exercise on a stable support or Swiss ball: scapular stabilizer muscle exercise. *J Phys Ther Sci* 2013;25(7):833-7.

Sharman MJ, Cresswell AG, Riek S. Proprioceptive neuromuscular facilitation stretching : mechanisms and clinical implications. *Sports Med*. 2006;36(11):929-39.

Smith J, Dahm DL, Kotajarvi BR, et al. Electromyographic activity in the immobilized shoulder girdle musculature during ipsilateral kinetic chain exercises. *Arch Phys Med Rehabil*. 2007;88(11):1377-1383.

Smith J, Dahm DL, Kaufman KR, et al. Electromyographic activity in the immobilized shoulder girdle musculature during scapulothoracic exercises. *Arch Phys Med Rehabil*. 2006;87:923-927.

Smith J, Kotajarvi BR, Padgett DJ, Eischen JJ. Effect of scapular pro- traction and retraction on isometric shoulder elevation strength. *Arch Phys Med Rehabil*. 2002;83:367-370.

Swanik KA, Lephart SM, Swanik CB, Lephart SP, Stone DA, Fu FH. The effects of shoulder plyometric training on proprioception and selected muscle performance characteristics. *J Shoulder Elbow Surg*. 2002 Nov-Dec;11(6):579-86.

Swanik KA, Huxel Bliven K, Swanik CB. Rotator cuff recruitment strategies during shoulder rehabilitation exercises. *J Sport Rehabil*. 2011;20(4):471-86

Tardo DT1, Halaki M, Cathers I, Ginn KA. Rotator cuff muscles perform different functional roles during shoulder external rotation exercises. *Clin Anat*. 2013 Mar;26(2):236-43.

Tarnanen SP, Ylinen JJ, Siekkinen KM, et al.: Effect of isometric upper- extremity exercises on the activation of core stabilizing muscles. *Arch Phys Med Rehabil*, 2008, 89: 513-521.

Tucci HT, Ciol MA, de Araújo RC, et al. :Activation of selected shoulder muscles during unilateral wall and bench press tasks under submaximal isometric effort. *J Orthop Sports Phys Ther*, 2011, 41: 520-525

Tucker WS, Bruenger AJ, Doster CM, Hoffmeyer DR. Scapular muscle activity in overhead and nonoverhead athletes during closed chain exercises. *Clin J Sport Med*. 2011 Sep;21(5):405-10.

Tucker WS, Armstrong CW, Gribble PA, Timmons MK, Yeasting RA. Scapular muscle activity in overhead athletes with symptoms of secondary shoulder impingement during closed chain exercises. *Arch Phys Med Rehabil*. 2010 Apr;91(4):550-6.

Tsuruike M1, Ellenbecker TS. Serratus anterior and lower trapezius muscle activities during multi-joint isotonic scapular exercises and isometric contractions. *J Athl Train*. 2015 Feb;50(2):199-210

Ubinger M, Prentice WE, Guskiewicz K. Effect of closed kinetic chain training on neuromuscular control in the upper extremity. *J Sport Rehabil*, 8 (1999), pp.

Uhl TL, Muir TA, Lawson L. Electromyographical assessment of passive, active assistive, and active

shoulder rehabilitation exercises. *PM R*. 2010 Feb;2(2):132-41.\*

Uhl TL, Carver TJ, Mattacola CG, Mair SD, Nitz AJ. Shoulder musculature activation during upper extremity weight-bearing exercise. *J Orthop Sports Phys Ther*. 2003 Mar;33(3):109-17.\*

Vaegter HB (2014) Isometric exercises reduce temporal summation of pressure pain in humans. *Eur J Pain*. 5:623

Voss DE, Ionta MK, Myers BJ. Proprioceptive neuromuscular facilitation. 3rd ed. Philadelphia, PA: Harper & Row; 1985.

Walton J, Russell S. Physiotherapy assessment of shoulder stiffness and how it influences management. *Shoulder & Elbow* 2015 7: 205-213

Wattanaprakornkul D, Cathers I, Halaki M, Ginn KA. The rotator cuff muscles have a direction specific recruitment pattern during shoulder flexion and extension exercises. *J Sci Med Sport*. 2011 Sep;14(5):376-82.

Wattanaprakornkul D, Halaki M, Boettcher C, Cathers I, Ginn K. A comprehensive analysis of muscle recruitment patterns during shoulder flexion: an electromyographic study. *Clin Anat*. 2011 Jul;24(5):619-26.

Wilk KE, Arrigo C, Andrews JR. Closed- and open-kinetic-chain exercise for the upper extremity. *J Sport Rehabil*, 5 (1995, pp. 88-102

Wilk KE, Hooks TR, Macrina LC. The modified sleeper stretch and modified cross-body stretch to increase shoulder internal rotation range of motion in the overhead throwing athlete. *J Orthop Sports Phys Ther*. 2013 Dec;43 (12):891-4.

Wise MB, Uhl TL, Mattacola CG, Nitz AJ, Kibler WB. The effect of limb support on muscle activation during shoulder exercises. *J Shoulder Elbow Surg*. 2004 Nov-Dec;13 (6):614-20.

Witt D, Talbott N, Kotowski S. Electromyographic activity of scapular muscles during diagonal patterns using elastic resistance and free weights. *Int J Sports Phys Ther*. 2011 Dec;6(4):322-32.

Yamauchi T, Hasegawa S, Matsumura A, Nakamura M, Ibuki S, Ichihashi N. The effect of trunk rotation during shoulder exercises on the activity of the scapula muscles and scapula kinematics. *J Shoulder Elbow Surg*. 2015;24: 955-964

Yoo, W. G., & Hwang, Y. I. (2010). Activation and ratio of the upper trapezius and serratus anterior muscles during dynamic and isometric exercises on various support surfaces. *Journal of Physical Therapy Science*, 2010; 22,

Yoon JY, Kim TH, Oh JS: Effect of hand positions in electromyographic activity in scapulothoracic muscles during push-up plus. *J Phys Ther Korea*, 2010, 17: 8-15.

Youdas JW, Arend DB, Exstrom JM, Helmus TJ, Rozeboom JD, Hollman JH. Comparison of muscle activation levels during arm abduction in the plane of the scapula vs. proprioceptive neuromuscular facilitation upper extremity patterns. *J Strength Cond Res*. 2012 Apr;26(4):1058-65.