

1. Malik NA. Revised definition of pain by International Association for the Study of Pain: concepts, challenges and compromises. *Anaesthesia, Pain & Intensive Care*. 2020;24(5).
2. Descartes, R. (1644). *L'Homme*.
3. Kuffler DP. Coping with phantom limb pain. *Mol Neurobiol*. 2018;55(1):70-84.
4. Stankevicius A, Wallwork SB, Summers SJ, Hordacre B, Stanton TR. Prevalence and incidence of phantom limb pain, phantom limb sensations and telescoping in amputees: a systematic rapid review. *Eur J Pain*. 2021;25(1):23-38.
5. Davis RW. Phantom sensation, phantom pain, and stump pain. *Arch Phys Med Rehabil*. 1993;74(1):79-91.
6. Jensen TS, Krebs B, Nielsen J, Rasmussen P. Immediate and long-term phantom limb pain in amputees: incidence, clinical characteristics and relationship to pre-amputation limb pain. *Pain*. 1985;21(3):267-278.
7. Moseley GL, Arntz A. The context of a noxious stimulus affects the pain it evokes. *Pain*. 2007;133(1-3):64-71.
8. Brinjikji W, Luetmer PH, Comstock B, et al. Systematic literature review of imaging features of spinal degeneration in asymptomatic populations. *AJNR Am J Neuroradiol*. 2015;36(4):811-816.
9. Sher JS, Uribe JW, Posada A, Murphy BJ, Zlatkin MB. Abnormal findings on magnetic resonance images of asymptomatic shoulders. *J Bone Joint Surg Am*. 1995;77(1):10-15.
10. Moosmayer S, Smith HJ, Tariq R, Larmo A. Prevalence and characteristics of asymptomatic tears of the rotator cuff: an ultrasonographic and clinical study. *J Bone Joint Surg Br*. 2009;91(2):196-200.
11. Milgrom C, Schaffler M, Gilbert S, van Holsbeeck M. Rotator-cuff changes in asymptomatic adults. The effect of age, hand dominance and gender. *J Bone Joint Surg Br*. 1995;77(2):296-298.
12. Horga LM, Hirschmann AC, Henckel J, et al. Prevalence of abnormal findings in 230 knees of asymptomatic adults using 3.0 T MRI. *Skeletal Radiol*. 2020;49(7):1099-1107.
13. Zanetti M, Pfirrmann CW, Schmid MR, Romero J, Seifert B, Hodler J. Patients with suspected meniscal tears: prevalence of abnormalities seen on MRI of 100 symptomatic and 100 contralateral asymptomatic knees. *AJR Am J Roentgenol*. 2003;181(3):635-641.
14. The Times, 17 Feb 2003, p. 5, London.
15. Melzack R. Pain and the neuromatrix in the brain. *J Dent Educ*. 2001;65(12):1378-1382.
16. Moseley GL. A pain neuromatrix approach to patients with chronic pain. *Man Ther*. 2003;8(3):130-140.

17. Lederman E. The fall of the postural-structural-biomechanical model in manual and physical therapies: exemplified by lower back pain. *J Bodyw Mov Ther.* 2011;15(2):131-138.
18. Engel GL. The need for a new medical model: a challenge for biomedicine. *Science.* 1977;196(4286):129-136.

فصل 2

1. Melzack R. Pain and the neuromatrix in the brain. *J Dent Educ.* 2001;65(12):1378-1382.
2. Moseley GL. A pain neuromatrix approach to patients with chronic pain. *Man Ther.* 2003;8(3):130-140.
3. Watson JA, Ryan CG, Cooper L, et al. Pain neuroscience education for adults with chronic musculoskeletal pain: a mixed-methods systematic review and meta-analysis. *J Pain.* 2019;20(10):1140.e1-1140.e22.
4. Louw A, Zimney K, Puenteadura EJ, Diener I. The efficacy of pain neuroscience education on musculoskeletal pain: a systematic review of the literature. *Physiother Theory Pract.* 2016;32(5):332-355.
5. Moseley GL, Nicholas MK, Hodges PW. A randomized controlled trial of intensive neurophysiology education in chronic low back pain. *Clin J Pain.* 2004;20(5):324-330.
6. Meeus M, Nijs J, Van Oosterwijck J, Van Alsenoy V, Truijen S. Pain physiology education improves pain beliefs in patients with chronic fatigue syndrome compared with pacing and self-management education: a double-blind randomized controlled trial. *Arch Phys Med Rehabil.* 2010;91(8):1153-1159.
7. Clarke CL, Ryan CG, Martin DJ. Pain neurophysiology education for the management of individuals with chronic low back pain: systematic review and meta-analysis. *Man Ther.* 2011;16(6):544-549.
8. Louw A, Diener I, Butler DS, Puenteadura EJ. The effect of neuroscience education on pain, disability, anxiety, and stress in chronic musculoskeletal pain. *Arch Phys Med Rehabil.* 2011;92(12):2041-2056.
9. Devor M. Sodium channels and mechanisms of neuropathic pain. *J Pain.* 2006;7(1 Suppl 1):S3-S12.
10. Devor M, Govrin-Lippmann R, Angelides K. Na⁺ channel immunolocalization in peripheral mammalian axons and changes following nerve injury and neuroma formation. *J Neurosci.* 1993;13(5):1976-1992.
11. Devor M. Response of nerves to injury in relation to neuropathic pain. In: McMahon S, Koltzenburg M. *Wall and Melzack's Textbook of Pain.* Philadelphia: Elsevier; 2013.
12. Flor H. The functional organization of the brain in chronic pain. *Prog Brain Res.* 2000;129:313-322.
13. Apkarian AV, Bushnell MC, Treede RD, Zubieta JK. Human brain mechanisms of pain perception and regulation in health and disease. *Eur J Pain.* 2005;9(4):463-484.
14. Tracey I, Mantyh PW. The cerebral signature for pain perception and its modulation. *Neuron.* 2007;55(3):377-391.
15. Doidge N. *The Brain That Changes Itself.* New York: Penguin Books; 2007.

فصل 3

1. Treede RD, Rief W, Barke A, et al. A classification of chronic pain for ICD-11. *Pain*. 2015;156(6):1003-1007.
2. Bonica JJ. *The Management of Pain*. Philadelphia: Lea & Febiger; 1953.
3. Merskey H, Bogduk N. *Classification of Chronic Pain*. 2nd ed. Seattle: IASP Press; 1994. p. 1.

فصل 4

1. Paller CJ, Campbell CM, Edwards RR, Dobs AS. Sex-based differences in pain perception and treatment. *Pain Med*. 2009;10(2):289-299.
2. Riley JL 3rd, Robinson ME, Wise EA, Myers CD, Fillingim RB. Sex differences in the perception of noxious experimental stimuli: a meta-analysis. *Pain*. 1998;74(2-3):181-187.
3. Assa T, Geva N, Zarkh Y, Defrin R. The type of sport matters: pain perception of endurance athletes versus strength athletes. *Eur J Pain*. 2019;23(4):686- 696.
4. Peterson JA, Schubert DJ, Campbell J, Bemben MG, Black CD. Endogenous pain inhibitory function: endurance-trained athletes vs. active controls. *Pain Med*. 2019;20(9):1822-1830.
5. Tesarz J, Schuster AK, Hartmann M, Gerhardt A, Eich W. Pain perception in athletes compared to normally active controls: a systematic review with meta-analysis. *Pain*. 2012;153(6):1253-1262.
6. Geva N, Defrin R. Enhanced pain modulation among triathletes: a possible explanation for their exceptional capabilities. *Pain*. 2013;154(11):2317-2323.
7. Ohel I, Walfisch A, Shitenberg D, Sheiner E, Hallak M. A rise in pain threshold during labor: a prospective clinical trial. *Pain*. 2007;132 Suppl 1:S104-S108.
8. Berlit S, Lis S, Häfner K, et al. Changes in birth-related pain perception impact of neurobiological and psycho-social factors. *Arch Gynecol Obstet*. 2018;297(3):591-599.
9. Sluka KA, Frey-Law L, Hoeger Bement M. Exercise-induced pain and analgesia? Underlying mechanisms and clinical translation. *Pain*. 2018;159 Suppl 1(Suppl 1):S91-S97.
10. Landmark T, Romundstad P, Borchgrevink PC, Kaasa S, Dale O. Associations between recreational exercise and chronic pain in the general population: evidence from the HUNT 3 study. *Pain*. 2011;152(10):2241-2247.
11. Landmark T, Romundstad PR, Borchgrevink PC, Kaasa S, Dale O. Longitudinal associations between exercise and pain in the general population—the HUNT pain study. *PLoS One*. 2013;8(6):e65279.
12. Published 2013 Jun 12. Bobinski F, Ferreira TAA, Córdova MM, et al. Role of brainstem serotonin in analgesia produced by low-intensity exercise on neuropathic pain after sciatic nerve injury in mice. *Pain*. 2015;156(12):2595-2606.
13. Brito RG, Rasmussen LA, Sluka KA. Regular physical activity prevents development of chronic muscle pain through modulation of supraspinal opioid and serotonergic mechanisms. *Pain Rep*. 2017;2(5):e618. Published 2017 Aug 21.

14. Lima LV, DeSantana JM, Rasmussen LA, Sluka KA. Short-duration physical activity prevents the development of activity-induced hyperalgesia through opioid and serotonergic mechanisms. *Pain*. 2017;158(9):1697-1710.
15. Naugle KM, Riley JL III. Self-reported physical activity predicts pain inhibitory and facilitatory function. *Med Sci Sports Exerc*. 2014;46(3):622-629.
16. Gong WY, Abdelhamid RE, Carvalho CS, Sluka KA. Resident macrophages in muscle contribute to development of hyperalgesia in a mouse model of noninflammatory muscle pain. *J Pain*. 2016;17(10):1081-1094.
17. Leung A, Gregory NS, Allen LH, Sluka KA. Regular physical activity prevents chronic pain by altering resident muscle macrophage phenotype and increasing interleukin-10 in mice. *Pain*. 2016;157(1):70-79.
18. Bobinski F, Teixeira JM, Sluka KA, Santos ARS. Interleukin-4 mediates the analgesia produced by low-intensity exercise in mice with neuropathic pain. *Pain*. 2018;159(3):437-450.
19. Grace PM, Fabisiak TJ, Green-Fulgham SM, et al. Prior voluntary wheel running attenuates neuropathic pain. *Pain*. 2016;157(9):2012-2023.
20. Belavy DL, Van Oosterwijck J, Clarkson M, et al. Pain sensitivity is reduced by exercise training: evidence from a systematic review and meta-analysis. *Neurosci Biobehav Rev*. 2021;120:100-108.
21. Grooten WJA, Boström C, Dederding Å, et al. Summarizing the effects of different exercise types in chronic low back pain—a systematic review of systematic reviews. *BMC Musculoskelet Disord*. 2022;23(1):801.
22. Bair MJ, Robinson RL, Katon W, Kroenke K. Depression and pain comorbidity: a literature review. *Arch Intern Med*. 2003;163(20):2433-2445.
23. IsHak WW, Wen RY, Naghdechi L, et al. Pain and depression: a systematic review. *Harv Rev Psychiatry*. 2018;26(6):352-363.
24. Lewis GN, Rice DA, McNair PJ, Kluger M. Predictors of persistent pain after total knee arthroplasty: a systematic review and meta-analysis. *Br J Anaesth*. 2015;114(4):551-561.
25. Doan L, Manders T, Wang J. Neuroplasticity underlying the comorbidity of pain and depression. *Neural Plast*. 2015;2015:504691.
26. Krosiak M, Murrell GAC. Surgical treatment of lateral epicondylitis: a prospective, randomized, double-blinded, placebo-controlled clinical trial. *Am J Sports Med*. 2018;46(5):1106-1113.
27. Moseley JB, O'Malley K, Petersen NJ, et al. A controlled trial of arthroscopic surgery for osteoarthritis of the knee. *N Engl J Med*. 2002;347(2):81-88.
28. Buchbinder R, Osborne RH, Ebeling PR, et al. A randomized trial of vertebroplasty for painful osteoporotic vertebral fractures. *N Engl J Med*. 2009;361(6):557-568.
29. Blasini M, Corsi N, Klinger R, Colloca L. Nocebo and pain: an overview of the psychoneurobiological mechanisms. *Pain Rep*. 2017;2(2):e585.
30. Manai M, van Middendorp H, Veldhuijzen DS, Huizinga TWJ, Evers AWM. How to prevent, minimize, or extinguish nocebo effects in pain: a narrative review on mechanisms, predictors, and interventions. *Pain Rep*. 2019;4(3):e699. Published 2019 Jun 7.

31. Petersen GL, Finnerup NB, Colloca L, et al. The magnitude of placebo effects in pain: a meta-analysis. *Pain*. 2014;155(8):1426-1434.
32. Hohenschurz-Schmidt D, Thomson OP, Rossetini G, et al. Avoiding placebo and other undesirable effects in chiropractic, osteopathy and physiotherapy: an invitation to reflect. *Musculoskelet Sci Pract*. 2022;62:102677.
33. Hasenbring MI, Chehadi O, Titze C, Kreddig N. Fear and anxiety in the transition from acute to chronic pain: there is evidence for endurance besides avoidance. *Pain Manag*. 2014;4(5):363-374.
34. Leeuw M, Goossens ME, Linton SJ, Crombez G, Boersma K, Vlaeyen JW. The fear-avoidance model of musculoskeletal pain: current state of scientific evidence. *J Behav Med*. 2007;30(1):77-94.
35. Miller GE, Cohen S, Ritchey AK. Chronic psychological stress and the regulation of pro-inflammatory cytokines: a glucocorticoid-resistance model. *Health Psychol*. 2002;21(6):531-541.
36. Thacker MA, Clark AK, Marchand F, McMahon SB. Pathophysiology of peripheral neuropathic pain: immune cells and molecules. *Anesth Analg*. 2007;105(3):838-847.
37. Togo F, Natelson BH, Adler GK, et al. Plasma cytokine fluctuations over time in healthy controls and patients with fibromyalgia. *Exp Biol Med (Maywood)*. 2009;234(2):232-240.
38. Van Looveren E, Bilterys T, Munneke W, et al. The association between sleep and chronic spinal pain: a systematic review from the last decade. *J Clin Med*. 2021;10(17):3836.
39. Hirshkowitz M, Whiton K, Albert SM, et al. National Sleep Foundation's updated sleep duration recommendations: final report. *Sleep Health*. 2015;1(4):233-243.
40. Short sleep duration among US adults. National Center for Chronic Disease Prevention and Health Promotion, Division of Population Health. Centers for Disease Control and Prevention. Updated September 12, 2022. Accessed December 31, 2022. https://www.cdc.gov/sleep/data_statistics.html.
41. Dragan S, Șerban MC, Damian G, Buleu F, Valcovici M, Christodorescu R. Dietary patterns and interventions to alleviate chronic pain. *Nutrients*. 2020;12(9):2510.
42. Bjørklund G, Aaseth J, Doşa MD, et al. Does diet play a role in reducing nociception related to inflammation and chronic pain? *Nutrition*. 2019;66:153- 165.
43. Correa-Rodríguez M, Casas-Barragán A, González-Jiménez E, SchmidtRioValle J, Molina F, Aguilar-Ferrándiz ME. Dietary inflammatory index scores are associated with pressure pain hypersensitivity in women with fibromyalgia. *Pain Med*. 2020;21(3):586-594.
44. Comee L, Taylor CA, Nahikian-Nelms M, Ganesan LP, Krok-Schoen JL. Dietary patterns and nutrient intake of individuals with rheumatoid arthritis and osteoarthritis in the United States. *Nutrition*. 2019;67-68:110533.
45. Atherton K, Wiles NJ, Lecky FE, et al. Predictors of persistent neck pain after whiplash injury. *Emerg Med J*. 2006;23(3):195-201.
46. Ritchie C, Ehrlich C, Sterling M. Living with ongoing whiplash associated disorders: a qualitative study of individual perceptions and experiences. *BMC Musculoskelet Disord*. 2017;18(1):531.

47. Buskila D. Genetics of chronic pain states. *Best Pract Res Clin Rheumatol*. 2007;21(3):535-547.
48. Clementi MA, Faraji P, Poppert Cordts K, et al. Parent factors are associated with pain and activity limitations in youth with acute musculoskeletal pain: a cohort study. *Clin J Pain*. 2019;35(3):222-228.
49. Walker SM. Long-term effects of neonatal pain. *Semin Fetal Neonatal Med*. 2019;24(4):101005.
50. Bates MS, Edwards TW, Anderson KO. Ethnocultural influences on variation in chronic pain perception. *Pain*. 1993;52(1):101-112.
51. Xygalatas D, Mitkidis P, Fischer R, et al. Extreme rituals promote prosociality. *Psychol Sci*. 2013;24(8):1602-1605.
52. Fischer R, Xygalatas D, Mitkidis P, et al. The fire-walker's high: affect and physiological responses in an extreme collective ritual. *PLoS One*. 2014;9(2):e88355. Published 2014 Feb 20.
53. Rabin BS. *Stress, Immune Function and Health: The Connection*. New York: Wiley Liss; 1999.
54. Lewis JS, Green A, Wright C. Subacromial impingement syndrome: the role of posture and muscle imbalance. *J Shoulder Elbow Surg*. 2005;14(4):385-392.
55. Lewis JS, Wright C, Green A. Subacromial impingement syndrome: the effect of changing posture on shoulder range of movement. *J Orthop Sports Phys Ther*. 2005;35(2):72-87.
56. Edmondston SJ, Chan HY, Ngai GC, et al. Postural neck pain: an investigation of habitual sitting posture, perception of "good" posture and cervicothoracic kinaesthesia. *Man Ther*. 2007;12(4):363-371.
57. Uvnas-Moberg K, Petersson M. Oxytocin, a mediator of anti-stress, wellbeing, social interaction, growth and healing. *Z Psychosom Med Psychother*. 2005;51(1):57-80.

فصل 5

1. Belavy DL, Van Oosterwijck J, Clarkson M, et al. Pain sensitivity is reduced by exercise training: Evidence from a systematic review and meta-analysis. *Neurosci Biobehav Rev*. 2021;120:100-108.
2. Vaegter HB, Jones MD. Exercise-induced hypoalgesia after acute and regular exercise: experimental and clinical manifestations and possible mechanisms in individuals with and without pain. *Pain Rep*. 2020;5(5):e823. Published 2020 Sep 23.
3. Sluka KA, Frey-Law L, Hoeger Bement M. Exercise-induced pain and analgesia? Underlying mechanisms and clinical translation. *Pain*. 2018;159 Suppl 1(Suppl 1):S91-S97.
4. Bishop MD, Torres-Cueco R, Gay CW, Lluch-Girbés E, Beneciuk JM, Bialosky JE. What effect can manual therapy have on a patient's pain experience? *Pain Manag*. 2015;5(6):455-464.
5. Bialosky JE, Bishop MD, Price DD, Robinson ME, George SZ. The mechanisms of manual therapy in the treatment of musculoskeletal pain: a comprehensive model. *Man Ther*. 2009;14(5):531-538.

6. Quintner JL, Bove GM, Cohen ML. A critical evaluation of the trigger point phenomenon. *Rheumatology (Oxford)*. 2015;54(3):392-399.
7. Shah JP, Thaker N, Heimur J, Aredo JV, Sikdar S, Gerber L. Myofascial trigger points then and now: a historical and scientific perspective. *PM R*. 2015;7(7):746-761.
8. Tan L, Cicuttini FM, Fairley J, et al. Does aerobic exercise effect pain sensitisation in individuals with musculoskeletal pain? A systematic review. *BMC Musculoskelet Disord*. 2022;23(1):113. Published 2022 Feb 3.
9. Tharmaratnam T, Civitarese RA, Tabobondung T, Tabobondung TA. Exercise becomes brain: sustained aerobic exercise enhances hippocampal neurogenesis. *J Physiol*. 2017;595(1):7-8.
10. Lima LV, Abner TSS, Sluka KA. Does exercise increase or decrease pain? Central mechanisms underlying these two phenomena. *J Physiol*. 2017;595(13):4141-4150.
11. Grooten WJA, Boström C, Dederding Å, et al. Summarizing the effects of different exercise types in chronic low back pain—a systematic review of systematic reviews. *BMC Musculoskelet Disord*. 2022;23(1):801.
12. Sluka KA, Frey-Law L, Hoeger Bement M. Exercise-induced pain and analgesia? Underlying mechanisms and clinical translation. *Pain*. 2018;159 Suppl 1(Suppl 1):S91-S97.
13. Støve MP, Hirata RP, Palsson TS. Muscle stretching—the potential role of endogenous pain inhibitory modulation on stretch tolerance. *Scand J Pain*. 2019;19(2):415-422.
14. Marshall PW, Cashman A, Cheema BS. A randomized controlled trial for the effect of passive stretching on measures of hamstring extensibility, passive stiffness, strength, and stretch tolerance. *J Sci Med Sport*. 2011;14(6):535-540.
15. Halbertsma JP, Göeken LN. Stretching exercises: effect on passive extensibility and stiffness in short hamstrings of healthy subjects. *Arch Phys Med Rehabil*. 1994;75(9):976-981.
16. Busch V, Magerl W, Kern U, Haas J, Hajak G, Eichhammer P. The effect of deep and slow breathing on pain perception, autonomic activity, and mood processing—an experimental study. *Pain Med*. 2012;13(2):215-228.
17. Jafari H, Gholamrezaei A, Franssen M, et al. Can slow deep breathing reduce pain? An experimental study exploring mechanisms. *J Pain*. 2020;21(9- 10):1018-1030.
18. Hilton L, Hempel S, Ewing BA, et al. Mindfulness meditation for chronic pain: systematic review and meta-analysis. *Ann Behav Med*. 2017;51(2):199-213.
19. Cherkin DC, Sherman KJ, Balderson BH, et al. Effect of mindfulness-based stress reduction vs. cognitive behavioral therapy or usual care on back pain and functional limitations in adults with chronic low back pain: a randomized clinical trial. *JAMA*. 2016;315(12):1240-1249.
20. Usuba M, Akai M, Shirasaki Y, Miyakawa S. Experimental joint contracture correction with low torque—long duration repeated stretching. *Clin Orthop Relat Res*. 2007;456:70-78.
21. Flowers KR, LaStayo P. Effect of total end range time on improving passive range of motion. *J Hand Ther*. 1994;7(3):150-157.
22. Light KE, Nuzik S, Personius W, Barstrom A. Low-load prolonged stretch vs. high-load brief stretch in treating knee contractures. *Phys Ther*. 1984;64(3):330-333.

23. Slaven EJ, Goode AP, Coronado RA, Poole C, Hegedus EJ. The relative effectiveness of segment specific level and non-specific level spinal joint mobilization on pain and range of motion: results of a systematic review and meta-analysis. *J Man Manip Ther.* 2013;21(1):7-17.
24. Beattie PF, Arnot CF, Donley JW, Noda H, Bailey L. The immediate reduction in low back pain intensity following lumbar joint mobilization and prone press-ups is associated with increased diffusion of water in the L5-S1 intervertebral disc. *J Orthop Sports Phys Ther.* 2010;40(5):256-264.
25. Moss P, Sluka K, Wright A. The initial effects of knee joint mobilization on osteoarthritic hyperalgesia. *Man Ther.* 2007;12(2):109-118.
26. Conroy DE, Hayes KW. The effect of joint mobilization as a component of comprehensive treatment for primary shoulder impingement syndrome. *J Orthop Sports Phys Ther.* 1998;28(1):3-14.
27. Rio E, Kidgell D, Purdam C, et al. Isometric exercise induces analgesia and reduces inhibition in patellar tendinopathy. *Br J Sports Med.* 2015;49(19):1277- 1283.
28. Malliaras P, Barton CJ, Reeves ND, Langberg H. Achilles and patellar tendinopathy loading programmes: a systematic review comparing clinical outcomes and identifying potential mechanisms for effectiveness. *Sports Med.* 2013;43(4):267-286.
29. Cardoso TB, Pizzari T, Kinsella R, Hope D, Cook JL. Current trends in tendinopathy management. *Best Pract Res Clin Rheumatol.* 2019;33(1):122- 140.
30. Rio E, Kidgell D, Moseley GL, et al. Tendon neuroplastic training: changing the way we think about tendon rehabilitation: a narrative review. *Br J Sports Med.* 2016;50(4):209-215.
31. Turner MN, Hernandez DO, Cade W, Emerson CP, Reynolds JM, Best TM. The role of resistance training dosing on pain and physical function in individuals with knee osteoarthritis: a systematic review. *Sports Health.* 2020;12(2):200- 206.
32. Ferreira RM, Torres RT, Duarte JA, Gonçalves RS. Non-pharmacological and non-surgical interventions for knee osteoarthritis: a systematic review and meta-analysis. *Acta Reumatol Port.* 2019;44(3):173-217.

فصل 6

1. Lauersen JB, Bertelsen DM, Andersen LB. The effectiveness of exercise interventions to prevent sports injuries: a systematic review and metaanalysis of randomised controlled trials. *Br J Sports Med.* 2014;48(11):871-877.
2. Raja SN, Carr DB, Cohen M, et al. The revised International Association for the Study of Pain definition of pain: concepts, challenges, and compromises. *Pain.* 2020;161(9):1976-1982.
3. Culvenor AG, Øiestad BE, Hart HF, Stefanik JJ, Guermazi A, Crossley KM. Prevalence of knee osteoarthritis features on magnetic resonance imaging in asymptomatic uninjured adults: a systematic review and meta-analysis. *Br J Sports Med.* 2019;53(20):1268-1278.

4. Frank JM, Harris JD, Erickson BJ, et al. Prevalence of femoroacetabular impingement imaging findings in asymptomatic volunteers: a systematic review. *Arthroscopy*. 2015;31(6):1199-1204.
5. Brinjikji W, Luetmer PH, Comstock B, et al. Systematic literature review of imaging features of spinal degeneration in asymptomatic populations. *AJNR Am J Neuroradiol*. 2015;36(4):811-816.
6. Wood KB, Garvey TA, Gundry C, Heithoff KB. Magnetic resonance imaging of the thoracic spine. Evaluation of asymptomatic individuals. *J Bone Joint Surg Am*. 1995;77(11):1631-1638.
7. Jerosch J, Castro WH, Assheuer J. Age-related magnetic resonance imaging morphology of the menisci in asymptomatic individuals. *Arch Orthop Trauma Surg*. 1996;115(3-4):199-202.
8. Schibany N, Zehetgruber H, Kainberger F, et al. Rotator cuff tears in asymptomatic individuals: a clinical and ultrasonographic screening study. *Eur J Radiol*. 2004;51(3):263-268.
9. Hall AM, Aubrey-Bassler K, Thorne B, Maher CG. Do not routinely offer imaging for uncomplicated low back pain. *BMJ*. 2021;372:n291.
10. Jacobs JC, Jarvik JG, Chou R, et al. Observational study of the downstream consequences of inappropriate MRI of the lumbar spine. *J Gen Intern Med*. 2020;35(12):3605-3612.
11. Webster BS, Bauer AZ, Choi Y, Cifuentes M, Pransky GS. Iatrogenic consequences of early magnetic resonance imaging in acute, work-related, disabling low back pain. *Spine (Phila Pa 1976)*. 2013;38(22):1939-1946.

فصل 7

1. McCormick A, Charlton J, Fleming D. Assessing health needs in primary care. Morbidity study from general practice provides another source of information. *BMJ*. 1995;310(6993):1534.
2. Andarawis-Puri N, Flatow EL, Soslowsky LJ. Tendon basic science: development, repair, regeneration, and healing. *J Orthop Res*. 2015;33(6):780-784.
3. Alentorn-Geli E, Samuelsson K, Musahl V, Green CL, Bhandari M, Karlsson J. The association of recreational and competitive running with hip and knee osteoarthritis: a systematic review and meta-analysis. *J Orthop Sports Phys Ther*. 2017;47(6):373-390.
4. Lee DY, Park YJ, Kim HJ, et al. Arthroscopic meniscal surgery versus conservative management in patients aged 40 years and older: a metaanalysis. *Arch Orthop Trauma Surg*. 2018;138(12):1731-1739.
5. Giuffrida A, Di Bari A, Falzone E, et al. Conservative vs. surgical approach for degenerative meniscal injuries: a systematic review of clinical evidence. *Eur Rev Med Pharmacol Sci*. 2020;24(6):2874-2885.

فصل 8

1. Sørensen LT. Wound healing and infection in surgery: the pathophysiological impact of smoking, smoking cessation, and nicotine replacement therapy: a systematic review. *Ann Surg.* 2012;255(6):1069-1079.
2. Santiago-Torres J, Flanigan DC, Butler RB, Bishop JY. The effect of smoking on rotator cuff and glenoid labrum surgery: a systematic review. *Am J Sports Med.* 2015;43(3):745-751.
3. Kanneganti P, Harris JD, Brophy RH, Carey JL, Lattermann C, Flanigan DC. The effect of smoking on ligament and cartilage surgery in the knee: a systematic review. *Am J Sports Med.* 2012;40(12):2872-2878.
4. Novikov DA, Swensen SJ, Buza JA 3rd, Gidumal RH, Strauss EJ. The effect of smoking on ACL reconstruction: a systematic review. *Phys Sportsmed.* 2016;44(4):335-341.
5. Sclaro JA, Schenker ML, Yannascoli S, Baldwin K, Mehta S, Ahn J. Cigarette smoking increases complications following fracture: a systematic review. *J Bone Joint Surg Am.* 2014;96(8):674-681.
6. Steiner JL, Lang CH. Dysregulation of skeletal muscle protein metabolism by alcohol. *Am J Physiol Endocrinol Metab.* 2015;308(9):E699-E712.
7. Lang CH, Kimball SR, Frost RA, Vary TC. Alcohol myopathy: impairment of protein synthesis and translation initiation. *Int J Biochem Cell Biol.* 2001;33(5):457-473.
8. Alfredson H, Pietilä T, Jonsson P, Lorentzon R. Heavy-load eccentric calf muscle training for the treatment of chronic Achilles tendinosis. *Am J Sports Med.* 1998;26(3):360-366.
9. Ohberg L, Alfredson H. Effects on neovascularisation behind the good results with eccentric training in chronic mid-portion Achilles tendinosis? *Knee Surg Sports Traumatol Arthrosc.* 2004;12(5):465-470.
10. Shalabi A, Kristoffersen-Wilberg M, Svensson L, Aspelin P, Movin T. Eccentric training of the gastrocnemius-soleus complex in chronic Achilles tendinopathy results in decreased tendon volume and intratendinous signal as evaluated by MRI. *Am J Sports Med.* 2004;32(5):1286-1296.
11. Bahr R, Fossan B, Løken S, Engebretsen L. Surgical treatment compared with eccentric training for patellar tendinopathy (jumper's knee). A randomized, controlled trial. *J Bone Joint Surg Am.* 2006;88(8):1689-1698.
12. Cook JL, Purdam CR. Is tendon pathology a continuum? A pathology model to explain the clinical presentation of load-induced tendinopathy. *Br J Sports Med.* 2009;43(6):409-416.
13. Grafstein B. Role of slow axonal transport in nerve regeneration. *Acta Neuropathol.* 1971;5:144-152.
14. Hoffman PN, Lasek RJ. Axonal transport of the cytoskeleton in regenerating motor neurons: constancy and change. *Brain Res.* 1980;202(2):317-333.

فصل 9

1. McCrory JM, Ackermann BJ, Halaki M. A systematic review of the effects of upper body warm-up on performance and injury. *Br J Sports Med.* 2015;49(14):935-942.

2. Fradkin AJ, Zazryn TR, Smoliga JM. Effects of warming-up on physical performance: a systematic review with meta-analysis. *J Strength Cond Res.* 2010;24(1):140-148.
3. Herman K, Barton C, Malliaras P, Morrissey D. The effectiveness of neuromuscular warm-up strategies, that require no additional equipment, for preventing lower limb injuries during sports participation: a systematic review. *BMC Med.* 2012;10:75.
4. Gray SR, De Vito G, Nimmo MA, Farina D, Ferguson RA. Skeletal muscle ATP turnover and muscle fiber conduction velocity are elevated at higher muscle temperatures during maximal power output development in humans. *Am J Physiol Regul Integr Comp Physiol.* 2006;290(2):R376-R382.
5. Racinais S, Oksa J. Temperature and neuromuscular function. *Scand J Med Sci Sports.* 2010;20 Suppl 3:1-18.
6. Close R, Hoh JF. Influence of temperature on isometric contractions of rat skeletal muscles. *Nature.* 1968;217(5134):1179-1180.
7. Stewart D, Macaluso A, De Vito G. The effect of an active warm-up on surface EMG and muscle performance in healthy humans. *Eur J Appl Physiol.* 2003;89(6):509-513.
8. Pearce AJ, Rowe GS, Whyte DG. Neural conduction and excitability following a simple warm up. *J Sci Med Sport.* 2012;15(2):164-168.
9. Simic L, Sarabon N, Markovic G. Does pre-exercise static stretching inhibit maximal muscular performance? A meta-analytical review. *Scand J Med Sci Sports.* 2013;23(2):131-148.
10. Behm DG, Chaouachi A. A review of the acute effects of static and dynamic stretching on performance. *Eur J Appl Physiol.* 2011;111(11):2633-2651.
11. Fulton J, Wright K, Kelly M, et al. Injury risk is altered by previous injury: a systematic review of the literature and presentation of causative neuromuscular factors. *Int J Sports Phys Ther.* 2014;9(5):583-595.
12. Murphy DF, Connolly DA, Beynnon BD. Risk factors for lower extremity injury: a review of the literature. *Br J Sports Med.* 2003;37(1):13-29.
13. Hägglund M, Waldén M, Ekstrand J. Previous injury as a risk factor for injury in elite football: a prospective study over two consecutive seasons. *Br J Sports Med.* 2006;40(9):767-772.
14. Gaal BT, Knapik DM, Karns MR, Salata MJ, Voos JE. Contralateral anterior cruciate ligament injuries following index reconstruction in the pediatric athlete. *Curr Rev Musculoskelet Med.* 2020;13(4):409-415.
15. Swärd P, Kostogiannis I, Roos H. Risk factors for a contralateral anterior cruciate ligament injury. *Knee Surg Sports Traumatol Arthrosc.* 2010;18(3):277-291.
16. Arøen A, Helgø D, Granlund OG, Bahr R. Contralateral tendon rupture risk is increased in individuals with a previous Achilles tendon rupture. *Scand J Med Sci Sports.* 2004;14(1):30-33.
17. Milewski MD, Skaggs DL, Bishop GA, et al. Chronic lack of sleep is associated with increased sports injuries in adolescent athletes. *J Pediatr Orthop.* 2014;34(2):129-133.
18. Viegas F, Ocarino JM, Freitas LS, et al. The sleep as a predictor of musculoskeletal injuries in adolescent athletes. *Sleep Sci.* 2022;15(3):305-311.

19. Azboy O, Kaygisiz Z. Effects of sleep deprivation on cardiorespiratory functions of the runners and volleyball players during rest and exercise. *Acta Physiol Hung.* 2009;96(1):29-36.
20. McLean SG, Samorezov JE. Fatigue-induced ACL injury risk stems from a degradation in central control. *Med Sci Sports Exerc.* 2009;41(8):1661-1672.
21. Small K, McNaughton L, Greig M, Lovell R. The effects of multidirectional soccer-specific fatigue on markers of hamstring injury risk. *J Sci Med Sport.* 2010;13(1):120-125.
22. Kekelekis A, Nikolaidis PT, Moore IS, Rosemann T, Knechtle B. Risk factors for upper limb injury in tennis players: a systematic review. *Int J Environ Res Public Health.* 2020;17(8):2744.
23. Steele J, Bruce-Low S, Smith D, Osborne N, Thorkeldsen A. Can specific loading through exercise impart healing or regeneration of the intervertebral disc? *Spine J.* 2015;15(10):2117-2121.
24. Bohm S, Mersmann F, Arampatzis A. Human tendon adaptation in response to mechanical loading: a systematic review and meta-analysis of exercise intervention studies on healthy adults. *Sports Med Open.* 2015;1(1):7.
25. Grzelak P, Podgorski M, Stefanczyk L, Krochmalski M, Domzalski M. Hypertrophied cruciate ligament in high performance weightlifters observed in magnetic resonance imaging. *Int Orthop.* 2012;36(8):1715-1719.
26. O'Bryan SJ, Giuliano C, Woessner MN, et al. Progressive resistance training for concomitant increases in muscle strength and bone mineral density in older adults: a systematic review and meta-analysis. *Sports Med.* 2022;52(8):1939-1960.
27. Lauersen JB, Bertelsen DM, Andersen LB. The effectiveness of exercise interventions to prevent sports injuries: a systematic review and metaanalysis of randomised controlled trials. *Br J Sports Med.* 2014;48(11):871-877.
28. Papalia GF, Papalia R, Diaz Balzani LA, et al. The effects of physical exercise on balance and prevention of falls in older people: a systematic review and meta-analysis. *J Clin Med.* 2020;9(8):2595.
29. Wall BT, Morton JP, van Loon LJ. Strategies to maintain skeletal muscle mass in the injured athlete: nutritional considerations and exercise mimetics. *Eur J Sport Sci.* 2015;15(1):53-62.
30. Smith-Ryan AE, Hirsch KR, Saylor HE, Gould LM, Blue MNM. Nutritional considerations and strategies to facilitate injury recovery and rehabilitation. *J Athl Train.* 2020;55(9):918-930.
31. Tipton KD. Nutritional support for exercise-induced injuries. *Sports Med.* 2015;45 Suppl 1:S93-S104.
32. Kvist J, Silbernagel KG. Fear of movement and reinjury in sports medicine: relevance for rehabilitation and return to sport. *Phys Ther.* 2022;102(2):pzab272.
33. Mir B, Vivekanantha P, Dhillon S, et al. Fear of reinjury following primary anterior cruciate ligament reconstruction: a systematic review [published online ahead of print, 2022 Dec 23]. *Knee Surg Sports Traumatol Arthrosc.* 2022;10.1007/s00167-022-07296-6.

34. Hsu CJ, Meierbachtol A, George SZ, Chmielewski TL. Fear of reinjury in athletes. *Sports Health*. 2017;9(2):162-167.
35. Tagesson S, Kvist J. Greater fear of re-injury and increased tibial translation in patients who later sustain an ACL graft rupture or a contralateral ACL rupture: a pilot study. *J Sports Sci*. 2016;34(2):125-132.
36. Hartigan EH, Lynch AD, Logerstedt DS, Chmielewski TL, Snyder-Mackler L. Kinesiophobia after anterior cruciate ligament rupture and reconstruction: noncopers versus potential copers. *J Orthop Sports Phys Ther*. 2013;43(11):821- 832.
37. Nuccio RP, Barnes KA, Carter JM, Baker LB. Fluid balance in team sport athletes and the effect of hypohydration on cognitive, technical, and physical performance. *Sports Med*. 2017;47(10):1951-1982.
38. Knapik JJ, Trone DW, Tchandja J, Jones BH. Injury-reduction effectiveness of prescribing running shoes on the basis of foot arch height: summary of military investigations. *J Orthop Sports Phys Ther*. 2014;44(10):805-812.
39. Knapik JJ, Trone DW, Swedler DI, et al. Injury reduction effectiveness of assigning running shoes based on plantar shape in Marine Corps basic training. *Am J Sports Med*. 2010;38(9):1759-1767.
40. Molloy JM. Factors Influencing running-related musculoskeletal injury risk among U.S. military recruits. *Mil Med*. 2016;181(6):512-523.
41. Ghosh N, Kolade OO, Shontz E, et al. Nonsteroidal anti-inflammatory drugs (NSAIDs) and their effect on musculoskeletal soft-tissue healing: a scoping review. *JBJS Rev*. 2019;7(12):e4.
42. Kapetanios G. The effect of the local corticosteroids on the healing and biomechanical properties of the partially injured tendon. *Clin Orthop Relat Res*. 1982;(163):170-179.
43. Wiggins ME, Fadale PD, Barrach H, Ehrlich MG, Walsh WR. Healing characteristics of a type I collagenous structure treated with corticosteroids. *Am J Sports Med*. 1994;22(2):279-288.
44. Hall MM, Finnoff JT, Smith J. Musculoskeletal complications of fluoroquinolones: guidelines and precautions for usage in the athletic population. *PM R*. 2011;3(2):132-142.
45. Khaliq Y, Zhanel GG. Musculoskeletal injury associated with fluoroquinolone antibiotics. *Clin Plast Surg*. 2005;32(4):495-vi.

فصل 11

1. American Physical Therapy Association. Guide to Physical Therapist Practice. Second Edition. American Physical Therapy Association. *Phys Ther*. 2001;81(1):9-746.
2. Sizer PS Jr, Brismée JM, Cook C. Medical screening for red flags in the diagnosis and management of musculoskeletal spine pain. *Pain Pract*. 2007;7(1):53-71.
3. Ramanayake RPJC, Basnayake BMTK. Evaluation of red flags minimizes missing serious diseases in primary care. *J Family Med Prim Care*. 2018;7(2):315-318.
4. Downie A, Williams CM, Henschke N, et al. Red flags to screen for malignancy and fracture in patients with low back pain: systematic review [published correction appears in *BMJ*. 2014;348:g7]. *BMJ*. 2013;347:f7095.

5. Henschke N, Maher CG, Refshauge KM. A systematic review identifies five “red flags” to screen for vertebral fracture in patients with low back pain. *J Clin Epidemiol.* 2008;61(2):110-118.
6. Ghosh N, Kolade OO, Shontz E, et al. Nonsteroidal anti-inflammatory drugs (NSAIDs) and their effect on musculoskeletal soft-tissue healing: a scoping review. *JBJS Rev.* 2019;7(12):e4.

فصل 12

1. Schoenfeld BJ, Vigotsky A, Contreras B, et al. Differential effects of attentional focus strategies during long-term resistance training. *Eur J Sport Sci.* 2018;18(5):705-712.
2. Calatayud J, Vinstrup J, Jakobsen MD, et al. Importance of mind-muscle connection during progressive resistance training. *Eur J Appl Physiol.* 2016;116(3):527-533.
3. Huygaerts S, Cos F, Cohen DD, et al. Mechanisms of hamstring strain injury: interactions between fatigue, muscle activation and function. *Sports (Basel).* 2020;8(5):65.

فصل 14

1. Minshull C, Gallacher P, Roberts S, Barnett A, Kuiper JH, Bailey A. Contralateral strength training attenuates muscle performance loss following anterior cruciate ligament (ACL) reconstruction: a randomised controlled trial. *Eur J Appl Physiol.* 2021;121(12):3551-3559.
2. Green LA, Gabriel DA. The cross education of strength and skill following unilateral strength training in the upper and lower limbs. *J Neurophysiol.* 2018;120(2):468-479.
3. Frazer AK, Williams J, Spittle M, Kidgell DJ. Cross-education of muscular strength is facilitated by homeostatic plasticity. *Eur J Appl Physiol.* 2017;117(4):665-677.
4. Gabriel DA, Kamen G, Frost G. Neural adaptations to resistive exercise: mechanisms and recommendations for training practices. *Sports Med.* 2006;36(2):133-149.
5. Farthing JP, Borowsky R, Chilibeck PD, Binsted G, Sarty GE. Neurophysiological adaptations associated with cross-education of strength. *Brain Topogr.* 2007;20(2):77-88.
6. Grande-Alonso M, Garrigos-Pedron M, Cuenca-Martinez F, et al. Influence of the generation of motor mental images on physiotherapy treatment in patients with chronic low back pain. *Pain Physician.* 2020;23(4):E399-E408.
7. Salik Sengul Y, Kaya N, Yalcinkaya G, Kirmizi M, Kalemci O. The effects of the addition of motor imagery to home exercises on pain, disability and psychosocial parameters in patients undergoing lumbar spinal surgery: a randomized controlled trial. *Explore (NY).* 2021;17(4):334-339.
8. Limakatso K, Madden VJ, Manie S, Parker R. The effectiveness of graded motor imagery for reducing phantom limb pain in amputees: a randomised controlled trial. *Physiotherapy.* 2020;109:65-74.

9. Louw A, Farrell K, Nielsen A, O'Malley M, Cox T, Puenteadura EJ. Virtual McKenzie extension exercises for low back and leg pain: a prospective pilot exploratory case series [published online ahead of print, 2022 Jun 23]. *J Man Manip Ther.* 2022;1-7.
10. Louw A, Schmidt SG, Louw C, Puenteadura EJ. Moving without moving: immediate management following lumbar spine surgery using a graded motor imagery approach: a case report. *Physiother Theory Pract.* 2015;31(7):509-517.
11. Moseley GL. Graded motor imagery is effective for long-standing complex regional pain syndrome: a randomised controlled trial. *Pain.* 2004;108(1- 2):192-198.
12. Hughes L, Paton B, Rosenblatt B, Gissane C, Patterson SD. Blood flow restriction training in clinical musculoskeletal rehabilitation: a systematic review and meta-analysis. *Br J Sports Med.* 2017;51(13):1003-1011.
13. Karanasios S, Korakakis V, Moutzouri M, Xergia SA, Tsepis E, Gioftos G. Lowload resistance training with blood flow restriction is effective for managing lateral elbow tendinopathy: a randomized, sham-controlled trial. *J Orthop Sports Phys Ther.* 2022;52(12):803-825.
14. Kilgas MA, Lytle LLM, Drum SN, Elmer SJ. Exercise with blood flow restriction to improve quadriceps function long after ACL reconstruction. *Int J Sports Med.* 2019;40(10):650-656.
15. Hughes L, Rosenblatt B, Haddad F, et al. Comparing the effectiveness of blood flow restriction and traditional heavy load resistance training in the post-surgery rehabilitation of anterior cruciate ligament reconstruction patients: a UK National Health Service randomised controlled trial. *Sports Med.* 2019;49(11):1787-1805.
16. Ferraz RB, Gualano B, Rodrigues R, et al. Benefits of resistance training with blood flow restriction in knee osteoarthritis. *Med Sci Sports Exerc.* 2018;50(5):897-905.
17. Yildirim N, Filiz Ulusoy M, Bodur H. The effect of heat application on pain, stiffness, physical function and quality of life in patients with knee osteoarthritis. *J Clin Nurs.* 2010;19(7-8):1113-1120.
18. Michlovitz S, Hun L, Erasala GN, Hengehold DA, Weingand KW. Continuous low-level heat wrap therapy is effective for treating wrist pain. *Arch Phys Med Rehabil.* 2004;85(9):1409-1416.
19. French SD, Cameron M, Walker BF, Reggars JW, Esterman AJ. Superficial heat or cold for low back pain. *Cochrane Database Syst Rev.* 2006;2006(1):CD004750. Published 2006 Jan 25.
20. Nadler SF, Steiner DJ, Erasala GN, et al. Continuous low-level heat wrap therapy provides more efficacy than Ibuprofen and acetaminophen for acute low back pain. *Spine (Phila Pa 1976).* 2002;27(10):1012-1017.
21. Rodrigues P, Trajano GS, Stewart IB, Minett GM. Potential role of passively increased muscle temperature on contractile function. *Eur J Appl Physiol.* 2022;122(10):2153-2162.
22. Petrofsky J, Berk L, Bains G, et al. Moist heat or dry heat for delayed onset muscle soreness. *J Clin Med Res.* 2013;5(6):416-425.
23. Selsby JT, Rother S, Tsuda S, Pracash O, Quindry J, Dodd SL. Intermittent hyperthermia enhances skeletal muscle regrowth and attenuates oxidative damage following reloading. *J Appl Physiol (1985).* 2007;102(4):1702-1707.

24. Naito H, Powers SK, Demirel HA, Sugiura T, Dodd SL, Aoki J. Heat stress attenuates skeletal muscle atrophy in hindlimb-unweighted rats. *J Appl Physiol* (1985). 2000;88(1):359-363.
25. Hafen PS, Abbott K, Bowden J, Lopiano R, Hancock CR, Hyldahl RD. Daily heat treatment maintains mitochondrial function and attenuates atrophy in human skeletal muscle subjected to immobilization. *J Appl Physiol* (1985). 2019;127(1):47-57.
26. Selsby JT, Dodd SL. Heat treatment reduces oxidative stress and protects muscle mass during immobilization. *Am J Physiol Regul Integr Comp Physiol*. 2005;289(1):R134-R139.
27. Laukkanen JA, Laukkanen T, Kunutsor SK. Cardiovascular and other health benefits of sauna bathing: a review of the evidence. *Mayo Clin Proc*. 2018;93(8):1111-1121.
28. Laukkanen T, Khan H, Zaccardi F, Laukkanen JA. Association between sauna bathing and fatal cardiovascular and all-cause mortality events. *JAMA Intern Med*. 2015;175(4):542-548.
29. Laukkanen JA, Laukkanen T. Sauna bathing and systemic inflammation. *Eur J Epidemiol*. 2018;33(3):351-353.
30. Kunutsor SK, Laukkanen T, Laukkanen JA. Longitudinal associations of sauna bathing with inflammation and oxidative stress: the KIHID prospective cohort study. *Ann Med*. 2018;50(5):437-442.
31. Wu LC, Weng PW, Chen CH, Huang YY, Tsuang YH, Chiang CJ. Literature review and meta-analysis of transcutaneous electrical nerve stimulation in treating chronic back pain. *Reg Anesth Pain Med*. 2018;43(4):425-433.
32. Resende L, Merriwether E, Rampazo ÉP, et al. Meta-analysis of transcutaneous electrical nerve stimulation for relief of spinal pain. *Eur J Pain*. 2018;22(4):663-678.
33. Oosterhof J, Samwel HJ, de Boo TM, Wilder-Smith OH, Oostendorp RA, Crul BJ. Predicting outcome of TENS in chronic pain: a prospective, randomized, placebo controlled trial. *Pain*. 2008;136(1-2):11-20.
34. Hauger AV, Reiman MP, Bjordal JM, Sheets C, Ledbetter L, Goode AP. Neuromuscular electrical stimulation is effective in strengthening the quadriceps muscle after anterior cruciate ligament surgery. *Knee Surg Sports Traumatol Arthrosc*. 2018;26(2):399-410.
35. Stevens-Lapsley JE, Balter JE, Wolfe P, Eckhoff DG, Kohrt WM. Early neuromuscular electrical stimulation to improve quadriceps muscle strength after total knee arthroplasty: a randomized controlled trial. *Phys Ther*. 2012;92(2):210-226.
36. Fitzgerald GK, Piva SR, Irrgang JJ. A modified neuromuscular electrical stimulation protocol for quadriceps strength training following anterior cruciate ligament reconstruction. *J Orthop Sports Phys Ther*. 2003;33(9):492- 501.
37. Brown F, Gissane C, Howatson G, van Someren K, Pedlar C, Hill J. Compression garments and recovery from exercise: a meta-analysis. *Sports Med*. 2017;47(11):2245-2267.
38. Marqués-Jiménez D, Calleja-González J, Arratibel I, Delextrat A, Terrados N. Are compression garments effective for the recovery of exercise-induced muscle damage? A systematic review with meta-analysis. *Physiol Behav*. 2016;153:133-148.

39. Hill J, Howatson G, van Someren K, Leeder J, Pedlar C. Compression garments and recovery from exercise-induced muscle damage: a metaanalysis. *Br J Sports Med.* 2014;48(18):1340-1346.
40. Dubois B, Esculier JF. Soft-tissue injuries simply need PEACE and LOVE. *Br J Sports Med.* 2020;54(2):72-73.
41. Moffet HH. Sham acupuncture may be as efficacious as true acupuncture: a systematic review of clinical trials. *J Altern Complement Med.* 2009;15(3):213- 216.
42. Kong JT, Puetz C, Tian L, et al. Effect of electroacupuncture vs sham treatment on change in pain severity among adults with chronic low back pain: a randomized clinical trial [published correction appears in *JAMA Netw Open.* 2022 Apr 1;5(4):e229687]. *JAMA Netw Open.* 2020;3(10):e2022787. Published 2020 Oct 1.
43. Mu J, Furlan AD, Lam WY, Hsu MY, Ning Z, Lao L. Acupuncture for chronic nonspecific low back pain. *Cochrane Database Syst Rev.* 2020;12(12):CD013814. Published 2020 Dec 11.
44. Farag AM, Malacarne A, Pagni SE, Maloney GE. The effectiveness of acupuncture in the management of persistent regional myofascial head and neck pain: a systematic review and meta-analysis. *Complement Ther Med.* 2020;49:102297.
45. Su X, Qian H, Chen B, et al. Acupuncture for acute low back pain: a systematic review and meta-analysis. *Ann Palliat Med.* 2021;10(4):3924-3936.
46. Tu JF, Yang JW, Shi GX, et al. Efficacy of intensive acupuncture versus sham acupuncture in knee osteoarthritis: a randomized controlled trial. *Arthritis Rheumatol.* 2021;73(3):448-458.
47. Gattie E, Cleland JA, Pandya J, Snodgrass S. Dry needling adds no benefit to the treatment of neck pain: a sham-controlled randomized clinical trial with 1-year follow-up. *J Orthop Sports Phys Ther.* 2021;51(1):37-45.
48. Sánchez-Infante J, Navarro-Santana MJ, Bravo-Sánchez A, Jiménez-Díaz F, Abián-Vicén J. Is dry needling applied by physical therapists effective for pain in musculoskeletal conditions? A systematic review and meta-analysis. *Phys Ther.* 2021;101(3):pzab070.
49. Liu L, Huang QM, Liu QG, et al. Effectiveness of dry needling for myofascial trigger points associated with neck and shoulder pain: a systematic review and meta-analysis. *Arch Phys Med Rehabil.* 2015;96(5):944-955.
50. Callaghan MJ, McKie S, Richardson P, Oldham JA. Effects of patellar taping on brain activity during knee joint proprioception tests using functional magnetic resonance imaging. *Phys Ther.* 2012;92(6):821-830.
51. Aguilar-Ferrándiz ME, Castro-Sánchez AM, Matarán-Peñarrocha GA, GuisadoBarrilao R, García-Ríos MC, Moreno-Lorenzo C. A randomized controlled trial of a mixed kinesio taping-compression technique on venous symptoms, pain, peripheral venous flow, clinical severity and overall health status in postmenopausal women with chronic venous insufficiency. *Clin Rehabil.* 2014;28(1):69-81.
52. Logan CA, Bhashyam AR, Tisosky AJ, et al. Systematic review of the effect of taping techniques on patellofemoral pain syndrome. *Sports Health.* 2017;9(5):456-461.
53. Cheatham SW, Lee M, Cain M, Baker R. The efficacy of instrument assisted soft tissue mobilization: a systematic review. *J Can Chiropr Assoc.* 2016;60(3):200-211.

54. Ikeda N, Otsuka S, Kawanishi Y, Kawakami Y. Effects of instrument-assisted soft tissue mobilization on musculoskeletal properties [published correction appears in *Med Sci Sports Exerc.* 2020 Feb;52(2):524]. *Med Sci Sports Exerc.* 2019;51(10):2166-2172.
55. Gunn LJ, Stewart JC, Morgan B, et al. Instrument-assisted soft tissue mobilization and proprioceptive neuromuscular facilitation techniques improve hamstring flexibility better than static stretching alone: a randomized clinical trial. *J Man Manip Ther.* 2019;27(1):15-23.
56. Kawashima M, Kawanishi N, Tominaga T, et al. Icing after eccentric contraction-induced muscle damage perturbs the disappearance of necrotic muscle fibers and phenotypic dynamics of macrophages in mice. *J Appl Physiol* (1985). 2021;130(5):1410-1420.
57. Singh DP, Barani Lonbani Z, Woodruff MA, Parker TJ, Steck R, Peake JM. Effects of topical icing on inflammation, angiogenesis, revascularization, and myofiber regeneration in skeletal muscle following contusion injury. *Front Physiol.* 2017;8:93.
58. Raynor MC, Pietrobon R, Guller U, Higgins LD. Cryotherapy after ACL reconstruction: a meta-analysis. *J Knee Surg.* 2005;18(2):123-129.
59. Barber FA, McGuire DA, Click S. Continuous-flow cold therapy for outpatient anterior cruciate ligament reconstruction. *Arthroscopy.* 1998;14(2):130-135.
60. Merrick MA, Rankin JM, Andres FA, Hinman CL. A preliminary examination of cryotherapy and secondary injury in skeletal muscle. *Med Sci Sports Exerc.* 1999;31(11):1516-1521.
61. Scott A, Khan KM, Roberts CR, Cook JL, Duronio V. What do we mean by the term “inflammation”? A contemporary basic science update for sports medicine. *Br J Sports Med.* 2004;38(3):372-380.
62. Mawhinney C, Low DA, Jones H, Green DJ, Costello JT, Gregson W. Cold water mediates greater reductions in limb blood flow than whole body cryotherapy. *Med Sci Sports Exerc.* 2017;49(6):1252-1260.
63. Wilson LJ, Cockburn E, Paice K, et al. Recovery following a marathon: a comparison of cold water immersion, whole body cryotherapy and a placebo control. *Eur J Appl Physiol.* 2018;118(1):153-163.
64. Crystal NJ, Townson DH, Cook SB, LaRoche DP. Effect of cryotherapy on muscle recovery and inflammation following a bout of damaging exercise. *Eur J Appl Physiol.* 2013;113(10):2577-2586.
65. Ghosh N, Kolade OO, Shontz E, et al. Nonsteroidal anti-inflammatory drugs (NSAIDs) and their effect on musculoskeletal soft-tissue healing: a scoping review. *JBJS Rev.* 2019;7(12):e4.
66. Kristensen DM, Desdoits-Lethimonier C, Mackey AL, et al. Ibuprofen alters human testicular physiology to produce a state of compensated hypogonadism [published correction appears in *Proc Natl Acad Sci USA.* 2018 Apr 16]. *Proc Natl Acad Sci USA.* 2018;115(4):E715-E724.
67. Bittermann A, Gao S, Rezvani S, et al. Oral ibuprofen interferes with cellular healing responses in a murine model of Achilles tendinopathy. *J Musculoskelet Disord Treat.* 2018;4(2):049.

68. Hammerman M, Blomgran P, Ramstedt S, Aspenberg P. COX-2 inhibition impairs mechanical stimulation of early tendon healing in rats by reducing the response to microdamage. *J Appl Physiol* (1985). 2015;119(5):534-540.
69. Connizzo BK, Yannascoli SM, Tucker JJ, et al. The detrimental effects of systemic ibuprofen delivery on tendon healing are time-dependent. *Clin Orthop Relat Res*. 2014;472(8):2433-2439.
70. Wang W, Shi M, Zhou C, et al. Effectiveness of corticosteroid injections in adhesive capsulitis of shoulder: a meta-analysis. *Medicine (Baltimore)*. 2017;96(28):e7529.
71. Kapetanios G. The effect of the local corticosteroids on the healing and biomechanical properties of the partially injured tendon. *Clin Orthop Relat Res*. 1982;(163):170-179.
72. Wiggins ME, Fadale PD, Barrach H, Ehrlich MG, Walsh WR. Healing characteristics of a type I collagenous structure treated with corticosteroids. *Am J Sports Med*. 1994;22(2):279-288.
73. Wang CJ. Extracorporeal shockwave therapy in musculoskeletal disorders. *J Orthop Surg Res*. 2012;7:11.
74. Lou J, Wang S, Liu S, Xing G. Effectiveness of extracorporeal shock wave therapy without local anesthesia in patients with recalcitrant plantar fasciitis: a meta-analysis of randomized controlled trials. *Am J Phys Med Rehabil*. 2017;96(8):529-534.
75. Cacchio A, Rompe JD, Furia JP, Susi P, Santilli V, De Paulis F. Shockwave therapy for the treatment of chronic proximal hamstring tendinopathy in professional athletes. *Am J Sports Med*. 2011;39(1):146-153.
76. van Leeuwen MT, Zwerver J, van den Akker-Scheek I. Extracorporeal shockwave therapy for patellar tendinopathy: a review of the literature. *Br J Sports Med*. 2009;43(3):163-168.
77. Staples MP, Forbes A, Ptaszniak R, Gordon J, Buchbinder R. A randomized controlled trial of extracorporeal shock wave therapy for lateral epicondylitis (tennis elbow). *J Rheumatol*. 2008;35(10):2038-2046.
78. Belk JW, Kraeutler MJ, Houck DA, Goodrich JA, Dragoo JL, McCarty EC. Platelet-rich plasma versus hyaluronic acid for knee osteoarthritis: a systematic review and meta-analysis of randomized controlled trials. *Am J Sports Med*. 2021;49(1):249-260.
79. Kim CH, Park YB, Lee JS, Jung HS. Platelet-rich plasma injection vs. operative treatment for lateral elbow tendinosis: a systematic review and metaanalysis. *J Shoulder Elbow Surg*. 2022;31(2):428-436.
80. Chen X, Jones IA, Park C, Vangsness CT Jr. The efficacy of platelet-rich plasma on tendon and ligament healing: a systematic review and metaanalysis with bias assessment. *Am J Sports Med*. 2018;46(8):2020-2032.
81. Chahla J, Cinque ME, Piuzzi NS, et al. A call for standardization in platelet-rich plasma preparation protocols and composition reporting: a systematic review of the clinical orthopaedic literature. *J Bone Joint Surg Am*. 2017;99(20):1769-1779.
82. McIntyre JA, Jones IA, Han B, Vangsness CT Jr. Intra-articular mesenchymal stem cell therapy for the human joint: a systematic review. *Am J Sports Med*. 2018;46(14):3550-3563.

83. Chahla J, Piuzzi NS, Mitchell JJ, et al. Intra-articular cellular therapy for osteoarthritis and focal cartilage defects of the knee: a systematic review of the literature and study quality analysis. *J Bone Joint Surg Am.* 2016;98(18):1511-1521.
84. Chang CH, Tsai WC, Hsu YH, Pang JH. Pentadecapeptide BPC 157 enhances the growth hormone receptor expression in tendon fibroblasts. *Molecules.* 2014;19(11):19066-19077.
85. Krivic A, Majerovic M, Jelic I, Seiwerth S, Sikiric P. Modulation of early functional recovery of Achilles tendon to bone unit after transection by BPC 157 and methylprednisolone. *Inflamm Res.* 2008;57(5):205-210.
86. Staresinic M, Sebecic B, Patrlj L, et al. Gastric pentadecapeptide BPC 157 accelerates healing of transected rat Achilles tendon and in vitro stimulates tendocytes growth. *J Orthop Res.* 2003;21(6):976-983.
87. Ebadi S, Henschke N, Forogh B, et al. Therapeutic ultrasound for chronic low back pain. *Cochrane Database Syst Rev.* 2020;7(7):CD009169. Published 2020 Jul 5.
88. Desmeules F, Boudreault J, Roy JS, Dionne C, Frémont P, MacDermid JC. The efficacy of therapeutic ultrasound for rotator cuff tendinopathy: a systematic review and meta-analysis. *Phys Ther Sport.* 2015;16(3):276-284.
89. van den Bekerom MP, van der Windt DA, Ter Riet G, van der Heijden GJ, Bouter LM. Therapeutic ultrasound for acute ankle sprains. *Cochrane Database Syst Rev.* 2011;2011(6):CD001250. Published 2011 Jun 15.
90. Robertson VJ, Baker KG. A review of therapeutic ultrasound: effectiveness studies. *Phys Ther.* 2001;81(7):1339-1350.
91. Baker KG, Robertson VJ, Duck FA. A review of therapeutic ultrasound: biophysical effects. *Phys Ther.* 2001;81(7):1351-1358.
92. van der Windt DAWM, van der Heijden GJMG, van den Berg SGM, Ter Riet G, de Winter AF, Bouter LM. Ultrasound therapy for musculoskeletal disorders: a systematic review. *Pain.* 1999;81(3):257-271.
93. Almeida Silva HJ, Barbosa GM, Scattone Silva R, et al. Dry cupping therapy is not superior to sham cupping to improve clinical outcomes in people with non-specific chronic low back pain: a randomised trial. *J Physiother.* 2021;67(2):132-139.
94. Lauche R, Spitzer J, Schwahn B, et al. Efficacy of cupping therapy in patients with the fibromyalgia syndrome-a randomised placebo controlled trial. *Sci Rep.* 2016;6:37316.
95. Daly S, Thorpe M, Rockswold S, et al. Hyperbaric oxygen therapy in the treatment of acute severe traumatic brain injury: a systematic review. *J Neurotrauma.* 2018;35(4):623-629.
96. Deng Z, Chen W, Jin J, Zhao J, Xu H. The neuroprotection effect of oxygen therapy: a systematic review and meta-analysis. *Niger J Clin Pract.* 2018;21(4):401-416.
97. Kranke P, Bennett MH, Martyn-St James M, Schnabel A, Debus SE, Weibel S. Hyperbaric oxygen therapy for chronic wounds. *Cochrane Database Syst Rev.* 2015;2015(6):CD004123. Published 2015 Jun 24.
98. Bennett MH, Feldmeier J, Hampson NB, Smee R, Milross C. Hyperbaric oxygen therapy for late radiation tissue injury. *Cochrane Database Syst Rev.* 2016;4(4):CD005005. Published 2016 Apr 28.

99. Ince B, Ismayilzada M, Arslan A, Dadaci M. Does hyperbaric oxygen therapy facilitate peripheral nerve recovery in upper extremity injuries? A prospective study of 74 patients. *Eur J Trauma Emerg Surg.* 2022;48(5):3997- 4003.
100. Millar IL, Lind FG, Jansson KÅ, et al. Hyperbaric oxygen for lower limb trauma (HOLLT): an international multi-centre randomised clinical trial. *Diving Hyperb Med.* 2022;52(3):164-174.
101. Webster AL, Syrotuik DG, Bell GJ, Jones RL, Hanstock CC. Effects of hyperbaric oxygen on recovery from exercise-induced muscle damage in humans. *Clin J Sport Med.* 2002;12(3):139-150.
102. Babul S, Rhodes EC, Taunton JE, Lepawsky M. Effects of intermittent exposure to hyperbaric oxygen for the treatment of an acute soft tissue injury. *Clin J Sport Med.* 2003;13(3):138-147.

فصل 15

1. Childs JD, Cleland JA, Elliott JM, et al. Neck pain: clinical practice guidelines linked to the international classification of functioning, disability, and health from the orthopedic section of the American Physical Therapy Association [published correction appears in *J Orthop Sports Phys Ther.* 2009 Apr;39(4):297]. *J Orthop Sports Phys Ther.* 2008;38(9):A1-A34.
2. Côté P, Cassidy DJ, Carroll LJ, Kristman V. The annual incidence and course of neck pain in the general population: a population-based cohort study. *Pain.* 2004;112(3):267-273.
3. Borghouts JAJ, Koes BW, Bouter LM. The clinical course and prognostic factors of non-specific neck pain: a systematic review. *Pain.* 1998;77(1):1-13.
4. Kazeminasab S, Nejadghaderi SA, Amiri P, et al. Neck pain: global epidemiology, trends and risk factors. *BMC Musculoskelet Disord.* 2022;23(1):26.
5. Andersen LL, Saervoll CA, Mortensen OS, Poulsen OM, Hannerz H, Zebis MK. Effectiveness of small daily amounts of progressive resistance training for frequent neck/shoulder pain: randomised controlled trial. *Pain.* 2011;152(2):440-446.
6. Andersen LL, Kjaer M, Sjøgaard K, Hansen L, Kryger AI, Sjøgaard G. Effect of two contrasting types of physical exercise on chronic neck muscle pain. *Arthritis Rheum.* 2008;59(1):84-91.
7. Hidalgo B, Hall T, Bossert J, Dugeny A, Cagnie B, Pitance L. The efficacy of manual therapy and exercise for treating non-specific neck pain: a systematic review. *J Back Musculoskelet Rehabil.* 2017;30(6):1149-1169.
8. Brinjikji W, Luetmer PH, Comstock B, et al. Systematic literature review of imaging features of spinal degeneration in asymptomatic populations. *AJNR Am J Neuroradiol.* 2015;36(4):811-816.
9. Gore DR. Roentgenographic findings in the cervical spine in asymptomatic persons: a ten-year follow-up. *Spine (Phila Pa 1976).* 2001;26(22):2463-2466.
10. Basson A, Olivier B, Ellis R, Coppieters M, Stewart A, Mudzi W. The effectiveness of neural mobilization for neuromusculoskeletal conditions: a systematic review and meta-analysis. *J Orthop Sports Phys Ther.* 2017;47(9):593-615.

11. Silveira A, Gadotti IC, Armijo-Olivo S, Biasotto-Gonzalez DA, Magee D. Jaw dysfunction is associated with neck disability and muscle tenderness in subjects with and without chronic temporomandibular disorders. *Biomed Res Int.* 2015;2015:512792.
12. Kraus S. Temporomandibular disorders, head and orofacial pain: cervical spine considerations. *Dent Clin North Am.* 2007;51(1):161-vii.

فصل 16

1. Zhao J, Luo M, Liang G, et al. Risk factors for supraspinatus tears: a metaanalysis of observational studies. *Orthop J Sports Med.* 2021;9(10):23259671211042826.
2. Yamamoto A, Takagishi K, Osawa T, et al. Prevalence and risk factors of a rotator cuff tear in the general population. *J Shoulder Elbow Surg.* 2010;19(1):116-120.
3. Matthewson G, Beach CJ, Nelson AA, et al. Partial thickness rotator cuff tears: current concepts. *Adv Orthop.* 2015;2015:458786.
4. Tsuchiya S, Davison EM, Rashid MS, et al. Determining the rate of fullthickness progression in partial-thickness rotator cuff tears: a systematic review. *J Shoulder Elbow Surg.* 2021;30(2):449-455.
5. Kim HM, Dahiya N, Teefey SA, Keener JD, Galatz LM, Yamaguchi K. Relationship of tear size and location to fatty degeneration of the rotator cuff. *J Bone Joint Surg Am.* 2010;92(4):829-839.
6. Eajazi A, Kussman S, LeBedis C, et al. Rotator cuff tear arthropathy: pathophysiology, imaging characteristics, and treatment options. *AJR Am J Roentgenol.* 2015;205(5):W502-W511.
7. Diercks R, Bron C, Dorrestijn O, et al. Guideline for diagnosis and treatment of subacromial pain syndrome: a multidisciplinary review by the Dutch Orthopaedic Association. *Acta Orthop.* 2014;85(3):314-322.
8. Pieters L, Lewis J, Kuppens K, et al. An update of systematic reviews examining the effectiveness of conservative physical therapy interventions for subacromial shoulder pain. *J Orthop Sports Phys Ther.* 2020;50(3):131-141.
9. Haik MN, Albuquerque-Sendín F, Moreira RF, Pires ED, Camargo PR. Effectiveness of physical therapy treatment of clearly defined subacromial pain: a systematic review of randomised controlled trials. *Br J Sports Med.* 2016;50(18):1124-1134.
10. Guerrero P, Busconi B, Deangelis N, Powers G. Congenital instability of the shoulder joint: assessment and treatment options. *J Orthop Sports Phys Ther.* 2009;39(2):124-134.
11. Misamore GW, Sallay PI, Didelot W. A longitudinal study of patients with multidirectional instability of the shoulder with seven- to ten-year follow-up. *J Shoulder Elbow Surg.* 2005;14(5):466-470.
12. Burkhead WZ Jr, Rockwood CA Jr. Treatment of instability of the shoulder with an exercise program. *J Bone Joint Surg Am.* 1992;74(6):890-896.
13. de la Serna D, Navarro-Ledesma S, Alayón F, López E, Pruimboom L. A comprehensive view of frozen shoulder: a mystery syndrome. *Front Med (Lausanne).* 2021;8:663703.

14. Favejee MM, Huisstede BM, Koes BW. Frozen shoulder: the effectiveness of conservative and surgical interventions—systematic review. *Br J Sports Med.* 2011;45(1):49-56.
15. Challoumas D, Biddle M, McLean M, Millar NL. Comparison of treatments for frozen shoulder: a systematic review and meta-analysis. *JAMA Netw Open.* 2020;3(12):e2029581. Published 2020 Dec 1.
16. Dempsey AL, Mills T, Karsch RM, Branch TP. Maximizing total end range time is safe and effective for the conservative treatment of frozen shoulder patients. *Am J Phys Med Rehabil.* 2011;90(9):738-745.
17. Wilk KE, Hooks TR. The painful long head of the biceps brachii: nonoperative treatment approaches. *Clin Sports Med.* 2016;35(1):75-92.
18. Nho SJ, Strauss EJ, Lenart BA, et al. Long head of the biceps tendinopathy: diagnosis and management. *J Am Acad Orthop Surg.* 2010;18(11):645-656.
19. Cardoso TB, Pizzari T, Kinsella R, Hope D, Cook JL. Current trends in tendinopathy management. *Best Pract Res Clin Rheumatol.* 2019;33(1):122- 140.

فصل 17

1. Lenoir H, Mares O, Carlier Y. Management of lateral epicondylitis. *Orthop Traumatol Surg Res.* 2019;105(8S):S241-S246.
2. Kim YJ, Wood SM, Yoon AP, Howard JC, Yang LY, Chung KC. Efficacy of nonoperative treatments for lateral epicondylitis: a systematic review and meta-analysis. *Plast Reconstr Surg.* 2021;147(1):112-125.
3. Landesa-Piñeiro L, Leirós-Rodríguez R. Physiotherapy treatment of lateral epicondylitis: a systematic review. *J Back Musculoskelet Rehabil.* 2022;35(3):463-477.
4. Cullinane FL, Boockock MG, Trevelyan FC. Is eccentric exercise an effective treatment for lateral epicondylitis? A systematic review. *Clin Rehabil.* 2014;28(1):3-19.
5. Amin NH, Kumar NS, Schickendantz MS. Medial epicondylitis: evaluation and management. *J Am Acad Orthop Surg.* 2015;23(6):348-355.
6. Cardoso TB, Pizzari T, Kinsella R, Hope D, Cook JL. Current trends in tendinopathy management. *Best Pract Res Clin Rheumatol.* 2019;33(1):122- 140.
7. Andres BM, Murrell GA. Treatment of tendinopathy: what works, what does not, and what is on the horizon. *Clin Orthop Relat Res.* 2008;466(7):1539-1554.
8. Casadei K, Kiel J, Freidl M. Triceps tendon injuries. *Curr Sports Med Rep.* 2020;19(9):367-372.

فصل 18

1. Atroshi I, Gummesson C, Johnsson R, Ornstein E, Ranstam J, Rosén I. Prevalence of carpal tunnel syndrome in a general population. *JAMA.* 1999;282(2):153-158.
2. Ferry S, Pritchard T, Keenan J, Croft P, Silman AJ. Estimating the prevalence of delayed median nerve conduction in the general population. *Br J Rheumatol.* 1998;37(6):630-635.

3. Yoshii Y, Zhao C, Amadio PC. Recent advances in ultrasound diagnosis of carpal tunnel syndrome. *Diagnostics (Basel)*. 2020;10(8):596.
4. Harris-Adamson C, Eisen EA, Kapellusch J, et al. Biomechanical risk factors for carpal tunnel syndrome: a pooled study of 2474 workers. *Occup Environ Med*. 2015;72(1):33-41.
5. Meng S, Reissig LF, Beikircher R, Tzou CH, Grisold W, Weninger WJ. Longitudinal gliding of the median nerve in the carpal tunnel: ultrasound cadaveric evaluation of conventional and novel concepts of nerve mobilization. *Arch Phys Med Rehabil*. 2015;96(12):2207-2213.

فصل 19

1. Deyo RA, Weinstein JN. Low back pain. *N Engl J Med*. 2001;344(5):363-370.
2. Gianola S, Barger S, Del Castillo G, et al. Effectiveness of treatments for acute and subacute mechanical non-specific low back pain: a systematic review with network meta-analysis. *Br J Sports Med*. 2022;56(1):41-50.
3. Almeida M, Saragiotto B, Richards B, Maher CG. Primary care management of non-specific low back pain: key messages from recent clinical guidelines. *Med J Aust*. 2018;208(6):272-275.
4. Saragiotto BT, Maher CG, Yamato TP, et al. Motor control exercise for nonspecific low back pain: a Cochrane review. *Spine (Phila Pa 1976)*. 2016;41(16):1284-1295.
5. Quentin C, Bagheri R, Ugbole UC, et al. Effect of home exercise training in patients with nonspecific low-back pain: a systematic review and metaanalysis. *Int J Environ Res Public Health*. 2021;18(16):8430.
6. Seyedhoseinpoor T, Taghipour M, Dadgou M, et al. Alteration of lumbar muscle morphology and composition in relation to low back pain: a systematic review and meta-analysis. *Spine J*. 2022;22(4):660-676.
7. Goubert D, Oosterwijk JV, Meeus M, Danneels L. Structural changes of lumbar muscles in non-specific low back pain: a systematic review. *Pain Physician*. 2016;19(7):E985-E1000.
8. O'Sullivan K, O'Keeffe M, Forster BB, Qamar SR, van der Westhuizen A, O'Sullivan PB. Managing low back pain in active adolescents. *Best Pract Res Clin Rheumatol*. 2019;33(1):102-121.
9. Warner WC Jr, de Mendonça RGM. Adolescent spondylolysis: management and return to play. *Instr Course Lect*. 2017;66:409-413.
10. Gagnet P, Kern K, Andrews K, Elgafy H, Ebraheim N. Spondylolysis and spondylolisthesis: a review of the literature. *J Orthop*. 2018;15(2):404-407.
11. Donaldson LD. Spondylolysis in elite junior-level ice hockey players. *Sports Health*. 2014;6(4):356-359.
12. Kalichman L, Hunter DJ. Diagnosis and conservative management of degenerative lumbar spondylolisthesis. *Eur Spine J*. 2008;17(3):327-335.
13. Vibert BT, Sliva CD, Herkowitz HN. Treatment of instability and spondylolisthesis: surgical versus nonsurgical treatment. *Clin Orthop Relat Res*. 2006;443:222-227.

14. Bernard TN Jr, Kirkaldy-Willis WH. Recognizing specific characteristics of nonspecific low back pain. *Clin Orthop Relat Res.* 1987;(217):266-280.
15. Hansen HC, McKenzie-Brown AM, Cohen SP, Swicegood JR, Colson JD, Manchikanti L. Sacroiliac joint interventions: a systematic review. *Pain Physician.* 2007;10(1):165-184.
16. Al-Subahi M, Alayat M, Alshehri MA, et al. The effectiveness of physiotherapy interventions for sacroiliac joint dysfunction: a systematic review. *J Phys Ther Sci.* 2017;29(9):1689-1694.
17. Koes BW, van Tulder MW, Peul WC. Diagnosis and treatment of sciatica. *BMJ.* 2007;334(7607):1313-1317.
18. Parreira P, Maher CG, Steffens D, Hancock MJ, Ferreira ML. Risk factors for low back pain and sciatica: an umbrella review. *Spine J.* 2018;18(9):1715-1721.
19. Vanti C, Panizzolo A, Turone L, et al. Effectiveness of mechanical traction for lumbar radiculopathy: a systematic review and meta-analysis. *Phys Ther.* 2021;101(3):pzaa231.
20. Brinjikji W, Luetmer PH, Comstock B, et al. Systematic literature review of imaging features of spinal degeneration in asymptomatic populations. *AJNR Am J Neuroradiol.* 2015;36(4):811-816.
21. Brinjikji W, Diehn FE, Jarvik JG, et al. MRI findings of disc degeneration are more prevalent in adults with low back pain than in asymptomatic controls: a systematic review and meta-analysis. *AJNR Am J Neuroradiol.* 2015;36(12):2394-2399.
22. Zhong M, Liu JT, Jiang H, et al. Incidence of spontaneous resorption of lumbar disc herniation: a meta-analysis. *Pain Physician.* 2017;20(1):E45-E52.
23. Videman T, Battié MC, Gibbons LE, Maravilla K, Manninen H, Kaprio J. Associations between back pain history and lumbar MRI findings. *Spine (Phila Pa 1976).* 2003;28(6):582-588.
24. Hahne AJ, Ford JJ, McMeeken JM. Conservative management of lumbar disc herniation with associated radiculopathy: a systematic review. *Spine (Phila Pa 1976).* 2010;35(11):E488-E504.
25. Katz JN, Harris MB. Clinical practice. Lumbar spinal stenosis. *N Engl J Med.* 2008;358(8):818-825.
26. Lurie J, Tomkins-Lane C. Management of lumbar spinal stenosis. *BMJ.* 2016;352:h6234.
27. Wood KB, Blair JM, Aepple DM, et al. The natural history of asymptomatic thoracic disc herniations. *Spine (Phila Pa 1976).* 1997;22(5):525-530.
28. Gundersen A, Borgstrom H, McInnis KC. Trunk injuries in athletes. *Curr Sports Med Rep.* 2021;20(3):150-156.
29. Foley CM, Sugimoto D, Mooney DP, Meehan WP 3rd, Straccioli A. Diagnosis and treatment of slipping rib syndrome. *Clin J Sport Med.* 2019;29(1):18-23.
30. Proulx AM, Zryd TW. Costochondritis: diagnosis and treatment. *Am Fam Physician.* 2009;80(6):617-620.

1. Griffin DR, Dickenson EJ, O'Donnell J, et al. The Warwick Agreement on femoroacetabular impingement syndrome (FAI syndrome): an international consensus statement. *Br J Sports Med.* 2016;50(19):1169-1176.
2. Hoit G, Whelan DB, Dwyer T, Ajrawat P, Chahal J. Physiotherapy as an initial treatment option for femoroacetabular impingement: a systematic review of the literature and meta-analysis of 5 randomized controlled trials. *Am J Sports Med.* 2020;48(8):2042-2050.
3. Wall PD, Fernandez M, Griffin DR, Foster NE. Nonoperative treatment for femoroacetabular impingement: a systematic review of the literature. *PM R.* 2013;5(5):418-426.
4. Zhu Y, Su P, Xu T, Zhang L, Fu W. Conservative therapy versus arthroscopic surgery of femoroacetabular impingement syndrome (FAI): a systematic review and meta-analysis. *J Orthop Surg Res.* 2022;17(1):296. Published 2022 Jun 3.
5. Heerey JJ, Kemp JL, Mosler AB, et al. What is the prevalence of imagingdefined intra-articular hip pathologies in people with and without pain? A systematic review and meta-analysis. *Br J Sports Med.* 2018;52(9):581-593.
6. Johnson VL, Hunter DJ. The epidemiology of osteoarthritis. *Best Pract Res Clin Rheumatol.* 2014;28(1):5-15.
7. Litwic A, Edwards MH, Dennison EM, Cooper C. Epidemiology and burden of osteoarthritis. *Br Med Bull.* 2013;105:185-199.
8. National Clinical Guideline Centre (UK). Osteoarthritis: Care and Management in Adults. London: National Institute for Health and Care Excellence (UK); February 2014.
9. Zampogna B, Papalia R, Papalia GF, et al. The role of physical activity as conservative treatment for hip and knee osteoarthritis in older people: a systematic review and meta-analysis. *J Clin Med.* 2020;9(4):1167. Published 2020 Apr 18.
10. Gay C, Chabaud A, Guilley E, Coudeyre E. Educating patients about the benefits of physical activity and exercise for their hip and knee osteoarthritis. Systematic literature review. *Ann Phys Rehabil Med.* 2016;59(3):174-183.
11. Wellsandt E, Golightly Y. Exercise in the management of knee and hip osteoarthritis. *Curr Opin Rheumatol.* 2018;30(2):151-159.
12. Long SS, Surrey DE, Nazarian LN. Sonography of greater trochanteric pain syndrome and the rarity of primary bursitis. *AJR Am J Roentgenol.* 2013;201(5):1083-1086.
13. Reid D. The management of greater trochanteric pain syndrome: a systematic literature review. *J Orthop.* 2016;13(1):15-28.
14. Pianka MA, Serino J, DeFroda SF, Bodendorfer BM. Greater trochanteric pain syndrome: evaluation and management of a wide spectrum of pathology. *SAGE Open Med.* 2021;9:20503121211022582. Published 2021 Jun 3.
15. Torres A, Fernández-Fairen M, Sueiro-Fernández J. Greater trochanteric pain syndrome and gluteus medius and minimus tendinosis: nonsurgical treatment. *Pain Manag.* 2018;8(1):45-55.
16. Park JW, Lee YK, Lee YJ, Shin S, Kang Y, Koo KH. Deep gluteal syndrome as a cause of posterior hip pain and sciatica-like pain. *Bone Joint J.* 2020;102- B(5):556-567.

17. Kizaki K, Uchida S, Shanmugaraj A, et al. Deep gluteal syndrome is defined as a non-discogenic sciatic nerve disorder with entrapment in the deep gluteal space: a systematic review. *Knee Surg Sports Traumatol Arthrosc.* 2020;28(10):3354-3364.
18. Hopayian K, Heathcote J. Deep gluteal syndrome: an overlooked cause of sciatica. *Br J Gen Pract.* 2019;69(687):485-486.
19. Vij N, Kiernan H, Bisht R, et al. Surgical and non-surgical treatment options for piriformis syndrome: a literature review. *Anesth Pain Med.* 2021;11(1):e112825. Published 2021 Feb 2.
20. Hölmich P. Long-standing groin pain in sportspeople falls into three primary patterns, a “clinical entity” approach: a prospective study of 207 patients. *Br J Sports Med.* 2007;41(4):247-252.
21. Rauseo C. The rehabilitation of a runner with iliopsoas tendinopathy using an eccentric-biased exercise—a case report. *Int J Sports Phys Ther.* 2017;12(7):1150-1162.
22. Blankenbaker DG, De Smet AA, Keene JS. Sonography of the iliopsoas tendon and injection of the iliopsoas bursa for diagnosis and management of the painful snapping hip. *Skeletal Radiol.* 2006;35(8):565-571.
23. Carlson C. The natural history and management of hamstring injuries. *Curr Rev Musculoskelet Med.* 2008;1(2):120-123.
24. Biz C, Nicoletti P, Baldin G, Bragazzi NL, Crimi A, Ruggieri P. Hamstring strain injury (HSI) prevention in professional and semi-professional football teams: a systematic review and meta-analysis. *Int J Environ Res Public Health.* 2021;18(16):8272.
25. Arnason A, Andersen TE, Holme I, Engebretsen L, Bahr R. Prevention of hamstring strains in elite soccer: an intervention study. *Scand J Med Sci Sports.* 2008;18(1):40-48.
26. Bahr R, Thorborg K, Ekstrand J. Evidence-based hamstring injury prevention is not adopted by the majority of Champions League or Norwegian Premier League football teams: the Nordic hamstring survey. *Br J Sports Med.* 2015;49(22):1466-1471.
27. Goom TS, Malliaras P, Reiman MP, Purdam CR. Proximal hamstring tendinopathy: clinical aspects of assessment and management. *J Orthop Sports Phys Ther.* 2016;46(6):483-493.
28. Beatty NR, Félix I, Hettler J, Moley PJ, Wyss JF. Rehabilitation and prevention of proximal hamstring tendinopathy. *Curr Sports Med Rep.* 2017;16(3):162-171.
29. Kerbel YE, Smith CM, Prodromo JP, Nzeogu MI, Mulcahey MK. Epidemiology of hip and groin injuries in collegiate athletes in the United States. *Orthop J Sports Med.* 2018;6(5):2325967118771676. Published 2018 May 11.
30. Maffey L, Emery C. What are the risk factors for groin strain injury in sport? A systematic review of the literature. *Sports Med.* 2007;37(10):881-894.
31. Hölmich P, Larsen K, Krogsgaard K, Gluud C. Exercise program for prevention of groin pain in football players: a cluster-randomized trial. *Scand J Med Sci Sports.* 2010;20(6):814-821.
32. Tyler TF, Nicholas SJ, Campbell RJ, Donellan S, McHugh MP. The effectiveness of a preseason exercise program to prevent adductor muscle strains in professional ice hockey players. *Am J Sports Med.* 2002;30(5):680- 683.

33. Schaber M, Guiser Z, Brauer L, et al. The neuromuscular effects of the Copenhagen adductor exercise: a systematic review. *Int J Sports Phys Ther.* 2021;16(5):1210-1221.
34. Harøy J, Clarsen B, Wiger EG, et al. The Adductor Strengthening Programme prevents groin problems among male football players: a cluster-randomised controlled trial. *Br J Sports Med.* 2019;53(3):150-157.

فصل 21

1. McClinton SM, Cobian DG, Heiderscheit BC. Physical therapist management of anterior knee pain. *Curr Rev Musculoskelet Med.* 2020;13(6):776-787.
2. Willy RW, Hoggund LT, Barton CJ, et al. Patellofemoral pain. *J Orthop Sports Phys Ther.* 2019;49(9):CPG1-CPG95.
3. Robertson CJ, Hurley M, Jones F. People's beliefs about the meaning of crepitus in patellofemoral pain and the impact of these beliefs on their behaviour: a qualitative study. *Musculoskelet Sci Pract.* 2017;28:59-64.
4. Aderem J, Louw QA. Biomechanical risk factors associated with iliotibial band syndrome in runners: a systematic review. *BMC Musculoskelet Disord.* 2015;16:356.
5. Hutchinson LA, Lichtwark GA, Willy RW, Kelly LA. The iliotibial band: a complex structure with versatile functions. *Sports Med.* 2022;52(5):995-1008.
6. Fairclough J, Hayashi K, Toumi H, et al. The functional anatomy of the iliotibial band during flexion and extension of the knee: implications for understanding iliotibial band syndrome. *J Anat.* 2006;208(3):309-316.
7. Horga LM, Hirschmann AC, Henckel J, et al. Prevalence of abnormal findings in 230 knees of asymptomatic adults using 3.0 T MRI. *Skeletal Radiol.* 2020;49(7):1099-1107.
8. Englund M, Guermazi A, Gale D, et al. Incidental meniscal findings on knee MRI in middle-aged and elderly persons. *N Engl J Med.* 2008;359(11):1108-1115.
9. Wells ME, Scanaliato JP, Dunn JC, Garcia EJ. Meniscal injuries: mechanism and classification. *Sports Med Arthrosc Rev.* 2021;29(3):154-157.
10. Beaufils P, Pujol N. Management of traumatic meniscal tear and degenerative meniscal lesions. Save the meniscus. *Orthop Traumatol Surg Res.* 2017;103(8S):S237-S244.
11. Chirichella PS, Jow S, Iacono S, Wey HE, Malanga GA. Treatment of knee meniscus pathology: rehabilitation, surgery, and orthobiologics. *PM R.* 2019;11(3):292-308.
12. Feeley BT, Lau BC. Biomechanics and clinical outcomes of partial meniscectomy. *J Am Acad Orthop Surg.* 2018;26(24):853-863.
13. Drobnič M, Ercin E, Gamelas J, et al. Treatment options for the symptomatic post-meniscectomy knee. *Knee Surg Sports Traumatol Arthrosc.* 2019;27(6):1817-1824.
14. Hewett TE, Myer GD, Ford KR, Paterno MV, Quatman CE. Mechanisms, prediction, and prevention of ACL injuries: cut risk with three sharpened and validated tools. *J Orthop Res.* 2016;34(11):1843-1855.
15. Kobayashi H, Kanamura T, Koshida S, et al. Mechanisms of the anterior cruciate ligament injury in sports activities: a twenty-year clinical research of 1,700 athletes. *J Sports Sci Med.* 2010;9(4):669-675. Published 2010 Dec 1.
16. Boden BP, Sheehan FT, Torg JS, Hewett TE. Noncontact anterior cruciate ligament injuries: mechanisms and risk factors. *J Am Acad Orthop Surg.* 2010;18(9):520-527.

17. van Melick N, van Cingel RE, Brooijmans F, et al. Evidence-based clinical practice update: practice guidelines for anterior cruciate ligament rehabilitation based on a systematic review and multidisciplinary consensus. *Br J Sports Med.* 2016;50(24):1506-1515.
18. Kaplan Y. Identifying individuals with an anterior cruciate ligament-deficient knee as copers and noncopers: a narrative literature review. *J Orthop Sports Phys Ther.* 2011;41(10):758-766.
19. Eitzen I, Moksnes H, Snyder-Mackler L, Risberg MA. A progressive 5-week exercise therapy program leads to significant improvement in knee function early after anterior cruciate ligament injury. *J Orthop Sports Phys Ther.* 2010;40(11):705-721.
20. Grindem H, Snyder-Mackler L, Moksnes H, Engebretsen L, Risberg MA. Simple decision rules can reduce reinjury risk by 84% after ACL reconstruction: the Delaware-Oslo ACL cohort study. *Br J Sports Med.* 2016;50(13):804-808.
21. Smith TO, Song F, Donell ST, Hing CB. Operative versus non-operative management of patellar dislocation. A meta-analysis. *Knee Surg Sports Traumatol Arthrosc.* 2011;19(6):988-998.
22. Smith TO, Chester R, Cross J, Hunt N, Clark A, Donell ST. Rehabilitation following first-time patellar dislocation: a randomised controlled trial of purported vastus medialis obliquus muscle versus general quadriceps strengthening exercises. *Knee.* 2015;22(4):313-320.
23. Challoumas D, Pedret C, Biddle M, et al. Management of patellar tendinopathy: a systematic review and network meta-analysis of randomised studies. *BMJ Open Sport Exerc Med.* 2021;7(4):e001110. Published 2021 Nov 29.
24. Malliaras P, Cook J, Purdam C, Rio E. Patellar tendinopathy: clinical diagnosis, load management, and advice for challenging case presentations. *J Orthop Sports Phys Ther.* 2015;45(11):887-898.
25. Allen KD, Golightly YM. State of the evidence. *Curr Opin Rheumatol.* 2015;27(3):276-283.
26. Litwic A, Edwards MH, Dennison EM, Cooper C. Epidemiology and burden of osteoarthritis. *Br Med Bull.* 2013;105:185-199.
27. Palazzo C, Nguyen C, Lefevre-Colau MM, Rannou F, Poiraudau S. Risk factors and burden of osteoarthritis. *Ann Phys Rehabil Med.* 2016;59(3):134-138.
28. Alentorn-Geli E, Samuelsson K, Musahl V, Green CL, Bhandari M, Karlsson J. The association of recreational and competitive running with hip and knee osteoarthritis: a systematic review and meta-analysis. *J Orthop Sports Phys Ther.* 2017;47(6):373-390.
29. Calatayud J, Casaña J, Ezzatvar Y, Jakobsen MD, Sundstrup E, Andersen LL. High-intensity preoperative training improves physical and functional recovery in the early post-operative periods after total knee arthroplasty: a randomized controlled trial. *Knee Surg Sports Traumatol Arthrosc.* 2017;25(9):2864-2872.

فصل 22

1. Myhrvold SB, Brouwer EF, Andresen TKM, et al. Nonoperative or surgical treatment of acute Achilles' tendon rupture. *N Engl J Med.* 2022;386(15):1409-1420.

2. Järvinen TA, Kannus P, Maffulli N, Khan KM. Achilles tendon disorders: etiology and epidemiology. *Foot Ankle Clin.* 2005;10(2):255-266.
3. von Rickenbach KJ, Borgstrom H, Tenforde A, Borg-Stein J, McInnis KC. Achilles tendinopathy: evaluation, rehabilitation, and prevention. *Curr Sports Med Rep.* 2021;20(6):327-334.
4. Zhi X, Liu X, Han J, et al. Nonoperative treatment of insertional Achilles tendinopathy: a systematic review. *J Orthop Surg Res.* 2021;16(1):233.
5. O'Neill S, Barry S, Watson P. Plantarflexor strength and endurance deficits associated with mid-portion Achilles tendinopathy: the role of soleus. *Phys Ther Sport.* 2019;37:69-76.
6. Hébert-Losier K, Wessman C, Alricsson M, Svantesson U. Updated reliability and normative values for the standing heel-rise test in healthy adults. *Physiotherapy.* 2017;103(4):446-452.
7. Rhim HC, Kwon J, Park J, Borg-Stein J, Tenforde AS. A systematic review of systematic reviews on the epidemiology, evaluation, and treatment of plantar fasciitis. *Life (Basel).* 2021;11(12):1287.
8. Albers IS, Zwerver J, Diercks RL, Dekker JH, Van den Akker-Scheek I. Incidence and prevalence of lower extremity tendinopathy in a Dutch general practice population: a cross sectional study. *BMC Musculoskelet Disord.* 2016;17:16.
9. Morrissey D, Cotchett M, Said J'Bari A, et al. Management of plantar heel pain: a best practice guide informed by a systematic review, expert clinical reasoning and patient values. *Br J Sports Med.* 2021;55(19):1106-1118.
10. Rompe JD, Cacchio A, Weil L Jr, et al. Plantar fascia-specific stretching versus radial shock-wave therapy as initial treatment of plantar fasciopathy. *J Bone Joint Surg Am.* 2010;92(15):2514-2522.
11. Rathleff MS, Mølgaard CM, Fredberg U, et al. High-load strength training improves outcome in patients with plantar fasciitis: a randomized controlled trial with 12-month follow-up. *Scand J Med Sci Sports.* 2015;25(3):e292-e300.
12. Herzog MM, Kerr ZY, Marshall SW, Wikstrom EA. Epidemiology of ankle sprains and chronic ankle instability. *J Athl Train.* 2019;54(6):603-610.
13. Doherty C, Bleakley C, Delahunt E, Holden S. Treatment and prevention of acute and recurrent ankle sprain: an overview of systematic reviews with meta-analysis. *Br J Sports Med.* 2017;51(2):113-125.
14. Vuurberg G, Hoorntje A, Wink LM, et al. Diagnosis, treatment and prevention of ankle sprains: update of an evidence-based clinical guideline. *Br J Sports Med.* 2018;52(15):956.
15. Kobayashi T, Tanaka M, Shida M. Intrinsic risk factors of lateral ankle sprain: a systematic review and meta-analysis. *Sports Health.* 2016;8(2):190-193.
16. Menéndez C, Batalla L, Prieto A, Rodríguez MÁ, Crespo I, Olmedillas H. Medial tibial stress syndrome in novice and recreational runners: a systematic review. *Int J Environ Res Public Health.* 2020;17(20):7457.
17. Nix S, Smith M, Vicenzino B. Prevalence of hallux valgus in the general population: a systematic review and meta-analysis. *J Foot Ankle Res.* 2010;3:21.

18. Nguyen US, Hillstrom HJ, Li W, et al. Factors associated with hallux valgus in a population-based study of older women and men: the MOBILIZE Boston Study. *Osteoarthritis Cartilage*. 2010;18(1):41-46.
19. Arbeeve L, Yau M, Mitchell BD, et al. Genome-wide meta-analysis identified novel variant associated with hallux valgus in Caucasians. *J Foot Ankle Res*. 2020;13(1):11.
20. Hannan MT, Menz HB, Jordan JM, Cupples LA, Cheng CH, Hsu YH. High heritability of hallux valgus and lesser toe deformities in adult men and women. *Arthritis Care Res (Hoboken)*. 2013;65(9):1515-1521.