

- Ajzen, I. (1991). The theory of planned behaviour. *Organisational Behaviour & Human Decision Processes*, 50, 179–211.
- Amorose, A., & Anderson-Butcher, D. (2007). Autonomy-supportive coaching and self-determined motivation in high school and college athletes: a test of self-determination theory. *Psychology of Sport and Exercise*, 8(5), 654–670.
- Bailey, R. (2017). Goal setting and action planning for health behavior change. *American Journal of Lifestyle Medicine*, 13(6), 615–618.
- Bandura, A. (1977). Self-efficacy: toward a unifying theory of behavior change. *Psychological Review*, 84, 191–215.
- Helping clients to change 35 Barasi, M., Mendoza, G., & Sanders, L. (2004). Weight management: a multidimensional approach. *Proceedings of the Nutrition Society*, 63, 79a.
- Bridle, C., Riemsma, R., Pattenden, J., et al. (2005). Systematic review of the effectiveness of health behavior interventions based on the transtheoretical model. *Psychology & Health*, 20(3), 283–301.
- Brown, M., Sinclair, M., Liddle, D., et al. (2012). A systematic review investigating healthy lifestyle interventions incorporating goal setting strategies for preventing excess gestational weight gain (goal setting to prevent obesity in pregnancy). *PLoS ONE*, 7(7), E39503.
- Butryn, C., Arigo, D., Raggio, G., et al. (2016). Enhancing physical activity promotion in midlife women with technology-based self-monitoring and social connectivity: a pilot study. *Journal of Health Psychology*, 21(8), 1548–1555.
- Callaghan, P., Eves, F., Norman, P., et al. (2002). Applying the Transtheoretical Model of Change to exercise in young Chinese people. *British Journal of Health Psychology*, 7, 267–282.
- Di Noia, J., & Prochaska, J. (2010). Dietary stages of change and decisional balance: a meta-analytic review. *American Journal of Health Behavior*, 34(5), 618–632.
- Dibonaventura, M., & Chapman, G. (2008). The effects of barrier underestimation on weight management and exercise change. *Psychology Health Medicine*, 13, 111–122.
- Duckworth, A., Milkman, K., & Laibson, D. (2018). Beyond willpower: strategies for reducing failures of self-control. *Psychological Science in the Public Interest*, 19(3), 102–129.
- Dhurandhar, N., Schoeller, D., Brown, A., et al. (2015). Energy Balance Measurement Working Group (2015). Energy Balance Measurement: when something is not better than nothing. *International Journal of Obesity*, 39(7), 1109–1113.
- Freund, A., & Hennecke, M. (2015). On means and ends: the role of goal focus in successful goal pursuit. *Current Directions in Psychological Science*, 24(2), 149–153.
- Frost, H., Campbell, P., Maxwell, M., et al. (2018). Effectiveness of motivational interviewing on adult behaviour change in health and social care settings: a systematic review of reviews. *PLoS ONE*, 13(10), e0204890.
- Futurefit Training Ltd. (2018). Raising the bar. Geller, K., Mendoza, I., Timbobolan, J., et al. (2012). The decisional balance sheet to promote healthy behavior among ethnically diverse older adults. *Public Health Nursing*, 29(3), 241–246.
- Gibbons, F., Eggleston, T., & Benthin, A. (1997). Cognitive reactions to smoking relapse: the reciprocal relation between dissonance and self-esteem. *Journal of Personality & Social Psychology*, 72, 184–95.
- Gordan, T., & Edwards, W. (1997). Making the patient your partner: communication skills for doctors and other caregivers. Auburn House Paperback. Grant, A. (2014). Autonomy support, relationship satisfaction and goal focus in the coach-coachee relationship: which best predicts coaching success? *Coaching*, 7(1), 18–38.
- Janis, I., & Mann, L. (1997). Decision making: a psychological analysis of conflict, choice, and commitment. Cassel & Collier Macmillan. Kozica, S., Lombard, C., Teede, H., et al. (2015). Initiating and continuing behaviour change within a weight gain prevention trial: a qualitative investigation. *PLoS ONE*, 10(4), E0119773.
- Kushner, R., & Hopson, S. (1998). Obesity therapy: what works – what doesn't? *Consultant*, 38, 511–516. 36
- Gary Mendoza and Gabrielle Fundaro Kwasnicka, D., Dombrowski, S., White, M., et al. (2016). Theoretical explanations for maintenance of behaviour change: a systematic review of behaviour theories. *Health Psychology Review*, 10(3), 277–296.
- Lally, P., Cornelia, H., Van Jaarsveld, H., et al. (2010). How are habits formed: modelling habit formation in the real world. *Journal of Social Psychology*, 40, 998–1009
- Lopez-Fontana, I., Perrot, A., Krueger, K. et al. (2009). A global lifestyle assessment: psychometric properties of the General Lifestyle Questionnaire. *Psychologie Française*, 65, (1). Marcus, B., Banspach, S., Lefebvre, R., et al. (1992). Using the stages of change model to increase the adoption of physical activity among community participants. *American Journal of Health Promotion*, 6, 424–429.
- Martin, P., Dutton, G., & Brantley, P. (2004). Self-efficacy as a predictor of weight change in African-American women. *Obesity Research*, 12, 646–651.
- McKenzie, K., Pierce, D., & Gunn, J. (2015). A systematic review of motivational interviewing in healthcare: the potential of motivational interviewing to address the lifestyle factors relevant to multimorbidity. *Journal of Comorbidity*, 162–174.
- Mendoza, G., et al. (2007). A multi-dimensional model for the treatment of male obesity. *Proceedings of the Nutrition Society of New Zealand*, 32, 94–100.
- Miller, W., & Rollnick, S. (2009). Ten things that motivational interviewing is not. *Behavioural and Cognitive Psychotherapy*, 37(2), 129–140.
- Miller, W., & Rollnick, S. (2013). *Motivational interviewing: helping people change* (3rd ed.).
- The Guilford Press. Michie, S., Ashford, S., Sniehotta, F., et al. (2011). A refined taxonomy of behaviour change techniques to help people change their physical activity and healthy eating behaviours: the calorie taxonomy. *Psychology & Health*, 26(11), 1479–1498.
- Moyers, T., & Miller, W. (2013). Is low therapist empathy toxic? *Psychology of Addictive Behaviors*, 27(3), 878–884.
- Murray, J., Craigs, C., Hill, K., Honey, S., & House, A. (2012). A systematic review of patient reported factors associated with uptake and completion of cardiovascular lifestyle behaviour change. *BMC Cardiovascular Disorder*, 12, 120.
- Nigg, J. (2016). Motivational interviewing in nutrition and fitness. *Journal of Nutrition Education and Behavior*, 48(8), 596.
- O'Connell, D., & Velicer, W. (1988). A decisional balance measure and the stages of change model for weight loss. *International*

- Journal of Addictions, 23, 729–750.
- Prochaska, J., & DiClemente, C. (1983). Stages and processes of self-change of smoking: toward an integrative model of change. *Journal of Consulting and Clinical Psychology*, 51, 390–395.
- Prochaska, J., Velicer, W., Rossi, J., et al. (1994). Stages of change and decisional balance for twelve problem behaviours. *Health Psychology*, 13, 39–46.
- Resnicow, K., & McMaster, F. (2012). Motivational interviewing: moving from why to how with autonomy support. *International Journal of Behavioral Nutrition and Physical Activity*, 9, 19.
- Ryan, R., & Deci, E. (2017). *Self-determination theory*. The Guilford Press.
- Rubak, S., Sandbaek, A., Lauritzen, T., et al. (2005). Motivational interviewing: a systematic review and meta-analysis. *The British journal of General Practice: the journal of the Royal College of General Practitioners*, 55(513), 305–312.
- Helping clients to change 37 Sallis, J. (2018). Needs and challenges related to multilevel interventions: physical activity examples. *Health Education & Behavior*, 45(5), 661–67.
- Stead, M., Craigie, A., Macleod, M., et al. (2015). Why are some people more successful at lifestyle change than others? Factors associated with successful weight loss in the BeWEL randomised controlled trial of adults at risk of colorectal cancer. *The International Journal of Behavioral Nutrition and Physical Activity*, 12(1), 87.
- Schuster, C. (1987). Substance abuse. *JAMA: The Journal of the American Medical Association*, 258(16), 2269–2271.
- Wakui, S., Shimomitsu, Y., Adagiri, S., et al. (2002). Relation of the stages of change for exercise behaviours, self-efficacy, decisional-balance, and diet related psycho-behavioural factors in young Japanese women. *The Journal of Sports Medicine and Physical Fitness*, 42, 224–232.
- Weinstein, N., Rothman, A., & Sutton, S. (1998). Stage theories of health behavior: conceptual and methodological issues. *Health Psychology*, 17, 290–9.
- Wingo, B., Desmond, R., Brantley, P., et al. (2013). Self-efficacy as a predictor of weight change and behavior change in the PREMIER trial. *Journal of Nutrition Education and Behavior*, 45(4), 314–321.

منابع

- Albahrani, A., & Greaves, R. (2016). Fat-soluble vitamins: clinical indications and current challenges for chromatographic measurement. *The Clinical Biochemist. Reviews*, 37(1), 27–47.
- Al-Shaar, L., Vercammen, K., Lu, C., et al. (2017). Health effects and public health concerns of energy drink consumption in the United States: a mini-review. *Frontiers in Public Health*, 5, 225.
- Aragon, A., & Schoenfeld, B. (2013). Nutrient timing revisited: is there a postexercise anabolic window? *Journal of International Society of Sports Nutrition*, 10(1), 5.
- Aragon, A., Schoenfeld, B., Wildman, R., et al. (2017). International society of sports nutrition position stand: diets and body composition. *Journal of the International Society of Sports Nutrition*, 14, 16.
- Aragon, A., & Schoenfeld, B. (2020). Magnitude and composition of the energy surplus for maximizing muscle hypertrophy: implications for bodybuilding and physique athletes. *Strength and Conditioning Journal*. Published online ahead of print.
- Aragon, A. (2021). *Advanced personal training: science to practice* (2nd ed.). Routledge.
- Astrup, A., Magkos, F., Bier, D., et al. (2020). Saturated fats and health: a reassessment and proposal for food-based recommendations: JACC State-of-the-Art Review. *American College of Cardiology*. Published online ahead of print.
- Banaszek, A., Townsend, J., Bender, D., et al. (2019). The effects of whey vs. pea protein on physical adaptations following 8-weeks of high-intensity functional training (HIFT): a pilot study. *Sports (Basel, Switzerland)*, 7(1), 12.
- Barnard, N., Cohen, J., Jenkins, D., et al. (2009). A low-fat vegan diet and a conventional diabetes diet in the treatment of type 2 diabetes: a randomized, controlled, 74-wk clinical trial. *The American Journal of Clinical Nutrition*, 89(5), 1588S–1596S.
- Barnard, N., Goldman, D., Loomis, J., et al. (2019). Plant-based diets for cardiovascular safety and performance in endurance sports. *Nutrients*, 11(1), 130.
- Barnes, K., Beach, B., Ball, L., et al. (2019). Clients expect nutrition care to be provided by personal trainers in Australia. *Nutrition & dietetics*, 76(4), 421–427.
- Borén, J., Chapman, M., Krauss, R., et al. (2020). Low-density lipoproteins cause atherosclerotic cardiovascular disease: pathophysiological, genetic, and therapeutic insights: a consensus statement from the European Atherosclerosis Society Consensus Panel. *European Heart Journal*, 41(24), 2313–2330.
- Burd, N., McKenna, C., Salvador, A., et al. (2019). Dietary protein quantity, quality, and exercise are key to healthy living: a muscle-centric perspective across the lifespan. *Frontiers in Nutrition*, 6, 83.
- Burke, L. (2015). Re-examining High-fat diets for sports performance: did we call the ‘Nail in the Coffin’ too soon? *Sports Medicine*, 4(1), S33–S49.
- Burke, L., Ross, M., Garvican-Lewis, L., et al. (2017). Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *The Journal of Physiology*, 595(9), 2785–2807.
- Burke, L., Sharma, A., Heikura, I., et al. (2020). Crisis of confidence averted: Impairment of exercise economy and performance in elite race walkers by ketogenic low carbohydrate, high fat (LCHF) diet is reproducible. *PLoS one*, 15(6), e0234027.
- Campbell, B., Wilborn, C., Bounty, L. P., et al. (2013). International Society of Sports Nutrition position stand: energy drinks. *Journal of the International Society of Sports Nutrition*, 10(1), 1–58.
- Alan Aragon Candow, D., Vogt, E., Johannsmeyer, S., et al. (2015). Strategic creatine supplementation and resistance training in healthy older adults. *Applied Physiology, Nutrition, and Metabolism*, 40(7), 689–694.
- Candow, D., Zello, G., Ling, B., et al. (2014). Comparison of creatine supplementation before versus after supervised resistance training in healthy older adults. *Research in Sports Medicine*, 22(1), 61–74.
- Carr, A., Hopkins, W., & Gore, C. (2011). Effects of acute alkalosis and acidosis on performance: a meta-analysis. *Sports Medicine*, 41(10), 801–814.
- Choi, Y., Jeon, S., & Shin, S. (2020). Impact of a ketogenic diet on metabolic parameters in patients with obesity or overweight and with or without type 2 diabetes: a meta-analysis. *Nutrients*, 12(7), E2005.
- Christensen, P., Shirai, Y., Ritz, C., et al. (2017). Caffeine and bicarbonate for speed. A meta-analysis of legal supplements potential

- for improving intense endurance exercise performance. *Frontiers in Physiology*, 8, 240.
- Cioffi, I., Evangelista, A., Ponzio, V., et al. (2018). Intermittent versus continuous energy restriction on weight loss and cardiometabolic outcomes: a systematic review and meta-analysis of randomized controlled trials. *Journal of Translational Medicine*, 16(1), 371.
- Cogswell, M., Zhang, Z., Carriquiry, A., et al. (2012). Sodium and potassium intakes among US adults: NHANES 2003–2008. *The American Journal of Clinical Nutrition*, 96(3), 647–657. Cooper, R., Naclerio, F., Allgrove, J., et al. (2012). Creatine supplementation with specific view to exercise/sports performance: an update. *Journal of the International Society of Sports Nutrition*, 9(1), 33.
- Dashti, H., Mathew, T., Hussein, T., et al. (2004). Long-term effects of a ketogenic diet in obese patients. *Experimental & Clinical Cardiology*, 9(3), 200–205.
- de Souza, R., Schincaglia, R., Pimentel, G., et al. (2017). Nuts and human health outcomes: a systematic review. *Nutrients*, 9(12), 1311. Dinu, M., Abbate, R., Gensini, G., et al. (2017). Vegetarian, vegan diets and multiple health outcomes: a systematic review with meta-analysis of observational studies. *Critical Reviews in Food Science & Nutrition*, 57(17), 3640–3649.
- Doepker, C., Franke, K., Myers, E., et al. (2018). Key findings and implications of a recent systematic review of the potential adverse effects of caffeine consumption in healthy adults. *Nutrients*, 10(10), 1536.
- Dolan, E., Swinton, P., Painelli, V., et al. (2019). A systematic risk assessment and meta-analysis on the use of oral β -alanine supplementation. *Advances in Nutrition*, 10(3), 452–463.
- Dorgan, J., Judd, J., Longcope, C., et al. (1996). Effects of dietary fat and fiber on plasma and urine androgens and estrogens in men: a controlled feeding study. *American Journal of Clinical Nutrition*, 64(6), 850–855.
- Frankenfield, D., Roth-Yousey, L., & Compher, C. (2005). Comparison of predictive equations for resting metabolic rate in healthy nonobese and obese adults: a systematic review. *Journal of the American Dietetic Association*, 105(5), 775–789.
- García-Ayuso, D., Di Pierdomenico, J., Valiente-Soriano, F., et al. (2019). β -alanine supplementation induces taurine depletion and causes alterations of the retinal nerve fiber layer and axonal transport by retinal ganglion cells. *Experimental Eye Research*, 188, 107781.
- Nutrition 59 Goldin, B., Woods, M., Spiegelman, D., et al. (1994). The effect of dietary fat and fiber on serum estrogen concentrations in premenopausal women under controlled dietary conditions. *Cancer*, 74(3), 1125–1131.
- Goldstein, E., Ziegenfuss, T., Kalman, D., et al. (2010). International society of sports nutrition position stand: caffeine and performance. *Journal of the International Society of Sports Nutrition*, 7(1), 5.
- Grgic, J., Grgic, I., Pickering, C., et al. (2020). Wake up and smell the coffee: caffeine supplementation and exercise performance—an umbrella review of 21 published meta-analyses. *British Journal of Sports Medicine*, 54(11), 681–688.
- Hadzic, M., Ecksstein, M., & Schugardt, M. (2019). The impact of sodium bicarbonate on performance in response to exercise duration in athletes: a systematic review. *Journal of Sports Science & Medicine*, 18(2), 271–281.
- Hall, K., & Guo, J. (2017). Obesity energetics: body weight regulation and the effects of diet composition. *Gastroenterology*, 152(7), 1718–1727.
- Hall, K., Guo, J., Courville, A., et al. (2021). Effect of a plant-based, low-fat diet versus an animal-based, ketogenic diet on ad libitum energy intake. *Nature medicine*, 27(2), 344–353.
- Han, S., Wu, L., Wang, W., et al. (2019). Trends in dietary nutrients by demographic characteristics and BMI among US Adults, 2003–2016. *Nutrients*, 11(11), 2617.
- Harris, L., Hamilton, S., Azevedo, L., et al. (2018). Intermittent fasting interventions for treatment of overweight and obesity in adults: a systematic review and meta-analysis. *JBIC Database of Systematic Reviews and Implementation Reports*, 16(2), 507–547.
- Harris, R., Tallon, M., Dunnett, M., et al. (2006). The absorption of orally supplied beta-alanine and its effect on muscle carnosine synthesis in human vastus lateralis. *Amino Acids*, 30(3), 279–289.
- Hashimoto, Y., Fukuda, T., Oyabu, C., et al. (2016). Impact of low-carbohydrate diet on body composition: meta-analysis of randomized controlled studies. *Obesity Reviews*, 17(6), 499–509. Hawley, J., & Leckey, J. (2015). Carbohydrate dependence during prolonged, intense endurance exercise. *Sports Medicine*, 45(1), S5–S12.
- Headland, M., Clifton, P., Carter, S., et al. (2016). Weight-loss outcomes: a systematic review and meta-analysis of intermittent energy restriction trials lasting a minimum of 6 months. *Nutrients*, 8(6), 354.
- Helms, E., Zinn, C., Rowlands, D., et al. (2014). A systematic review of dietary protein during caloric restriction in resistance trained lean athletes: a case for higher intakes. *International Journal of Sport Nutrition & Exercise Metabolism*, 24(2), 127–138.
- Hevia-Larraín, V., Gualano, B., Longobardi, I., et al. (2021). High-protein plantbased diet versus a protein-matched omnivorous diet to support resistance training adaptations: a comparison between habitual vegans and omnivores. *Sports Medicine*, 51(6), 1317–1330.
- Hodgson, A., Randell, R., & Jeukendrup, A. (2013). The metabolic and performance effects of caffeine compared to coffee during endurance exercise. *PLoS One*, 8(4), e59561. Iqbal, M. (2014). Trans fatty acids – a risk factor for cardiovascular disease. *Pakistan Journal of Medical Sciences*, 30(1), 194–197. 60
- Alan Aragon Jang, H., & Park, K. (2020). Omega-3 and omega-6 polyunsaturated fatty acids and metabolic syndrome: A systematic review and meta-analysis. *Clinical Nutrition*, 39(3), 765–773. Jéquier, E. (2002). Pathways to obesity. *International Journal of Obesity & Related Metabolic Disorders*, 26(2), S12–S17.
- Jeukendrup, A., Jentjens, R., & Moseley, L. (2005). Nutritional considerations in triathlon. *Sports Medicine*, 35(2), 163–181.
- Jones, A. (2014). Dietary nitrate supplementation and exercise performance. *Sports Medicine*, 44(1), S35–S45.
- Kerksick, C., Wilborn, C., Roberts, M., et al. (2018). ISSN exercise & sports nutrition review update: research & recommendations. *Journal of the International Society of Sports Nutrition*, 15(1), 38.
- Knuiman, P., Hopman, M., & Mensink, M. (2015). Glycogen availability and skeletal muscle adaptations with endurance and resistance exercise. *Nutrition & Metabolism*, 12, 59.
- Kreider, R., Kalman, D., Antonio, J., et al. (2017). International Society of Sports Nutrition position stand: safety and efficacy of creatine supplementation in exercise, sport, and medicine. *Journal of the International Society of Sports Nutrition*, 14, 18.
- Lara, B., Ruiz-Moreno, C., Salinero, J., et al. (2019). Time course of tolerance to the performance benefits of caffeine. *PLoS One*, 14(1), e0210275.
- Le, L., & Sabaté, J. (2014). Beyond meatless, the health effects of vegan diets: findings from the Adventist cohorts. *Nutrients*, 6(6),

- Lykstad, J., Sharma, S. (updated 2020 January). Biochemistry, water soluble vitamins. In StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. Available from <https://www.ncbi.nlm.nih.gov/books/NBK538510/>. Lynch, H., Buman, M., Dickinson, J., et al. (2020). No significant differences in muscle growth and strength development when consuming soy and whey protein supplements matched for leucine following a 12 week resistance training program in men and women: a randomized trial. *International Journal of Environmental Research & Public Health*, 17(11), 3871.
- Manore, M. (2005). Exercise and the Institute of Medicine recommendations for nutrition. *Current Sports Medicine Reports*, 4(4), 193–198.
- Manore, M. (2012). Dietary supplements for improving body composition and reducing body weight: where is the evidence? *International Journal of Sport Nutrition & Exercise Metabolism*, 22(2), 139–154. Mansoor, N., Vinknes, K., Veierød, M., et al. (2016). Effects of low-carbohydrate diets v. low-fat diets on body weight and cardiovascular risk factors: a metaanalysis of randomised controlled trials. *The British Journal of Nutrition*, 115(3), 466–479.
- McArdle, W., Katch, F., & Katch, V. (1991). Exercise physiology (3rd ed.) Lippincott Williams & Wilkins. McKean, M., Slater, G., Oprescu, F., & Burkett, B. (2015). Do the nutrition qualifications and professional practices of registered exercise professionals align? *International Journal of Sport Nutrition & Exercise Metabolism*, 25(2), 154–162.
- McKenzie, A., Muñoz, C., & Armstrong, L. (2015). Accuracy of urine color to detect equal to or Greater than 2% body mass loss in men. *Journal of Athletic Training*, 50(12), 1306–1309.
- Meng, H., Zhu, L., Kord-Varkaneh, H., et al. (2020). Effects of intermittent fasting and energy-restricted diets on lipid profile: a systematic review and meta-analysis. *Nutrition*, 77, 110801. Meredith, S., Juliano, L., Hughes, J., et al. (2013). Caffeine use disorder: a comprehensive review and research agenda. *Journal of Caffeine Research*, 3(3), 114–130.
- Messina, M., Lynch, H., Dickinson, J., et al. (2018). No difference between the effects of supplementing with soy protein versus animal protein on gains in muscle mass and strength in response to resistance exercise. *International Journal of Sport Nutrition & Exercise Metabolism*, 28(6), 674–685.
- Mishra, S., Xu, J., Agarwal, U., et al. (2013). A multicenter randomized controlled trial of a plant-based nutrition program to reduce body weight and cardiovascular risk in the corporate setting: the GEICO study. *European Journal of Clinical Nutrition*, 67(7), 718–724.
- Moro, T., Tinsley, G., Bianco, A., et al. (2016). Effects of eight weeks of time-restricted feeding (16/8) on basal metabolism, maximal strength, body composition, inflammation, and cardiovascular risk factors in resistance-trained males. *Journal of Translational Medicine*, 14(1), 290.
- Morris, A., & Mohiuddin, S. (updated 2020 February). Biochemistry, nutrients. In StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2020 January. Available from <https://www.ncbi.nlm.nih.gov/books/NBK554545/>. Morton, R., Murphy, K., McKellar, S., et al. (2018). A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *British Journal of Sports Medicine*, 52(6), 376–384.
- Murray, B., & Rosenbloom, C. (2018). Fundamentals of glycogen metabolism for coaches and athletes. *Nutrition Reviews*, 76(4), 243–259.
- National Institutes of Health, Office of Dietary Supplements. (updated 2020 March). Calcium fact sheet for health professionals [Internet]. Available from <https://ods.od.nih.gov/factsheets/Calcium-HealthProfessional/>. Olsson, K., & Saltin, B. (1970). Variation in total body water with muscle glycogen changes in man. *Acta Physiologica Scandinavica*, 80(1), 11–18.
- Palacios, C., & Gonzalez, L. (2014). Is vitamin D deficiency a major global public health problem? *The Journal of Steroid Biochemistry & Molecular Biology*, 144(Pt A), 138–145.
- Paoli, A., Grimaldi, K., D'Agošino, D., et al. (2012). Ketogenic diet does not affect strength performance in elite artistic gymnasts. *Journal of the International Society of Sports Nutrition*, 9(1), 34.
- Paoli, A., Rubini, A., Volek, J., et al. (2013). Beyond weight loss: a review of the therapeutic uses of very-low-carbohydrate (ketogenic) diets. *European Journal of Clinical Nutrition*, 67(8), 789–796.
- Perrier, E., Johnson, E., McKenzie, A., et al. (2016). Urine colour change as an indicator of change in daily water intake: a quantitative analysis. *European Journal of Nutrition*, 55(5), 1943–1949. Persky, A., & Brazeau, G. (2001). Clinical pharmacology of the dietary supplement creatine monohydrate. *Pharmacological Reviews*, 53(2), 161–176.
- Phillips, S., Chevalier, S., & Leidy, H. (2016). Protein “requirements” beyond the RDA: implications for optimizing health. *Applied Physiology, Nutrition, & Metabolism*, 41(5), 565–572. Alan Aragon Riebl, S., & Davy, B. (2013). The hydration equation: update on water balance and cognitive performance. *ACSM's health & Fitness Journal*, 17(6), 21–28.
- Riesberg, L., Weed, S., McDonald, T., et al. (2016). Beyond muscles: the untapped potential of creatine. *International Immunopharmacology*, 37, 31–42.
- Rogerson, D. (2017). Vegan diets: practical advice for athletes and exercisers. *Journal of the International Society of Sports Nutrition*, 14, 36. Rosanoff, A., Weaver, C., & Rude, R. (2012). Suboptimal magnesium status in the United States: are the health consequences underestimated? *Nutrition Reviews*, 70(3), 153–164.
- Saunders, B., Elliott-Sale, K., Artioli, G., et al. (2017). β -alanine supplementation to improve exercise capacity and performance: a systematic review and meta-analysis. *British Journal of Sports Medicine*, 51(8), 658–669. Schoenfeld, B., Aragon, A., Wilborn, C., et al. (2017). Pre- versus post-exercise protein intake has similar effects on muscular adaptations. *PeerJ*, 5, e2825. Schoenfeld, B., & Aragon, A. (2018). How much protein can the body use in a single meal for muscle-building? Implications for daily protein distribution. *Journal of the International Society of Sports Nutrition*, 15, 10.
- Schoenfeld, B., Aragon, A., & Krieger, J. (2013). The effect of protein timing on muscle strength and hypertrophy: a meta-analysis. *Journal of the International Society of Sports Nutrition*, 10(1), 53. Schüpbach, R., Wegmüller, R., Berguerand, C., et al. (2017). Micronutrient status and intake in omnivores, vegetarians and vegans in Switzerland. *European Journal of Nutrition*, 56(1), 283–293.
- Seimon, R., Roekenes, J., Zibellini, J., et al. (2015). Do intermittent diets provide physiological benefits over continuous diets for weight loss? A systematic review of clinical trials. *Molecular & Cellular Endocrinology*, 418(2), 153–172.
- Shaheen, N., Alqahtani, A., Assiri, H., et al. (2018). Public knowledge of dehydration and fluid intake practices: variation by participants' characteristics. *BMC Public Health*, 18(1), 1346. Simopoulos, A. (2002). The importance of the ratio of omega-6/omega-3 essential fatty acids. *Biomedicine Pharmacotherapy*, 56(8), 365–379.

Simopoulos, A. (2008). The omega-6/omega-3 fatty acid ratio, genetic variation, and cardiovascular disease. *Asia Pacific Journal of Clinical Nutrition*, 17(1), 131–134.

Slater, G., & Phillips, S. (2011). Nutrition guidelines for strength sports: sprinting, weightlifting, throwing events, and bodybuilding. *Journal of Sports Sciences*, 29(1), S67–S77.

Smith, A., Walter, A., Graef, J., et al. (2009). Effects of beta-alanine supplementation and high-intensity interval training on endurance performance and body composition in men: A double-blind trial. *Journal of the International Society of Sports Nutrition*, 6, 5.

Southward, K., Rutherford-Markwick, K., Badenhorst, C., et al. (2018). The role of genetics in moderating the inter-individual differences in the ergogenicity of caffeine. *Nutrients*, 10(10), 1352.

Spriet, L., & Watt, M. (2003). Regulatory mechanisms in the interaction between carbohydrate and lipid oxidation during exercise. *Acta Physiologica Scandinavica*, 178(4), 443–452.

Spriet, L. (2002). Regulation of skeletal muscle fat oxidation during exercise in humans. *Medicine and Science in Sports and Exercise*, 34(9), 1477–1484.

Nutrition 63 Stratton, M., Tinsley, G., Alesi, M., et al. (2020). Four weeks of time-restricted feeding combined with resistance training does not differentially influence measures of body composition, muscle performance, resting energy expenditure, and blood biomarkers. *Nutrients*, 12(4), 1126.

Tabrizi, R., Saneei, P., Lankarani, K., et al. (2019). The effects of caffeine intake on weight loss: a systematic review and dose-response meta-analysis of randomized controlled trials. *Critical Reviews in Food Science & Nutrition*, 59(16), 2688–2696.

Tang, J., Moore, D., Kujbida, G., et al. (2009). Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *Journal of Applied Physiology*, 107(3), 987–992.

Thomas, D., Erdman, K., & Burke, L. (2016). Position of the Academy of Nutrition and Dietetics, Dietitians of Canada, and the American College of Sports Medicine: nutrition and athletic performance. *Journal of the Academy of Nutrition & Dietetics*, 116(3), 501–528.

Tinsley, G., & Bounty, L. (2015). Effects of intermittent fasting on body composition and clinical health markers in humans. *Nutrition Reviews*, 73(10), 661–674.

Tinsley, G., Forsse, J., Butler, N., et al. (2017). Time-restricted feeding in young men performing resistance training: a randomized controlled trial. *European Journal of Sport Science*, 17(2), 200–207.

Tinsley, G., Moore, M., Graybeal, A., et al. (2019). Time-restricted feeding plus resistance training in active females: a randomized trial. *The American Journal of Clinical Nutrition*, 110(3), 628–640.

Tontisirin, K., & de Haen, H. (2001). Human energy requirements: report of a Joint FAO/WHO/UNU Expert Consultation.

Trexler, E., Smith-Ryan, A., Stout, J., et al. (2015). International society of sports nutrition position stand: beta-alanine. *Journal of the International Society of Sports Nutrition*, 12, 30.

U.S. Department of Health and Human Services and U.S. Department of Agriculture (2015). 2015–2020 Dietary Guidelines for Americans (8th ed.). December 2015.

Wang, F., Zheng, J., Yang, B., et al. (2015). Effects of vegetarian diets on blood lipids: a systematic review and meta-analysis of randomized controlled trials. *Journal of the American Heart Association*, 4(10), e002408.

Warner, M., & Kamran, M. (updated 2020 August). StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. Available from <https://www.ncbi.nlm.nih.gov/books/NBK448065/>.

Westman, E., Feinman, R., Mavropoulos, J., et al. (2007). Low-carbohydrate nutrition and metabolism. *The American Journal of Clinical Nutrition*, 86(2), 276–284.

Wu, G. (2020). Important roles of dietary taurine, creatine, carnosine, anserine and 4-hydroxyproline in human nutrition and health. *Amino Acids*, 52(3), 329–360.

منابع

Acharya, R., Joseph, P., Kannathal, N., et al. (2006). Heart rate variability: a review. *Medical & Biological Engineering & Computing*, 44(12), 1031–1051.

Bandyopadhyay A. (2015). Validity of Cooper’s 12-minute run test for estimation of maximum oxygen uptake in male university students. *Biology of sport*, 32(1), 59–63.

Paul Hough et al. Beekley, M., Brechue, W., Dehoyos, D., et al. (2004). Cross-validation of the YMCA submaximal cycle ergometer test to predict VO2max. *Research Quarterly for Exercise and Sport*, 75(3), 337–342.

Bishop, C., Lake, J., Loturco, I., et al. (2021). Interlimb Asymmetries: The Need for an Individual Approach to Data Analysis. *Journal of Strength and Conditioning Research*, 35(3), 695–701.

Burnstein, B., Steele, R., & Shrier, I. (2011). Reliability of fitness tests using methods and time periods common in sport and occupational management. *Journal of Athletic Training*, 46(5), 505–513.

Cohen, J. (1988). Set Correlation and Contingency Tables. *Applied Psychological Measurement*, 12(4), 425–434.

Colburn, T., Smith, B., Guarini, J., et al. (1976). An ambulatory activity monitor with solid state memory. *Biomedical Sciences Instrumentation*, 12, 117–122.

Cole, R., Kripke, D., Gruen, W., et al. (1992). Automatic sleep/wake identification from wrist activity. *Sleep*, 15(5), 461–469.

Cooper, S., Baker, J., Tong, R., et al. (2005). The repeatability and criterion related validity of the 20 m multi-stage fitness test as a predictor of maximal oxygen uptake in active young men. *British Journal of Sports Medicine*, 39(4), e19.

Croisier, J., Forthomme, B., Namurois, M., et al. (2002). Hamstring muscle strain recurrence and strength performance disorders. *The American Journal of Sports Medicine*, 30(2), 199–203.

De Oliveira, R., Ugrinowitsch, C., Kingsley, J., et al. (2019). Effect of individualised resistance training prescription with heart rate variability on individual muscle hypertrophy and strength responses. *European Journal of Sport Science*, 19(8), 1092–1100.

de Zambotti, M., Cellini, N., Menghini, L., et al. (2020). Sensors capabilities, performance, and use of consumer sleep technology. *Sleep Medicine Clinics*, 15(1), 1–30.

Erlacher, D., Ehrlenspiel, F., Adegbesan, O., et al. (2011). Sleep habits in German athletes before important competitions or games. *Journal of Sports Sciences*, 29(8), 859–866.

Evenson, K., Goto, M., Furberg, R., et al. (2015). Systematic review of the validity and reliability of consumer-wearable activity trackers. *The International Journal of Behavioral Nutrition and Physical Activity*, 12, 159.

Flatt, A., Hornikel, B., & Esco, M. R. (2017). Heart rate variability and psychometric responses to overload and tapering in collegiate

- sprint-swimmers. *Journal of Science and Medicine in Sport*, 20(6), 606–610.
- Grandner, M., & Rosenberger, M. (2019). Actigraphic sleep tracking and wearables: historical context, scientific applications and guidelines, limitations, and considerations for commercial sleep devices. In *Sleep and health* (pp. 147–157). Academic Press.
- Heyward, A., & Gibson, A. (2014). *Advanced fitness assessment and exercise prescription* (7th ed.). Human Kinetics.
- Impellizzeri, F., Rampinini, E., Maffiuletti, N., et al. (2007). A vertical jump force test for assessing bilateral strength asymmetry in athletes. *Medicine and Science in Sports and Exercise*, 39(11), 2044–2050.
- Jensen, M., Suadicani, P., Hein, H., et al. (2013). Elevated resting heart rate, physical fitness and all-cause mortality: a 16-year follow-up in the Copenhagen Male Study. *Heart*, 99(12), 882–887.
- Kripke, D., Mullaney, D., Messin, S., et al. (1978). Wrist actigraphic measures of sleep and rhythms. *Electroencephalography and Clinical Neurophysiology*, 44(5), 674–676.
- Knapik, J., Bauman, C., Jones, B., et al. (1991). Preseason strength and flexibility imbalances associated with athletic injuries in female collegiate athletes. *The American Journal of Sports Medicine*, 19(1), 76–81.
- Lockie, R., Callaghan, S., Berry, S., et al. (2014). Relationship between unilateral jumping ability and asymmetry on multidirectional speed in team-sport athletes. *Journal of Strength and Conditioning Research*, 28(12), 3557–3566.
- Lockie, R., Rizzo, F., Lazar, A., et al. (2017). Between-leg mechanical differences as measured by the Bulgarian Split-Squat: exploring Asymmetries and relationships with sprint acceleration. *Sports (Basel, Switzerland)*, 5(3), 65.
- Maloney, S. (2019). The Relationship Between Asymmetry and Athletic Performance: A Critical Review. *Journal of Strength and Conditioning Research*, 33(9), 2579–2593.
- Mertz, K., Reitelsheder, S., Jensen, M., et al. (2019). Influence of between-limb asymmetry in muscle mass, strength, and power on functional capacity in healthy older adults. *Scandinavian Journal of Medicine & Science in Sports*, 29(12), 1901–1908.
- Myer, G., Martin, L., Jr, Ford, K., et al. (2012). No association of time from surgery with functional deficits in athletes after anterior cruciate ligament reconstruction: evidence for objective return-to-sport criteria. *The American Journal of Sports Medicine*, 40(10), 2256–2263.
- Newton, R., Gerber, A., Nimphius, S., et al. (2006). Determination of functional strength imbalance of the lower extremities. *Journal of Strength and Conditioning Research*, 20(4), 971–977.
- Pasady, S. R., Soudan, M., Gillinov, M., et al. (2019). Accuracy of commercially available heart rate monitors in athletes: a prospective study. *Cardiovascular Diagnosis and Therapy*, 9(4), 379–385.
- Paterno, M., Ford, K., Myer, G., et al. (2007). Limb asymmetries in landing and jumping 2 years following anterior cruciate ligament reconstruction. *Clinical Journal of Sport Medicine*, 17(4), 258–262.
- Ramsbottom, R., Brewer, J., & Williams, C. (1988). A progressive shuttle run test to estimate maximal oxygen uptake. *British Journal of Sports Medicine*, 22(4), 141–144.
- Redmond, D., & Hegge, F. (1985). Observations on the design and specification of a wrist-worn human activity monitoring system. *Behavior Research Methods, Instruments, & Computers*, 17(6), 659–669.
- Roberts, D., Schade, M., Mathew, G., et al. (2020). Detecting sleep using heart rate and motion data from multisensor consumer-grade wearables, relative to wrist actigraphy and polysomnography. *Sleep*, 43(7).
- Roberts, S., Teo, W., Aisbett, B., et al. (2019). Extended sleep maintains endurance performance better than normal or restricted sleep. *Medicine and Science in Sports and Exercise*, 51(12), 2516–2523.
- Rohman, E., Steubs, J., & Tompkins, M. (2015). Changes in involved and uninvolved limb function during rehabilitation after anterior cruciate ligament reconstruction: implications for Limb Symmetry Index measures. *The American Journal of Sports Medicine*, 43(6), 1391–1398.
- Sadeh, A., Sharkey, K., & Carskadon, M. (1994). Activity-based sleep-wake identification: an empirical test of methodological issues. *Sleep*, 17(3), 201–207.
- Skein, M., Duffield, R., Edge, J., et al. (2011). Intermittent-sprint performance and muscle glycogen after 30 h of sleep deprivation: *Medicine & Science in Sports & Exercise*, 43(7), 1301–1311.
- Paul Hough et al. Stanley, N. (2003). Actigraphy in human psychopharmacology: a review. *Human Psychopharmacology*, 18(1), 39–49. <https://doi.org/10.1002/hup.471>.
- Thamm, A., Freitag, N., Figueiredo, P., et al. (2019). Can heart rate variability determine recovery following distinct strength loadings? A randomised cross-over trial. *International Journal of Environmental Research and Public Health*, 16(22), 1–16.
- Vallières, A., & Morin, C. (2003). Actigraphy in the assessment of insomnia. *Sleep*, 26(7), 902–906.

منابع

- Ahtiainen, J., Pakarinen, A., Alen, M., et al. (2003). Muscle hypertrophy, hormonal adaptations and strength development during strength training in strengthtrained and untrained men. *European Journal of Applied Physiology*, 89(6), 555–563.
- Banister, E., Calvert, T., Savage, M., et al. (1975). System model of training for athletic performance. *Australian Journal of Sports Medicine*, 7, 170–176.
- Bartholomew, J., Stults-Kolehmainen, M., Elrod, C., et al. (2008). Strength gains after resistance training: the effect of stressful, negative life events. *Journal of Strength and Conditioning Research*, 22(4), 1215–1221.
- Principles of training 91 Borresen, J., & Lambert, M. (2009). The quantification of training load, the training response and the effect on performance. *Sports Medicine (Auckland, N.Z.)*, 39(9), 779–795.
- Chiu, L., & Barnes, J. (2003). The fitness-fatigue model revisited: implications for planning short- and long-term training. *Strength & Conditioning Journal*, 25(6), 42–51.
- Coyle, E., Martin, W., Sinacore, D., et al. (1984). Time course of loss of adaptations after stopping prolonged intense endurance training. *Journal of Applied Physiology: Respiratory, Environmental Exercise Physiology*, 57(6), 1857–1864.
- Hough, P. (2017). Fundamental principles of training. In P. Hough, P., & S. Penn (Eds.). *Advanced Personal Training: science to practice* (pp. 59–82).
- Routledge. Kiely, J. (2012). Periodization paradigms in the 21st century: evidence-led or tradition-driven? *International Journal of Sports Physiology and Performance*, 7(3), 242–250.
- Kiely, J. (2018). Periodization theory: confronting an inconvenient truth. *Sports Medicine*, 48(4), 753–764. Mujika, I., & Padilla, S.

- (2000). Detraining: loss of training-induced physiological and performance adaptations. Part II: Long term insufficient training stimulus. *Sports Medicine*, 30(3), 145–154.
- Piacentini, M., Witard, O., Tonoli, C., et al. (2016). Effect of intensive training on mood with no effect on brain-derived neurotrophic factor. *International Journal of Sports Physiology and Performance*, 11(6), 824–830.
- Schoenfeld, B., Peterson, M., Ogborn, D., et al. (2015). Effects of low- vs. highload resistance training on muscle strength and hypertrophy in well-trained men. *Journal of Strength and Conditioning Research*, 29(10), 2954–2963.
- Selye, H. (1950). Stress and the General adaptation syndrome. *British Medical Journal*, 1(4667), 1383–1392.
- Snijders, T., Aussieker, T., Holwerda, A., et al. (2020). The concept of skeletal muscle memory: evidence from animal and human studies. *Acta Physiologica (Oxford, England)*, 229(3), e13465.
- Verkhoshansky, Y. (1977). *Fundamentals of Special strength-training in sport*. Moscow: Fuzkultura I Spovt.
- Abadie, B. (1996). Effect of viewing the RPE scale on the ability to make ratings of perceived exertion. *Perceptual and Motor Skills*, 83(1), 317–318.
- Ainsworth, B., Haskell, W., Herrmann, S., et al. (2011). 2011 compendium of physical activities: a second update of codes and MET values. *Medicine and Science in Sports and Exercise*, 43(8), 1575–1581.
- Arena, R., Myers, J., & Kaminsky, L. (2016). Revisiting age-predicted maximal heart rate: can it be used as a valid measure of effort? *American Heart Journal*, 173, 49–56.
- Arata, J., Burke, L., Camera, D., et al. (2014). Reduced resting skeletal muscle protein synthesis is rescued by resistance exercise and protein ingestion following short-term energy deficit. *American journal of physiology. Endocrinology and metabolism*, 306(8), E989–E997.
- Augustsson, J., Thomeé, R., Hörmstedt, P., et al. (2003). Effect of pre-exhaustion exercise on lower-extremity muscle activation during a leg press exercise. *Journal of Strength and Conditioning Research*, 17(2), 411–416.
- Baar, K. (2014). Using molecular biology to maximize concurrent training. *Sports Medicine*, 44(2), S117–S125.
- Bannister, E. (1991). Modeling elite athletic performance. In *Physiological testing of elite athletes* (pp. 403–424). Human Kinetics.
- Borg, G. (1982). Psychophysical basis of perceived exertion. *Medicine and Science in Sports and Exercise*, 14, 371–381.
- Borg, G. (1998). Borg's perceived exertion and pain scales. *Human Kinetics*.
- 114 Paul Hough and Cody Haun Carroll, K., Bernards, J., Bazzyler, C., et al. (2018). Divergent performance outcomes following resistance training using repetition maximums or relative intensity. *International Journal of Sports Physiology and Performance*, 1–28.
- Chen, M., Fan, X., & Moe, S. (2002). Criterion-related validity of the Borg ratings of perceived exertion scale in healthy individuals: a meta-analysis. *Journal of Sports Sciences*, 20(11), 873–899.
- Christou, D., & Seals, D. (2008). Decreased maximal heart rate with aging is related to reduced β -adrenergic responsiveness but is largely explained by a reduction in intrinsic heart rate. *Journal of Applied Physiology*, 105(1), 24–29.
- Damas, F., Angleri, V., Phillips, S., et al. (2019). Myofibrillar protein synthesis and muscle hypertrophy individualised responses to systematically changing resistance training variables in trained young men. *Journal of Applied Physiology*, 127(3), 806–815.
- Dias, I., de Salles, B., Novaes, J., et al. (2010). Influence of exercise order on maximum strength in untrained young men. *Journal of Science and Medicine in Sport/ Sports Medicine Australia*, 13(1), 65–69.
- Fisher, J., Carlson, L., Steele, J., et al. (2014). The effects of pre-exhaustion, exercise order, and rest intervals in a full-body resistance training intervention. *Applied Physiology, Nutrition, and Metabolism*, 39(11), 1265–1270.
- Foster C. (1998). Monitoring training in athletes with reference to overtraining syndrome. *Medicine and Science in sports and Exercise*, 30(7), 1164–1168.
- Foster, C., Florhaug, J., Franklin, J., et al. (2001). A new approach to monitoring exercise training. *Journal of Strength and Conditioning Research*, 15(1), 109–115.
- Foster, C., Porcari, J., Anderson, J., et al. (2008). The Talk Test as a marker of exercise training intensity. *Journal of Cardiopulmonary Rehabilitation and Prevention*, 28(1), 24–30.
- Fox, S., Naughton, J., & Haskell, W. (1971). Physical activity and the prevention of coronary heart disease. *Annals of Clinical Research*, 3(6), 404–432.
- Grgic, J., Schoenfeld, B., Skrepnik, M., et al. (2018). Effects of rest interval duration in resistance training on measures of muscular strength: a systematic review. *Sports Medicine*, 48(1), 137–151.
- Garber, C., Blissmer, B., Deschenes, M., et al. (2011). American College of sports medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise. *Medicine and Science in Sports and Exercise*, 43(7), 1334–1359.
- Gellish, R., Goslin, B., Olson, R., et al. (2007). Longitudinal modeling of the relationship between age and maximal heart rate. *Medicine and Science in Sports and Exercise*, 39(5), 822–829.
- Hackett, D., Johnson, N., & Halaki, M., et al. (2012). A novel scale to assess resistance-exercise effort. *Journal of Sports Sciences*, 30(13), 1405–1413.
- Harris, R., Edwards, R., Hultman, E., et al. (1976). The time course of phosphorylcreatine resynthesis during recovery of the quadriceps muscle in man. *European Journal of Physiology*, 367(2), 137–142.
- Haun, C., Vann, C., Mobley, C., et al. (2018). Effects of graded whey supplementation during extreme-volume resistance training. *Frontiers in Nutrition*, 5, 84.
- Helms, E., Byrnes, R., Cooke, D., et al. (2018). RPE vs. Percentage 1RM loading in periodized programs matched for sets and repetitions. *Frontiers in Physiology*, 9, 247.
- Training session design 115 Helms, E., Cronin, J., Storey, A., et al. (2016). Application of the repetitions in reserve-based rating of perceived exertion scale for resistance training. *Strength and Conditioning Journal*, 38(4), 42–49.
- Hickson, R. (1980). Interference of strength development by simultaneously training for strength and endurance. *European Journal of Applied Physiology and Occupational Physiology*, 45(2–3), 255–263.
- Jetté, M., Sidney, K., & Blümchen, G. (1990). Metabolic equivalents (METs) in exercise testing, exercise prescription, and evaluation

- of functional capacity. *Clinical Cardiology*, 13(8), 555–565. Karvonen, M., Kentala, E., & Mustala, O. (1957). The effects of training on heart rate: a longitudinal study. *Annales Medicinae Experimentalis Et Biologiae Fenniae*, 35(3), 307–315. Kazior, Z., Willis, S., Moberg, M., et al. (2016). Endurance exercise enhances the effect of strength training on muscle fiber size and protein expression of Akt and mTOR. *PLoS ONE*, 11(2), 1–18. Kim, M., Sujkowski, A., Namkoong, S., et al. (2020). SESTRINs are evolutionarily conserved mediators of exercise benefits. *Nature Communications*, 11(1), 1–14.
- Kraemer, W., Patton, J., & Gordon, S. (1995). Compatibility of high-intensity strength and endurance training on hormonal and skeletal muscle adaptations. *Journal of Applied Physiology*, 78(3), 976–989.
- Krieger, J. (2009). Single versus multiple sets of resistance exercise: a meta-regression. *Journal of Strength and Conditioning Research/National Strength & Conditioning Association*, 23(6), 1890–1901.
- Krieger, J. (2010). Single vs. multiple sets of resistance exercise for muscle hypertrophy: a meta-analysis. *Journal of Strength and Conditioning Research/National Strength & Conditioning Association*, 24(4), 1150–1159.
- Lasevicius, T., Ugrinowitsch, C., Schoenfeld, B., et al. (2018). Effects of different intensities of resistance training with equated volume load on muscle strength and hypertrophy. *European Journal of Sport Science*, 18(6), 772–780.
- Manzi, V., Iellamo, F., Impellizzeri, F., et al. (2009). Relation between individualized training impulses and performance in distance runners. *Medicine and Science in Sports and Exercise*, 41(11), 2090–2096.
- Melanson, E., & Freedson, P. (1996). Physical activity assessment: a review of methods. *Critical Reviews in Food Science and Nutrition*, 36(5), 385–396.
- Myers, T., Schneider, M., Schmale, M., et al. (2015). Whole-body aerobic resistance training circuit improves aerobic fitness and muscle strength in sedentary young females. *Journal of Strength and Conditioning Research*, 29(6), 1592–1600.
- Nalbandian, M., & Takeda, M. (2016). Lactate as a signaling molecule that regulates exercise-induced adaptations. *Biology*, 5(4). Nes, B., Janszky, I., Wisloff, U., et al. (2013). Age-predicted maximal heart rate in healthy subjects: the HUNT fitness study. *Scandinavian Journal of Medicine & Science in Sports*, 23(6), 697–704.
- Nunes, J., Grgic, J., Cunha, P., et al. (2020). What influence does resistance exercise order have on muscular strength gains and muscle hypertrophy? A systematic review and meta-analysis. *European Journal of Sport Science*, 1–9. Advance online publication. Nuutila, O.-P., Kyröläinen, H., & Häkkinen, K., (2020). Acute physiological responses to four running sessions performed at different intensity zones. *International Journal of Sports Medicine*. Online ahead of print. 116 Paul Hough and Cody Haun Ogasawara, R., Arihara, Y., Takegaki, J., et al. (2017). Relationship between exercise volume and muscle protein synthesis in a rat model of resistance exercise. *Journal of Applied Physiology*, 123(4), 710–716.
- Persinger, R., Foster, C., & Gibson, M. (2004). Consistency of the Talk Test for exercise prescription. *Medicine and Science in Sports and Exercise*, 36(9), 1632–1636.
- Rhea, M., Alvar, B., Burkett, L., et al. (2003). A meta-analysis to determine the dose response for strength development. *Medicine and Science in Sports and Exercise*, 35(3), 456–464.
- Roberts, M., Haun, C., Mobley, C., et al. (2018). Physiological differences between low versus high skeletal muscle hypertrophic responders to resistance exercise training: current perspectives and future research directions. *Frontiers in Physiology*, 9, 834.
- Scarpelli, M., Nóbrega, S., Santaniello, N., et al. (2020). Muscle hypertrophy response is affected by previous resistance training volume in trained individuals. *Journal of Strength and Conditioning Research*. Online ahead of print.
- Schmidt, D., Anderson, K., Graff, M., et al. (2016). The effect of high-intensity circuit training on physical fitness. *The Journal of Sports Medicine and Physical Fitness*, 56(5), 534–540. Schoenfeld, B., Grgic, J., Haun, C., et al. (2019). Calculating set-volume for the limb muscles with the performance of multi-joint exercises: implications for resistance training prescription. *Sports*, 7(7). <https://pubmed.ncbi.nlm.nih.gov/30153194/> S
- Schoenfeld, B., Ogborn, D., & Krieger, J. (2017). Dose-response relationship between weekly resistance training volume and increases in muscle mass: a systematic review and meta-analysis. *Journal of Sports Sciences*, 35(11), 1073–1082.
- Schoenfeld, B., Peterson, M., Ogborn, D., et al. (2015). Effects of low- vs. highload resistance training on muscle strength and hypertrophy in Well-trained men. *Journal of Strength and Conditioning Research/National Strength & Conditioning Association*, 29(10), 2954–2963. Sforzo, G., & Touey, P. (1996). Manipulating exercise order affects muscular performance during a resistance exercise training session. *Journal of Strength and Conditioning Research*, 10(1), 20. Simão, R., de Salles, B., Figueiredo, T., et al. (2012). Exercise order in resistance training. *Sports Medicine*, 42(3), 251–265.
- Simão, R., Spinetti, J., de Salles, B., et al. (2010). Influence of exercise order on maximum strength and muscle thickness in untrained men. *Journal of Sports Science & Medicine*, 9(1), 1–7. Spina, R. (1999). Cardiovascular adaptations to endurance exercise training in older men and women. *Exercise and Sport Sciences Reviews*, 27, 317–332.
- Spinetti, J., de Salles, B., Rhea, M., et al. (2010). Influence of exercise order on maximum strength and muscle volume in nonlinear periodized resistance training. *Journal of Strength and Conditioning Research*, 24(11), 2962–2969.
- Stagno, K., Thatcher, R., & van Someren, K. (2007). A modified TRIMP to quantify the in-season training load of team sport players. *Journal of Sports Sciences*, 25(6), 629–634.
- Sundstrup, E., Jakobsen, M., Andersen, C., et al. (2012). Muscle activation strategies during strength training with heavy loading vs. repetitions to failure. *Journal of Strength and Conditioning Research/National Strength & Conditioning Association*, 26(7), 1897–1903.
- Training session design 117 Tanaka, H., Monahan, K., & Seals, D. (2001). Age-predicted maximal heart rate revisited. *Journal of the American College of Cardiology*, 37(1), 153–156.
- Thompson, S., Rogerson, D., Ruddock, A., et al. (2020). The effectiveness of two methods of prescribing load on maximal strength development: a systematic review. *Sports Medicine*, 50(5), 919–938.
- Wang, L., Mascher, H., Psilander, N., et al. (2011). Resistance exercise enhances the molecular signaling of mitochondrial biogenesis induced by endurance exercise in human skeletal muscle. *Journal of Applied Physiology*, 111(5), 1335–1344.
- Willardson, J. (2008). A brief review: how much rest between sets? *Strength & Conditioning Journal*, 30(3), 44.
- Wilson, J., Marin, P., Rhea, M., et al. (2012). Concurrent training: a meta-analysis examining interference of aerobic and resistance exercises. *The Journal of Strength and Conditioning Research*, 26(8), 2293–2307.
- Zourdos, M., Klemp, A., & Dolan, C., et al. (2016). Novel resistance training-specific rating of perceived exertion scale measuring repetitions in reserve. *Journal of Strength and Conditioning Research*, 30(1), 267–275.

- Baker, D. (1998). Applying the in-season periodisation of strength and power training to football. *Strength and Conditioning Journal*, 20(2), 18–27.
- Baker, D. (2007). Cycle-length variants in periodised strength/power training. *Strength and Conditioning Journal*, 29(4), 10–17.
- Baz-Valle, E., Schoenfeld, B., Torres-Unda, J., et al. (2019). The effects of exercise variation in muscle thickness, maximal strength and motivation in resistance trained men. *PLoS One*, 14(12), e0226989.
- Bompa, T., & Buzzichelli, C. (2015). Periodisation as planning and programming of sport training. In *Periodization training for sports* (pp. 87–95). Human Kinetics.
- Bompa, T., & Haff, G. (2009). *Periodisation: theory and methodology of training* (5th ed.). Human Kinetics.
- Long-term programme design 127 Carroll, K., Bernards, J., Bazyler, C., et al. (2019). Divergent performance outcomes following resistance training using repetition maximums or relative intensity. *International Journal of Sports Physiology and Performance*, 14(1), 46–54.
- Coffey, V., & Hawley, J. (2017). Concurrent exercise training: do opposites distract? *Journal of Physiology*, 595(9), 2883–2896.
- Comfort, P., Jones, P., & Hornsby, W. (2019). Structured testing vs. continual monitoring. In P. Comfort, P. A. Jones, & J. J. McMahon (Eds.), *Performance assessment in strength and conditioning* (pp. 42–50). Routledge.
- Cunanan, A., DeWeese, B., Wagle, J., et al. (2018). The general adaptation syndrome: a foundation for the concept of periodisation. *Sports Medicine*, 48(4), 787–797.
- DeWeese, B. H., Gray, H. S., Sams, M. L., Scruggs, S. K., & Serrano, A. J. (2013). Revising the definition of periodisation: merging historical principles with modern concern. *Olympic Coach Magazine*, 24(1), 5–19.
- DeWeese, B. H., Hornsby, G., Stone, M., et al. (2015a). The training process: planning for strength-power training in track and field. Part 1: theoretical aspects. *Journal of Sport and Health Science*, 4(4), 308–317.
- DeWeese, B., Hornsby, G., & Stone, M. (2015b). The training process: planning for strength-power training in track and field. Part 2: practical and applied aspects. *Journal of Sport and Health Science*, 4(4), 318–324.
- Gonzalez-Badillo, J., Rodriguez-Rosell, D., Sanchez-Medina, L., et al. (2016). Shortterm recovery following resistance exercise leading or not to failure. *International Journal of Sports Medicine*, 37(4), 295–304.
- Haff, G. (2014). Peaking for competition in individual sports. In D. Joyce & D. Lewindon (Eds.), *High-performance training for sports* (pp. 291–300). Human Kinetics.
- Haff, G. (2016). The essentials of periodisation. In I. Jeffreys & J. Moody (Eds.), *Strength and conditioning for sports performance* (pp. 404–448). Routledge.
- Haff, G. (2017). Periodisation and power integration. In M. McGuigan (Ed.), *Developing power* (pp. 33–62). Human Kinetics.
- Haff, G., & Haff, E. (2012). Training integration and periodisation. In R. Hoffman (Ed.), *NSCA's guide to program design* (pp. 209–254). Human Kinetics.
- Harre, D. (1982). *Principles of sports training*. Sportverlag.
- Harries, S., Lubans, D., & Callister, R. (2015). Systematic review and meta-analysis of linear and undulating periodised resistance training programs on muscular strength. *Journal of Strength and Conditioning Research*, 29(4), 1113–1125.
- Harris, G., Stone, M., O'Bryant, H., et al. (2000). Short-term performance effects of high-power, high-force, or combined weight-training methods. *Journal of Strength and Conditioning Research*, 14(1), 14–20.
- Issurin, V. (2015). Microcycles, mesocycles and training stages. In *Building the modern athlete: scientific advancements & training innovations* (pp. 270–319). Ultimate Athlete Concepts.
- Issurin, V. (2010). New horizons for the methodology and physiology of training periodisation. *Sports Medicine*, 40(3), 189–206.
- Issurin, V. (2016). Benefits and limitations of block periodised training approaches to athlete's preparation: a review. *Sports Medicine*, 46(3), 329–338.
- Kiely, J. (2012). Periodisation paradigms in the 21st century: evidence-led or tradition-driven. *International Journal of Sports Physiology and Performance*, 7, 242–250.
- 128 Stuart N. Guppy and G. Gregory Haff Kraemer, W., Torine, J., Dudley, J., et al. (2015). Nonlinear periodisation: insights for use in collegiate and professional American football resistance training programs. *Strength and Conditioning Journal*, 37(6), 17–36.
- Langan-Evans, C., Morton, J., & Close, G. (2019). Body composition assessment. In P. Comfort, P. A. Jones, & J. J. McMahon (Eds.), *Performance assessment in strength and conditioning* (pp. 240–274). Routledge.
- Mann, J., Bryant, K., Johnstone, B., et al. (2016). Effect of physical and academic stress on illness and injury in division I college football players. *Journal of Strength and Conditioning Research*, 30(1), 20–25.
- Matveyev, L. (1981). *Fundamentals of sports training*. Progress Publishers.
- Mota, J., Nuckols, G., & Smith-Ryan, A. E. (2019). Nutritional periodisation: application for the strength athlete. *Strength and Conditioning Journal*, 41(5), 69–78.
- Mujika, I., Halson, S., Bourke, L., et al. (2018). An integrated, multifactorial approach to periodisation for optimal performance in individual and team sports. *International Journal of Sports Physiology and Performance*, 13(5), 538–561.
- Norris, S., & Smith, D. (2002). Planning, periodisation, and sequencing of training and competition: the rationale for a completely planned, optimally executed training and competition program, supported by a multidisciplinary team. In M. Kellmann (Ed.), *Enhancing recovery: preventing underperformance in athletes* (pp. 121–141). Human Kinetics.
- Painter, K., Haff, G., Ramsey, M., et al. (2012). Strength gains: block vs daily undulating periodisation weight-training among track and field athletes. *International Journal of Sports Physiology and Performance*, 7(2), 161–169.
- Plisk, S. (2016). Effective needs analysis and functional training principles. In I. Jeffreys & J. Moody (Eds.), *Strength and conditioning for sports performance* (pp. 181–200). Routledge.
- Plisk, S., & Stone, M. (2003). Periodisation strategies. *Strength and Conditioning Journal*, 25(6), 19–37.
- Poliquin, C. (1988). Five steps to increasing the effectiveness of your strength training program. *NSCA Journal*, 10(3), 34–39.
- Robineau, J., Barbault, N., Piscione, J., et al. (2016). Specific training effects of concurrent aerobic and strength exercises depend on recovery duration. *Journal of Strength and Conditioning Research*, 30(3), 672–683.
- Sands, W., & Stone, M. (2005). Are you progressing and how would you know? *Olympic Coach*, 17(4), 4–10.

Stone, M., O'Bryant, H., Garhammer, J., et al. (1982). A theoretical model of strength training. *NSCA Journal*, 4(4), 36–39.

Stone, M., Stone, M., & Sands, W. (2007). Principles and practice of resistance training. *Human Kinetics*.

Stults-Kolehmainen, M., Bartholomew, J., & Sinha, R. (2014). Chronic psychological stress impairs recovery of muscular function and somatic sensations over a 96-hour period. *Journal of Strength and Conditioning Research*, 28(7), 2007–2017.

Thibaudeau, C. (2006). *The black book of training secrets*. F. Lepine Publishing.

Thompson, S., Rogerson, D., Ruddock, A., et al. (2020). The effectiveness of two methods of prescribing load on maximal strength development: a systematic review. *Sports Medicine*, 50(5), 919–938.

Verkhoshansky, Y., & Siff, M. (2009). *Supertraining* (6th ed.). Verkhoshansky SSTM. Verkhoshansky, Y., & Verkhoshansky, N. (2011). *Special strength training manual for coaches*. Verkhoshansky SSTM.

منابع

Asmussen, E., Bonde-Peterson, F., & Jorgenson, K. (1976). Mechano-elastic properties of human muscles at different temperatures. *Acta Physiologica Scandinavica*, 96, 86–93.

Bergh, U., & Ekblom, B. (1979). Influence of muscle temperature on maximal strength and power output in human muscle. *Acta Physiologica Scandinavica*, 107, 332–337.

Bishop, D. (2003). Warm-up. Potential mechanisms and the effects of passive warm-up on performance. *Sports Medicine*, 33(6), 439–454.

Cook, G. (2010). *Movement: functional movement systems: screening assessment and corrective strategies*. On Target Publications.

Enoka, R. (2008). *Neuromechanics of human movement* (4th ed.). *Human Kinetics*.

Faulkner, S., Ferguson, R., Gerret, N., et al. (2013). Reducing muscle temperature drop after warm up improves sprint cycling performance. *Medicine and Science in Sports and Exercise*, 45 (2), 359–365.

Fradkin, A., Gabbe, B., & Cameron, P. (2006). Does warming up prevent injury in sport? The evidence from randomised controlled trials. *Journal of Science and Medicine in Sport*, 9(3), 214–220.

The warm-up 141 Fradkin, A., Zazryn, T., & Smoliga, J. (2010). Effects of warming up on physical performance: a systematic review with meta-analysis. *Journal of Strength and Conditioning Research*, 24(1), 140–148.

Hadala, M., & Barrios, C. (2009). Different strategies for sports injury prevention in an America's cup yachting crew. *Medicine and Science in Sports and Exercise*, 41(8), 1587–1596.

Hart, L. (2005). Effect of stretching on sport injury risk: a review. *Clinical Journal Sport Medicine*, 15(2), 371–378.

Herbert, R., & Gabriel, M. (2002). Effects of stretching before and after exercise on muscle soreness and risk of injury: a systematic review. *British Medical Journal*, 325, 468–470.

Hough, P., Ross, E., & Howatson, G. (2009). Effects of dynamic and static stretching on vertical jump performance and electromyographic activity. *Journal of Strength and Conditioning Research*, 23(2), 507–512.

Jeffreys, I. (2007). Warm-up revisited: the ramp method of optimising warm-ups. *Professional Strength and Conditioning*, 6, 12–18.

Jeffreys, I. (2016). Warm up and stretching. In G. Haff and N. Triplett (Eds.), *Essentials of strength training and conditioning* (4th ed., pp. 317–350). *Human Kinetics*.

Jeffreys, I. (2017). RAMP warm-ups: more than simply short-term preparation. *Professional Strength and Conditioning*, 44, 17–23.

Jeffreys, I. (2019a). The warm-up – maximise performance and improve long-term athletic development. *Human Kinetics*.

Jeffreys, I. (2019b). The warm-up: a behavioral solution to the challenge of initiating a long-term athlete development program. *Strength and Conditioning Journal*, 41(2), 52–56.

Kay, A., & Blazevich, A. (2012). Effect of acute static stretching on maximal muscle performance: a systematic review. *Medicine and Science in Sports and Exercise*, 44, 154–164.

Kilduff, L., Finn, C., Baker, J., et al. (2013). Preconditioning strategies to enhance physical performance on the day of competition. *International Journal of Sports Physiology and Performance*, 8, 677–681.

Marieb, E. (2001). *Human anatomy & physiology* (5th ed.).

Benjamin Cummings. McArdle, W., Katch, F., & Katch, V. (2015). *Exercise physiology: energy, nutrition and human performance* (8th ed.).

Lippincott Williams & Wilkins. Mohr, M., Krstrup, P., Nybo, L., et al. (2004). Muscle temperature and sprint performance during soccer matches—beneficial effect of re-warm up at half time. *Scandinavian Journal of Medicine & Science in Sports*, 14(3), 156–162.

Racinais, S., Cocking, S., & Périard, J. (2017). Sports and environmental temperature: From warming-up to heating-up. *Temperature*, 4(3), 227–257.

Safran, M., Garrett, W., Jr, Seaber, A., et al. (1988). The role of warmup in muscular injury prevention. *The American Journal of Sports Medicine*, 16(2), 123–129.

Sargeant, A. (1987). Effect of muscle temperature on leg extension force and short-term power output in humans. *European Journal of Applied Physiology and Occupational Physiology*, 56(6), 693–698.

Shrier, I. (1999). Stretching before exercise does not reduce the risk of local muscle injury: a critical review of the clinical and basic science literature. *Clinical Journal of Sports Medicine*, 9(4), 221–227.

Shrier, I. (2000). Stretching before exercise: an evidence-based approach. *British Journal of Sports Medicine*, 34(5), 324–325.

142 Ian Jeffreys Shrier, I. (2004a). Meta-analysis on pre-exercise stretching. *Medicine and Science in Sports and Exercise*, 36(10), 1832.

Shrier, I. (2004b). Does stretching improve performance? A systematic and critical review of the literature. *Clinical Journal of Sports Medicine*, 14(5), 267–273.

Simic, L., Sarabon, N., & Markovic, G. (2013). Does pre-exercise static stretching inhibit maximal muscular performance? A meta-analytical review. *Scandinavian Journal of Medicine & Science in Sports*, 23(2), 131–148.

Thacker, S., Gilchrist, J., Stroup, D., et al. (2004). The impact of stretching on sports injury risk: a systematic review of the literature. *Medicine and Science in Sports and Exercise*, 36(3), 371–378.

منابع

ACSM. (2017). *ACSM's guidelines for exercise testing and prescription* (10th ed.). Wolters Kluwer. Allen, D., Lamb, G., & West-

- blad, H. (2008). Skeletal muscle fatigue: cellular mechanisms. *Physiological Reviews*, 88(1), 287–332.
- Andersen, K., Farahmand, B., Ahlbom, A., et al. (2013). Risk of arrhythmias in 52 755 long-distance cross-country skiers: a cohort study. *European Heart Journal*, 34(47), 3624–3631.
- Arem, H., Moore, S., Patel, A., et al. (2015). Leisure time physical activity and mortality: a detailed pooled analysis of the dose-response relationship. *JAMA Internal Medicine*, 175(6), 959–967.
- Bacon, A., Carter, R., & Ogle, E. (2013). VO₂max trainability and high intensity interval training in humans: a meta-analysis. *PLOS ONE*, 8(9), e73182.
- Barr-Anderson, D., AuYoung, M., Whitt-Glover, M., et al. (2011). Integration of short bouts of physical activity into organisational routine a systematic review of the literature. *American Journal of Preventive Medicine*, 40(1), 76–93.
- Endurance training 165 Bartlett, J., Close, G., MacLaren, D., et al. (2011). High-intensity interval running is perceived to be more enjoyable than moderate-intensity continuous exercise: implications for exercise adherence. *Journal of Sports Sciences*, 29(6), 547–553.
- Bergh, U., Sjödin, B., Forsberg, A., et al. (1991). The relationship between body mass and oxygen uptake during running in humans. *Medicine and Science in Sports and Exercise*, 23(2), 205–211. Billat, V., Sirvent, P., Py, G., et al. (2003). The concept of maximal lactate steady state: a bridge between biochemistry, physiology and sport science. *Sports Medicine*, 33(6), 407–426.
- Bishop, D., Botella, J., Genders, A., et al. (2019a). High-intensity exercise and mitochondrial biogenesis: current controversies and future research directions. *Physiology*, 34(1), 56–70.
- Bishop, D., Botella, J., & Granata, C. (2019b). CrossTalk opposing view: exercise training volume is more important than training intensity to promote increases in mitochondrial content. *The Journal of Physiology*, 597(16), 4115–4118.
- Bishop, D., Granata, C., & Eynon, N. (2014). Can we optimise the exercise training prescription to maximise improvements in mitochondria function and content? *Biochimica Et Biophysica Acta*, 1840(4), 1266–1275.
- Black, M., Jones, A., Blackwell, J., Bailey, S., et al. (2017). Muscle metabolic and neuromuscular determinants of fatigue during cycling in different exercise intensity domains. *Journal of Applied Physiology*, 122(3), 446–459.
- Brickwood, K., Watson, G., O'Brien, J., et al. (2019). Consumer-based wearable activity trackers increase physical activity participation: systematic review and meta-analysis. *JMIR mHealth and uHealth*, 7(4), e11819.
- Brooks, G. (2001). Lactate doesn't necessarily cause fatigue: why are we surprised? *The Journal of Physiology*, 536(1), 1. Brooks, G. (2020). Lactate as a fulcrum of metabolism. *Redox Biology*, 35, 101454.
- Burnley, M., & Jones, A. (2007). Oxygen uptake kinetics as a determinant of sports performance. *European Journal of Sport Science*, 7(2), 63–79.
- Cairns, S. (2006). Lactic acid and exercise performance: culprit or friend? *Sports Medicine*, 36(4), 279–291.
- Caspersen, C. J., Powell, K. E., & Christenson, G. M. (1985). Physical activity, exercise, and physical fitness: definitions and distinctions for health-related research. *Public Health Reports*, 100(2), 126–131.
- Celis-Morales, C., Lyall, D., Welsh, P., et al. (2017). Association between active commuting and incident cardiovascular disease, cancer, and mortality: prospective cohort study. *BMJ*, 357.
- Chen, L., Pei, J.-H., Kuang, J., et al. (2015). Effect of lifestyle intervention in patients with type 2 diabetes: a meta-analysis. *Metabolism: Clinical and Experimental*, 64(2), 338–347.
- Chief Medical Officers for England, Northern Ireland, Scotland and Wales (2019). UK Chief Medical Officers' Physical Activity Guidelines.
- Church, T., Earnest, C., Skinner, J., et al. (2007). Effects of different doses of physical activity on cardiorespiratory fitness among sedentary, overweight or obese postmenopausal women with elevated blood pressure. *JAMA*, 297(19), 2081.
- Coats, E., Rossiter, H., Day, J., et al. (2003). Intensity-dependent tolerance to exercise after attaining VO₂ max in humans. *Journal of Applied Physiology*, 95(2), 483–490.
- Coštil, D. (1986). *Inside running: basics of sports physiology*. Benchmark Press.
- Coyle, E. (1995). Integration of the physiological factors determining endurance performance ability. *Exercise and Sport Sciences Reviews*, 23(1), 25–64.
- di Prampero, P., Atchou, G., Brückner, J., et al. (1986). The energetics of endurance running. *European Journal of Applied Physiology and Occupational Physiology*, 55(3), 259–266. Eijssvogels, T., Fernandez, A., & Thompson, P. (2016). Are there deleterious cardiac effects of acute and chronic endurance exercise? *Physiological Reviews*, 96(1), 99–125.
- Ekelund, U., Tarp, J., Steene-Johannessen, J., et al. (2019). Dose-response associations between accelerometry measured physical activity and sedentary time and all-cause mortality: systematic review and harmonised meta-analysis. *BMJ*, 366.
- Esteve-Lanao, J., Juan, A., Earnest, C., et al. (2005). How do endurance runners actually train? Relationship with competition performance. *Medicine and Science in Sports and Exercise*, 37(3), 496–504. Evertsen, F., Medbø, J., & Bonen, A. (2001). Effect of training intensity on muscle lactate transporters and lactate threshold of cross-country skiers. *Acta Physiologica Scandinavica*, 173(2), 195–205.
- Farrell, S., DeFina, L., Radford, N., et al. (2020). Relevance of fitness to mortality risk in men receiving contemporary medical care. *Journal of the American College of Cardiology*, 75(13), 1538–1547.
- Faude, O., Kindermann, W., & Meyer, T. (2009). Lactate threshold concepts: how valid are they? *Sports Medicine*, 39(6), 469–490.
- Fisher, G., Brown, A., Bohan Brown, M., et al. (2015). High intensity interval- vs moderate intensity- training for improving cardiometabolic health in overweight or obese males. *PLOS One*, 10(10), e0138853.
- Fitts, R. (1994). Cellular mechanisms of muscle fatigue. *Physiological Reviews*, 74(1), 49–94. Garber, C., Blissmer, B., Deschenes, M., American College of Sports Medicine, et al. (2011). American College of Sports Medicine Position Stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise. *Medicine and Science in Sports and Exercise*, 43(7), 1334–1359.
- Gaštin, P. (2001). Energy system interaction and relative contribution during maximal exercise. *Sports Medicine*, 31(10), 725–741. Gilman, M., & Wells, C. (1993). The use of heart rates to monitor exercise intensity in relation to metabolic variables. *International Journal of Sports Medicine*, 14(6), 339–344. González-Mohino, F., Santos-Concejero, J., Yustres, I., et al. (2020). The effects of interval and continuous training on the oxygen cost of running in recreational runners: a systematic review and meta-analysis. *Sports Medicine*, 50(2), 283–294.
- Goodyear, V., Kerner, C., & Quennerstedt, M. (2019). Young people's uses of wearable healthy lifestyle technologies; surveillance,

- self-surveillance and resistance. *Sport, Education and Society*, 24(3), 212–225.
- Granata, C., Jammnick, N., & Bishop, D. (2018a). Principles of exercise prescription, and how they influence exercise-induced changes of transcription factors and other regulators of mitochondrial biogenesis. *Sports Medicine*, 48(7), 1541–1559.
- Granata, C., Jammnick, N., & Bishop, D. (2018b). Training-induced changes in mitochondrial content and respiratory function in human skeletal muscle. *Sports Medicine*, 48(8), 1809–1828.
- Granata, C., Oliveira, R., Little, J., et al. (2016a). Training intensity modulates changes in PGC-1 α and p53 protein content and mitochondrial respiration, but not markers of mitochondrial content in human skeletal muscle. *FASEB Journal*, 30(2), 959–970.
- Granata, C., Oliveira, R., Little, J., et al. (2016b). Mitochondrial adaptations to high-volume exercise training are rapidly reversed after a reduction in training volume in human skeletal muscle. *FASEB Journal*, 30(10), 3413–3423.
- Hall, K., Hyde, E., Bassett, D., et al. (2020). Systematic review of the prospective association of daily step counts with risk of mortality, cardiovascular disease, and dysglycemia. *International Journal of Behavioral Nutrition and Physical Activity*, 17(1), 78.
- Halson, S., & Jeukendrup, A. (2004). Does overtraining exist? An analysis of overreaching and overtraining research. *Sports Medicine*, 34(14), 967–981.
- Hatano, Y. (1993). Use of the pedometer for promoting daily walking exercise. *Journal of the International Committee on Health, Physical Education and Recreation*, 29, 4–8.
- Hickson, R., Bomze, H., & Holloszy, J. (1977). Linear increase in aerobic power induced by a strenuous program of endurance exercise. *Journal of Applied Physiology*, 42(3), 372–376.
- Holloszy, J. (1967). Biochemical adaptations in muscle. Effects of exercise on mitochondrial oxygen uptake and respiratory enzyme activity in skeletal muscle. *The Journal of Biological Chemistry*, 242(9), 2278–2282.
- Hupin, D., Roche, F., Gremeaux, V., et al. (2015). Even a low-dose of moderate-to-vigorous physical activity reduces mortality by 22% in adults aged ≥ 60 years: a systematic review and meta-analysis. *British Journal of Sports Medicine*, 49(19), 1262–1267.
- Hydren, J., & Cohen, B. (2015). Current scientific evidence for a polarised cardiovascular endurance training model. *Journal of Strength and Conditioning Research*, 29(12), 3523–3530.
- Jee, Y., Kim, Y., Jee, S., et al. (2018). Exercise and cancer mortality in Korean men and women: a prospective cohort study. *BMC Public Health*, 18(1), 761.
- Jetté, M., Sidney, K., & Blümchen, G. (1990). Metabolic equivalents (METs) in exercise testing, exercise prescription, and evaluation of functional capacity. *Clinical Cardiology*, 13(8), 555–565.
- Jones, A., & Carter, H. (2000). The effect of endurance training on parameters of aerobic fitness. *Sports Medicine*, 29(6), 373–386.
- Jones, A., Grassi, B., Christensen, P., et al. (2011). Slow component of VO₂ kinetics: mechanistic bases and practical applications. *Medicine and Science in Sports and Exercise*, 43(11), 2046–2062.
- Juštine, M., Azizan, A., Hassan, V., et al. (2013). Barriers to participation in physical activity and exercise among middle-aged and elderly individuals. *Singapore Medical Journal*, 54(10), 581–586.
- Katzmarzyk, P., & Lee, I. (2012). Sedentary behaviour and life expectancy in the USA: a cause-deleted life table analysis. *BMJ Open*, 2(4), e000828.
- Kennelly, M., Casado, A., Gomez-Ezeiza, J., et al. (2020). Training intensity distribution analysis by race pace vs. physiological approach in world-class middle- and long-distance runners. *European Journal of Sport Science*, 0(0), 1–8.
- Kraus, W., Janz, K., Powell, K., et al. (2019). Physical activity guidelines advisory committee. Daily step counts for measuring physical activity exposure and its relation to health. *Medicine and Science in Sports and Exercise*, 51(6), 1206–1212.
- Kraus, W., Yates, T., Tuomilehto, J., et al. (2018). Relationship between baseline physical activity assessed by pedometer count and new-onset diabetes in the NAVIGATOR trial. *BMJ Open Diabetes Research and Care*, 6(1), e000523.
- Le Masurier, G., Sidman, C., & Corbin, C. (2003). Accumulating 10,000 steps: does this meet current physical activity guidelines? *Research Quarterly for Exercise and Sport*, 74(4), 389–394.
- Lee, D., Artero, E., Sui, X., et al. (2010). Mortality trends in the general population: the importance of cardiorespiratory fitness. *Journal of Psychopharmacology*, 24(4), 27–35.
- Lee, D., Pate, R., Lavie, C., et al. (2014). Leisure-time running reduces all-cause and cardiovascular mortality risk. *Journal of the American College of Cardiology*, 64(5), 472–481.
- Lee, I., & Paffenbarger, R. (2000). Associations of light, moderate, and vigorous intensity physical activity with longevity. *The Harvard Alumni Health Study*. *American Journal of Epidemiology*, 151(3), 293–299.
- Lee, I.-M. (2007). Dose-response relation between physical activity and fitness: even a little is good: more is better. *JAMA*, 297(19), 2137–2139.
- Lee, I.-M., Shiroma, E., Kamada, M., et al. (2019). Association of step volume and intensity with all-cause mortality in older women. *JAMA Internal Medicine*, 179(8), 1105–1112.
- Treff, G., Winkert, K., Sareban, M., et al. (2019). The polarisation-index: a simple calculation to distinguish polarised from non-polarised training intensity distributions. *Frontiers in Physiology*, 10.
- Urhausen, A., Coen, B., Weiler, B., et al. (1993). Individual anaerobic threshold and maximum lactate steady state. *International Journal of Sports Medicine*, 14(3), 134–139.
- US Department of Health and Human Services. (2018). *Physical activity guidelines for Americans* (2nd ed.).
- Wan, J., Qin, Z., Wang, P., et al. (2017). Muscle fatigue: general understanding and treatment. *Experimental & Molecular Medicine*, 49(10), e384–e384.
- Warburton, D., Nicol, C., & Bredin, S. (2006). Health benefits of physical activity: the evidence. *Canadian Medical Association Journal*, 174(6), 801–809.
- Warden, D., & Fitzgerald, M. (2018). *80/20 Triathlon*. Da Capo Lifelong Books.
- Wen, C. P., Wai, J., Tsai, M., et al. (2011). Minimum amount of physical activity for reduced mortality and extended life expectancy: a prospective cohort study. *Lancet*, 378(9798), 1244–1253.
- Wen, D., Utesch, T., Wu, J., et al. (2019). Effects of different protocols of high intensity interval training for VO₂max improvements in adults: A meta-analysis of randomised controlled trials. *Journal of Science and Medicine in Sport*, 22(8), 941–947.
- Wilson, M., O'Hanlon, R., Prasad, S., et al. (2011). Diverse patterns of myocardial fibrosis in lifelong, veteran endurance athletes. *Journal of Applied Physiology*, 110(6), 1622–1626.

- ence in Sports and Exercise, 49(2), 298–307.
- Astorino, T., Schubert, M., Palumbo, E., et al. (2013). Magnitude and time course of changes in maximal oxygen uptake in response to distinct regimens of chronic 198 Paul Hough interval training in sedentary women. *European Journal of Applied Physiology*, 113(9), 2361–2369.
- Babraj, J., Vollaard, N., Kęsa, C., et al. (2009). Extremely short duration high intensity interval training substantially improves insulin action in young healthy males. *BMC Endocrine Disorders*, 9, 3.
- Bacon, A., Carter, R., Ogle, E., et al. (2013). VO2max trainability and high intensity interval training in humans: a meta-analysis. *PLOS ONE*, 8(9), e73182.
- Bartlett, J., Close, G., MacLaren, D., et al. (2011). High-intensity interval running is perceived to be more enjoyable than moderate-intensity continuous exercise: implications for exercise adherence. *Journal of Sports Sciences*, 29(6), 547–553.
- Batacan, R., Duncan, M., Dalbo, V., et al. (2017). Effects of high-intensity interval training on cardiometabolic health: A systematic review and meta-analysis of intervention studies. *British Journal of Sports Medicine*, 51(6), 494–503.
- Biddle, S., & Batterham, A. (2015). High-intensity interval exercise training for public health: a big HIT or shall we HIT it on the head? *International Journal of Behavioral Nutrition and Physical Activity*, 12(1), 95.
- Billat, L. (2001). Interval training for performance: A scientific and empirical practice. Special recommendations for middle- and long-distance running. Part I: aerobic interval training. *Sports Medicine*, 31(1), 13–31.
- Bishop, P., Jones, E., & Woods, A. (2008). Recovery from training: a brief review: brief review. *Journal of Strength and Conditioning Research*, 22(3), 1015–1024.
- Blackwell, J., Atherton, P., Smith, K., et al. (2017). The efficacy of unsupervised home-based exercise regimens in comparison to supervised laboratory-based exercise training upon cardio-respiratory health facets. *Physiological Reports*, 5(17). Blair, S., Kohl, H., Barlow, C., et al. (1995). Changes in physical fitness and all-cause mortality. A prospective study of healthy and unhealthy men. *JAMA*, 273(14), 1093–1098.
- Bogdanis, G., Nevill, M., Boobis, L., et al. (1996). Contribution of phosphocreatine and aerobic metabolism to energy supply during repeated sprint exercise. *Journal of Applied Physiology*, 80(3), 876–884.
- Bogdanis, G., Nevill, M., Boobis, L., et al. (1995). Recovery of power output and muscle metabolites following 30 s of maximal sprint cycling in man. *The Journal of Physiology*, 482(Pt 2), 467–480.
- Boudou, P., Sobngwi, E., Mauvais-Jarvis, F., et al. (2003). Absence of exercise-induced variations in adiponectin levels despite decreased abdominal adiposity and improved insulin sensitivity in type 2 diabetic men. *European Journal of Endocrinology*, 149(5), 421–424.
- Boyd, J., Simpson, C., Jung, M., et al. (2013). Reducing the intensity and volume of interval training diminishes cardiovascular adaptation but not mitochondrial biogenesis in overweight/obese men. *PLOS ONE*, 8(7), e68091.
- Brughelli, M., Cronin, J., Levin, G., et al. (2008). Understanding change of direction ability in sport: a review of resistance training studies. *Sports Medicine*, 38(12), 1045–1063.
- Buchheit, M., Abbiss, C., Peiffer, J., et al. (2012). Performance and physiological responses during a sprint interval training session: relationships with muscle oxygenation and pulmonary oxygen uptake kinetics. *European Journal of Applied Physiology*, 112(2), 767–779.
- Burgomaster, K., Howarth, K., Phillips, S., et al. (2008). Similar metabolic adaptations during exercise after low volume sprint interval and traditional endurance training in humans. *The Journal of Physiology*, 586(1), 151–160.
- High-intensity interval training 199 Chen, W., Wu, H.-J., Lo, S.-L., et al. (2018). Eight-week battle rope training improves multiple physical fitness dimensions and shooting accuracy in collegiate basketball players. *Journal of Strength and Conditioning Research*, 32(10), 2715–2724.
- Chief Medical Officers for England, Northern Ireland, Scotland and Wales (2019). UK Chief Medical Officers' Physical Activity Guidelines. Ciolac, E., Mantuani, S., Neiva, C., et al. (2015). Rating of perceived exertion as a tool for prescribing and self-regulating interval training: A pilot study. *Biology of Sport*, 32(2), 103–108.
- Claudino, J., Gabbett, T., Bourgeois, F., et al. (2018). CrossFit overview: systematic review and meta-analysis. *Sports Medicine – Open*, 4(11), 1–14.
- Conraads, V., Pattyn, N., De Maeyer, C., et al. (2015). Aerobic interval training and continuous training equally improve aerobic exercise capacity in patients with coronary artery disease: the SAINTEX-CAD study. *International Journal of Cardiology*, 179, 203–210.
- CrossFit (2020). Level 1 training guide (3rd ed.). http://library.crossfit.com/free/pdf/CFJ_English_Level1_TrainingGuide.pdf DH (Department of Health) (2011). Start Active, Stay Active: A report on physical activity from the four home countries' Chief Medical Officers. Ekkekakis, P., Parfitt, G., & Petruzzello, S. (2011). The pleasure and displeasure people feel when they exercise at different intensities. *Sports Medicine*, 41(8), 641–671.
- Feito, Y., Heinrich, K., Butcher, S., et al. (2018). High-intensity functional training (HIFT): definition and research implications for improved fitness. *Sports*, 6(76), 1–19.
- Fernández Fernández, J., Sabido Solana, R., Moya, D., et al. (2015). Acute physiological responses during crossfit® workouts. *European Journal of Human Movement*, 35, 114–124.
- Francois, M., Baldi, J., Manning, P., et al. (2014). 'Exercise snacks' before meals: a novel strategy to improve glycaemic control in individuals with insulin resistance. *Diabetologia*, 57(7), 1437–1445.
- Gibala, M., Little, J., MacDonald, M., et al. (2012). Physiological adaptations to low-volume, high-intensity interval training in health and disease. *The Journal of Physiology*, 590(5), 1077–1084.
- Gibala, M., & McGee, S. (2008). Metabolic adaptations to short-term high-intensity interval training: a little pain for a lot of gain? *Exercise and Sport Sciences Reviews*, 36(2), 58–63.
- Gillen, J., Percival, M., Skelly, L., et al. (2014). Three minutes of all-out intermittent exercise per week increases skeletal muscle oxidative capacity and improves cardiometabolic health. *PLOS ONE*, 9(11), e111489.
- Giš, N., Freese, E., & Cureton, K. (2014). Comparison of responses to two high-intensity intermittent exercise protocols. *Journal of Strength and Conditioning Research*, 28(11), 3033–3040.
- Giš, N., Freese, E., Ryan, T., et al. (2015). Effects of Low-Volume, High-Intensity Whole-Body Calisthenics on Army ROTC Cadets. *Military Medicine*, 180(5), 492–498. Harcastle, S., Ray, H., Beale, L., et al. (2014). Why sprint interval training is inappropriate

for a largely sedentary population. *Frontiers in Psychology*, 5, 1505.

Hazell, T., Olver, T., Hamilton, C., et al. (2012). Two minutes of sprint-interval exercise elicits 24-hr oxygen consumption similar to that of 30 min of continuous endurance exercise. *International Journal of Sport Nutrition and Exercise Metabolism*, 22(4), 276–283.

Wilke, J., Kaiser, S., Niederer, D., et al. (2019). Effects of high-intensity functional circuit training on motor function and sport motivation in healthy, inactive adults. *Scandinavian Journal of Medicine & Science in Sports*, 29(1), 144–153.

Williams, B., & Kraemer, R. (2015). Comparison of cardiorespiratory and metabolic responses in kettlebell high-intensity interval training versus sprint interval cycling. *Journal of Strength and Conditioning Research*, 29(12), 3317–3325.

Withers, R., Sherman, W., Clark, D., et al. (1991). Muscle metabolism during 30, 60 and 90 s of maximal cycling on an air-braked ergometer. *European Journal of Applied Physiology and Occupational Physiology*, 63(5), 354–362.

Wong, A., Nordvall, M., Walters-Edwards, M., et al. (2021). Cardiac Autonomic and Blood Pressure Responses to an Acute Bout of Kettlebell Exercise. *Journal of Strength and Conditioning Research*, 35(1), S173–S179.

Wun, C., Zhang, M., Ho, B., et al. (2020). Efficacy of a six-week dispersed Wingate cycle training protocol on peak aerobic power, leg strength, insulin sensitivity, blood lipids and quality of life in healthy.

منابع

Akuthota, V., Ferreiro, A., Moore, T., et al. (2008). Core stability exercise principles. *Current Sports Medicine Reports*, 7(1), 39–44.

Andersen, V., Fimland, M., Mo, D., et al. (2018). Electromyographic comparison of barbell deadlift, hex bar deadlift, and hip thrust exercises: a cross-over study. *Journal of Strength and Conditioning Research/National Strength & Conditioning Association*, 32(3), 587–593.

Andersen, V., Fimland, M., & Saeterbakken, A. (2019). Trunk muscle activity in one- and two-armed American kettlebell swing in resistance-trained men. *Sports Medicine International Open*, 3(1), E12–E18.

Andersson, E., Oddsson, L., Grundström, H., et al. (1996). EMG activities of the quadratus lumborum and erector spinae muscles during flexion-relaxation and other motor tasks. *Clinical Biomechanics*, 11(7), 392–400.

Behm, D., Drinkwater, E., Willardson, J., et al. (2010a). Canadian society for exercise physiology position stand: the use of instability to train the core in athletic and nonathletic conditioning. *Applied Physiology, Nutrition, and Metabolism*, 35(1), 109–112.

Behm, D., Drinkwater, E., Willardson, J. M., et al. (2010b). The use of instability to train the core musculature. *Applied Physiology, Nutrition, and Metabolism*, 35(1), 91–108.

Behm, D., Leonard, A., Young, W., et al. (2005). Trunk muscle electromyographic activity with unstable and unilateral exercises. *The Journal of Strength and Conditioning Research*, 19(1), 193–201. 214

Marc Surdyka and Sam Spinelli Behm, D., Muehlbauer, T., Kibele, A., et al. (2015). Effects of strength training using unstable surfaces on strength, power and balance performance across the lifespan: a systematic review and meta-analysis. *Sports Medicine*, 45(12), 1645–1669.

Bergmark, A. (1989). Stability of the lumbar spine. A study in mechanical engineering. *Acta Orthopaedica Scandinavica*, 230, 1–54.

Bliven, K., Huxel Bliven, K., & Anderson, B. (2013). Core stability training for injury prevention. *Sports Health: A Multidisciplinary Approach*, 5(6), 514–522.

Brown, S., Vera-Garcia, F., & McGill, S. (2006). Effects of abdominal muscle coactivation on the externally preloaded trunk: variations in motor control and its effect on spine stability. *Spine*, 31(13), E387–E393.

Burnett, A., O’Sullivan, P., Ankarberg, L., et al. (2008). Lower lumbar spine axial rotation is reduced in end-range sagittal postures when compared to a neutral spine posture. *Manual Therapy*, 13(4), 300–306.

Cholewicki, J., Panjabi, M., & Khachatrian, A. (1997). Stabilising function of trunk flexor-extensor muscles around a neutral spine posture. *Spine*, 22(19), 2207–2212.

Ekström, R., Donatelli, R., & Carp, K. (2007). Electromyographic analysis of core trunk, hip, and thigh muscles during 9 rehabilitation exercises. *Journal of Orthopaedic & Sports Physical Therapy*, 37(12), 754–762.

Escamilla, R., Lewis, C., Pecoson, A., et al. (2016). Muscle activation among supine, prone, and side position exercises with and without a Swiss ball. *Sports Health: A Multidisciplinary Approach*, 8(4), 372–379.

Farinatti, P., da Silva, N., & Monteiro, W. (2013). Influence of exercise order on the number of repetitions, oxygen uptake, and rate of perceived exertion during strength training in younger and older women. *Journal of Strength and Conditioning Research*, 27(3), 776–785.

Georgopoulos, A. (2000). Neural aspects of cognitive motor control. *Current Opinion in Neurobiology*, 10(2), 238–241.

Grenier, S., & McGill, S. (2007). Quantification of lumbar stability by using 2 different abdominal activation strategies. *Archives of Physical Medicine and Rehabilitation*, 88(1), 54–62.

Heaselgrave, S., Blacker, J., Smeuninx, B., et al. (2019). Dose-response relationship of weekly resistance-training volume and frequency on muscular adaptations in trained men. *International Journal of Sports Physiology and Performance*, 14(3), 360–368.

Hewitt, J. (2018). A comparison of muscle activation during the pull-up and three alternative pulling exercises. *Journal of Physical Fitness, Medicine & Treatment in Sports*, 5(4), 1–7.

Hibbs, A., Thompson, K., French, D., et al. (2008). Optimising performance by improving core stability and core strength. *Sports Medicine*, 38(12), 995–1008.

Hodges, P., Holm, A., Holm, S., et al. (2003). Intervertebral stiffness of the spine is increased by evoked contraction of transversus abdominis and the diaphragm: in vivo porcine studies. *Spine*, 28(23), 2594–2601.

Hodges, P., & Richardson, C. (1996). Inefficient muscular stabilisation of the lumbar spine associated with low back pain. *Spine*, 21(22), 2640–2650.

Hodges, P., & Richardson, C. (1997). Feed-forward contraction of transversus abdominis is not influenced by the direction of arm movement. *Experimental Brain Research*, 114(2), 362–370.

Hodges, P., & Richardson, C. (1998). Delayed postural contraction of transversus abdominis in low back pain associated with movement of the lower limb. *Journal of Spinal Disorders*, 11(1), 46–56.

van den Tillaar, R., & Saeterbakken, A. (2018). Comparison of core muscle activation between a prone bridge and 6-RM back squats. *Journal of Human Kinetics*, 62, 43–53.

van Dieën, J., Kingma, I., & van der Bug, J. (2003). Evidence for a role of antagonistic cocontraction in controlling trunk stiffness

during lifting. *Journal of Biomechanics*, 36(12), 1829–1836.

Vigotsky, A., Harper, E., Ryan, D., et al. (2015). Effects of load on good morning kinematics and EMG activity. *PeerJ*, 3, e708.

White, S., & McNair, P. (2002). Abdominal and erector spinae muscle activity during gait: the use of cluster analysis to identify patterns of activity. *Clinical Biomechanics*, 17(3), 177–184.

Willardson, J. (2004). The effectiveness of resistance exercises performed on unstable equipment. *Strength and Conditioning Journal*, 26(5), 70–74.

Wirth, K., Hartmann, H., Mickel, C., et al. (2017). Core stability in athletes: a critical analysis of current guidelines. *Sports Medicine*, 47(3), 401–414.

Yavuz, H., Erdağ, D., Amca, A., et al. (2015). Kinematic and EMG activities during front and back squat variations in maximum loads. *Journal of Sports Sciences*, 33(10), 1058–1066.

منابع

Abe, T., Mouser, J., Dankel, S., et al. (2019). A method to standardize the blood flow restriction pressure by an elastic cuff. *Scandinavian Journal of Medicine & Science in Sports*, 29(3), 329–335.

Adams, G., & Bamman, M. (2012). Characterization and regulation of mechanical loading-induced compensatory muscle hypertrophy. *Comprehensive Physiology*, 2(4), 2829–2870.

Aagaard, P., Andersen, J., Dyhre-Poulsen, P., et al. (2001). A mechanism for increased contractile strength of human pennate muscle in response to strength training: changes in muscle architecture. *The Journal of Physiology*, 534(Pt 2), 613–623.

American College of Sports Medicine (2009). American College of Sports Medicine position stand. Progression models in resistance training for healthy adults. *Medicine and science in sports and exercise*, 41(3), 687–708.

Amirthalingam, T., Mavros, Y., Wilson, G., et al. (2017). Effects of a modified German volume training program on muscular hypertrophy and strength. *Journal of Strength and Conditioning Research*, 31(11), 3109–3119.

Androulakis-Korakakis, P., Fisher, J., & Steele, J. (2020). The minimum effective training dose required to increase 1RM strength in resistance-trained men: a systematic review and meta-analysis. *Sports Medicine*, 50(4), 751–765.

Appleby, B., Newton, R. U., & Cormie, P. (2012). Changes in strength over a 2-year period in professional Rugby Union players. *The Journal of Strength & Conditioning Research*, 26(9), 2538–2546.

Aristizabal, J., Freudenreich, D., Volk, B., et al. (2015). Effect of resistance training on resting metabolic rate and its estimation by a dual-energy X-ray absorptiometry metabolic map. *European Journal of Clinical Nutrition*, 69(7), 831–836.

Aube, D., Wadhi, T., Rauch, J., et al. (2020). Progressive resistance training volume: effects on muscle thickness, mass, and strength adaptations in resistance-trained individuals. *The Journal of Strength & Conditioning Research*. Publish Ahead of Print.

258 Paul Hough Bagley, J., Burghardt, K., McManus, R., et al. (2020). Epigenetic responses to acute resistance exercise in trained vs. Sedentary men. *The Journal of Strength & Conditioning Research*, 34(6), 1574–1580.

Baker, D., Wilson, G., & Carlyon, R. (1994). Periodization: the effect on strength of manipulating volume and intensity. *The Journal of Strength & Conditioning Research*, 8(4), 235–242.

Barbosa-Netto, S., d'Acelino-E-Porto, O., & Almeida, M. (2017). Self-selected resistance exercise load: implications for research and prescription. *Journal of Strength and Conditioning Research*, 35, S166-S172.

Bazyler, C., Sato, K., Wassinger, C., et al. (2014). The efficacy of incorporating partial squats in maximal strength training. *Journal of Strength and Conditioning Research*, 28(11), 3024–3032.

Baz-Valle, E., Fontes-Villalba, M., & Santos-Concejero, J. (2018). Total number of sets as a training volume quantification method for muscle hypertrophy. *Journal of Strength and Conditioning Research*, 1. Bell, Z., Dankel, S., Spitz, R., et al. (2019). The perceived tightness scale does not provide reliable estimates of blood flow restriction pressure. *Journal of Sport Rehabilitation*, 29(4), 516–518.

Boeno, F., Fariña, J., Ramis, T., et al. (2019). Effects of a single session of high- and moderate-intensity resistance exercise on endothelial function of middle-aged sedentary men. *Frontiers in Physiology*, 10.

Boyas, S., & Guével, A. (2011). Neuromuscular fatigue in healthy muscle: underlying factors and adaptation mechanisms. *Annals of Physical and Rehabilitation Medicine*, 54(2), 88–108.

Brechue, W., & Abe, T. (2002). The role of FFM accumulation and skeletal muscle architecture in powerlifting performance. *European Journal of Applied Physiology*, 86(4), 327–336.

Buckner, R. (2004). Memory and executive function in aging and AD: multiple factors that cause decline and reserve factors that compensate. *Neuron*, 44(1), 195–208.

Buresh, R., Berg, K., & French, J. (2009). The effect of resistive exercise rest interval on hormonal response, strength, and hypertrophy with training. *Journal of Strength and Conditioning Research*, 23(1), 62–71.

Burd, N., West, D., Staples, A., et al. (2010). Low-load high volume resistance exercise stimulates muscle protein synthesis more than high-load low volume resistance exercise in young men. *PLoS ONE*, 5(8), e12033.

Burke, R. (1981). Motor units: anatomy, physiology, and functional organization. In *Comprehensive physiology* (pp. 345–422). American Cancer Society.

Burkholder, T. (2007). Mechanotransduction in skeletal muscle. *Frontiers in Bioscience: A Journal and Virtual Library*, 12, 174–191.

Calatayud, J., Vinstrup, J., Jakobsen, M., et al. (2016). Importance of mind-muscle connection during progressive resistance training. *European Journal of Applied Physiology*, 116(3), 527–533.

Carroll, K., Bernards, J., Bazyler, C., et al. (2018). Divergent performance outcomes following resistance training using repetition maximums or relative intensity. *International Journal of Sports Physiology and Performance*, 1–28.

Carroll, K., Bazyler, C., Bernards, J., et al. (2019). Skeletal muscle fiber adaptations following resistance training using repetition maximums or relative intensity. *Sports (Basel, Switzerland)*, 7(7).

Cauley, J., & Giangregorio, L. (2020). Physical activity and skeletal health in adults. *The Lancet. Diabetes & Endocrinology*, 8(2), 150–162.

Resistance training 259 Celes, R., Brown, L., Pereira, M., et al. (2010). Gender muscle recovery during isokinetic exercise. *International Journal of Sports Medicine*, 31(12), 866–869.

Chiu, L., vonGaza, G., & Jean, L. (2017). Net joint moments and muscle activation in barbell squats without and with restricted anterior leg rotation. *Journal of Sports Sciences*, 35(1), 35–43.

Coffey, V., & Hawley, J. A. (2007). The molecular bases of training adaptation. *Sports Medicine*, 37(9), 737–763.

Correa, C., Teixeira, B., Cobos, R., et al. (2015). High-volume resistance training reduces postprandial lipaemia in postmenopausal

women. *Journal of Sports Sciences*, 33(18), 1890–1901. Coštil, D., Fink, W., & Pollock, M. (1976). Muscle fiber composition and enzyme activities of elite distance runners. *Medicine and Science in Sports*, 8(2), 96–100.

Cotman, C., Berchtold, N., & Christie, L. (2007). Exercise builds brain health: key roles of growth factor cascades and inflammation. *Trends in Neurosciences*, 30(9), 464–472.

Damas, F., Phillips, S., Libardi, C., et al. (2016). Resistance training-induced changes in integrated myofibrillar protein synthesis are related to hypertrophy only after attenuation of muscle damage. *The Journal of Physiology*, 594(18), 5209–5222. Dankel, S., Kang, M., Abe, T., et al. (2019). Resistance training induced changes in strength and specific force at the fiber and whole muscle level: A meta-analysis. *European Journal of Applied Physiology*, 119(1), 265–278.

Davies, T., Orr, R., Halaki, M., et al. (2016). Effect of training leading to repetition failure on muscular strength: a systematic review and meta-analysis. *Sports Medicine*, 46(4), 487–502.

Del Vecchio, A., Casolo, A., Negro, F., et al. (2019). The increase in muscle force after 4 weeks of strength training is mediated by adaptations in motor unit recruitment and rate coding. *The Journal of Physiology*, 597(7), 1873–1887.

Dorrell, H., Smith, M., & Gee, T. (2020). Comparison of velocity-based and traditional percentage-based loading methods on maximal strength and power adaptations. *Journal of Strength & Conditioning Research*, 34(1), 46–53.

Duchateau, J., Semmler, J., & Enoka, R. (2006). Training adaptations in the behavior of human motor units. *Journal of Applied Physiology* (Bethesda, Md.: 1985), 101(6), 1766–1775.

Dutheil, F., Lac, G., Lesourd, B., et al. (2013). Different modalities of exercise to reduce visceral fat mass and cardiovascular risk in metabolic syndrome: the RESOLVE randomized trial. *International Journal of Cardiology*, 168(4), 3634–3642.

Efteštol, E., Egner, I., Lunde, I., et al. (2016). Increased hypertrophic response with increased mechanical load in skeletal muscles receiving identical activity patterns. *American Journal of Physiology. Cell Physiology*, 311(4), C616–C629.

Ema, R., Akagi, R., Wakahara, T., et al. (2016). Training-induced changes in architecture of human skeletal muscles: current evidence and unresolved issues. *The Journal of Physical Fitness and Sports Medicine*, 5(1), 37–46.

Erskine, R., Jones, D., Maffulli, N., et al. (2011). What causes in vivo muscle specific tension to increase following resistance training? *Experimental Physiology*, 96(2), 145–155.

Farrow, J., Steele, J., Behm, D., et al. (2020). Lighter-load exercise produces Greater acute- and prolonged-fatigue in exercised and Non-exercised limbs. *Research Quarterly for Exercise and Sport*, 0(0), 1–11.

منابع

Abboud, G., Greer, B., & Campbell, S. (2013). Effects of load-volume on EPOC after acute bouts of resistance training in resistance-trained men. *The Journal of Strength & Conditioning Research*, 27(7), 1936–1941.

Achten, J., Gleeson, M., & Jeukendrup, A. (2002). Determination of the exercise intensity that elicits maximal fat oxidation. *Medicine and Science in Sports and Exercise*, 34(1), 92–97.

Achten, J., & Jeukendrup, A. (2003). The effect of pre-exercise carbohydrate feedings on the intensity that elicits maximal fat oxidation. *Journal of Sports Sciences*, 21(12), 1017–1024.

Alway, S., Grumbt, W., Stray-Gundersen, J., et al. (1992). Effects of resistance training on elbow flexors of highly competitive bodybuilders. *Journal of Applied Physiology*, 72(4), 1512–1521. Training to improve body composition 283 Amati, F., Dubé, J., Shay, C., et al. (2008). Separate and combined effects of exercise training and weight loss on exercise efficiency and substrate oxidation. *Journal of Applied Physiology*, 105(3), 825–831.

Aragon, A., Schoenfeld, B., Wildman, R., et al. (2017). International society of sports nutrition position stand: diets and body composition. *Journal of the International Society of Sports Nutrition*, 14, 16.

Astorino, T., Schubert, M., Palumbo, E., et al. (2013). Magnitude and time course of changes in maximal oxygen uptake in response to distinct regimens of chronic interval training in sedentary women. *European Journal of Applied Physiology*, 113(9), 2361–2369.

Baar, K. (2014). Using molecular biology to maximize concurrent training. *Sports Medicine*, 44(S2), 117–125.

Barwell, N., Malkova, D., Leggate, M., et al. (2009). Individual responsiveness to exercise-induced fat loss is associated with change in resting substrate utilization. *Metabolism: clinical and experimental*, 58(9), 1320–1328.

Bishop, P., Jones, E., & Woods, A. (2008). Recovery from training: a brief review. *Journal of Strength and Conditioning Research*, 22(3), 1015–1024.

Børsheim, E., & Bahr, R. (2003). Effect of exercise intensity, duration and mode on post-exercise oxygen consumption. *Sports Medicine*, 33(14), 1037–1060.

Bouchard, D., Soucy, L., Sénéchal, M., et al. (2009). Impact of resistance training with or without caloric restriction on physical capacity in obese older women. *Menopause*, 16(1), 66–72.

Brooks, G., & Mercier, J. (1994). Balance of carbohydrate and lipid utilization during exercise: the ‘crossover’ concept. *Journal of Applied Physiology*, 76(6), 2253–2261.

Broom, D., Miyashita, M., Wasse, L., et al. (2017). Acute effect of exercise intensity and duration on acylated ghrelin and hunger in men. *The Journal of Endocrinology*, 232(3), 411–422.

Brown, S., Clemons, J., He, Q., et al. (1994). Prediction of the oxygen cost of the deadlift exercise. *Journal of Sports Sciences*, 12(4), 371–375.

Bryner, R., Ullrich, I., Sauers, J., et al. (1999). Effects of resistance vs. aerobic training combined with an 800 calorie liquid diet on lean body mass and resting metabolic rate. *Journal of the American College of Nutrition*, 18(2), 115–121.

Campbell, B., Aguilar, D., Conlin, L., et al. (2018). Effects of high versus low protein intake on body composition and maximal strength in aspiring female physique athletes engaging in an 8-week resistance training program. *International Journal of Sport Nutrition and Exercise Metabolism*, 28(6), 580–585.

Carey, D. (2009). Quantifying differences in the “fat burning” zone and the aerobic zone: implications for training. *Journal of Strength and Conditioning Research*, 23(7), 2090–2095. Catenacci, V., & Wyatt, H. (2007). The role of physical activity in producing and maintaining weight loss. *Nature Clinical Practice Endocrinology & Metabolism*, 3(7), 518–529.

Chappell, A., Simper, T., & Barker, M. (2018). Nutritional strategies of high level natural bodybuilders during competition preparation. *Journal of the International Society of Sports Nutrition*, 15, 4.

Church, T., Martin, C., Thompson, A., et al. (2009). Changes in weight, waist circumference and compensatory responses with different doses of exercise among sedentary, overweight postmenopausal women. *PLOS ONE*, 4(2), e4515.

Thorogood, A., Mottillo, S., Shimony, A., et al. (2011). Isolated aerobic exercise and weight loss: a systematic review and meta-analysis of randomized controlled trials. *The American Journal of Medicine*, 124(8), 747–755.

Trapp, E., Chisholm, D., Freund, J., et al. (2008). The effects of high-intensity interval training on fat loss and fasting insulin levels of young women. *International Journal of Obesity*, 32(4), 684–691.

Tremblay, A., Simoneau, J., & Bouchard, C. (1994). Impact of exercise intensity on body fatness and skeletal muscle metabolism. *Metabolism: Clinical and Experimental*, 43(7), 814–818.

Tucker, W., Angadi, S., & Gaesser, G. (2016). Excess post exercise oxygen consumption after high-intensity and sprint interval exercise, and continuous steady-state exercise. *Journal of Strength and Conditioning Research*, 30(11), 3090–3097.

Turicchi, J., O'Driscoll, R., Finlayson, G., et al. (2020). Associations between the proportion of fat-free mass loss during weight loss, changes in appetite, and subsequent weight change: results from a randomized 2-stage dietary intervention trial. *The American Journal of Clinical Nutrition*, 111(3), 536–544.

Vanderheyden, L., McKie, G., Howe, G., et al. (2020). Greater lactate accumulation following an acute bout of high-intensity exercise in males suppresses acylated ghrelin and appetite post exercise. *Journal of Applied Physiology*, 128(5), 1321–1328.

Verreijen, A., Engberink, M., Memelink, R., et al. (2017). Effect of a high protein diet and/or resistance exercise on the preservation of fat free mass during weight loss in overweight and obese older adults: a randomized controlled trial. *Nutrition Journal*, 16(1), 10.

Villareal, D., Chode, S., Parimi, N., et al. (2011). Weight loss, exercise, or both and physical function in obese older adults. *The New England Journal of Medicine*, 364(13), 1218–1229.

Wewege, M., van den Berg, R., Ward, R., et al. (2017). The effects of high-intensity interval training vs. moderate-intensity continuous training on body composition in overweight and obese adults: a systematic review and meta-analysis. *Obesity Reviews*, 18(6), 635–646.

Williams, C., Zelt, J., Castellani, L., et al. (2013). Changes in mechanisms proposed to mediate fat loss following an acute bout of high-intensity interval and endurance exercise. *Applied Physiology, Nutrition, and Metabolism*, 38(12), 1236–1244.

Willis, L., Slentz, C., Bateman, L., et al. (2012). Effects of aerobic and/or resistance training on body mass and fat mass in overweight or obese adults. *Journal of Applied Physiology*, 113(12), 1831–1837.

Wilson, J., Marin, P., Rhea, M., et al. (2012). Concurrent training: a meta-analysis examining interference of aerobic and resistance exercises. *Journal of Strength and Conditioning Research*, 26(8), 2293–2307.

Wolfe, R. (2006). Skeletal muscle protein metabolism and resistance exercise. *The Journal of Nutrition*, 136(2), 525S–528S.

منابع

Australian Institute of Health and Welfare. (2019). Endometriosis in Australia: prevalence and hospitalisations.

Baillargeon, J., McClish, D., Essah, P., et al. (2005). Association between the current use of low-dose oral contraceptives and cardiovascular arterial disease: a meta-analysis. *The Journal of Clinical Endocrinology and Metabolism*, 90(7), 3863–3870.

Balachandar, V., Marciniak, J. L., Wall, O., et al. (2017). Effects of the menstrual cycle on lower-limb biomechanics, neuromuscular control, and anterior cruciate ligament injury risk: a systematic review. *Muscles Ligaments Tendons Journal*, 7(1), 136–146.

Bruinvels, G., Burden, R., Brown, N., et al. (2016). The prevalence and impact of heavy menstrual bleeding (menorrhagia) in elite and Non-elite athletes. *PLOS One*, 11(2), e0149881.

Bruinvels, G., Burden, R., McGregor, A., et al. (2017). Sport, exercise and the menstrual cycle: where is the research? *British Journal of Sports Medicine*, 51(6), 487–488.

Burrows, M., & Peters, C. E. (2007). The influence of oral contraceptives on athletic performance in female athletes. *Sports Medicine*, 37(7), 557–574.

Cea-Soriano, L., Garcia Rodriguez, L., Machlitt, A., et al. (2014). Use of prescription contraceptive methods in the UK general population: a primary care study. *BJOG*, 121(1), 53–60; discussion 60–51.

Constantini, N., Dubnov, G., & Lebrun, C. (2005). The menstrual cycle and sport performance. *Clinical Sports Medicine*, 24(2), e51–82, xiii–xiv.

Daniels, K., Daugherty, J., & Jones, J. (2014). Current contraceptive status among women aged 15–44: United States, 2011–2013. *National Centre for Health Statistics Data Brief*, (173), 1–8.

Giacomini, M., Bernard, T., Gavarry, O., et al. (2000). Influence of the menstrual cycle phase and menstrual symptoms on maximal anaerobic performance. *Medicine and Science in Sports and Exercise*, 32(2), 486–492.

Jess Cunningham and Kay Robinson Gold, E., Wells, C., & Rasor, M. (2016). The association of inflammation with pre menstrual symptoms. *Journal of Women's Health*, 25(9), 865–874.

Gordon, C., Ackerman, K., Berga, S., et al. (2017). Functional hypothalamic amenorrhea: an endocrine society clinical practice guideline. *Journal Clinical Endocrinology and Metabolism*, 102(5), 1413–1439.

Hagmar, M., Berglund, B., Brismar, K., et al. (2009). Hyperandrogenism may explain reproductive dysfunction in Olympic athletes. *Medicine and Science in Sports and Exercise*, 41(6), 1241–1248.

Herzberg, S., Motu'apuaka, M., Lambert, W., et al. (2017). The effect of menstrual cycle and contraceptives on ACL injuries and laxity: a systematic review and meta-analysis. *Orthopaedic Journal of Sports Medicine*, 5(7), 2325967117718781.

Kemmeren, J., Algra, A., & Grobbee, D. (2001). Third generation oral contraceptives and risk of venous thrombosis: meta-analysis. *British Medical Journal*, 323(7305), 131–134.

Khalili, H. (2016). Risk of inflammatory bowel disease with Oral contraceptives and menopausal hormone therapy: current evidence and future directions. *Drug Safety*, 39(3), 193–197.

Martin, D., Sale, C., Cooper, S., et al. (2018). Period prevalence and perceived side effects of hormonal contraceptive use and the menstrual cycle in elite athletes. *International Journal of Sports Physiology and Performance*, 13(7), 926–932.

Mountjoy, M., Sundgot-Borgen, J., Burke, L., et al. (2014). The IOC consensus statement: beyond the female athlete Triad—Relative energy deficiency in sport (RED-S). *British Journal of Sports Medicine*, 48(7), 491–497.

Prior, J., Whittaker, J., & Scott, A. (2019). Adolescent combined hormonal contraceptives and surgical repair of anterior cruciate tears: a risky recommendation based on an unproven causal relationship. *The Physician and Sports Medicine*, 47(3), 240–241.

Rechichi, C., Dawson, B., & Goodman, C. (2009). Athletic performance and the oral contraceptive. *International Journal of Sports Physiology and Performance*, 4(2), 151–162.

Redman, L., & Loucks, A. (2005). Menstrual disorders in athletes. *Sports Medicine*, 35(9), 747–755.

Schaumberg, M., Emmerton, L., Jenkins, D., et al. (2018). Use of oral contraceptives to manipulate menstruation in young, physically active women. *International Journal of Sports Physiology and Performance*, 13(1), 82–87.

Strava. (2019). Press Release – Largest Global Study of Active Women. <https://www.fitwoman.com/post/press-release-largest-global-studyof-active-women>.

Wong, C., Farquhar, C., Roberts, H., et al. (2009). Oral contraceptive pill for primary dysmenorrhoea. *Cochrane Database Systematic Review*, (4), CD002120.

منابع

Parsons, C., Edwards, M., Cooper, C., et al. (2020). Are jumping mechanography assessed muscle force and power, and traditional physical capability measures associated with falls in older adults? Results from the Hertfordshire cohort study. *Journal of Musculoskeletal & Neuronal Interactions*, 20(2), 168.

Piercy, K., Troiano, R., Ballard, R., et al. (2018). The physical activity guidelines for Americans. *The Journal of the American Medical Association*, 320(19), 2020–2028.

Pina, F., Nunes, J., Schoenfeld, B., et al. (2020). Effects of different weekly sets equated resistance training frequencies on muscular strength, muscle mass, and body fat in older women. *The Journal of Strength & Conditioning Research*, 34(10), 2990–2995.

Pritchett, R., Green, J., Wickwire, P., et al. (2009). Acute and session RPE responses during resistance training: bouts to failure at 60% and 90% of 1RM. *South African Journal of Sports Medicine*, 21(1), 23–26.

Raafs, B., Karssemeijer, E., Van der Horst, L., et al. (2020). Physical exercise training improves quality of life in healthy older adults: a meta-analysis. *Journal of Aging and Physical Activity*, 28(1), 81–93.

Radaelli, R., Botton, C., Wilhelm, E., et al. (2014). Time course of low-and high- volume strength training on neuromuscular adaptations and muscle quality in older women. *Age*, 36(2), 881–892.

Radaelli, R., Botton, C., Wilhelm, E., et al. (2013). Low-and high-volume strength training induces similar neuromuscular improvements in muscle quality in elderly women. *Experimental Gerontology*, 48(8), 710–716.

Ramírez-Campillo, R., Cañillo, A., Carlos, I., et al. (2014). High-speed resistance training is more effective than low-speed resistance training to increase functional capacity and muscle performance in older women. *Experimental Gerontology*, 58, 51–57.

Rashidi, E., Kakhak, H., Reza, S., et al. (2019). The effect of 8 weeks resistance training with low load and high load on testosterone, insulin-like growth factor-1, insulin-like growth factor binding protein-3 levels, and functional adaptations in older women. *Iranian Journal of Ageing*, 14(3), 356–367.

Raymond, M., Bramley-Tzerfos, R., Jeffs, K., et al. (2013). Systematic review of high-intensity progressive resistance strength training of the lower limb compared with other intensities of strength training in older adults. *Archives of Physical Medicine and Rehabilitation*, 94(8), 1458–1472.

Ribeiro, A., dos Santos, E., Nunes, J., et al. (2019). Acute effects of different training loads on affective responses in resistance-trained men. *International Journal of Sports Medicine*, 40(13), 850–855.

Richardson, D., Duncan, M., Jimenez, A., et al. (2019). Effects of movement velocity and training frequency of resistance exercise on functional performance in older adults: a randomised controlled trial. *European Journal of Sport Science*, 19(2), 234–246.

Ruiz, J., Sui, X., Lobelo, F., et al. (2008). Association between muscular strength and mortality in men: prospective cohort study. *British Medical Journal*, 337, a439, 1–9.

Schott, N., Johnen, B., & Holfelder, B. (2019). Effects of free weights and machine training on muscular strength in high-functioning older adults. *Experimental Gerontology*, 122, 15–24.

Sherrington, C., Fairhall, N., Wallbank, G., et al. (2020). Exercise for preventing falls in older people living in the community: an abridged Cochrane systematic review. *British Journal of Sports Medicine*, 54(15), 885–891. 312

Sean Wilson and Ben Kirk Shiotsu, Y., & Yanagita, M. (2018). Comparisons of low-intensity versus moderate-intensity combined aerobic and resistance training on body composition, muscle strength, and functional performance in older women. *Menopause*, 25(6), 668–675.

Souza, D., Barbalho, M., Ramirez-Campillo, R., et al. (2020). High and low-load resistance training produce similar effects on bone mineral density of middle-aged and older people: a systematic review with meta-analysis of randomized clinical trials. *Experimental Gerontology*, 110973.

Stec, M., Thalacker-Mercer, A., Mayhew, D., et al. (2017). Randomized, four-arm, dose-response clinical trial to optimize resistance exercise training for older adults with age-related muscle atrophy. *Experimental Gerontology*, 99, 98–109.

Stubbs, B., & Rosenbaum, S. (2018). Exercise-based interventions for mental illness: physical activity as part of clinical treatment. Academic Press.

Taaffe, D., & Galvao, D. (2004). High-and low-volume resistance training similarly enhances functional performance in older adults. *Medicine and Science in Sports and Exercise*, 36(5), S142–S142.

Theou, O., Gareth, J., & Brown, L. (2008). Effect of rest interval on strength recovery in young and old women. *The Journal of Strength & Conditioning Research*, 22(6), 1876–1881.

Thomson, R., Brinkworth, G., Noakes, M., et al. (2016). Muscle strength gains during resistance exercise training are attenuated with soy compared with dairy or usual protein intake in older adults: a randomized controlled trial. *Clinical Nutrition*, 35(1), 27–33.

Thornton, J., Frémont, P., Khan, K., et al. (2016). Physical activity prescription: a critical opportunity to address a modifiable risk factor for the prevention and management of chronic disease: a position statement by the Canadian academy of sport and exercise medicine. *British Journal of Sports Medicine*, 50(18), 1109–1114.

Van Roie, E., Delecluse, C., Coudyzer, W., et al. (2013). Strength training at high versus low external resistance in older adults: effects on muscle volume, muscle strength, and force-velocity characteristics. *Experimental Gerontology*, 48(11), 1351–1361.

Vecchio, L., Meng, Y., Xhima, K., et al. (2018). The neuroprotective effects of exercise: maintaining a healthy brain throughout aging. *Brain Plasticity*, 4(1), 17–52.

Villanueva, M., Lane, C., & Schroeder, E. (2015). Short rest interval lengths between sets optimally enhance body composition and performance with 8 weeks of strength resistance training in older men. *European Journal of Applied Physiology*, 115(2), 295–308.

Watson, S., Weeks, B., Weis, L., et al. (2018). High-intensity resistance and impact training improves bone mineral density and phys-

ical function in postmenopausal women with osteopenia and osteoporosis: the LIFTMOR randomized controlled trial. *Journal of Bone and Mineral Research*, 33(2), 211–220.

Westcott, W., Winett, R., Anderson, E., et al. (2001). Effects of regular and slow speed resistance training on muscle strength. *Journal of Sports Medicine and Physical Fitness*, 41(2), 154–158.

Westerstahl, M., Jansson, E., Barnekow-Bergkvist, M., et al. (2018). Longitudinal changes in physical capacity from adolescence to middle age in men and women. *Scientific Reports*, 8(1), 1–10.

Willardson, J., Simão, R., & Fontana, F. (2012). The effect of load reductions on repetition performance for commonly performed multijoint resistance exercises. *The Journal of Strength & Conditioning Research*, 26(11), 2939–2945.

Older clients 313 Yeung, S., Reijnierse, E., Pham, V., et al. (2019). Sarcopenia and its association with falls and fractures in older adults: a systematic review and meta-analysis. *Journal of Cachexia, Sarcopenia and Muscle*, 10(3), 485–500.

Zampieri, S., Pietrangelo, L., Loeffler, S., et al. (2015). Lifelong physical exercise delays age-associated skeletal muscle decline. *Journals of Gerontology Series A: Biomedical Sciences and Medical Sciences*, 70(2), 163–173.

Zengin, A., Pye, S., Cook, M., et al. (2016). The relationship between muscle strength and bone outcomes in ageing UK men. In 43rd annual European calcified tissue society congress (Vol. 5). BioScientifica.

منابع

American College of Obstetricians and Gynaecologists (ACOG). (2019). Frequently asked questions No. 119: exercise during pregnancy. Retrieved from www.acog.org.

American College of Obstetricians and Gynaecologists (ACOG). (2020). Committee opinion No. 804: physical activity and exercise during pregnancy and the postpartum period. *Obstetrics & Gynecology*, 135(4), e178–e188.

Bø, K., Artal, R., Barakat, R., et al. (2016a). Exercise and pregnancy in recreational and elite athletes: 2016 evidence summary from the IOC expert group meeting, Lausanne. Part 1—exercise in women planning pregnancy and those who are pregnant. *British Journal of Sports Medicine*, 50(10), 571–589.

Bø, K., Artal, R., Barakat, R., et al. (2016b). Exercise and pregnancy in recreational and elite athletes: 2016 evidence summary from the IOC expert group meeting, Lausanne. Part 2—the effect of exercise on the fetus, labour and birth. *British Journal of Sports Medicine*, 50(21), 1297–1305.

Marlize De Vivo Bø, K., Artal, R., Barakat, R., et al. (2018). Exercise and pregnancy in recreational and elite athletes: 2016/2017 evidence summary from the IOC expert group meeting, Lausanne. Part 5. Recommendations for health professionals and active women. *British Journal of Sports Medicine*, 52(17), 1080–1085.

Department of Health (DOH). (2017). Physical activity in pregnancy infographic guidance. Retrieved from: https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/831430/Withdrawn_Physical_activity_pregnancy_infographic_guidance.pdf

Department of Health and Social Care (DHSC). (2019a). UK Chief Medical Officers' Physical Activity Guidelines. Retrieved from <https://www.gov.uk/government/publications/physical-activity-guidelines-uk-chief-medical-officers-report>

Department of Health and Social Care (DHSC). (2019b). Physical activity in pregnancy infographic: guidance. Retrieved from https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/829894/5-physical-activity-for-pregnant-women.pdf

Dipietro, L., Evenson, K. R., Bloodgood, B., et al. (2019). Benefits of physical activity during pregnancy and postpartum: an umbrella review. *Medicine and Science in Sports and Exercise*, 51(6), 1292–1302.

Meah, V., Davies, G., & Davenport, M. (2020). Why can't I exercise during pregnancy? Time to revisit medical 'absolute' and 'relative' contraindications: systematic review of evidence of harm and a call to action. *British Journal of Sports Medicine*, 1–12.

Mottola, M., Davenport, M., Brun, C., et al. (2006). VO₂peak prediction and exercise prescription for pregnant women. *Medicine and Science in Sports and Exercise*, 38(8), 1389–1395.

Mottola, M., Davenport, M., Ruchat, S., et al. (2018). 2019 Canadian guideline for physical activity throughout pregnancy. *British Journal of Sports Medicine*, 52(21), 1339–1346.

O'Connor, P., Poudevigne, M., Cress, M., et al. (2011). Safety and efficacy of supervised strength training adopted in pregnancy. *Journal of Physical Activity and Health*, 8(3), 309–320.

Schoenfeld, B. (2011). Resistance training during pregnancy: safe and effective program design. *Strength & Conditioning Journal*, 33(5), 67–75.

منابع

References Aboodarda, S., Spence, A., & Button, D. (2015). Pain pressure threshold of a muscle tender spot increases following local and non-local rolling massage. *BMC Musculoskeletal Disorders*, 16, 265.

Andersen, L., Jay, K., Andersen, C., et al. (2013). Acute effects of massage or active exercise in relieving muscle soreness: randomized controlled trial. *Journal of Strength and Conditioning Research*, 27(12), 3352–3359.

Paul Hough and Shona Halson Apostolopoulos, N., Lahart, I., Plyley, M., et al. (2018). The effects of different passive static stretching intensities on recovery from unaccustomed eccentric exercise—A randomised controlled trial. *Applied Physiology, Nutrition, and Metabolism*, 43(8), 806–815.

Barnett, A. (2006). Using recovery modalities between training sessions in elite athletes: does it help? *Sports Medicine*, 36(9), 781–796.

Behm, D., & Wilke, J. (2019). Do self-myofascial release devices release myofascia? Rolling mechanisms: a narrative review. *Sports Medicine*, 49(8), 1173–1181.

Best, T., & Crawford, S. (2017). Massage and post exercise recovery: the science is emerging. *British Journal of Sports Medicine*, 51(19), 1386–1387.

Broatch, J., Brophy-Williams, N., Phillips, E., et al. (2020a). Compression garments reduce muscle movement and activation during submaximal running. *Medicine and Science in Sports and Exercise*, 52(3), 685–695.

Broatch, J., Halson, S., Panchuk, D., et al. (2020b). Compression enhances lower-limb somatosensation in individuals with poor somatosensation, but impairs performance in individuals with good somatosensation. *Translational Sports Medicine*. Published online ahead of print.

Brown, F., Gissane, C., Howatson, G., et al. (2017). Compression garments and recovery from exercise: a meta-analysis. *Sports Medicine*, 47(11), 2245–2267.

Cheatham, S., & Baker, R. (2017). Differences in pressure pain threshold among men and women after foam rolling. *Journal of Bodywork and Movement Therapies*, 21(4), 978–982.

- Cheatham, S., Kolber, M., Cain, M., et al. (2015). The effects of self-myofascial release using a foam roll or roller massager on joint range of motion, muscle recovery, and performance: a systematic review. *International Journal of Sports Physical Therapy*, 10(6), 827–838.
- Cheung, K., Hume, P., & Maxwell, L. (2003). Delayed onset muscle soreness: treatment strategies and performance factors. *Sports Medicine*, 33(2), 145–164.
- Cleak, M., & Eston, R. (1992). Delayed onset muscle soreness: mechanisms and management. *Journal of Sports Sciences*, 10(4), 325–341.
- Cook, C., & Beaven, C. (2013). Individual perception of recovery is related to subsequent sprint performance. *British Journal of Sports Medicine*, 47(11), 705–709.
- Cortis, C., Tessitore, A., D'Artibale, E., et al. (2010). Effects of post-exercise recovery interventions on physiological, psychological, and performance parameters. *International Journal of Sports Medicine*, 31(5), 327–335.
- Davis, D., Ashby, P., McCale, K., et al. (2005). The effectiveness of 3 stretching techniques on hamstring flexibility using consistent stretching parameters. *Journal of Strength and Conditioning Research*, 19(1), 27–32.
- Dupuy, O., Douzi, W., Theurot, D., et al. (2018). An evidence-based approach for choosing post-exercise recovery techniques to reduce markers of muscle damage, soreness, fatigue, and inflammation. *Frontiers in Physiology*, 9, 403.
- Eda, N., Ito, H., & Akama, T. (2020). Beneficial effects of yoga stretching on salivary stress hormones and parasympathetic nerve activity. *Journal of Sports Science & Medicine*, 19(4), 695–702.
- Farinatti, P., Brandão, C., Soares, P., et al. (2011). Acute effects of stretching exercise on the heart rate variability in subjects with low flexibility levels. *Journal of Strength and Conditioning Research*, 25(6), 1579–1585.
- Field, T. (2014). Massage therapy research review. *Complementary Therapies in Clinical Practice*, 20(4), 224–229.
- Recovery from training 337 Field, T., Hernandez-Reif, M., Diego, M., et al. (2005). Cortisol decreases and serotonin and dopamine increase following massage therapy. *The International Journal of Neuroscience*, 115(10), 1397–1413.
- Fyfe, J., Broatch, J., Trewin, A., et al. (2019). Cold water immersion attenuates anabolic signaling and skeletal muscle fiber hypertrophy, but not strength gain, following whole-body resistance training. *Journal of Applied Physiology*, 127(5), 1403–1418.
- Guo, J., Li, L., Gong, Y., et al. (2017). Massage alleviates delayed onset muscle soreness after strenuous exercise: a systematic review and meta-analysis. *Frontiers in Physiology*, 8, 747.
- Halson, S. (2014). Sleep in elite athletes and nutritional interventions to enhance sleep. *Sports Medicine*, 44(1), 13–23.
- Halson, S., & Martin, D. (2013). Lying to win—placebos and sport science. *International Journal of Sports Physiology and Performance*, 8(6), 597–599.
- Hemmings, B., Smith, M., Graydon, J., et al. (2000). Effects of massage on physiological restoration, perceived recovery, and repeated sports performance. *British Journal of Sports Medicine*, 34(2), 109–114.
- Herbert, R., Noronha, M. de, & Kamper, S. (2011). Stretching to prevent or reduce muscle soreness after exercise. *Cochrane Database of Systematic Reviews*, 7.
- Henschke, N., & Lin, C. (2011). Stretching before or after exercise does not reduce delayed-onset muscle soreness. *British Journal of Sports Medicine*, 45(15), 1249–1250.
- Hinds, T., McEwan, I., Perkes, J., et al. (2004). Effects of massage on limb and skin blood flow after quadriceps exercise. *Medicine and Science in Sports and Exercise*, 36(8), 1308–1313.
- Kelly, S., & Beardsley, C. (2016). Specific and cross-over effects of foam rolling on ankle dorsiflexion range of motion. *International Journal of Sports Physical Therapy*, 11(4), 544–551.
- Kovacs, M., & Baker, L. (2014). Recovery interventions and strategies for improved tennis performance. *British Journal of Sports Medicine*, 48, i18–i21.
- Krediet, C., Wilde, A., Wieling, W., et al. (2004). Exercise related syncope, when it's not the heart. *Clinical Autonomic Research*, 14(1), i25–i36.
- Kruse, N., Silette, C., & Scheuermann, B. (2016). Influence of passive stretch on muscle blood flow, oxygenation and central cardiovascular responses in healthy young males. *American Journal of Physiology. Heart and Circulatory Physiology*, 310(9), H1210–1221.
- LaRoche, D., & Connolly, D. (2006). Effects of stretching on passive muscle tension and response to eccentric exercise. *The American Journal of Sports Medicine*, 34(6), 1000–1007.
- LaStella, M., Roach, G., Halson, S., et al. (2015). Sleep/wake behaviours of elite athletes from individual and team sports. *European Journal of Sport Science*, 15(2), 94–100.
- LaStella, M., Roach, G., Vincent, G., et al. (2020). The impact of training load on sleep during a 14-day training camp in elite, adolescent, female basketball players. *International Journal of Sports Physiology and Performance*, 15(5), 724–730.
- Law, R., & Herbert, R. (2007). Warm-up reduces delayed-onset muscle soreness but cool-down does not: a randomised controlled trial. *Australian Journal of Physiotherapy*, 53(2), 91–95.
- Leeder, J., Glaišter, M., Pizzoferro, K., et al. (2012). Sleep duration and quality in elite athletes measured using wristwatch actigraphy. *Journal of Sports Sciences*, 30(6), 541–545.